

Spring data

Affecter Université

PUT

/universite/affecterFoyerAUuniversite/{idFoyer}/{nomUniversite}

Cancel

Parameters

Name	Description
idFoyer * required integer(\$int64) (path)	1
nomUniversite * required string (path)	esprit

Execute

Clear

Responses

Curl

curl -X 'PUT' \'
'http://localhost:8089/foyer/universite/affecterFoyerAUuniversite/1/esprit' \'
-H 'accept: */*'

Request URL

http://localhost:8089/foyer/universite/affecterFoyerAUuniversite/1/esprit

Server response

Code	Details
200	Response body { "idUniversite": 1, "nomUniversite": "esprit", "adresse": "ghazela", "foyer": { "idFoyer": 1, "nomFoyer": "foyerGars", "capaciteFoyer": 100, "Blocs": [/

Désaffecter université

PUT

/universite/desaffecterFoyerAUuniversite/{idUniversite}

Cancel

Parameters

Name	Description
idUniversite * required integer(\$int64) (path)	1

Execute

Clear

Responses

Curl

curl -X 'PUT' \'
'http://localhost:8089/foyer/universite/desaffecterFoyerAUuniversite/1' \'
-H 'accept: */*'

Request URL

http://localhost:8089/foyer/universite/desaffecterFoyerAUuniversite/1

Server response

Code	Details
200	Response body { "idUniversite": 1, "nomUniversite": "esprit", "adresse": "ghazela", "foyer": null } Download

Affecter blocs chambres

PUT

/api/bloc/affecterChambresABloc/{idBloc}

⌵

Parameters

Cancel

Reset

Name	Description
idBloc * required	
integer(int64)	1
(path)	

Request body required

application/json

⌵

```
[
  123,124,125
]
```

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
'http://localhost:8089/foyer/api/bloc/affecterChambresABloc/1' \
-H 'accept: */*' \
-H 'Content-Type: application/json' \
-d '{
  123,124,125
}'
```

Request URL

http://localhost:8089/foyer/api/bloc/affecterChambresABloc/1

Server response

Code

Details

200

Response body

```
{
  "idBloc": 1,
  "nomBloc": "BlocA",
  "capaciteBloc": 100,
  "chambres": [
    {
      "idChambre": 3,
      "numeroChambre": 125,
      "typeChambre": "TRIPLE",
      "reservations": []
    },
    {
      "idChambre": 1,
      "numeroChambre": 123
    }
  ]
}
```

Ajouter Foyer Affecter a Université

POST

/api/Foyer/ajouterFoyerEtAffecterAUiversite/{idUniversite}

Parameters

Cancel

Reset

Name	Description
idUniversite required	
integer(\$int64)	
(path)	1

Request body required

application/json

```
{  "nomFoyer": "Foyer Test",  "capaciteFoyer": 10,  "blocs": [    { "nomBloc": "Bloc 1", "capaciteBloc": 10 },    { "nomBloc": "Bloc 2", "capaciteBloc": 20 }  ]}
```

Execute

Clear

Responses

Curl

```
curl -X 'POST' \  'http://localhost:8089/foyer/api/foyer/ajouterFoyerEtAffecterAUiversite/1' \  -H 'accept: */*' \  -H 'Content-Type: application/json' \  -d '{  "nomFoyer": "Foyer Test",  "capaciteFoyer": 10,  "blocs": [    { "nomBloc": "Bloc 1", "capaciteBloc": 10 },    { "nomBloc": "Bloc 2", "capaciteBloc": 20 }  ]}'
```

Request URL

http://localhost:8089/foyer/api/foyer/ajouterFoyerEtAffecterAUiversite/1

Server response

Code	Details
200	Response body <pre>{ "idFoyer": 4, "nomFoyer": "Foyer Test", "capaciteFoyer": 10, "blocs": [{ "idBloc": 2, "nomBloc": "Bloc 1", "capaciteBloc": 10, "chambres": null }, { "idBloc": 3, "nomBloc": "Bloc 2", "capaciteBloc": 20, "chambres": null }], "universite": null}</pre> Download Response headers <pre>connection: keep-alive content-type: application/json date: Fri, 20 Mar 2020 12:57:40 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Ajouter reservation

POST /api/reservation/ajouterReservation/{idBloc}/{cinEtudiant}

Parameters

Cancel

Name	Description
idBloc * required	
integer(\$int64)	
(path)	
cinEtudiant * required	
integer(\$int64)	
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
'http://localhost:8089/foyer/api/reservation/ajouterReservation/1/12345678' \
-H 'accept: */*' \
-d ''
```

Request URL

http://localhost:8089/foyer/api/reservation/ajouterReservation/1/12345678

Server response

Code	Details
200	Response body <pre>{ "idReservation": 1, "numReservation": "124-BlocA-2026-03-30", "anneeUniversitaire": "2026-03-30", "estValide": true, "etudiants": [{ "idEtudiant": 1, "nomEt": "Samer", "prenomEt": "mkaouar", "cin": 12345678, "ecole": "Ecola", "dateNaissance": "2013-11-01" }] }</pre> Download

Annuler reservation

PUT /api/reservation/annulerReservation/{cinEtudiant}

Parameters

Cancel

Name	Description
cinEtudiant * required	
integer(\$int64)	
(path)	

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
'http://localhost:8089/foyer/api/reservation/annulerReservation/12345678' \
-H 'accept: */*'
```

Request URL

http://localhost:8089/foyer/api/reservation/annulerReservation/12345678

Server response

Code	Details
200	Response body <pre>{ "idReservation": 1, "numReservation": "124-BlocA-2026-03-30", "anneeUniversitaire": "2026-03-30", "estValide": false, "etudiants": [] }</pre> Download Response headers <pre>connection: keep-alive content-type: application/json date: Mon, 30 Mar 2026 12:25:33 GMT keep-alive: timeout=60 transfer-encoding: chunked</pre>

Responses

Get chambre by nom univeriste

GET /api/chambre/getChambresParNomUniveriste/{nomUniveriste}

Parameters

Name	Description
nomUniveriste * required	
string (path)	Esprit

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8089/foyer/api/chambre/getChambresParNomUniveriste/Esprit' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8089/foyer/api/chambre/getChambresParNomUniveriste/Esprit
```

Server response

Code Details

200

Response body

```
{
  "idChambre": 1,
  "numeroChambre": 123,
  "typeChambre": "SIMPLE",
  "reservations": []
},
{
  "idChambre": 2,
  "numeroChambre": 124,
  "typeChambre": "DOUBLE",
  "reservations": []
},
{
  "idChambre": 3,
  "numeroChambre": 125,
  "typeChambre": "TRIPLE",
  "reservations": []
}
```

Response headers

Get chambres par bloc et type

GET /api/chambre/getChambresParBlocEtType/{idBloc}/{typeC}

Parameters

Name	Description
idBloc * required	
Integer (int64) (path)	1
typeC * required	
string (path)	SIMPLE

Execute Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8089/foyer/api/chambre/getChambresParBlocEtType/1/SIMPLE' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8089/foyer/api/chambre/getChambresParBlocEtType/1/SIMPLE
```

Server response

Code Details

200

Response body

```
{
  "idChambre": 1,
  "numeroChambre": 123,
  "typeChambre": "SIMPLE",
  "reservations": []
},
{
  "idChambre": 4,
  "numeroChambre": 126,
  "typeChambre": "SIMPLE",
  "reservations": []
}
```

Response headers

Show AOT-generated Implementation, Query, etc...

```
List<Chambre> findByBloc_IdBlocAndTypeChambre(long idBloc, TypeC typeChambre);
```

Show AOT-generated Implementation, Query, etc...

```
@Query("select c from Chambre c where c.bloc.idBloc = :idBloc and c.typeChambre = :typeChambre")
List<Chambre> getChambresParBlocEtTypeJPQL(long idBloc, TypeC typeChambre);
```

Get reservation par uni et année

GET

/api/reservation/getReservationParAnneeUniversitaireEtNomUniversite

⌵

Parameters

Cancel

Name	Description
anneeUniversite * required string(\$date-time) (query)	2026-03-30
nomUniversite * required string (query)	esprit

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8089/foyer/api/reservation/getReservationParAnneeUniversitaireEtNomUniversite?anneeUniversite=2026-03-30&nomUniversite=esprit' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8089/foyer/api/reservation/getReservationParAnneeUniversitaireEtNomUniversite?anneeUniversite=2026-03-30&nomUniversite=esprit
```

Server response

Code	Details
200	Response body <pre>{ "idReservation": 1, "numReservation": "124-BlocA-2026-03-30", "anneeUniversitaire": "2026-03-30", "estValide": true, "etudiants": [] }</pre> Download Response headers <pre>connection: keep-alive content-type: application/json date: Mon, 30 Mar 2026 17:20:07 GMT keep-alive: timeout=60</pre>

Get chambre non réservée par nom université et typeC

GET

/api/chambre/getChambresNonReserveParNomUniversiteEtTypeChambre/{nomUniversite}/{type}

⌵

Parameters

Cancel

Name	Description
nomUniversite * required string (path)	esprit
type * required string (path)	SIMPLE

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8089/foyer/api/chambre/getChambresNonReserveParNomUniversiteEtTypeChambre/esprit/SIMPLE' \
  -H 'accept: */*'
```

Request URL

```
http://localhost:8089/foyer/api/chambre/getChambresNonReserveParNomUniversiteEtTypeChambre/esprit/SIMPLE
```

Server response

Code	Details
200	Response body <pre>{ [{ "idChambre": 1, "numeroChambre": 123, "typeChambre": "SIMPLE", "reservations": [] }, { "idChambre": 4, "numeroChambre": 126, "typeChambre": "SIMPLE", "reservations": [] }] }</pre> Download Response headers