```xml
<?xml version="1.0" encoding="utf-8" ?>
<!-- ******************************************************************
These sample files contain formatting information used by the Windows
PowerShell engine. Do not edit or change the contents of this file
directly. Please see the Windows PowerShell documentation or type
Get-Help Update-FormatData for more information.

Copyright (c) Microsoft Corporation.  All rights reserved.

THIS SAMPLE CODE AND INFORMATION IS PROVIDED "AS IS" WITHOUT WARRANTY
OF ANY KIND,WHETHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR
PURPOSE. IF THIS CODE AND INFORMATION IS MODIFIED, THE ENTIRE RISK OF USE
OR RESULTS IN CONNECTION WITH THE USE OF THIS CODE AND INFORMATION
REMAINS WITH THE USER.
****************************************************************** -->

<Configuration>
    <ViewDefinitions>
        <View>
            <Name>System.CodeDom.Compiler.CompilerError</Name>
            <ViewSelectedBy>
                <TypeName>System.CodeDom.Compiler.CompilerError</TypeName>
            </ViewSelectedBy>
             <ListControl>
                <ListEntries>
                    <ListEntry>
                        <ListItems>
                            <ListItem>
                                <PropertyName>ErrorText</PropertyName>
                            </ListItem>
                            <ListItem>
                                <PropertyName>Line</PropertyName>
                            </ListItem>
                            <ListItem>
                                <PropertyName>Column</PropertyName>
                            </ListItem>
                            <ListItem>
                                <PropertyName>ErrorNumber</PropertyName>
                            </ListItem>
                            <ListItem>
                                <PropertyName>LineSource</PropertyName>
                            </ListItem>
                        </ListItems>
                    </ListEntry>
                </ListEntries>
            </ListControl>
        </View>

        <View>
            <Name>System.Reflection.Assembly</Name>
            <ViewSelectedBy>
                <TypeName>System.Reflection.Assembly</TypeName>
            </ViewSelectedBy>
```

```xml
<TableControl>
    <TableHeaders>
        <TableColumnHeader>
            <Label>GAC</Label>
            <Width>6</Width>
        </TableColumnHeader>
        <TableColumnHeader>
    <Label>Version</Label>
            <Width>14</Width>
        </TableColumnHeader>
        <TableColumnHeader/>
    </TableHeaders>
    <TableRowEntries>
        <TableRowEntry>
            <TableColumnItems>
                <TableColumnItem>
                    <PropertyName>GlobalAssemblyCache</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                    <PropertyName>ImageRuntimeVersion</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                    <PropertyName>Location</PropertyName>
                </TableColumnItem>
            </TableColumnItems>
        </TableRowEntry>
     </TableRowEntries>
</TableControl>
</View>
<View>
    <Name>System.Reflection.AssemblyName</Name>
    <ViewSelectedBy>
        <TypeName>System.Reflection.AssemblyName</TypeName>
    </ViewSelectedBy>

    <TableControl>
        <TableHeaders>
            <TableColumnHeader>
                <Width>14</Width>
            </TableColumnHeader>
            <TableColumnHeader/>
        </TableHeaders>
        <TableRowEntries>
            <TableRowEntry>
                <TableColumnItems>
                    <TableColumnItem>
                        <PropertyName>Version</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>Name</PropertyName>
                    </TableColumnItem>
                </TableColumnItems>
            </TableRowEntry>
```

```xml
                </TableRowEntries>
            </TableControl>
        </View>
        <View>
            <Name>System.Globalization.CultureInfo</Name>
            <ViewSelectedBy>
                <TypeName>System.Globalization.CultureInfo</TypeName>
            </ViewSelectedBy>

            <TableControl>
                <TableHeaders>
                    <TableColumnHeader>
                        <Width>16</Width>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Width>16</Width>
                    </TableColumnHeader>
                    <TableColumnHeader/>
                </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
                        <TableColumnItems>
                            <TableColumnItem>
                                <PropertyName>LCID</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>Name</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>DisplayName</PropertyName>
                            </TableColumnItem>
                        </TableColumnItems>
                    </TableRowEntry>
                </TableRowEntries>
            </TableControl>
        </View>
        <View>
            <Name>System.Diagnostics.FileVersionInfo</Name>
            <ViewSelectedBy>
                <TypeName>System.Diagnostics.FileVersionInfo</TypeName>
            </ViewSelectedBy>

            <TableControl>
                <TableHeaders>
                    <TableColumnHeader>
                        <Width>16</Width>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Width>16</Width>
                    </TableColumnHeader>
                    <TableColumnHeader/>
                 </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
```

```xml
                    <TableColumnItems>
                        <TableColumnItem>
                            <PropertyName>ProductVersion</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>FileVersion</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>FileName</PropertyName>
                        </TableColumnItem>
                    </TableColumnItems>
                </TableRowEntry>
            </TableRowEntries>
        </TableControl>
</View>

<View>
    <Name>System.Diagnostics.EventLogEntry</Name>
    <ViewSelectedBy>
        <TypeName>System.Diagnostics.EventLogEntry</TypeName>
    </ViewSelectedBy>

    <TableControl>
        <TableHeaders>
            <TableColumnHeader>
                <Label>Index</Label>
                <Alignment>Right</Alignment>
                <Width>8</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Label>Time</Label>
                <Width>13</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Label>EntryType</Label>
                <Width>11</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Label>Source</Label>
                <Width>20</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Label>InstanceID</Label>
                <Alignment>Right</Alignment>
                <Width>12</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Label>Message</Label>
            </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
            <TableRowEntry>
                <TableColumnItems>
                    <TableColumnItem>
```

```xml
                            <PropertyName>Index</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>TimeGenerated</PropertyName>
                            <FormatString>{0:MMM} {0:dd}
{0:HH}:{0:mm}</FormatString>
                        </TableColumnItem>
                        <TableColumnItem>
                            <ScriptBlock>$_.EntryType</ScriptBlock>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>Source</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>InstanceID</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>Message</PropertyName>
                        </TableColumnItem>
                    </TableColumnItems>
                </TableRowEntry>
            </TableRowEntries>
        </TableControl>
    </View>

    <View>
        <Name>System.Diagnostics.EventLog</Name>
        <ViewSelectedBy>
            <TypeName>System.Diagnostics.EventLog</TypeName>
        </ViewSelectedBy>

        <TableControl>
            <TableHeaders>
                <TableColumnHeader>
                    <Label>Max(K)</Label>
                    <Alignment>Right</Alignment>
                    <Width>8</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                    <Label>Retain</Label>
                    <Alignment>Right</Alignment>
                    <Width>6</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                    <Label>OverflowAction</Label>
                    <Width>18</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                    <Label>Entries</Label>
                    <Alignment>Right</Alignment>
                    <Width>10</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                    <Label>Log</Label>
```

```xml
                                </TableColumnHeader>

                            </TableHeaders>
                            <TableRowEntries>
                                <TableRowEntry>
                                    <TableColumnItems>
                                        <TableColumnItem>

<ScriptBlock>$_.MaximumKilobytes.ToString('N0')</ScriptBlock>
                                        </TableColumnItem>
                                        <TableColumnItem>

<PropertyName>MinimumRetentionDays</PropertyName>
                                        </TableColumnItem>
                                        <TableColumnItem>
                                            <PropertyName>OverflowAction</PropertyName>
                                        </TableColumnItem>
                                        <TableColumnItem>

<ScriptBlock>$_.Entries.Count.ToString('N0')</ScriptBlock>
                                        </TableColumnItem>
                                        <TableColumnItem>
                                            <PropertyName>Log</PropertyName>
                                        </TableColumnItem>

                                    </TableColumnItems>
                                </TableRowEntry>
                            </TableRowEntries>
                        </TableControl>
                    </View>
                    <View>
                        <Name>System.Version</Name>
                        <ViewSelectedBy>
                            <TypeName>System.Version</TypeName>
                        </ViewSelectedBy>
                        <TableControl>
                            <TableHeaders>
                                <TableColumnHeader>
                                    <Width>6</Width>
                                </TableColumnHeader>
                                <TableColumnHeader>
                                    <Width>6</Width>
                                </TableColumnHeader>
                                <TableColumnHeader>
                                    <Width>6</Width>
                                </TableColumnHeader>
                                <TableColumnHeader>
                                    <Width>8</Width>
                                </TableColumnHeader>
                            </TableHeaders>
                            <TableRowEntries>
                                <TableRowEntry>
                                    <TableColumnItems>
                                        <TableColumnItem>
```

```xml
                    <PropertyName>Major</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                    <PropertyName>Minor</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                    <PropertyName>Build</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                    <PropertyName>Revision</PropertyName>
                </TableColumnItem>
            </TableColumnItems>
        </TableRowEntry>
    </TableRowEntries>
</TableControl>
</View>
<View>
    <Name>System.Drawing.Printing.PrintDocument</Name>
    <ViewSelectedBy>
        <TypeName>System.Drawing.Printing.PrintDocument</TypeName>
    </ViewSelectedBy>

    <TableControl>
        <TableHeaders>
            <TableColumnHeader>
                <Width>10</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Width>10</Width>
            </TableColumnHeader>
            <TableColumnHeader/>
        </TableHeaders>
        <TableRowEntries>
            <TableRowEntry>
                <TableColumnItems>
                    <TableColumnItem>
                        <PropertyName>Color</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>Duplex</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>Name</PropertyName>
                    </TableColumnItem>

                </TableColumnItems>
            </TableRowEntry>
        </TableRowEntries>
    </TableControl>
</View>
<View>
    <Name>Dictionary</Name>
    <ViewSelectedBy>
        <TypeName>System.Collections.DictionaryEntry</TypeName>
```

```xml
            </ViewSelectedBy>
            <TableControl>
                <TableHeaders>
                    <TableColumnHeader>
                        <Width>30</Width>
                    </TableColumnHeader>
                    <TableColumnHeader />
                </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
                        <TableColumnItems>
                            <TableColumnItem>
                                <PropertyName>Name</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>Value</PropertyName>
                            </TableColumnItem>
                        </TableColumnItems>
                    </TableRowEntry>
                </TableRowEntries>
            </TableControl>
        </View>
        <View>
            <Name>ProcessModule</Name>
            <ViewSelectedBy>
                <TypeName>System.Diagnostics.ProcessModule</TypeName>
            </ViewSelectedBy>
            <TableControl>
                <TableHeaders>
                    <TableColumnHeader>
                        <Label>Size(K)</Label>
                        <Width>10</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Width>50</Width>
                    </TableColumnHeader>
                    <TableColumnHeader />
                </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
                        <TableColumnItems>
                            <TableColumnItem>
                                <ScriptBlock>$_.Size</ScriptBlock>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>ModuleName</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>FileName</PropertyName>
                            </TableColumnItem>
                        </TableColumnItems>
                    </TableRowEntry>
                </TableRowEntries>
```

```
            </TableControl>
        </View>
        <View>
            <Name>process</Name>
            <ViewSelectedBy>
                <TypeName>System.Diagnostics.Process</TypeName>
            </ViewSelectedBy>
            <TableControl>
                <TableHeaders>
                    <TableColumnHeader>
                        <Label>Handles</Label>
                        <Width>7</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Label>NPM(K)</Label>
                        <Width>7</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Label>PM(K)</Label>
                        <Width>8</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Label>WS(K)</Label>
                        <Width>10</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Label>VM(M)</Label>
                        <Width>5</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Label>CPU(s)</Label>
                        <Width>8</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Width>6</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Width>3</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader />
                </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
                        <TableColumnItems>
                            <TableColumnItem>
                                <PropertyName>HandleCount</PropertyName>
```

```xml
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                <ScriptBlock>[long]($_.NPM / 1024)</ScriptBlock>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                <ScriptBlock>[long]($_.PM / 1024)</ScriptBlock>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                <ScriptBlock>[long]($_.WS / 1024)</ScriptBlock>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                <ScriptBlock>[long]($_.VM /
1048576)</ScriptBlock>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                <ScriptBlock>

if ($_.CPU -ne $())
{
    $_.CPU.ToString("N")
}
                                                </ScriptBlock>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                <PropertyName>Id</PropertyName>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                <PropertyName>SI</PropertyName>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                <PropertyName>ProcessName</PropertyName>
                                            </TableColumnItem>
                                        </TableColumnItems>
                                    </TableRowEntry>
                                </TableRowEntries>
                            </TableControl>
                        </View>
                    <View>
                      <Name>ProcessWithUserName</Name>
                      <ViewSelectedBy>
                        <TypeName>System.Diagnostics.Process#IncludeUserName</TypeName>
                      </ViewSelectedBy>
                      <TableControl>
                        <TableHeaders>
                          <TableColumnHeader>
                            <Label>Handles</Label>
                            <Width>7</Width>
                            <Alignment>right</Alignment>
                          </TableColumnHeader>
                          <TableColumnHeader>
                            <Label>WS(K)</Label>
                            <Width>10</Width>
                            <Alignment>right</Alignment>
                          </TableColumnHeader>
                          <TableColumnHeader>
```

```xml
              <Label>VM(M)</Label>
              <Width>5</Width>
              <Alignment>right</Alignment>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>CPU(s)</Label>
              <Width>8</Width>
              <Alignment>right</Alignment>
            </TableColumnHeader>
            <TableColumnHeader>
              <Width>6</Width>
              <Alignment>right</Alignment>
            </TableColumnHeader>
            <TableColumnHeader>
              <Width>17</Width>
            </TableColumnHeader>
            <TableColumnHeader />
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>HandleCount</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <ScriptBlock>[long]($_.WS / 1024)</ScriptBlock>
                </TableColumnItem>
                <TableColumnItem>
                  <ScriptBlock>[long]($_.VM / 1048576)</ScriptBlock>
                </TableColumnItem>
                <TableColumnItem>
                  <ScriptBlock>
                    if ($_.CPU -ne $())
                    {
                    $_.CPU.ToString("N")
                    }
                  </ScriptBlock>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Id</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>UserName</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>ProcessName</PropertyName>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
    </View>
      <View>
        <Name>DirectoryEntry</Name>
```

```xml
        <ViewSelectedBy>
            <TypeName>System.DirectoryServices.DirectoryEntry</TypeName>
        </ViewSelectedBy>
         <ListControl>
            <ListEntries>
                <ListEntry>
                    <ListItems>
                        <ListItem>
                            <Label>distinguishedName</Label>
                            <PropertyName>distinguishedName</PropertyName>
                        </ListItem>
                        <ListItem>
                            <Label>Path</Label>
                            <PropertyName>path</PropertyName>
                        </ListItem>
                    </ListItems>
                </ListEntry>
            </ListEntries>
        </ListControl>
    </View>
    <View>
        <Name>PSSnapInInfo</Name>
        <ViewSelectedBy>
            <TypeName>System.Management.Automation.PSSnapInInfo</TypeName>
        </ViewSelectedBy>
        <ListControl>
            <ListEntries>
                <ListEntry>
                    <ListItems>
                        <ListItem>
                            <Label>Name</Label>
                            <PropertyName>Name</PropertyName>
                        </ListItem>
                        <ListItem>
                            <Label>PSVersion</Label>
                            <PropertyName>PSVersion</PropertyName>
                        </ListItem>
                        <ListItem>
                            <Label>Description</Label>
                            <PropertyName>Description</PropertyName>
                        </ListItem>
                    </ListItems>
                </ListEntry>
            </ListEntries>
        </ListControl>
    </View>
    <View>
        <Name>PSSnapInInfo</Name>
        <ViewSelectedBy>
            <TypeName>System.Management.Automation.PSSnapInInfo</TypeName>
        </ViewSelectedBy>
        <TableControl>
            <TableHeaders>
                <TableColumnHeader>
```

```xml
                    <Label>Name</Label>
                    <Width>30</Width>
                    <Alignment>Left</Alignment>
                </TableColumnHeader>
                <TableColumnHeader>
                    <Label>PSVersion</Label>
                    <Width>20</Width>
                    <Alignment>Left</Alignment>
                </TableColumnHeader>
                <TableColumnHeader>
                    <Label>Description</Label>
                    <Width>30</Width>
                    <Alignment>Left</Alignment>
                </TableColumnHeader>
            </TableHeaders>
            <TableRowEntries>
                <TableRowEntry>
                    <TableColumnItems>
                        <TableColumnItem>
                            <PropertyName>Name</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>PSVersion</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>Description</PropertyName>
                        </TableColumnItem>
                    </TableColumnItems>
                </TableRowEntry>
            </TableRowEntries>
        </TableControl>
</View>
<View>
    <Name>Priority</Name>
    <ViewSelectedBy>
        <TypeName>System.Diagnostics.Process</TypeName>
    </ViewSelectedBy>
    <GroupBy>
        <PropertyName>PriorityClass</PropertyName>
        <Label>PriorityClass</Label>
    </GroupBy>
    <TableControl>
        <TableHeaders>
            <TableColumnHeader>
                <Width>20</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Width>10</Width>
                <Alignment>right</Alignment>
            </TableColumnHeader>
            <TableColumnHeader>
                <Width>13</Width>
                <Alignment>right</Alignment>
            </TableColumnHeader>
```

```xml
                    <TableColumnHeader>
                        <Width>12</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
                        <TableColumnItems>
                            <TableColumnItem>
                                <PropertyName>ProcessName</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>Id</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>HandleCount</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>WorkingSet64</PropertyName>
                            </TableColumnItem>
                        </TableColumnItems>
                    </TableRowEntry>
                </TableRowEntries>
            </TableControl>
        </View>
        <View>
            <Name>StartTime</Name>
            <ViewSelectedBy>
                <TypeName>System.Diagnostics.Process</TypeName>
            </ViewSelectedBy>
            <GroupBy>
                <ScriptBlock>$_.StartTime.ToShortDateString()</ScriptBlock>
                <Label>StartTime.ToShortDateString()</Label>
            </GroupBy>
            <TableControl>
                <TableHeaders>
                    <TableColumnHeader>
                        <Width>20</Width>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Width>10</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Width>13</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Width>12</Width>
                        <Alignment>right</Alignment>
                    </TableColumnHeader>
                </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
```

```
                    <TableColumnItems>
                        <TableColumnItem>
                            <PropertyName>ProcessName</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>Id</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>HandleCount</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>WorkingSet64</PropertyName>
                        </TableColumnItem>
                    </TableColumnItems>
                </TableRowEntry>
            </TableRowEntries>
        </TableControl>
</View>
        <View>
    <Name>service</Name>
    <ViewSelectedBy>
        <TypeName>System.ServiceProcess.ServiceController</TypeName>
    </ViewSelectedBy>
    <TableControl>
        <TableHeaders>
            <TableColumnHeader>
                <Width>8</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Width>18</Width>
            </TableColumnHeader>
            <TableColumnHeader>
                <Width>38</Width>
            </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
            <TableRowEntry>
                <TableColumnItems>
                    <TableColumnItem>
                        <PropertyName>Status</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>Name</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>DisplayName</PropertyName>
                    </TableColumnItem>
                </TableColumnItems>
            </TableRowEntry>
        </TableRowEntries>
    </TableControl>
</View>
        <View>
    <Name>System.Diagnostics.FileVersionInfo</Name>
```

```xml
<ViewSelectedBy>
    <TypeName>System.Diagnostics.FileVersionInfo</TypeName>
</ViewSelectedBy>


<ListControl>
    <ListEntries>
        <ListEntry>
            <ListItems>
                <ListItem>
                    <PropertyName>OriginalFileName</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>FileDescription</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>ProductName</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>Comments</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>CompanyName</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>FileName</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>FileVersion</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>ProductVersion</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>IsDebug</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>IsPatched</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>IsPreRelease</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>IsPrivateBuild</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>IsSpecialBuild</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>Language</PropertyName>
                </ListItem>
                <ListItem>
                    <PropertyName>LegalCopyright</PropertyName>
                </ListItem>
```

```xml
                        <ListItem>
                            <PropertyName>LegalTrademarks</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>PrivateBuild</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>SpecialBuild</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>FileVersionRaw</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>ProductVersionRaw</PropertyName>
                        </ListItem>

                    </ListItems>
                </ListEntry>
            </ListEntries>
        </ListControl>
</View>


<View>
    <Name>System.Diagnostics.EventLogEntry</Name>
    <ViewSelectedBy>
        <TypeName>System.Diagnostics.EventLogEntry</TypeName>
    </ViewSelectedBy>


    <ListControl>
        <ListEntries>
            <ListEntry>
                <ListItems>
                    <ListItem>
                        <PropertyName>Index</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>EntryType</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>InstanceID</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>Message</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>Category</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>CategoryNumber</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>ReplacementStrings</PropertyName>
```

```xml
                    </ListItem>
                    <ListItem>
                        <PropertyName>Source</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>TimeGenerated</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>TimeWritten</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>UserName</PropertyName>
                    </ListItem>

                </ListItems>
            </ListEntry>
        </ListEntries>
    </ListControl>
</View>

<View>
    <Name>System.Diagnostics.EventLog</Name>
    <ViewSelectedBy>
        <TypeName>System.Diagnostics.EventLog</TypeName>
    </ViewSelectedBy>

    <ListControl>
        <ListEntries>
            <ListEntry>
                <ListItems>
                    <ListItem>
                        <PropertyName>Log</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>EnableRaisingEvents</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>MaximumKilobytes</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>MinimumRetentionDays</PropertyName
>
                    </ListItem>
                    <ListItem>
                        <PropertyName>OverflowAction</PropertyName>
                    </ListItem>
                </ListItems>
            </ListEntry>
        </ListEntries>
    </ListControl>
</View>
<View>
    <Name>System.TimeSpan</Name>
    <ViewSelectedBy>
```

```xml
                <TypeName>System.TimeSpan</TypeName>
        </ViewSelectedBy>


        <ListControl>
            <ListEntries>
                <ListEntry>
                    <ListItems>
                        <ListItem>
                            <PropertyName>Days</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>Hours</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>Minutes</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>Seconds</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>Milliseconds</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>Ticks</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>TotalDays</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>TotalHours</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>TotalMinutes</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>TotalSeconds</PropertyName>
                        </ListItem>
                        <ListItem>
                            <PropertyName>TotalMilliseconds</PropertyName>
                        </ListItem>

                    </ListItems>
                </ListEntry>
            </ListEntries>
        </ListControl>
    </View>
    <View>
        <Name>System.TimeSpan</Name>
        <ViewSelectedBy>
            <TypeName>System.TimeSpan</TypeName>
        </ViewSelectedBy>
```

```xml
        <TableControl>
            <TableRowEntries>
                <TableRowEntry>
                    <TableColumnItems>
                        <TableColumnItem>
                            <PropertyName>Days</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>Hours</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>Minutes</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>Seconds</PropertyName>
                        </TableColumnItem>
                        <TableColumnItem>
                            <PropertyName>Milliseconds</PropertyName>
                        </TableColumnItem>
                    </TableColumnItems>
                </TableRowEntry>
            </TableRowEntries>
        </TableControl>

    </View>
    <View>
        <Name>System.TimeSpan</Name>
        <ViewSelectedBy>
            <TypeName>System.TimeSpan</TypeName>
        </ViewSelectedBy>
        <WideControl>
            <WideEntries>
                <WideEntry>
                    <WideItem>
                        <PropertyName>TotalMilliseconds</PropertyName>
                    </WideItem>
                </WideEntry>
            </WideEntries>
        </WideControl>
    </View>

    <View>
        <Name>System.AppDomain</Name>
        <ViewSelectedBy>
            <TypeName>System.AppDomain</TypeName>
        </ViewSelectedBy>


        <ListControl>
            <ListEntries>
                <ListEntry>
                    <ListItems>
                        <ListItem>
                            <PropertyName>FriendlyName</PropertyName>
```

```
                                            </ListItem>
                                            <ListItem>
                                                <PropertyName>Id</PropertyName>
                                            </ListItem>
                                            <ListItem>

<PropertyName>ApplicationDescription</PropertyName>
                                            </ListItem>
                                            <ListItem>
                                                <PropertyName>BaseDirectory</PropertyName>
                                            </ListItem>
                                            <ListItem>
                                                <PropertyName>DynamicDirectory</PropertyName>
                                            </ListItem>
                                            <ListItem>
                                                <PropertyName>RelativeSearchPath</PropertyName>
                                            </ListItem>
                                            <ListItem>
                                                <PropertyName>SetupInformation</PropertyName>
                                            </ListItem>
                                            <ListItem>
                                                <PropertyName>ShadowCopyFiles</PropertyName>
                                            </ListItem>

                                    </ListItems>
                                </ListEntry>
                            </ListEntries>
                        </ListControl>
                 </View>
                <View>
                    <Name>System.ServiceProcess.ServiceController</Name>
                    <ViewSelectedBy>
                        <TypeName>System.ServiceProcess.ServiceController</TypeName>
                    </ViewSelectedBy>


                    <ListControl>
                        <ListEntries>
                            <ListEntry>
                                <ListItems>
                                    <ListItem>
                                        <PropertyName>Name</PropertyName>
                                    </ListItem>
                                    <ListItem>
                                        <PropertyName>DisplayName</PropertyName>
                                    </ListItem>
                                    <ListItem>
                                        <PropertyName>Status</PropertyName>
                                    </ListItem>
                                    <ListItem>
                                        <PropertyName>DependentServices</PropertyName>
                                    </ListItem>
                                    <ListItem>
                                        <PropertyName>ServicesDependedOn</PropertyName>
```

```
                    </ListItem>
                    <ListItem>
                        <PropertyName>CanPauseAndContinue</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>CanShutdown</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>CanStop</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>ServiceType</PropertyName>
                    </ListItem>
                </ListItems>
            </ListEntry>
        </ListEntries>
    </ListControl>
</View>

<View>
    <Name>System.Reflection.Assembly</Name>
    <ViewSelectedBy>
        <TypeName>System.Reflection.Assembly</TypeName>
    </ViewSelectedBy>
    <ListControl>
        <ListEntries>
            <ListEntry>
                <ListItems>
                    <ListItem>
                        <PropertyName>CodeBase</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>EntryPoint</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>EscapedCodeBase</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>FullName</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>GlobalAssemblyCache</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>HostContext</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>ImageFileMachine</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>ImageRuntimeVersion</PropertyName>
                    </ListItem>
                    <ListItem>
                        <PropertyName>Location</PropertyName>
```

```xml
                                    </ListItem>
                                    <ListItem>
                                        <PropertyName>ManifestModule</PropertyName>
                                    </ListItem>
                                    <ListItem>
                                        <PropertyName>MetadataToken</PropertyName>
                                    </ListItem>
                                    <ListItem>

<PropertyName>PortableExecutableKind</PropertyName>
                                    </ListItem>
                                    <ListItem>
                                        <PropertyName>ReflectionOnly</PropertyName>
                                    </ListItem>
                                </ListItems>
                            </ListEntry>
                        </ListEntries>
                    </ListControl>
                </View>
                <View>
                    <Name>System.Collections.DictionaryEntry</Name>
                    <ViewSelectedBy>
                        <TypeName>System.Collections.DictionaryEntry</TypeName>
                    </ViewSelectedBy>
                    <ListControl>
                        <ListEntries>
                            <ListEntry>
                                <ListItems>
                                    <ListItem>
                                        <PropertyName>Name</PropertyName>
                                    </ListItem>
                                    <ListItem>
                                        <PropertyName>Value</PropertyName>
                                    </ListItem>
                                </ListItems>
                            </ListEntry>
                        </ListEntries>
                    </ListControl>
                </View>
                <View>
                    <Name>process</Name>
                    <ViewSelectedBy>
                        <TypeName>System.Diagnostics.Process</TypeName>
                    </ViewSelectedBy>
                    <WideControl>
                        <WideEntries>
                            <WideEntry>
                                <WideItem>
                                    <PropertyName>ProcessName</PropertyName>
                                </WideItem>
                            </WideEntry>
                        </WideEntries>
                    </WideControl>
                </View>
```

```xml
<View>
    <Name>DateTime</Name>
    <ViewSelectedBy>
        <TypeName>System.DateTime</TypeName>
    </ViewSelectedBy>
    <CustomControl>
        <CustomEntries>
            <CustomEntry>
                <CustomItem> <ExpressionBinding>
<PropertyName>DateTime</PropertyName> </ExpressionBinding> </CustomItem>
            </CustomEntry>
        </CustomEntries>
    </CustomControl>
</View>
<View>
    <Name>System.Security.AccessControl.ObjectSecurity</Name>
    <ViewSelectedBy>

<TypeName>System.Security.AccessControl.ObjectSecurity</TypeName>
    </ViewSelectedBy>

    <TableControl>
        <TableHeaders>
            <TableColumnHeader>
            </TableColumnHeader>
            <TableColumnHeader>
            </TableColumnHeader>
            <TableColumnHeader>
                <Label>Access</Label>
            </TableColumnHeader>
         </TableHeaders>
        <TableRowEntries>
            <TableRowEntry>
                <TableColumnItems>
                    <TableColumnItem>
                        <PropertyName>Path</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>Owner</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>AccessToString</PropertyName>
                    </TableColumnItem>
                </TableColumnItems>
            </TableRowEntry>
        </TableRowEntries>
    </TableControl>
</View>
<View>
    <Name>System.Security.AccessControl.ObjectSecurity</Name>
    <ViewSelectedBy>

<TypeName>System.Security.AccessControl.ObjectSecurity</TypeName>
    </ViewSelectedBy>
```

```xml
            <ListControl>
                <ListEntries>
                    <ListEntry>
                        <ListItems>
                            <ListItem>
                                <PropertyName>Path</PropertyName>
                            </ListItem>
                            <ListItem>
                                <PropertyName>Owner</PropertyName>
                            </ListItem>
                            <ListItem>
                                <PropertyName>Group</PropertyName>
                            </ListItem>
                            <ListItem>
                                <Label>Access</Label>
                                <PropertyName>AccessToString</PropertyName>
                            </ListItem>
                            <ListItem>
                                <Label>Audit</Label>
                                <PropertyName>AuditToString</PropertyName>
                            </ListItem>
                            <ListItem>
                                <PropertyName>Sddl</PropertyName>
                            </ListItem>
                        </ListItems>
                    </ListEntry>
                </ListEntries>
            </ListControl>
    </View>
    <View>
        <Name>System.Management.ManagementClass</Name>
        <ViewSelectedBy>
            <TypeName>System.Management.ManagementClass</TypeName>
        </ViewSelectedBy>
        <GroupBy>
            <PropertyName>__Namespace</PropertyName>
            <Label>NameSpace</Label>
        </GroupBy>
        <TableControl>
            <TableHeaders>
                <TableColumnHeader>
                    <Width>35</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                    <Width>20</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                </TableColumnHeader>
            </TableHeaders>
            <TableRowEntries>
                <TableRowEntry>
                    <TableColumnItems>
                        <TableColumnItem>
                            <PropertyName>Name</PropertyName>
```

```xml
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>Methods</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                        <PropertyName>Properties</PropertyName>
                    </TableColumnItem>
                </TableColumnItems>
            </TableRowEntry>
        </TableRowEntries>
    </TableControl>
</View>
<View>
  <Name>Microsoft.Management.Infrastructure.CimClass</Name>
  <ViewSelectedBy>
    <TypeName>Microsoft.Management.Infrastructure.CimClass</TypeName>
  </ViewSelectedBy>
  <GroupBy>
    <ScriptBlock>$_.CimSystemProperties.Namespace</ScriptBlock>
    <Label>NameSpace</Label>
  </GroupBy>
  <TableControl>
    <TableHeaders>
      <TableColumnHeader>
        <Label>CimClassName</Label>
        <Width>35</Width>
      </TableColumnHeader>
      <TableColumnHeader>
        <Width>20</Width>
      </TableColumnHeader>
      <TableColumnHeader>
      </TableColumnHeader>
    </TableHeaders>
    <TableRowEntries>
      <TableRowEntry>
        <TableColumnItems>
          <TableColumnItem>
            <PropertyName>CimClassName</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>CimClassMethods</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>CimClassProperties</PropertyName>
          </TableColumnItem>
        </TableColumnItems>
      </TableRowEntry>
    </TableRowEntries>
  </TableControl>
</View>
<View>
    <Name>System.Guid</Name>
    <ViewSelectedBy>
        <TypeName>System.Guid</TypeName>
```

```xml
                </ViewSelectedBy>
                <TableControl>
                    <TableRowEntries>
                        <TableRowEntry>
                            <TableColumnItems>
                                <TableColumnItem>
                                    <PropertyName>Guid</PropertyName>
                                </TableColumnItem>
                            </TableColumnItems>
                        </TableRowEntry>
                    </TableRowEntries>
                </TableControl>
        </View>
            <View>

<Name>System.Management.ManagementObject#root\cimv2\Win32_PingStatus</Name>
        <ViewSelectedBy>

<TypeName>System.Management.ManagementObject#root\cimv2\Win32_PingStatus</TypeName>
        </ViewSelectedBy>
          <TableControl>
                <TableHeaders>
                    <TableColumnHeader>
                        <Label>Source</Label>
                        <Width>13</Width>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Label>Destination</Label>
                        <Width>15</Width>
                    </TableColumnHeader>
                      <TableColumnHeader>
                        <Label>IPV4Address</Label>
                        <Width>16</Width>
                    </TableColumnHeader>
                      <TableColumnHeader>
                        <Label>IPV6Address</Label>
                        <Width>40</Width>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Label>Bytes</Label>
                        <Width>8</Width>
                    </TableColumnHeader>
                    <TableColumnHeader>
                        <Label>Time(ms)</Label>
                        <Width>9</Width>
                    </TableColumnHeader>
                  </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
                        <TableColumnItems>
                            <TableColumnItem>
                                <PropertyName>__Server</PropertyName>
                            </TableColumnItem>
```

```xml
                                <TableColumnItem>
                                    <PropertyName>Address</PropertyName>
                                </TableColumnItem>
                                <TableColumnItem>
                                    <PropertyName>IPV4Address</PropertyName>
                                </TableColumnItem>
                                <TableColumnItem>
                                    <PropertyName>IPV6Address</PropertyName>
                                </TableColumnItem>
                                <TableColumnItem>
                                    <PropertyName>BufferSize</PropertyName>
                                </TableColumnItem>
                                <TableColumnItem>
                                    <PropertyName>ResponseTime</PropertyName>
                                </TableColumnItem>
                            </TableColumnItems>
                        </TableRowEntry>
                    </TableRowEntries>
            </TableControl>
    </View>
        <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_PingStatus</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_PingStatus</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
            <TableColumnHeader>
              <Label>Source</Label>
              <Width>13</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Destination</Label>
              <Width>15</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>IPV4Address</Label>
              <Width>16</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>IPV6Address</Label>
              <Width>40</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Bytes</Label>
              <Width>8</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Time(ms)</Label>
              <Width>9</Width>
```

```xml
            </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>ComputerName</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Address</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>IPV4Address</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>IPV6Address</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>BufferSize</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>ResponseTime</PropertyName>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
      </View>
      <View>
      <Name>System.Management.ManagementObject#root\default\SystemRestore</Name>
        <ViewSelectedBy>

<TypeName>System.Management.ManagementObject#root\default\SystemRestore</TypeName>
        </ViewSelectedBy>
      <TableControl>
              <TableHeaders>
                  <TableColumnHeader>
                      <Label>CreationTime</Label>
                      <Width>22</Width>
                  </TableColumnHeader>
                  <TableColumnHeader>
                      <Label>Description</Label>
                      <Width>30</Width>
                  </TableColumnHeader>
                  <TableColumnHeader>
                    <Label>SequenceNumber</Label>
                    <Width>17</Width>
                  </TableColumnHeader>
                  <TableColumnHeader>
                    <Label>EventType</Label>
                    <Width>17</Width>
                  </TableColumnHeader>
                  <TableColumnHeader>
```

```xml
                        <Label>RestorePointType</Label>
                        <Width>22</Width>
                    </TableColumnHeader>
                </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
                        <TableColumnItems>
                            <TableColumnItem>
                                <ScriptBlock>
                                    return
$_.ConvertToDateTime($_.CreationTime)
                                </ScriptBlock>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>Description</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>SequenceNumber</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <ScriptBlock>
                                    $eventType = $_.EventType;
                                    if($_.EventType -eq 100)
                                    {$eventType = "BEGIN_SYSTEM_CHANGE";}
                                    if($_.EventType -eq 101)
                                    {$eventType = "END_SYSTEM_CHANGE";}
                                    if($_.EventType -eq 102)
                                    {$eventType =
"BEGIN_NESTED_SYSTEM_CHANGE";}

                                    if($_.EventType -eq 103)
                                    {$eventType =
"END_NESTED_SYSTEM_CHANGE";}

                                    return $eventType;
                                </ScriptBlock>
                            </TableColumnItem>
                            <TableColumnItem>
                                <ScriptBlock>
                                $RestorePointType = $_.RestorePointType;
                                if($_.RestorePointType -eq 0)
                                {       $RestorePointType =
"APPLICATION_INSTALL";}

                                if($_.RestorePointType -eq 1)
                                {       $RestorePointType =
"APPLICATION_UNINSTALL";}

                                if($_.RestorePointType -eq 10)
                                {       $RestorePointType =
"DEVICE_DRIVER_INSTALL";}

                                if($_.RestorePointType -eq 12)
                                {       $RestorePointType = "MODIFY_SETTINGS";}
                                if($_.RestorePointType -eq 13)
                                { $RestorePointType = "CANCELLED_OPERATION";}
                                return $RestorePointType;
                                </ScriptBlock>
                            </TableColumnItem>
```

```xml
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>
    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/default/SystemRestore
</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/default/SystemRes
tore</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>CreationTime</Label>
            <Width>22</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Description</Label>
            <Width>30</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>SequenceNumber</Label>
            <Width>17</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>EventType</Label>
            <Width>17</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>RestorePointType</Label>
            <Width>22</Width>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <ScriptBlock>
                  return $_.ConvertToDateTime($_.CreationTime)
                </ScriptBlock>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Description</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>SequenceNumber</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <ScriptBlock>
                  $eventType = $_.EventType;
```

```
                    if($_.EventType -eq 100)
                    {$eventType = "BEGIN_SYSTEM_CHANGE";}
                    if($_.EventType -eq 101)
                    {$eventType = "END_SYSTEM_CHANGE";}
                    if($_.EventType -eq 102)
                    {$eventType = "BEGIN_NESTED_SYSTEM_CHANGE";}
                    if($_.EventType -eq 103)
                    {$eventType = "END_NESTED_SYSTEM_CHANGE";}
                    return $eventType;
                  </ScriptBlock>
                </TableColumnItem>
                <TableColumnItem>
                  <ScriptBlock>
                    $RestorePointType = $_.RestorePointType;
                    if($_.RestorePointType -eq 0)
                    {   $RestorePointType = "APPLICATION_INSTALL";}
                    if($_.RestorePointType -eq 1)
                    {   $RestorePointType = "APPLICATION_UNINSTALL";}
                    if($_.RestorePointType -eq 10)
                    {   $RestorePointType = "DEVICE_DRIVER_INSTALL";}
                    if($_.RestorePointType -eq 12)
                    {   $RestorePointType = "MODIFY_SETTINGS";}
                    if($_.RestorePointType -eq 13)
                    { $RestorePointType = "CANCELLED_OPERATION";}
                    return $RestorePointType;
                  </ScriptBlock>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
      </View>
    <View>

<Name>System.Management.ManagementObject#root\cimv2\Win32_QuickFixEngineering</Name>
      <ViewSelectedBy>

<TypeName>System.Management.ManagementObject#root\cimv2\Win32_QuickFixEngineering</TypeName>
      </ViewSelectedBy>
      <TableControl>
          <TableHeaders>
              <TableColumnHeader>
                  <Label>Source</Label>
                  <Width>13</Width>
              </TableColumnHeader>
              <TableColumnHeader>
                  <Label>Description</Label>
                  <Width>16</Width>
              </TableColumnHeader>
              <TableColumnHeader>
                  <Label>HotFixID</Label>
                  <Width>13</Width>
```

```xml
                            </TableColumnHeader>
                            <TableColumnHeader>
                                    <Label>InstalledBy</Label>
                                    <Width>20</Width>
                            </TableColumnHeader>
                            <TableColumnHeader>
                                    <Label>InstalledOn</Label>
                                    <Width>26</Width>
                            </TableColumnHeader>
                    </TableHeaders>
                    <TableRowEntries>
                            <TableRowEntry>
                                    <TableColumnItems>
                                            <TableColumnItem>
                                                    <PropertyName>__SERVER</PropertyName>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                    <PropertyName>Description</PropertyName>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                    <PropertyName>HotFixID</PropertyName>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                     <PropertyName>InstalledBy</PropertyName>
                                            </TableColumnItem>
                                            <TableColumnItem>
                                                    <PropertyName>InstalledOn</PropertyName>
                                            </TableColumnItem>
                                    </TableColumnItems>
                            </TableRowEntry>
                    </TableRowEntries>
            </TableControl>
        </View>
        <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_QuickFixEngineering</Name>
            <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_QuickFixEngineering</TypeName>
            </ViewSelectedBy>
            <TableControl>
              <TableHeaders>
                <TableColumnHeader>
                  <Label>Source</Label>
                  <Width>13</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>Description</Label>
                  <Width>16</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>HotFixID</Label>
```

```xml
            <Width>13</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>InstalledBy</Label>
            <Width>20</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>InstalledOn</Label>
            <Width>26</Width>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>ComputerName</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Description</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>HotFixID</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>InstalledBy</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>InstalledOn</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Process</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Process</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>ProcessId</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
```

```xml
          <Label>HandleCount</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>WorkingSetSize</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>VirtualSize</Label>
        </TableColumnHeader>
      </TableHeaders>
      <TableRowEntries>
        <TableRowEntry>
          <TableColumnItems>
            <TableColumnItem>
              <PropertyName>ProcessId</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Name</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>HandleCount</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>WorkingSetSize</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>VirtualSize</PropertyName>
            </TableColumnItem>
          </TableColumnItems>
        </TableRowEntry>
      </TableRowEntries>
    </TableControl>
  </View>

  <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_ComputerSystem</Name>
    <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_ComputerSystem</TypeName>
    </ViewSelectedBy>
    <TableControl>
      <TableHeaders>
        <TableColumnHeader>
          <Label>Name</Label>
          <Width>16</Width>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>PrimaryOwnerName</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Domain</Label>
        </TableColumnHeader>
```

```xml
        <TableColumnHeader>
          <Label>TotalPhysicalMemory</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Model</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Manufacturer</Label>
        </TableColumnHeader>
      </TableHeaders>
      <TableRowEntries>
        <TableRowEntry>
          <TableColumnItems>
            <TableColumnItem>
              <PropertyName>Name</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>PrimaryOwnerName</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Domain</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>TotalPhysicalMemory</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Model</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Manufacturer</PropertyName>
            </TableColumnItem>
          </TableColumnItems>
        </TableRowEntry>
      </TableRowEntries>
    </TableControl>
  </View>

  <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/WIN32_PROCESSOR
</Name>
    <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/WIN32_PROCE
SSOR</TypeName>
    </ViewSelectedBy>
    <TableControl>
      <TableHeaders>
        <TableColumnHeader>
          <Label>DeviceID</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Name</Label>
          <Width>16</Width>
```

```
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Caption</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>MaxClockSpeed</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>SocketDesignation</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Manufacturer</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>DeviceID</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Caption</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>MaxClockSpeed</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>SocketDesignation</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Manufacturer</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/WIN32_DCOMApplication</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/WIN32_DCOMApplication</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>AppID</Label>
```

```xml
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>InstallDate</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>AppID</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>InstallDate</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/WIN32_DESKTOP</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/WIN32_DESKTOP</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>SettingID</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>ScreenSaverActive</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>ScreenSaverSecure</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>ScreenSaverTimeout</Label>
          </TableColumnHeader>
```

```
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>SettingID</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Name</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>ScreenSaverActive</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>ScreenSaverSecure</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>ScreenSaverTimeout</PropertyName>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
      </View>

      <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/WIN32_DESKTOPMO
NITOR</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/WIN32_DESKT
OPMONITOR</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
            <TableColumnHeader>
              <Label>DeviceID</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Name</Label>
              <Width>16</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>DisplayType</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>MonitorManufacturer</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>ScreenHeight</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>ScreenWidth</Label>
```

```xml
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>DeviceID</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>DisplayType</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>MonitorManufacturer</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>ScreenHeight</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>ScreenWidth</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_DeviceMemoryAddress</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_DeviceMemoryAddress</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
            <TableColumnHeader>
              <Label>Name</Label>
              <Width>16</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>MemoryType</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Status</Label>
            </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
```

```xml
          <TableColumnItem>
            <PropertyName>Name</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>MemoryType</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>Status</PropertyName>
          </TableColumnItem>
        </TableColumnItems>
      </TableRowEntry>
    </TableRowEntries>
  </TableControl>
</View>

<View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_DiskDrive
</Name>
  <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_DiskD
rive</TypeName>
  </ViewSelectedBy>
  <TableControl>
    <TableHeaders>
      <TableColumnHeader>
        <Label>DeviceID</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>Caption</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>Partitions</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>Size</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>Model</Label>
      </TableColumnHeader>
    </TableHeaders>
    <TableRowEntries>
      <TableRowEntry>
        <TableColumnItems>
          <TableColumnItem>
            <PropertyName>DeviceID</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>Caption</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>Partitions</PropertyName>
          </TableColumnItem>
```

```xml
                      <TableColumnItem>
                        <PropertyName>Size</PropertyName>
                      </TableColumnItem>
                      <TableColumnItem>
                        <PropertyName>Model</PropertyName>
                      </TableColumnItem>
                    </TableColumnItems>
                  </TableRowEntry>
                </TableRowEntries>
            </TableControl>
        </View>

        <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_DiskQuota
</Name>
            <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_DiskQ
uota</TypeName>
            </ViewSelectedBy>
            <TableControl>
              <TableHeaders>
                <TableColumnHeader>
                  <Label>DiskSpaceUsed</Label>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>Limit</Label>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>QuotaVolume</Label>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>User</Label>
                </TableColumnHeader>
              </TableHeaders>
              <TableRowEntries>
                <TableRowEntry>
                  <TableColumnItems>
                    <TableColumnItem>
                      <PropertyName>DiskSpaceUsed</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                      <PropertyName>Limit</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                      <PropertyName>QuotaVolume</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                      <PropertyName>User</PropertyName>
                    </TableColumnItem>
                  </TableColumnItems>
                </TableRowEntry>
              </TableRowEntries>
```

```xml
        </TableControl>
      </View>

      <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Environme
nt</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Envir
onment</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
            <TableColumnHeader>
              <Label>Name</Label>
              <Width>16</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>UserName</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>VariableValue</Label>
            </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>Name</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>UserName</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>VariableValue</PropertyName>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
      </View>

      <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Directory
</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Direc
tory</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
```

```xml
            <TableColumnHeader>
              <Label>Name</Label>
              <Width>16</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Hidden</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Archive</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Writeable</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>LastModified</Label>
            </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>Name</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Hidden</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Archive</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Writeable</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>LastModified</PropertyName>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
      </View>

      <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Group</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Group</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
            <TableColumnHeader>
              <Label>SID</Label>
```

```xml
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Name</Label>
          <Width>16</Width>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Caption</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Domain</Label>
        </TableColumnHeader>
      </TableHeaders>
      <TableRowEntries>
        <TableRowEntry>
          <TableColumnItems>
            <TableColumnItem>
              <PropertyName>SID</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Name</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Caption</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Domain</PropertyName>
            </TableColumnItem>
          </TableColumnItems>
        </TableRowEntry>
      </TableRowEntries>
    </TableControl>
  </View>

  <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_IDEController</Name>
    <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_IDEController</TypeName>
    </ViewSelectedBy>
    <TableControl>
      <TableHeaders>
        <TableColumnHeader>
          <Label>Name</Label>
          <Width>16</Width>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Status</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>StatusInfo</Label>
        </TableColumnHeader>
```

```xml
          <TableColumnHeader>
            <Label>ProtocolSupported</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Manufacturer</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Status</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>StatusInfo</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>ProtocolSupported</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Manufacturer</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_IRQResour
ce</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_IRQRe
source</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>IRQNumber</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Hardware</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>TriggerLevel</Label>
```

```
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>TriggerType</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>IRQNumber</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Hardware</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>TriggerLevel</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>TriggerType</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Scheduled
Job</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Sched
uledJob</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>JobId</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Owner</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Priority</Label>
          </TableColumnHeader>
          <TableColumnHeader>
```

```
                <Label>Command</Label>
              </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>JobId</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Name</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Owner</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Priority</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Command</PropertyName>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
      </View>

      <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_LoadOrder
Group</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_LoadO
rderGroup</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
            <TableColumnHeader>
              <Label>Name</Label>
              <Width>16</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>GroupOrder</Label>
            </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>Name</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>GroupOrder</PropertyName>
```

```xml
          </TableColumnItem>
        </TableColumnItems>
      </TableRowEntry>
    </TableRowEntries>
  </TableControl>
</View>

<View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_LogicalDisk</Name>
  <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_LogicalDisk</TypeName>
  </ViewSelectedBy>
  <TableControl>
    <TableHeaders>
      <TableColumnHeader>
        <Label>DeviceID</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>DriveType</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>ProviderName</Label>
        <Width>16</Width>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>VolumeName</Label>
        <Width>16</Width>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>Size</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>FreeSpace</Label>
      </TableColumnHeader>
    </TableHeaders>
    <TableRowEntries>
      <TableRowEntry>
        <TableColumnItems>
          <TableColumnItem>
            <PropertyName>DeviceID</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>DriveType</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>ProviderName</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>VolumeName</PropertyName>
          </TableColumnItem>
```

```xml
              <TableColumnItem>
                <PropertyName>Size</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>FreeSpace</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_LogonSess
ion</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Logon
Session</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>LogonId</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>LogonType</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>StartTime</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Status</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>AuthenticationPackage</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>LogonId</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>LogonType</PropertyName>
```

```xml
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>StartTime</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Status</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>AuthenticationPackage</PropertyName>
            </TableColumnItem>
          </TableColumnItems>
        </TableRowEntry>
      </TableRowEntries>
    </TableControl>
  </View>

  <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_PhysicalMemoryArray</Name>
    <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_PhysicalMemoryArray</TypeName>
    </ViewSelectedBy>
    <TableControl>
      <TableHeaders>
        <TableColumnHeader>
          <Label>Name</Label>
          <Width>16</Width>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>MemoryDevices</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>MaxCapacity</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Model</Label>
        </TableColumnHeader>
      </TableHeaders>
      <TableRowEntries>
        <TableRowEntry>
          <TableColumnItems>
            <TableColumnItem>
              <PropertyName>Name</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>MemoryDevices</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>MaxCapacity</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
```

```xml
            <PropertyName>Model</PropertyName>
          </TableColumnItem>
        </TableColumnItems>
      </TableRowEntry>
    </TableRowEntries>
  </TableControl>
</View>

<View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_OnBoardDe
vice</Name>
    <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_OnBoa
rdDevice</TypeName>
    </ViewSelectedBy>
    <TableControl>
      <TableHeaders>
        <TableColumnHeader>
          <Label>DeviceType</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>SerialNumber</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Enabled</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Description</Label>
        </TableColumnHeader>
      </TableHeaders>
      <TableRowEntries>
        <TableRowEntry>
          <TableColumnItems>
            <TableColumnItem>
              <PropertyName>DeviceType</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>SerialNumber</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Enabled</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Description</PropertyName>
            </TableColumnItem>
          </TableColumnItems>
        </TableRowEntry>
      </TableRowEntries>
    </TableControl>
</View>

<View>
```

```xml
<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Operating
System</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Opera
tingSystem</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
            <TableColumnHeader>
              <Label>SystemDirectory</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Organization</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>BuildNumber</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>RegisteredUser</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>SerialNumber</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Version</Label>
            </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>SystemDirectory</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Organization</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>BuildNumber</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>RegisteredUser</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>SerialNumber</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Version</PropertyName>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
```

```xml
        </View>

        <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_DiskParti
tion</Name>
            <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_DiskP
artition</TypeName>
            </ViewSelectedBy>
            <TableControl>
              <TableHeaders>
                <TableColumnHeader>
                  <Label>Name</Label>
                  <Width>16</Width>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>NumberOfBlocks</Label>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>BootPartition</Label>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>PrimaryPartition</Label>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>Size</Label>
                </TableColumnHeader>
                <TableColumnHeader>
                  <Label>Index</Label>
                </TableColumnHeader>
              </TableHeaders>
              <TableRowEntries>
                <TableRowEntry>
                  <TableColumnItems>
                    <TableColumnItem>
                      <PropertyName>Name</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                      <PropertyName>NumberOfBlocks</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                      <PropertyName>BootPartition</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                      <PropertyName>PrimaryPartition</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                      <PropertyName>Size</PropertyName>
                    </TableColumnItem>
                    <TableColumnItem>
                      <PropertyName>Index</PropertyName>
                    </TableColumnItem>
```

```xml
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_PortConne
ctor</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_PortC
onnector</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>Tag</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>PortType</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>ConnectorType</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>SerialNumber</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>ExternalReferenceDesignator</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>Tag</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>PortType</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>ConnectorType</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>SerialNumber</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>ExternalReferenceDesignator</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
```

```
              </TableControl>
          </View>

          <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_QuotaSett
ing</Name>
              <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Quota
Setting</TypeName>
              </ViewSelectedBy>
              <TableControl>
                <TableHeaders>
                  <TableColumnHeader>
                    <Label>SettingID</Label>
                  </TableColumnHeader>
                  <TableColumnHeader>
                    <Label>Caption</Label>
                  </TableColumnHeader>
                  <TableColumnHeader>
                    <Label>State</Label>
                  </TableColumnHeader>
                  <TableColumnHeader>
                    <Label>VolumePath</Label>
                  </TableColumnHeader>
                  <TableColumnHeader>
                    <Label>DefaultLimit</Label>
                  </TableColumnHeader>
                  <TableColumnHeader>
                    <Label>DefaultWarningLimit</Label>
                  </TableColumnHeader>
                </TableHeaders>
                <TableRowEntries>
                  <TableRowEntry>
                    <TableColumnItems>
                      <TableColumnItem>
                        <PropertyName>SettingID</PropertyName>
                      </TableColumnItem>
                      <TableColumnItem>
                        <PropertyName>Caption</PropertyName>
                      </TableColumnItem>
                      <TableColumnItem>
                        <PropertyName>State</PropertyName>
                      </TableColumnItem>
                      <TableColumnItem>
                        <PropertyName>VolumePath</PropertyName>
                      </TableColumnItem>
                      <TableColumnItem>
                        <PropertyName>DefaultLimit</PropertyName>
                      </TableColumnItem>
                      <TableColumnItem>
                        <PropertyName>DefaultWarningLimit</PropertyName>
                      </TableColumnItem>
```

```xml
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_SCSIContr
oller</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_SCSIC
ontroller</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>DriverName</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Status</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>StatusInfo</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>ProtocolSupported</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Manufacturer</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>DriverName</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Status</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>StatusInfo</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
```

```xml
              <PropertyName>ProtocolSupported</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Manufacturer</PropertyName>
            </TableColumnItem>
          </TableColumnItems>
        </TableRowEntry>
      </TableRowEntries>
    </TableControl>
  </View>

  <View>

    <Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Service</Name>
    <ViewSelectedBy>

      <TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Service</TypeName>
    </ViewSelectedBy>
    <TableControl>
      <TableHeaders>
        <TableColumnHeader>
          <Label>ProcessId</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Name</Label>
          <Width>16</Width>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>StartMode</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>State</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>Status</Label>
        </TableColumnHeader>
        <TableColumnHeader>
          <Label>ExitCode</Label>
        </TableColumnHeader>
      </TableHeaders>
      <TableRowEntries>
        <TableRowEntry>
          <TableColumnItems>
            <TableColumnItem>
              <PropertyName>ProcessId</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>Name</PropertyName>
            </TableColumnItem>
            <TableColumnItem>
              <PropertyName>StartMode</PropertyName>
            </TableColumnItem>
```

```xml
              <TableColumnItem>
                <PropertyName>State</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Status</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>ExitCode</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_UserAccount</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_UserAccount</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Caption</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>AccountType</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>SID</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Domain</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Caption</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>AccountType</PropertyName>
```

```xml
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>SID</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Domain</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_NetworkPr
otocol</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Netwo
rkProtocol</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Caption</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Status</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Caption</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Status</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>
```

```xml
<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_NetworkAdapter</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_NetworkAdapter</TypeName>
        </ViewSelectedBy>
        <TableControl>
          <TableHeaders>
            <TableColumnHeader>
              <Label>DeviceID</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>Name</Label>
              <Width>16</Width>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>AdapterType</Label>
            </TableColumnHeader>
            <TableColumnHeader>
              <Label>ServiceName</Label>
            </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
            <TableRowEntry>
              <TableColumnItems>
                <TableColumnItem>
                  <PropertyName>DeviceID</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>Name</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>AdapterType</PropertyName>
                </TableColumnItem>
                <TableColumnItem>
                  <PropertyName>ServiceName</PropertyName>
                </TableColumnItem>
              </TableColumnItems>
            </TableRowEntry>
          </TableRowEntries>
        </TableControl>
      </View>

      <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_NetworkAdapterConfiguration</Name>
        <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_NetworkAdapterConfiguration</TypeName>
        </ViewSelectedBy>
```

```xml
<TableControl>
  <TableHeaders>
    <TableColumnHeader>
      <Label>ServiceName</Label>
      <Width>16</Width>
    </TableColumnHeader>
    <TableColumnHeader>
      <Label>DHCPEnabled</Label>
    </TableColumnHeader>
    <TableColumnHeader>
      <Label>Index</Label>
    </TableColumnHeader>
    <TableColumnHeader>
      <Label>Description</Label>
    </TableColumnHeader>
  </TableHeaders>
  <TableRowEntries>
    <TableRowEntry>
      <TableColumnItems>
        <TableColumnItem>
          <PropertyName>ServiceName</PropertyName>
        </TableColumnItem>
        <TableColumnItem>
          <PropertyName>DHCPEnabled</PropertyName>
        </TableColumnItem>
        <TableColumnItem>
          <PropertyName>Index</PropertyName>
        </TableColumnItem>
        <TableColumnItem>
          <PropertyName>Description</PropertyName>
        </TableColumnItem>
      </TableColumnItems>
    </TableRowEntry>
  </TableRowEntries>
</TableControl>
</View>

<View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_NTDomain</Name>
  <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_NTDomain</TypeName>
  </ViewSelectedBy>
  <TableControl>
    <TableHeaders>
      <TableColumnHeader>
        <Label>DomainName</Label>
        <Width>16</Width>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>DnsForestName</Label>
```

```xml
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>DomainControllerName</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>DomainName</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>DnsForestName</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>DomainControllerName</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Printer</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Printer</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>ShareName</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>SystemName</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>PrinterState</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>PrinterStatus</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Location</Label>
          </TableColumnHeader>
        </TableHeaders>
```

```
            <TableRowEntries>
              <TableRowEntry>
                <TableColumnItems>
                  <TableColumnItem>
                    <PropertyName>Name</PropertyName>
                  </TableColumnItem>
                  <TableColumnItem>
                    <PropertyName>ShareName</PropertyName>
                  </TableColumnItem>
                  <TableColumnItem>
                    <PropertyName>SystemName</PropertyName>
                  </TableColumnItem>
                  <TableColumnItem>
                    <PropertyName>PrinterState</PropertyName>
                  </TableColumnItem>
                  <TableColumnItem>
                    <PropertyName>PrinterStatus</PropertyName>
                  </TableColumnItem>
                  <TableColumnItem>
                    <PropertyName>Location</PropertyName>
                  </TableColumnItem>
                </TableColumnItems>
              </TableRowEntry>
            </TableRowEntries>
          </TableControl>
        </View>

        <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_PrintJob<
/Name>
          <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Print
Job</TypeName>
          </ViewSelectedBy>
          <TableControl>
            <TableHeaders>
              <TableColumnHeader>
                <Label>JobId</Label>
              </TableColumnHeader>
              <TableColumnHeader>
                <Label>Name</Label>
                <Width>16</Width>
              </TableColumnHeader>
              <TableColumnHeader>
                <Label>JobStatus</Label>
              </TableColumnHeader>
              <TableColumnHeader>
                <Label>Owner</Label>
              </TableColumnHeader>
              <TableColumnHeader>
                <Label>Priority</Label>
              </TableColumnHeader>
```

```xml
          <TableColumnHeader>
            <Label>Size</Label>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Document</Label>
          </TableColumnHeader>
        </TableHeaders>
        <TableRowEntries>
          <TableRowEntry>
            <TableColumnItems>
              <TableColumnItem>
                <PropertyName>JobId</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Name</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>JobStatus</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Owner</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Priority</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Size</PropertyName>
              </TableColumnItem>
              <TableColumnItem>
                <PropertyName>Document</PropertyName>
              </TableColumnItem>
            </TableColumnItems>
          </TableRowEntry>
        </TableRowEntries>
      </TableControl>
    </View>

    <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Product</Name>
      <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#root/cimv2/Win32_Product</TypeName>
      </ViewSelectedBy>
      <TableControl>
        <TableHeaders>
          <TableColumnHeader>
            <Label>Name</Label>
            <Width>16</Width>
          </TableColumnHeader>
          <TableColumnHeader>
            <Label>Caption</Label>
```

```xml
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>Vendor</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>Version</Label>
      </TableColumnHeader>
      <TableColumnHeader>
        <Label>IdentifyingNumber</Label>
      </TableColumnHeader>
    </TableHeaders>
    <TableRowEntries>
      <TableRowEntry>
        <TableColumnItems>
          <TableColumnItem>
            <PropertyName>Name</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>Caption</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>Vendor</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>Version</PropertyName>
          </TableColumnItem>
          <TableColumnItem>
            <PropertyName>IdentifyingNumber</PropertyName>
          </TableColumnItem>
        </TableColumnItems>
      </TableRowEntry>
    </TableRowEntries>
  </TableControl>
</View>
<View>
      <Name>System.Net.NetworkCredential</Name>
      <ViewSelectedBy>
          <TypeName>System.Net.NetworkCredential</TypeName>
      </ViewSelectedBy>

      <TableControl>
          <TableHeaders>
              <TableColumnHeader>
                  <Label>UserName</Label>
                  <Width>50</Width>
              </TableColumnHeader>
              <TableColumnHeader>
                  <Label>Domain</Label>
                  <Width>50</Width>
              </TableColumnHeader>
          </TableHeaders>
          <TableRowEntries>
              <TableRowEntry>
                  <TableColumnItems>
```

```xml
                            <TableColumnItem>
                                <PropertyName>UserName</PropertyName>
                            </TableColumnItem>
                            <TableColumnItem>
                                <PropertyName>Domain</PropertyName>
                            </TableColumnItem>
                        </TableColumnItems>
                    </TableRowEntry>
                </TableRowEntries>
            </TableControl>
        </View>
        <View>
            <Name>System.Management.Automation.PSMethod</Name>
            <ViewSelectedBy>
                <TypeName>System.Management.Automation.PSMethod</TypeName>
            </ViewSelectedBy>
            <TableControl>
                <TableHeaders>
                    <TableColumnHeader>
                        <Label>OverloadDefinitions</Label>
                    </TableColumnHeader>
                </TableHeaders>
                <TableRowEntries>
                    <TableRowEntry>
                        <Wrap/>
                        <TableColumnItems>
                            <TableColumnItem>
                                <ScriptBlock>
                                    $_.OverloadDefinitions | Out-String
                                </ScriptBlock>
                            </TableColumnItem>
                        </TableColumnItems>
                    </TableRowEntry>
                </TableRowEntries>
            </TableControl>
        </View>
        <View>

<Name>Microsoft.Management.Infrastructure.CimInstance#__PartialCIMInstance</Name>
            <ViewSelectedBy>

<TypeName>Microsoft.Management.Infrastructure.CimInstance#__PartialCIMInstance</TypeName>
            </ViewSelectedBy>
            <CustomControl>
                <CustomEntries>
                    <CustomEntry>
                        <CustomItem>
                            <Frame>
                                <CustomItem>
                                    <ExpressionBinding>
                                        <ScriptBlock>
                                            $str = $_ |
```

```
Microsoft.PowerShell.Utility\Format-List -Property * |
Microsoft.PowerShell.Utility\Out-String
                                        $str
                                    </ScriptBlock>
                                </ExpressionBinding>
                            </CustomItem>
                        </Frame>
                    </CustomItem>
                </CustomEntry>
            </CustomEntries>
        </CustomControl>
      </View>
   </ViewDefinitions>
</Configuration>
```