



PSITURK

default.conf

my experience

`docker-compose.yml`



data/





exp/

temp/taates/

— confing.txt

↳ custom.py

https://it.uirkconfi.g

static/

templates/

exp/

[-error.html



[+consent.html](#)

temp lat es/

[-complete.html



add.html

exp.html



```
<!doctype html>
<html>
  <head>
    <title>Example experiment</title>

    <link rel="stylesheet" href="/static/css/bootstrap.min.css" type="text/css" />
    <link rel="stylesheet" href="/static/css/style.css" type="text/css" />
    <link rel="stylesheet" href="/static/css/jspsych.css" type="text/css">

    <script src="/static/lib/jquery-min.js" type="text/javascript"></script>
    <script src="/static/lib/underscore-min.js" type="text/javascript"></script>
    <script src="/static/lib/backbone-min.js" type="text/javascript"></script>

    <script src="/static/js/jspsych.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-fullscreen.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-html-button-response.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-html-keyboard-response.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-image-keyboard-response.js" type="text/javascript"></script>

    <script type="text/javascript">
      var uniqueId = "{{ uniqueId }}";
      var adServerLoc = "{{ adServerLoc }}";
      var mode = "{{ mode }}";
    </script>

    <script src="/static/js/utils.js" type="text/javascript"></script>
    <script src="/static/js/psiturk.js" type="text/javascript"></script>

    <script src="/static/js/experiment.js" type="text/javascript"></script>
  </head>
  <body>
    <noscript>
      <h1>Warning: Javascript seems to be disabled</h1>
      <p>This website requires that Javascript be enabled on your browser.</p>
      <p>Instructions for enabling Javascript in your browser can be found
        <a href="http://support.google.com/bin/answer.py?hl=en&answer=23852">here</a>
      </p>
    </noscript>
  </body>
</html>
```




```
<!doctype html>
<html>
  <head>
    <title>Example experiment</title>

    <link rel="stylesheet" href="/static/css/bootstrap.min.css" type="text/css" />
    <link rel="stylesheet" href="/static/css/style.css" type="text/css" />
    <link rel="stylesheet" href="/static/css/jspsych.css" type="text/css">

    <script src="/static/lib/jquery-min.js" type="text/javascript"></script>
    <script src="/static/lib/underscore-min.js" type="text/javascript"></script>
    <script src="/static/lib/backbone-min.js" type="text/javascript"></script>

    <script src="/static/js/jspsych.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-fullscreen.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-html-button-response.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-html-keyboard-response.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-image-keyboard-response.js" type="text/javascript"></script>

    <script type="text/javascript">
      var uniqueId = "{{ uniqueId }}";
      var adServerLoc = "{{ adServerLoc }}";
      var mode = "{{ mode }}";
    </script>

    <script src="/static/js/utils.js" type="text/javascript"></script>
    <script src="/static/js/psiturk.js" type="text/javascript"></script>

    <script src="/static/js/experiment.js" type="text/javascript"></script>
  </head>
  <body>
    <noscript>
      <h1>Warning: Javascript seems to be disabled</h1>
      <p>This website requires that Javascript be enabled on your browser.</p>
      <p>Instructions for enabling Javascript in your browser can be found
        <a href="http://support.google.com/bin/answer.py?hl=en&answer=23852">here</a>
      </p>
    </noscript>
  </body>
</html>
```