



PSITURK

my_experiment/



exp/

data/

Dockerfile

docker-compose.yml

default.conf

temp/taates/

tempLates/



add.html

[_complete.html](#)

[+consent.html](#)

[+ default.html](#)

4-error.html

[L_exp.html](#)

• Study advertisement page

• Showing after completing experiment


• Fill in with IRB-approved consent form

Redirects to add.html

• Show whenever occurs

• The main experiment

exp/



default.conf

`docker-compose.yml`

my experience



exp/



data/








































































































































— confing.txt

https://it.uirkconfi.g

templates/

↳ custom.py

exp/

static/



```
<!doctype html>
<html>
  <head>
    <title>Example experiment</title>

    <link rel="stylesheet" href="/static/css/bootstrap.min.css" type="text/css" />
    <link rel="stylesheet" href="/static/css/style.css" type="text/css" />
    <link rel="stylesheet" href="/static/css/jspsych.css" type="text/css">

    <script src="/static/lib/jquery-min.js" type="text/javascript"></script>
    <script src="/static/lib/underscore-min.js" type="text/javascript"></script>
    <script src="/static/lib/backbone-min.js" type="text/javascript"></script>

    <script src="/static/js/jspsych.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-fullscreen.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-html-button-response.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-html-keyboard-response.js" type="text/javascript"></script>
    <script src="/static/js/jspsych-image-keyboard-response.js" type="text/javascript"></script>

    <script type="text/javascript">
      var uniqueId = "{{ uniqueId }}";
      var adServerLoc = "{{ adServerLoc }}";
      var mode = "{{ mode }}";
    </script>

    <script src="/static/js/utills.js" type="text/javascript"></script>
    <script src="/static/js/psiturk.js" type="text/javascript"></script>

    <script src="/static/js/experiment.js" type="text/javascript"></script>
  </head>
  <body>
    <noscript>
      <h1>Warning: Javascript seems to be disabled</h1>
      <p>This website requires that Javascript be enabled on your browser.</p>
      <p>Instructions for enabling Javascript in your browser can be found
        <a href="http://support.google.com/bin/answer.py?hl=en&answer=23852">here</a>
      </p>
    </noscript>
  </body>
</html>
```





































































































































