

Detailed Use Case Specifications

1. User & Access Management

This domain covers authentication, session management, account administration, and employee record handling. Primary actors are Customer, Administrator, and HR Staff.

UC-01: Log In

Use Case ID	UC-01
Use Case Name	Log In
Primary Actor	Any User (Customer, Travel Agent, Operations Staff, HR Staff, Finance Staff, Administrator, Manager/Owner)
Secondary Actors	Administrator: notified when an account is locked; can reactivate the account via UC-05.
Trigger	User navigates to the login screen and submits credentials.
Preconditions	A user account exists and is not currently authenticated.
Main Success Scenario	User enters username and password. System validates credentials against stored records. System determines the user role. System creates a session and routes user to their role-specific area. System logs the access event in the audit log.
Alternative Flows	Credentials invalid: system returns error message and increments failure counter. Three consecutive failures: account locked, user notified, Administrator alerted. Account already locked: user directed to reset password or contact Administrator. Session already active: existing session terminated before new one is created.
Postconditions	A valid session is opened with correct role permissions, or the account is locked after repeated failures.
Related FRs	FR-01, FR-02, FR-07

UC-02: Register Customer Account

Use Case ID	UC-02
Use Case Name	Register Customer Account
Primary Actor	Customer
Secondary Actors	None.
Trigger	Customer selects the register option from the login or home screen.
Preconditions	Customer does not already have an account and is not currently logged in.
Main Success Scenario	Customer enters registration details including name, email, and password. System validates completeness and checks email uniqueness. System creates account with customer role. System sends confirmation notification to the provided email. System redirects customer to initial profile setup.
Alternative Flows	Required fields missing: validation error returned, form not submitted. Email already registered: registration rejected, customer directed to log in or reset password.
Postconditions	A new customer account is stored and ready for use.
Related FRs	FR-01

UC-03: Reset Password

Use Case ID	UC-03
Use Case Name	Reset Password
Primary Actor	Any User
Secondary Actors	None.
Trigger	User selects the forgot password or reset password option.
Preconditions	User has an existing account registered in the system.
Main Success Scenario	User enters their registered email address. System verifies the email exists in the system. System generates a time-limited reset token and sends it to the email. User opens the reset link and enters a new password. System validates the new password and updates credentials. System invalidates the reset token and logs the action.
Alternative Flows	Email not recognized: process silently completes with no token sent for security reasons. Reset token expired: user must restart the process. New password does not meet requirements: validation error returned, password not updated.
Postconditions	User credentials are updated and the user can log in with the new password.
Related FRs	FR-06

UC-04: Manage Customer Profile

Use Case ID	UC-04
Use Case Name	Manage Customer Profile
Primary Actor	Customer
Secondary Actors	Administrator: view-only access to customer profile for support and oversight purposes.
Trigger	Customer opens the profile section of their account.
Preconditions	Customer is logged in.
Main Success Scenario	Customer opens profile page. Customer edits contact details or traveler information. System validates submitted data. System saves changes and confirms success. System logs the action in the audit log.
Alternative Flows	Invalid or incomplete data submitted: validation error returned, changes not saved. Administrator views profile: read-only access granted, no modifications permitted.
Postconditions	Customer profile is updated and available for use in future bookings.
Related FRs	FR-03

UC-05: Manage User Accounts

Use Case ID	UC-05
Use Case Name	Manage User Accounts
Primary Actor	Administrator
Secondary Actors	Any User: receives notification when their account status is changed.
Trigger	Administrator opens the user account management area.
Preconditions	Administrator is logged in with account management permissions.
Main Success Scenario	Administrator selects a user account or creates a new one. Administrator performs create, edit, disable, or reactivate action. System validates the action and applies the change. System logs the action in the audit log. System notifies the affected user of the account change.
Alternative Flows	Administrator attempts to disable their own account: action blocked by system. Reactivating a locked account: account restored and failure counter reset. Invalid data submitted: validation error returned, change not applied.
Postconditions	The selected user account lifecycle state is updated and logged.
Related FRs	FR-04

UC-06: Manage Employee Records and Attendance

Use Case ID	UC-06
Use Case Name	Manage Employee Records and Attendance
Primary Actor	HR Staff
Secondary Actors	Employee: receives notification of leave request outcome.
Trigger	HR Staff opens the employee records or attendance module.
Preconditions	HR Staff is logged in with HR module access.
Main Success Scenario	HR Staff selects employee records or attendance management. HR Staff updates employee contact details, role, or employment status. HR Staff logs attendance entries or reviews pending leave requests. HR Staff approves or rejects leave requests. System saves all changes and logs the action. System notifies the affected employee of leave request outcome.
Alternative Flows	Leave request conflicts with existing approved leave: flagged for HR Staff review before decision. Invalid employee record data submitted: validation error returned, changes not saved. Employee record not found: error returned.
Postconditions	Employee records and attendance information are updated and stored.
Related FRs	FR-05

2. Travel Package Management

This domain covers the creation, configuration, publication, and customization of travel packages. Primary actors are Operations Staff and Customer.

UC-07: Manage Travel Packages

Use Case ID	UC-07
Use Case Name	Manage Travel Packages
Primary Actor	Operations Staff
Secondary Actors	Manager/Owner: can view packages in any lifecycle state for oversight purposes.
Trigger	Operations Staff opens the package management module.
Preconditions	Operations Staff is logged in with package management permissions.
Main Success Scenario	Staff selects create, update, archive, publish, or duplicate. Staff enters or updates package details including destination, duration, capacity, price, itinerary, and inclusions. System validates required fields. System applies the selected action and updates the package catalog state. System logs the action in the audit log. Published packages become visible to customers; draft and archived packages remain staff-only.
Alternative Flows	Required fields missing: validation error returned, package not saved. Attempt to publish package with no linked schedule: rejected until a schedule is created via UC-21. Staff duplicates existing package: new draft created with copied details ready for editing. Staff archives a published package: package removed from customer view immediately.
Postconditions	Package lifecycle state is updated in the catalog and reflected across the system.
Related FRs	FR-08, FR-13, FR-14

UC-08: Configure Seasonal Pricing

Use Case ID	UC-08
Use Case Name	Configure Seasonal Pricing
Primary Actor	Operations Staff
Secondary Actors	Manager/Owner: can view pricing rules for oversight.
Trigger	Operations Staff opens the pricing configuration for an existing package.
Preconditions	A travel package exists in the system.
Main Success Scenario	Staff opens the pricing configuration for a selected package. Staff defines a date range and associated pricing rule or discount. System validates the date range for conflicts with existing rules. System links the pricing rule to the package and saves. System confirms the rule is active for the defined period.
Alternative Flows	Overlapping date ranges for the same package: conflict flagged, rule not saved until resolved. Invalid discount value entered: validation error returned. Date range in the past: system warns staff before saving.
Postconditions	Seasonal pricing rule is stored and linked to the package for the defined period.
Related FRs	FR-09

UC-09: Manage Promotional Campaigns

Use Case ID	UC-09
Use Case Name	Manage Promotional Campaigns
Primary Actor	Operations Staff
Secondary Actors	Customer: receives promotional notifications via UC-39. Finance Staff: monitors campaign impact on revenue reporting.
Trigger	Operations Staff opens the promotional campaign management module.
Preconditions	Operations Staff is logged in with campaign management permissions.
Main Success Scenario	Staff creates a new campaign or opens an existing one. Staff defines campaign name, validity period, and associated discount. Staff generates one or more promo codes linked to the campaign. System validates code uniqueness. System stores the campaign and activates codes for the defined validity period. When a customer enters a valid code at booking, system applies the discount automatically.
Alternative Flows	Duplicate promo code detected: rejected, staff prompted to use a unique code. Expired code entered by customer at booking: rejected with clear error message. Campaign deactivated mid-booking: code rejected at booking submission.
Postconditions	Campaign is stored and active. Promo codes are available for customer use within the validity period.
Related FRs	FR-10

UC-10: Define Document Checklist

Use Case ID	UC-10
Use Case Name	Define Document Checklist
Primary Actor	Operations Staff
Secondary Actors	Customer: checklist used to validate document uploads in UC-16. Travel Agent: references checklist when reviewing booking eligibility.
Trigger	Operations Staff opens the checklist configuration for an existing package.
Preconditions	A travel package exists in the system.
Main Success Scenario	Staff opens the document checklist configuration for a selected package. Staff adds required document types such as passport, visa, or travel insurance. System links the checklist to the package record. System saves the checklist and makes it available for booking validation.
Alternative Flows	Package not found: error returned. Duplicate checklist item added: system prevents duplication. Checklist updated after bookings already confirmed: system flags affected bookings for staff review.
Postconditions	Document checklist is stored and linked to the package for use in booking validation.
Related FRs	FR-11

UC-11: Submit Customization Request

Use Case ID	UC-11
Use Case Name	Submit Customization Request
Primary Actor	Customer
Secondary Actors	Travel Agent: reviews the request and determines feasibility, then communicates outcome to the customer.
Trigger	Customer selects the customization request option on a package page.
Preconditions	Customer is logged in and a published package exists.
Main Success Scenario	Customer submits customization details describing their requirements. System records the request and assigns it to an available Travel Agent. Travel Agent reviews the request and assesses feasibility. Travel Agent accepts or rejects the request. System notifies the customer of the outcome. System logs the request and outcome.
Alternative Flows	No agent available: request queued until an agent is assigned. Request rejected: customer notified with reason, original standard package remains available for booking. Customer cancels request before agent review: request marked withdrawn.
Postconditions	Customization request is resolved and outcome communicated to the customer.
Related FRs	FR-12

3. Booking & Reservation

This domain covers the full booking lifecycle from package selection through confirmation, modification, and cancellation. Primary actors are Customer and Travel Agent, with Finance Staff involved in payment and refund steps.

UC-12: Submit Booking Request

Use Case ID	UC-12
Use Case Name	Submit Booking Request
Primary Actor	Customer
Secondary Actors	Travel Agent: reviews booking and approves, rejects, or places on hold. Finance Staff: payment status updated following booking confirmation.
Trigger	Customer selects the book option on an available package.
Preconditions	Customer is logged in, the package is published and has available capacity.
Main Success Scenario	Customer selects a package and enters traveler details. System validates customer travel eligibility for the selected package. Customer submits the booking request. System generates a unique booking reference. System routes the request to the booking review queue. System assigns the booking to an available Travel Agent. Travel Agent reviews and approves the booking. System updates remaining package capacity. System notifies customer of booking confirmation.
Alternative Flows	Eligibility check fails: booking rejected before submission, customer informed of reason. Package at full capacity: customer offered waitlist option via UC-17. Travel Agent places booking on hold: customer notified, booking remains pending. Travel Agent rejects booking: customer notified with reason, capacity unchanged. Promo code entered: system validates and applies discount before submission.
Postconditions	Booking request is created with a reference number and assigned status reflecting the agent review outcome.
Related FRs	FR-15, FR-16, FR-17, FR-23

UC-13: View Package Availability

Use Case ID	UC-13
Use Case Name	View Package Availability
Primary Actor	Customer
Secondary Actors	None.
Trigger	Customer opens a package details page or browses available departure dates.
Preconditions	A published package with at least one linked schedule exists.
Main Success Scenario	Customer opens a package page. System retrieves available departure dates from the linked schedule. System checks current remaining capacity for each date. System displays availability calendar with remaining spots per departure date.
Alternative Flows	No available dates: package shown as fully booked, waitlist option offered. Package unpublished since customer last viewed: page unavailable, customer redirected to browse.
Postconditions	Current package availability is displayed to the customer.
Related FRs	FR-41, FR-42

UC-14: View Booking Status

Use Case ID	UC-14
Use Case Name	View Booking Status
Primary Actor	Customer
Secondary Actors	None.
Trigger	Customer opens the bookings section of their account.
Preconditions	Customer is logged in.
Main Success Scenario	Customer opens the booking status page. System retrieves all bookings linked to the customer account. System displays current status and action history for each booking.
Alternative Flows	No bookings found: empty state displayed with prompt to browse packages.
Postconditions	Customer can see the current status and history of all their bookings.
Related FRs	FR-19

UC-15: Issue Digital Itinerary

Use Case ID	UC-15
Use Case Name	Issue Digital Itinerary
Primary Actor	Travel Agent
Secondary Actors	Customer: receives the generated itinerary.
Trigger	Travel Agent selects the issue itinerary option for a confirmed booking.
Preconditions	The booking is confirmed and customer contact details are complete.
Main Success Scenario	Travel Agent opens a confirmed booking and initiates itinerary generation. System retrieves full booking details. System compiles booking details into a formatted itinerary document. System delivers the itinerary to the customer. System logs the delivery action.
Alternative Flows	Booking not yet confirmed: itinerary generation blocked until booking is approved. Customer contact details incomplete: delivery fails, Travel Agent notified to update profile.
Postconditions	Customer receives a digital itinerary for their confirmed booking.
Related FRs	FR-18

UC-16: Upload Travel Documents

Use Case ID	UC-16
Use Case Name	Upload Travel Documents
Primary Actor	Customer
Secondary Actors	Travel Agent: reviews uploaded documents against the package checklist. Operations Staff: can access documents for trip preparation.
Trigger	Customer opens their booking and selects the document upload option.
Preconditions	Customer is logged in, a booking exists, and the package has a document checklist.
Main Success Scenario	Customer opens their booking and selects documents to upload. System validates file format and size against constraints. System stores the uploaded documents against the booking. System marks corresponding checklist items as submitted. System notifies the assigned Travel Agent that documents are ready for review.
Alternative Flows	File format not accepted: upload rejected with clear error message. File exceeds 10MB size limit: upload rejected with clear error message. Checklist item already submitted: customer prompted to confirm replacement. No checklist defined for package: upload still permitted for general reference.
Postconditions	Uploaded documents are stored against the booking and checklist items updated accordingly.
Related FRs	FR-23, FR-24

UC-17: Join Waitlist

Use Case ID	UC-17
Use Case Name	Join Waitlist
Primary Actor	Customer
Secondary Actors	Travel Agent: notified when a waitlist position triggers a new booking opportunity.
Trigger	Customer attempts to book a fully booked package and selects the join waitlist option.
Preconditions	Customer is logged in and the selected package has no remaining capacity.
Main Success Scenario	Customer selects the join waitlist option on a fully booked package. System records the customer's waitlist position with timestamp. System confirms the waitlist registration to the customer. When a confirmed booking is cancelled and capacity is released, system identifies the next eligible waitlisted customer. System notifies the customer and holds capacity briefly for their response. Customer responds and proceeds to booking via UC-12.
Alternative Flows	Customer already on waitlist for same package: duplicate prevented, existing position confirmed. Customer does not respond within the hold period: capacity released to next waitlisted customer. Waitlist empty when cancellation occurs: capacity restored to available pool without notification.
Postconditions	Customer is registered on the waitlist and will be notified when capacity becomes available.
Related FRs	FR-25

UC-18: Modify Booking

Use Case ID	UC-18
Use Case Name	Modify Booking
Primary Actor	Travel Agent
Secondary Actors	Customer: notified of modifications made to their booking. Finance Staff: notified if modification affects payment amount.
Trigger	Travel Agent opens a confirmed booking and initiates a modification.
Preconditions	Travel Agent is logged in, the booking is confirmed, and the trip has not yet started.
Main Success Scenario	Travel Agent opens a confirmed booking. Travel Agent edits traveler details or requests a travel date change. System checks availability for the new dates if applicable. System saves the changes and logs the action in the audit log. System notifies the customer of the modification. System notifies Finance Staff if the modification affects the payment amount.
Alternative Flows	Requested new dates unavailable: agent informed, modification not saved. Trip already in progress or completed: modification blocked, agent notified. Payment already processed and modification affects price: Finance Staff notified to handle adjustment via UC-32.
Postconditions	Booking details are updated, logged, and communicated to the customer.
Related FRs	FR-22

UC-19: Add Booking Notes and View Audit Trail

Use Case ID	UC-19
Use Case Name	Add Booking Notes and View Audit Trail
Primary Actor	Travel Agent
Secondary Actors	Administrator: can view the full booking audit trail for oversight purposes.
Trigger	Travel Agent opens a booking record to add a note or review the action history.
Preconditions	Travel Agent is logged in and the booking exists.
Main Success Scenario	Travel Agent opens a booking record. Travel Agent adds a note with type and content. System saves the note against the booking with timestamp and author. Travel Agent or Administrator opens the booking audit trail. System retrieves and displays the full history of actions performed on the booking. System logs the note addition.
Alternative Flows	Note submitted empty: validation error returned, note not saved. Audit trail empty: booking too new, only creation event shown. Administrator accesses audit trail: read-only access, no modifications permitted.
Postconditions	Booking notes are saved and the audit trail reflects all actions performed on the booking.
Related FRs	FR-21

UC-20: Submit and Process Cancellation Request

Use Case ID	UC-20
Use Case Name	Submit and Process Cancellation Request
Primary Actor	Customer
Secondary Actors	Travel Agent: reviews and processes the cancellation request. Finance Staff: handles refund if applicable.
Trigger	Customer selects the cancel option on an active booking.
Preconditions	Customer is logged in and has a booking eligible for cancellation.
Main Success Scenario	Customer submits a cancellation request with reason. System validates the request against the cancellation policy. Travel Agent reviews and approves or rejects the cancellation. System records the cancellation outcome. System cancels the booking and releases the package capacity slot. System updates refund status and notifies Finance Staff if a refund applies. System notifies the customer of the outcome. If a waitlist exists for the package, system triggers notification to next waitlisted customer via UC-17.
Alternative Flows	Cancellation policy prohibits cancellation or refund: agent records outcome accordingly, customer informed. Agent rejects cancellation: booking remains active, customer notified with reason. Trip already completed: cancellation blocked, customer directed to contact agency directly.
Postconditions	Cancellation is resolved and reflected in booking, capacity, and refund records.
Related FRs	FR-20

4. Scheduling & Operations

This domain covers trip scheduling, guide and coordinator assignment, document distribution, and trip lifecycle management. Primary actor is Operations Staff.

UC-21: Maintain Travel Schedules

Use Case ID	UC-21
Use Case Name	Maintain Travel Schedules
Primary Actor	Operations Staff
Secondary Actors	Manager/Owner: can view schedules for oversight. Travel Agent: references schedules when handling booking queries.
Trigger	Operations Staff opens the schedule management module for a package.
Preconditions	Operations Staff is logged in and the related package exists.
Main Success Scenario	Staff opens the schedule module for a selected package. Staff creates or updates a schedule entry with departure date, return date, and capacity. System links the schedule to the package and updates available capacity. System logs the action. Schedule becomes available for customer availability checks and bookings.
Alternative Flows	Schedule dates conflict with existing schedule for same package: conflict flagged, not saved until resolved. Package not yet published: schedule created but not visible to customers until package is published. Schedule removed: linked bookings flagged for staff review.
Postconditions	Travel schedule is updated and linked to the package, available for booking and availability checks.
Related FRs	FR-26, FR-30

UC-22: Assign Guide or Coordinator

Use Case ID	UC-22
Use Case Name	Assign Guide or Coordinator
Primary Actor	Operations Staff
Secondary Actors	Employee: receives notification of trip assignment. Manager/Owner: can view assignments for oversight.
Trigger	Operations Staff opens the trip assignment screen for a scheduled trip.
Preconditions	Operations Staff is logged in, a trip schedule exists, and employee records are available.
Main Success Scenario	Staff opens the trip assignment screen for a selected schedule. Staff selects an employee to assign as guide or coordinator. System checks for scheduling conflicts for the selected employee. System records the assignment against the trip. System notifies the assigned employee. System logs the assignment action.
Alternative Flows	Selected employee has a scheduling conflict: assignment blocked, staff prompted to select an alternative. No available employees: staff notified, assignment left pending. Assignment updated: previous assignee notified of removal, new assignee notified of assignment.
Postconditions	Trip is assigned to a guide or coordinator and the assignment is recorded.
Related FRs	FR-27

UC-23: Distribute Trip Documents

Use Case ID	UC-23
Use Case Name	Distribute Trip Documents
Primary Actor	Operations Staff
Secondary Actors	Employee: receives distributed trip documents. Travel Agent: receives relevant booking summaries.
Trigger	Trip is confirmed or schedule is finalized, triggering automatic document distribution.
Preconditions	A trip schedule is finalized and personnel assignments exist.
Main Success Scenario	Trip confirmation or schedule finalization triggers distribution. System identifies all assigned personnel for the trip. System distributes relevant documents to each assigned person based on their role. System confirms delivery and logs the distribution action.
Alternative Flows	No personnel assigned yet: distribution held until assignments completed via UC-22. Document delivery fails for a recipient: staff notified, manual redistribution required.
Postconditions	Required trip documents are distributed to all assigned personnel and delivery is logged.
Related FRs	FR-29

UC-24: Track and Update Trip Status

Use Case ID	UC-24
Use Case Name	Track and Update Trip Status
Primary Actor	Operations Staff
Secondary Actors	Manager/Owner: monitors trip status via operations dashboard. Travel Agent: references trip status when handling customer queries.
Trigger	Operations Staff opens a trip record to update its current lifecycle status.
Preconditions	Operations Staff is logged in and a trip record exists.
Main Success Scenario	Staff opens a trip record. Staff updates the trip status to reflect the current lifecycle stage. System enforces status-based restrictions on invalid operations. System logs the status change.
Alternative Flows	Attempt to revert to an earlier status: blocked, status progression is forward only. Trip marked as in progress: new bookings automatically blocked for that schedule. Trip marked as completed: closure workflow triggered via UC-25.
Postconditions	Trip status is updated and system restrictions are applied based on the new status.
Related FRs	FR-30

UC-25: Close and Archive Trip

Use Case ID	UC-25
Use Case Name	Close and Archive Trip
Primary Actor	Operations Staff
Secondary Actors	Manager/Owner: accesses archived data via reporting. Finance Staff: references archived financial records.
Trigger	Operations Staff initiates trip closure for a completed trip.
Preconditions	The trip is marked as completed and all bookings are resolved.
Main Success Scenario	Staff initiates closure for a completed trip. System closes the schedule and prevents further modifications. System archives booking records, assignments, and operational data. System triggers document distribution to internal personnel via UC-23. System updates reporting data to reflect the closed trip. System logs the archival action.
Alternative Flows	Active unresolved bookings still exist: closure blocked until all bookings are resolved. Trip already archived: no further action permitted.
Postconditions	Trip is closed and all operational data is archived and available for historical reporting.
Related FRs	FR-28

5. Partner Management

This domain covers the management of business partner records, package-partner links, and partner notes. Primary actor is Operations Staff.

UC-26: Manage Business Partners

Use Case ID	UC-26
Use Case Name	Manage Business Partners
Primary Actor	Operations Staff
Secondary Actors	Manager/Owner: can view the partner directory for oversight.
Trigger	Operations Staff opens the partner management module.
Preconditions	Operations Staff is logged in with partner management permissions.
Main Success Scenario	Staff opens the partner management module. Staff creates a new partner record or selects an existing one. Staff enters or updates partner name, type, contact information, and service category. System validates the data and checks for duplicates. System saves the record and updates the partner directory. System logs the action.
Alternative Flows	Duplicate partner record detected: staff warned before saving. Deactivating a partner linked to an active package: system flags affected packages for review before deactivation proceeds. Required fields missing: validation error returned, record not saved.
Postconditions	Partner record is created or updated and reflected in the partner directory.
Related FRs	FR-31, FR-33

UC-27: Link Partners to Packages

Use Case ID	UC-27
Use Case Name	Link Partners to Packages
Primary Actor	Operations Staff
Secondary Actors	Travel Agent: references partner links when preparing itineraries and handling customer queries.
Trigger	Operations Staff selects a package and initiates partner linking.
Preconditions	Both the package and the partner exist in the system and the partner is active.
Main Success Scenario	Staff selects a package to link partners to. Staff selects one or more active partners and specifies each partner's service role. System validates uniqueness of each link. System saves the links and makes them visible in the package record. System logs the action.
Alternative Flows	Partner already linked to same package in the same role: duplicate rejected. Partner is inactive: link blocked until partner is reactivated via UC-26. Link removed: package record updated, affected itineraries flagged for review.
Postconditions	Selected partners are linked to the package with defined service roles.
Related FRs	FR-32

UC-28: Record Partner Notes

Use Case ID	UC-28
Use Case Name	Record Partner Notes
Primary Actor	Operations Staff
Secondary Actors	Manager/Owner: can view partner notes for oversight.
Trigger	Operations Staff opens a partner record and selects the add note option.
Preconditions	Operations Staff is logged in and the partner record exists.
Main Success Scenario	Staff opens a partner record. Staff enters a note with relevant feedback or operational observations. System saves the note against the partner record with timestamp and author. System confirms the note has been saved.
Alternative Flows	Note submitted empty: validation error returned, note not saved. Partner record deactivated: notes still accessible in read-only mode.
Postconditions	Note is saved against the partner record and available for internal reference.
Related FRs	FR-34

UC-28b: Search and Filter Partner Directory

Use Case ID	UC-28b
Use Case Name	Search and Filter Partner Directory
Primary Actor	Operations Staff
Secondary Actors	Travel Agent: searches directory when preparing packages or itineraries.
Trigger	Operations Staff or Travel Agent opens the partner directory and applies search filters.
Preconditions	User is logged in and partner records exist in the system.
Main Success Scenario	User opens the partner directory. User applies filters such as partner type, service category, or active/inactive status. System queries the directory and returns matching results. User selects a partner to view the full record or proceed to link them to a package via UC-27.
Alternative Flows	No results match filters: empty state displayed, user prompted to adjust filters. Search returns large result set: user refines filters to narrow results.
Postconditions	Matching partner records are displayed and available for further action.
Related FRs	FR-33

6. Financial Management

This domain covers payment recording, receipt generation, reconciliation, refund tracking, expense management, and installment handling. Primary actor is Finance Staff.

UC-29: Record Payment Status

Use Case ID	UC-29
Use Case Name	Record Payment Status
Primary Actor	Finance Staff
Secondary Actors	Travel Agent: notified when payment status affects booking. Customer: notified of payment updates. Manager/Owner: monitors payment statuses via dashboard.
Trigger	Finance Staff opens a booking payment record to record or update payment.
Preconditions	Finance Staff is logged in and a booking payment record exists.
Main Success Scenario	Finance Staff opens the payment record for a selected booking. Finance Staff records payment amount, type, and date. Finance Staff updates the payment status. System updates the booking record to reflect the new payment status. System flags the payment as overdue if applicable. System notifies the customer and Travel Agent of the status update.
Alternative Flows	Payment recorded exceeds expected amount: discrepancy flagged for reconciliation via UC-31. Booking already cancelled: payment recording blocked, Finance Staff directed to refund workflow via UC-32. Payment marked partial: system checks due date and flags if overdue.
Postconditions	Payment status is recorded and reflected across booking and financial records.
Related FRs	FR-35, FR-40

UC-30: Generate Receipt

Use Case ID	UC-30
Use Case Name	Generate Receipt
Primary Actor	Finance Staff
Secondary Actors	Customer: receives the generated or reissued receipt.
Trigger	Payment is marked as completed triggering automatic generation, or Finance Staff manually requests generation or reissue.
Preconditions	A payment record exists and is eligible for receipt generation.
Main Success Scenario	Payment is marked as completed. System automatically generates a receipt for the transaction. System delivers the receipt to the customer. Finance Staff can manually trigger generation or reissue if required. System logs the receipt generation action.
Alternative Flows	Payment not yet completed: automatic receipt generation blocked. Customer contact details missing: receipt generated but delivery fails, Finance Staff notified. Reissue requested: new receipt generated with reissue flag, original retained in records.
Postconditions	Receipt is generated, delivered to the customer, and stored in financial records.
Related FRs	FR-36

UC-31: Reconcile Payment Records

Use Case ID	UC-31
Use Case Name	Reconcile Payment Records
Primary Actor	Finance Staff
Secondary Actors	Manager/Owner: notified of unresolved discrepancies requiring escalation. Administrator: can access reconciliation logs for audit.
Trigger	Finance Staff opens the reconciliation module to review payment records.
Preconditions	Finance Staff is logged in and payment records exist for review.
Main Success Scenario	Finance Staff opens the reconciliation module. Finance Staff reviews the payment log for the selected period. System identifies potential discrepancies or Finance Staff detects them manually. Finance Staff applies corrections where needed. System marks the record as reconciled. System logs the reconciliation action.
Alternative Flows	Discrepancy cannot be resolved at staff level: escalated to Manager/Owner for review. No discrepancies found: records marked as reconciled with no changes. Correction applied creates new discrepancy: flagged for further review.
Postconditions	Payment records are reconciled or explicitly flagged for further action.
Related FRs	FR-37

UC-32: Track Refunds and Financial Adjustments

Use Case ID	UC-32
Use Case Name	Track Refunds and Financial Adjustments
Primary Actor	Finance Staff
Secondary Actors	Customer: notified of refund status. Travel Agent: notified when refund is linked to their booking.
Trigger	A cancellation is approved or a financial adjustment event occurs requiring refund recording.
Preconditions	Finance Staff is logged in and a qualifying booking or payment record exists.
Main Success Scenario	Finance Staff opens the refund management module. Finance Staff records refund amount, reason, and links it to a specific booking. System updates the financial records to reflect the adjustment. System notifies the customer of the refund status. System notifies the Travel Agent linked to the booking. System logs the refund action.
Alternative Flows	Refund amount exceeds original payment: flagged for Manager/Owner approval before processing. Booking not found: error returned, no refund recorded. Adjustment submitted without a linked booking: blocked, all adjustments must reference a booking.
Postconditions	Refund or financial adjustment is fully recorded and reflected in financial and booking records.
Related FRs	FR-38

UC-33: Manage Agency Expenses and Financial Reports

Use Case ID	UC-33
Use Case Name	Manage Agency Expenses and Financial Reports
Primary Actor	Finance Staff
Secondary Actors	Manager/Owner: primary consumer of generated reports. Administrator: access to financial logs for audit.
Trigger	Finance Staff opens the expense management module or initiates report generation.
Preconditions	Finance Staff is logged in with financial management permissions.
Main Success Scenario	Finance Staff records expense entries against relevant categories. Finance Staff selects report type and period for generation. System compiles revenue, expense, and profit data for the selected period. System generates the financial report. Report is made accessible to Manager/ Owner. System logs the report generation action.
Alternative Flows	Report period contains no data: empty report generated with notice. Expense entry missing required category: validation error, entry not saved. Report exported: export captured via UC-41.
Postconditions	Expense records are stored and financial report is available for management review.
Related FRs	FR-39

UC-34: Manage Payment Due Dates and Installments

Use Case ID	UC-34
Use Case Name	Manage Payment Due Dates and Installments
Primary Actor	Finance Staff
Secondary Actors	Customer: notified of upcoming or overdue payments. Travel Agent: notified when overdue payment affects their booking.
Trigger	Finance Staff opens a booking payment record to set a due date or define an installment schedule.
Preconditions	Finance Staff is logged in and a booking with partial or pending payment exists.
Main Success Scenario	Finance Staff opens the payment record for a selected booking. Finance Staff sets a payment due date or defines an installment schedule with individual due dates. System saves the schedule and monitors payment statuses against due dates. System automatically flags overdue payments. System notifies the customer of upcoming payment due dates. System notifies Finance Staff and Travel Agent when a payment becomes overdue.
Alternative Flows	Due date passes without payment: booking flagged as overdue, Finance Staff and Travel Agent notified. Specific installment missed: that installment flagged as overdue without cancelling remaining schedule. Due date modified after customer notification: audit log updated, customer notified of change.
Postconditions	Payment due dates and installment schedule are recorded and actively monitored by the system.
Related FRs	FR-40

7. Customer Experience & Loyalty

This domain covers package discovery, loyalty and referral programs, favourites, and customer notifications. Primary actor is Customer.

UC-35: Browse and Search Packages

Use Case ID	UC-35
Use Case Name	Browse and Search Packages
Primary Actor	Customer
Secondary Actors	None.
Trigger	Customer opens the package discovery area or applies search filters.
Preconditions	Published packages exist in the system.
Main Success Scenario	Customer enters search terms or applies filters such as destination, date, budget, or category. System queries the published package catalog using the applied filters. System returns matching results with current availability indicators. Customer selects a package to view full details and availability calendar.
Alternative Flows	No packages match filters: empty state returned, customer prompted to adjust filters. Package becomes unavailable between search and selection: waitlist option offered via UC-17. Customer not logged in: browsing permitted but booking requires login.
Postconditions	Customer sees filtered package results with availability information.
Related FRs	FR-41, FR-42

UC-36: Save Favourite Packages

Use Case ID	UC-36
Use Case Name	Save Favourite Packages
Primary Actor	Customer
Secondary Actors	None.
Trigger	Customer selects the save or favourite option on a package page.
Preconditions	Customer is logged in and viewing a published package.
Main Success Scenario	Customer selects the save to favourites option on a package. System stores the package reference against the customer profile. System confirms the package has been saved. Customer can return to their favourites list at any time to review or proceed to booking.
Alternative Flows	Package already in favourites: duplicate prevented, customer notified. Package archived after being saved: shown in favourites list with unavailable status. Customer not logged in: prompted to log in before saving.
Postconditions	Package is saved to the customer favourites list and available for later review.
Related FRs	FR-43

UC-37: Manage Loyalty Program

Use Case ID	UC-37
Use Case Name	Manage Loyalty Program
Primary Actor	Customer
Secondary Actors	Finance Staff: loyalty points linked to payment completion. Travel Agent: references loyalty status when handling bookings.
Trigger	Booking is confirmed and payment completed, triggering loyalty point crediting. Or customer opens the loyalty section to view or apply rewards.
Preconditions	Customer is logged in and has at least one completed booking.
Main Success Scenario	Booking is confirmed and payment completed. System checks customer eligibility for loyalty points. System credits loyalty points to the customer account. Customer opens loyalty section and views current points balance. Customer applies available rewards when submitting a new booking. System validates eligibility and applies the reward at booking.
Alternative Flows	Customer attempts to apply rewards with insufficient points: application blocked, current balance shown. Booking cancelled after points credited: points reversed or held subject to cancellation policy. Points expired: balance updated, customer notified.
Postconditions	Loyalty points are credited, visible to the customer, and applicable to future bookings.
Related FRs	FR-45

UC-38: Track Customer Referrals

Use Case ID	UC-38
Use Case Name	Track Customer Referrals
Primary Actor	Customer
Secondary Actors	Finance Staff: applies referral benefits linked to qualifying bookings.
Trigger	Existing customer shares a referral identifier with a new customer, or a referred customer completes a qualifying booking.
Preconditions	Customer is logged in and has an active account with referral capability.
Main Success Scenario	Existing customer shares their referral identifier with a new customer. New customer registers using the referral identifier. System links the referral to both customer accounts. New customer completes a qualifying booking. System automatically applies referral benefit to the referring customer. System notifies the referring customer of the applied benefit.
Alternative Flows	Referred customer does not complete a qualifying booking: no benefit applied, referral recorded but inactive. Referral identifier not recognized: registration proceeds without referral link. Customer attempts self-referral: blocked by system.
Postconditions	Referral is tracked and benefit applied to the referring customer upon qualifying booking completion.
Related FRs	FR-46

UC-39: Send Customer Notifications

Use Case ID	UC-39
Use Case Name	Send Customer Notifications
Primary Actor	System (triggered automatically)
Secondary Actors	Customer: receives notifications. Operations Staff: manages promotional triggers. Finance Staff: triggers payment-related notifications.
Trigger	A qualifying system event occurs such as a new promotional campaign, loyalty point credit, referral benefit, or booking status change.
Preconditions	Customer account exists and a triggering event has occurred.
Main Success Scenario	Triggering event occurs in the system. System identifies the relevant customer and notification type. System generates and sends the notification to the customer. System records the notification against the customer account. Notification is accessible from the customer account and by authorized staff.
Alternative Flows	Customer notification preferences set to off: notification suppressed but still recorded in communication history. Delivery failure: system retries and logs failure if unresolved. Staff views communication history: read-only access, no modifications permitted.
Postconditions	Notification is delivered and recorded against the customer account.
Related FRs	FR-44, FR-47

8. Reporting & Analytics

This domain covers operations dashboards, report generation and export, audit log access, and internal staff notifications. Primary actors are Manager/Owner, Finance Staff, and Administrator.

UC-40: View Operations Dashboard

Use Case ID	UC-40
Use Case Name	View Operations Dashboard
Primary Actor	Manager/Owner
Secondary Actors	Administrator: access to system-wide overview. Finance Staff: access to financial summary portion of dashboard.
Trigger	Manager/Owner opens the operations dashboard.
Preconditions	User is logged in with dashboard access permissions.
Main Success Scenario	Manager/Owner opens the operations dashboard. System compiles current data across bookings, cancellations, packages, and financials. System displays role-appropriate summary to the user. Manager/Owner applies filters by period or category to refine the view. System updates displayed data based on applied filters.
Alternative Flows	No data available for selected period: empty dashboard with notice displayed. Finance Staff accesses dashboard: financial summary shown, operational booking details restricted. Administrator accesses dashboard: system-wide summary including access and audit data shown.
Postconditions	User sees a current role-appropriate operational overview.
Related FRs	FR-48, FR-49

UC-41: Generate and Export Reports

Use Case ID	UC-41
Use Case Name	Generate and Export Reports
Primary Actor	Finance Staff
Secondary Actors	Manager/Owner: approves and accesses exported reports. Administrator: accesses exported reports for audit.
Trigger	Finance Staff initiates report generation for a selected type and period.
Preconditions	Finance Staff is logged in and financial data exists for the selected period.
Main Success Scenario	Finance Staff selects report type and period. System generates the report compiling relevant data. Finance Staff reviews the report content. Manager/Owner approves the report. System exports the report in standard format. System archives a copy of the exported report. System logs the export action in the audit log.
Alternative Flows	Report period contains no data: empty report generated with notice, export still permitted. Export format not supported: error returned, staff prompted to select valid format. Report rejected by Manager/Owner: returned to Finance Staff for revision.
Postconditions	Report is generated, approved, exported, and archived with the action logged.
Related FRs	FR-50

UC-42: Access and Review Audit Logs

Use Case ID	UC-42
Use Case Name	Access and Review Audit Logs
Primary Actor	Administrator
Secondary Actors	Manager/Owner: can request audit log summaries for oversight.
Trigger	Administrator opens the audit log module.
Preconditions	Administrator is logged in with audit log access permissions.
Main Success Scenario	Administrator opens the audit log module. Administrator applies filters by event type, user, or date range. System returns matching log entries. Administrator reviews entries. System prevents any edit or delete action on log entries regardless of role.
Alternative Flows	No log entries match filters: empty result, administrator prompted to adjust filters. Manager/Owner requests audit summary: Administrator generates filtered summary report without sharing raw log access. Attempt to edit or delete log entry by any user: blocked by system.
Postconditions	Administrator has reviewed the audit log and no entries have been modified.
Related FRs	FR-51

UC-43: Receive Staff Notifications

Use Case ID	UC-43
Use Case Name	Receive Staff Notifications
Primary Actor	System (triggered automatically)
Secondary Actors	Travel Agent: notified of pending booking reviews. Finance Staff: notified of overdue payments. Operations Staff: notified of trip assignments and schedule changes. Administrator: notified of account lockouts and system events.
Trigger	A qualifying internal event occurs such as a new booking in the review queue, an overdue payment, a trip assignment, or an account lockout.
Preconditions	A triggering event has occurred and relevant staff accounts are active.
Main Success Scenario	Triggering event occurs in the system. System identifies the relevant staff role and recipients. System generates and delivers notification to the appropriate staff member. System logs the notification.
Alternative Flows	Staff member account inactive: notification held until account is reactivated. Multiple staff members share the same role: notification delivered to all relevant members. Notification delivery fails: system retries and logs failure if unresolved.
Postconditions	Relevant staff members are notified of events requiring their attention.
Related FRs	FR-52