Tour & Travel Agency Operations System
Use Case Specifications

1. User & Access Management

These use cases cover account access, customer profile handling, user administration, and HR responsibilities. This revised version removes the system as an actor and aligns actor, trigger, and goal wording more cleanly.

UC-01 — Log In

Authenticate a user and route them to the correct system area based on role.

Use Case ID	UC-01
Use Case Name	Log In
Primary Actor	User (Customer, Administrator, HR Staff, Staff, Travel Agent, Finance Staff, Manager/Owner)
Supporting Actors	None
Trigger	User selects log in and submits credentials.
Preconditions	A user account exists and is not already authenticated.
Main Success Scenario	1. User enters credentials. 2. System validates credentials. 3. System determines the user role. 4. System opens the correct dashboard or portal. 5. System logs the access event where required.
Alternative Flows	• If credentials are invalid, the system increases the failure counter. • After three consecutive failures, the account is locked and the user is notified.
Postconditions	A valid session is opened with the correct permissions, or the account is locked.
Related Requirements	FR-01, FR-02

UC-02 — Register Account

Create a new customer account and prepare it for profile setup.

Use Case ID	UC-02
Use Case Name	Register Account
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer chooses to register.
Preconditions	Customer is not currently logged in.
Main Success Scenario	1. Customer enters registration information. 2. System validates completeness and uniqueness. 3. System creates the account with the customer role. 4. System sends confirmation. 5. System redirects the customer to initial profile setup.
Alternative Flows	• If required data is missing or not unique, the system shows validation errors.
Postconditions	A new customer account is stored and ready for use.
Related Requirements	FR-01

UC-03 — Manage Customer Profile

Allow the customer to maintain contact details, traveler information, and booking-history access.

Use Case ID	UC-03
Use Case Name	Manage Customer Profile
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer opens the profile area.
Preconditions	Customer is logged in.
Main Success Scenario	1. Customer opens the profile page. 2. Customer edits contact details, adds or updates traveler information, or views booking history. 3. System saves the changes. 4. System confirms success.
Alternative Flows	• If data is incomplete or invalid, the system rejects the change and requests correction.
Postconditions	Customer profile information is updated and available for later bookings.
Related Requirements	FR-03

UC-04 — View Customer Account Details

Allow an administrator to inspect a customer account for support, oversight, or administrative follow-up.

Use Case ID	UC-04
Use Case Name	View Customer Account Details
Primary Actor	Administrator
Supporting Actors	None
Trigger	Administrator selects a customer record from the administration area.
Preconditions	Administrator is logged in and has permission to access customer records.
Main Success Scenario	1. Administrator opens the customer account list. 2. Administrator selects a customer account. 3. System displays the customer profile and related account details. 4. Administrator reviews the information as needed.
Alternative Flows	• If access rights are insufficient, the system denies the action and records the attempt where required.
Postconditions	Customer account details are viewed for administrative purposes without treating the administrator as the customer.
Related Requirements	FR-03, FR-04

UC-05 — Manage User Accounts

Create, edit, disable, or reactivate user accounts under administrative control.

Use Case ID	UC-05
Use Case Name	Manage User Accounts
Primary Actor	Administrator
Supporting Actors	None
Trigger	Administrator selects a user-account management action.
Preconditions	Administrator is logged in.
Main Success Scenario	1. Administrator selects a user account or chooses to create a new one. 2. Administrator performs create, edit, disable, or reactivate. 3. System applies the change. 4. System logs the action. 5. System notifies the affected user where appropriate.
Alternative Flows	• If the administrator lacks permission or submits invalid data, the system blocks the action and requests correction.
Postconditions	The selected user account lifecycle state is updated.
Related Requirements	FR-04

UC-06 — Manage Employee Records & Attendance

Maintain employee records and attendance or leave information through the HR module.

Use Case ID	UC-06
Use Case Name	Manage Employee Records & Attendance
Primary Actor	HR Staff
Supporting Actors	None
Trigger	HR Staff opens the employee module.
Preconditions	HR Staff is logged in.
Main Success Scenario	1. HR Staff selects employee records or attendance management. 2. HR Staff updates employee details or attendance entries. 3. HR Staff reviews or records leave information when applicable. 4. System saves the changes and logs the action. 5. System notifies the employee where required.
Alternative Flows	• If record data is invalid or a leave decision cannot be processed, the system requests correction before saving.
Postconditions	Employee and attendance information is updated and stored.
Related Requirements	FR-05, FR-06

2. Travel Package Management

These use cases cover package creation, configuration, customization, and publication-related operations.

UC-07 — Manage Travel Packages

Create, update, archive, or publish travel packages for the agency catalog.

Use Case ID	UC-07
Use Case Name	Manage Travel Packages
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff opens package management.
Preconditions	Staff is logged in.
Main Success Scenario	1. Staff selects create, update, archive, or publish. 2. System applies the selected package action. 3. System updates the catalog state. 4. System logs the action.
Alternative Flows	• A package cannot be published if required package information is incomplete.
Postconditions	The package lifecycle state is updated in the catalog.
Related Requirements	FR-07

UC-08 — Define Package Details

Enter and store the core descriptive and commercial information for a travel package.

Use Case ID	UC-08
Use Case Name	Define Package Details
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff selects a package for detail definition.
Preconditions	A package exists or is being created.
Main Success Scenario	1. Staff enters destination, duration, capacity, price, itinerary, and inclusions. 2. System validates required fields. 3. System stores the package details in the catalog.
Alternative Flows	• If fields are missing, the system highlights them and requests completion before saving.
Postconditions	Package details are saved and available for further configuration.
Related Requirements	FR-08

UC-09 — Configure Seasonal Pricing

Apply time-based pricing rules or discounts to a package.

Use Case ID	UC-09
Use Case Name	Configure Seasonal Pricing
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff selects pricing configuration for a package.
Preconditions	A package already exists.
Main Success Scenario	1. Staff defines a date range and pricing rule. 2. System validates the date range. 3. System links the rule to package pricing.
Alternative Flows	• If the date range is invalid or conflicts with existing rules, the system blocks the save.
Postconditions	Seasonal pricing is stored and linked to the package.
Related Requirements	FR-09

UC-10 — Define Document Checklist

Record the documents or checklist items required for a package.

Use Case ID	UC-10
Use Case Name	Define Document Checklist
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff opens the package checklist configuration.
Preconditions	A package already exists.
Main Success Scenario	1. Staff adds required travel documents or checklist items. 2. Staff specifies document types or requirements. 3. System links the checklist to the package record.
Alternative Flows	• Incomplete or duplicate checklist entries are rejected until corrected.
Postconditions	The package checklist is stored for booking and trip preparation.
Related Requirements	FR-11

UC-11 — Manage Promo Campaigns

Create and maintain promo codes or promotional campaigns used during bookings.

Use Case ID	UC-11
Use Case Name	Manage Promo Campaigns
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff opens promotional campaign management.
Preconditions	Staff is logged in.
Main Success Scenario	1. Staff creates a campaign or promo code. 2. Staff sets the validity period and discount amount. 3. System stores the campaign. 4. When used at booking, the system validates and applies it.
Alternative Flows	• Expired or invalid codes are rejected when customers attempt to use them.
Postconditions	The campaign is available for use and later reporting.
Related Requirements	FR-10

UC-12 — Submit Customization Request

Request a customized package and receive a feasibility decision from the agency.

Use Case ID	UC-12
Use Case Name	Submit Customization Request
Primary Actor	Customer
Supporting Actors	Travel Agent
Trigger	Customer chooses to request package customization.
Preconditions	A standard package offering exists and can be customized.
Main Success Scenario	1. Customer submits a customization request. 2. Travel Agent reviews the request. 3. Travel Agent assesses feasibility. 4. If feasible, a custom package is prepared. 5. System notifies the customer of the outcome.
Alternative Flows	• If the request is not feasible, the system records the rejection and informs the customer.
Postconditions	The customization request is resolved and communicated.
Related Requirements	FR-12

3. Customer Experience & Discovery

These use cases cover package discovery, preference features, and customer-facing interface behavior.

UC-13 — Browse & Search Packages

Search the published catalog and display packages that match the customer's criteria.

Use Case ID	UC-13
Use Case Name	Browse & Search Packages
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer opens package discovery or applies filters.
Preconditions	Published packages exist in the system.
Main Success Scenario	1. Customer enters search terms or filter criteria. 2. System queries the package catalog. 3. System returns matching packages. 4. Customer reviews the results.
Alternative Flows	• If no package matches, the system shows an empty-state message and suggestions.
Postconditions	Filtered package results are displayed to the customer.
Related Requirements	FR-38

UC-14 — Save Favourite Package

Store a package in the customer's favourites list for later review.

Use Case ID	UC-14
Use Case Name	Save Favourite Package
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer selects the favourite/save option on a package.
Preconditions	Customer is logged in and viewing a package.
Main Success Scenario	1. Customer selects Save Favourite. 2. System stores the package in the customer's saved list. 3. System confirms the action.
Alternative Flows	• If the package is already saved, the system prevents duplication or offers the option to remove it instead.
Postconditions	The saved-packages list is updated.
Related Requirements	FR-39

UC-15 — Select Interface Language

Switch interface content to the user's preferred or selected language.

Use Case ID	UC-15
Use Case Name	Select Interface Language
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer selects a language from the interface settings or language control.
Preconditions	The application interface is available to the customer.
Main Success Scenario	1. Customer selects a preferred language. 2. System updates visible interface content. 3. System stores the preference where applicable.
Alternative Flows	• If the selected language is unavailable, the system falls back to the default or detected device language.
Postconditions	The interface is shown in the selected or fallback language.
Related Requirements	FR-43

UC-16 — View Package Availability

Check remaining capacity and departure availability for a package.

Use Case ID	UC-16
Use Case Name	View Package Availability
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer opens a package page.
Preconditions	A visible package exists.
Main Success Scenario	1. Customer opens the package details page. 2. System retrieves current capacity and relevant dates. 3. System displays whether the package is available. 4. Customer decides whether to continue toward booking.
Alternative Flows	• If the package is full, the system shows a fully booked status instead of a booking option.
Postconditions	Current package availability is displayed.
Related Requirements	FR-13, FR-47

4. Booking & Reservation Management

These use cases cover booking submission, itinerary handling, status visibility, and booking-history support.

UC-17 — Submit Booking Request

Create a booking request for a package after traveler, eligibility, and capacity checks are completed.

Use Case ID	UC-17
Use Case Name	Submit Booking Request
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer chooses to book an available package.
Preconditions	The package is visible to the customer and traveler data can be provided.
Main Success Scenario	1. Customer selects a package. 2. Customer adds traveler information. 3. System checks capacity and travel eligibility. 4. Customer submits the booking request. 5. System generates a booking reference. 6. The request is submitted for staff review.
Alternative Flows	• If eligibility or capacity checks fail, the system notifies the customer and stops the flow before submission.
Postconditions	A booking request and booking reference are created and await review.
Related Requirements	To be confirmed against the booking-related functional requirements in the master requirements list.

UC-18 — Issue Digital Itinerary

Generate and deliver a digital itinerary for a confirmed booking.

Use Case ID	UC-18
Use Case Name	Issue Digital Itinerary
Primary Actor	Travel Agent
Supporting Actors	None
Trigger	Travel Agent selects itinerary issuance for a confirmed booking.
Preconditions	The booking is confirmed.
Main Success Scenario	1. Travel Agent opens the confirmed booking. 2. Travel Agent requests itinerary generation. 3. System generates and sends the itinerary to the customer.
Alternative Flows	• If the booking is not yet confirmed, itinerary issuance is blocked.
Postconditions	The customer receives the itinerary or travel summary.
Related Requirements	FR-19

UC-19 — View Booking Status

Allow the customer to check the current state of an existing booking.

Use Case ID	UC-19
Use Case Name	View Booking Status
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer opens the bookings area.
Preconditions	Customer is logged in and has at least one booking.
Main Success Scenario	1. Customer opens the booking-status page. 2. System retrieves the latest booking state. 3. System displays the status and related updates.
Alternative Flows	• If the customer has no bookings, the system displays an empty state.
Postconditions	The customer sees the current booking status.
Related Requirements	FR-18

UC-20 — Maintain Booking Notes & Audit Trail

Maintain booking notes and inspect the history of major booking actions.

Use Case ID	UC-20
Use Case Name	Maintain Booking Notes & Audit Trail
Primary Actor	Travel Agent
Supporting Actors	None
Trigger	Travel Agent opens a booking record.
Preconditions	Travel Agent is logged in and the booking exists.
Main Success Scenario	1. Travel Agent selects a booking. 2. Travel Agent adds a note or opens the booking history. 3. System saves the note or displays the audit trail. 4. System preserves the booking history.
Alternative Flows	• If the actor lacks permission, the system blocks access to the booking history.
Postconditions	Booking notes and action history are available for later reference.
Related Requirements	FR-23, FR-24

5. Cancellation Handling

These use cases separate the customer's cancellation submission from the staff-side processing and outcome handling.

UC-21 — Submit Cancellation Request

Allow the customer to request cancellation of an existing booking.

Use Case ID	UC-21
Use Case Name	Submit Cancellation Request
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer selects cancel on an eligible booking.
Preconditions	Customer is logged in and has a booking that can be submitted for cancellation review.
Main Success Scenario	1. Customer opens the booking. 2. Customer submits a cancellation request. 3. System records the request and forwards it for evaluation.
Alternative Flows	• If the request is blocked before submission due to obvious policy conditions, the system informs the customer immediately.
Postconditions	A cancellation request is stored for processing.
Related Requirements	FR-21

UC-22 — Process Cancellation Request

Validate, review, record, and complete the cancellation outcome after a customer submits a request.

Use Case ID	UC-22
Use Case Name	Process Cancellation Request
Primary Actor	Travel Agent
Supporting Actors	Finance Staff
Trigger	Travel Agent opens a pending cancellation request for review.
Preconditions	A cancellation request exists.
Main Success Scenario	1. Travel Agent reviews the request. 2. System validates the request against the cancellation policy. 3. Travel Agent records the cancellation outcome. 4. System determines whether a refund applies. 5. System updates the booking status. 6. System releases the package capacity slot. 7. System notifies the customer of the outcome. 8. Finance Staff handles any resulting refund adjustment where required.
Alternative Flows	• If policy does not allow cancellation, the request is rejected and the customer is notified. • If no refund applies, the booking is still cancelled and the slot is released without refund processing.
Postconditions	The cancellation is resolved and reflected in booking, capacity, and refund-related records.
Related Requirements	FR-22, FR-37 (supports FR-21)

6. Financial Management

UC-23 — Record Incoming & Outgoing Payments

Capture financial transactions entering or leaving the business.

Use Case ID	UC-23
Use Case Name	Record Incoming & Outgoing Payments
Primary Actor	Finance Staff
Supporting Actors	None
Trigger	Finance Staff opens the payment-recording function.
Preconditions	Finance Staff is logged in and transaction details are available.
Main Success Scenario	1. Finance Staff enters incoming or outgoing payment details. 2. System validates the entry. 3. System stores the financial transaction record.
Alternative Flows	• If transaction data is invalid, the system requests correction before saving.
Postconditions	A payment record exists for later status processing and reporting.
Related Requirements	FR-34

UC-24 — Record Payment Status

Assign and update the business status of a payment or booking-related financial record.

Use Case ID	UC-24
Use Case Name	Record Payment Status
Primary Actor	Finance Staff
Supporting Actors	None
Trigger	Finance Staff reviews an existing payment record.
Preconditions	A payment record already exists.
Main Success Scenario	1. Finance Staff selects a payment record. 2. Finance Staff sets the status to unpaid, partial, paid, refunded, or cancelled. 3. System updates related records and downstream financial behaviour.
Alternative Flows	• Paid status leads to receipt generation. • Refunded status leads to refund tracking. • Partial or unpaid status leads to follow-up.
Postconditions	The payment status is current and consistent with related records.
Related Requirements	FR-31

UC-25 — Generate Receipt

Generate and provide a receipt for a completed customer transaction.

Use Case ID	UC-25
Use Case Name	Generate Receipt
Primary Actor	Finance Staff
Supporting Actors	None
Trigger	Finance Staff requests receipt generation or reissue for an eligible payment.
Preconditions	The relevant transaction is eligible for receipt generation.
Main Success Scenario	1. Finance Staff selects the eligible transaction. 2. System generates the receipt. 3. System stores the receipt. 4. System sends the receipt to the customer.
Alternative Flows	• If the payment is not valid for receipt generation, the system blocks the action.
Postconditions	A receipt exists and is available to the customer and the agency.
Related Requirements	FR-32, FR-33

UC-26 — Reconcile Payment Records

Compare financial records with expected values and correct discrepancies where necessary.

Use Case ID	UC-26
Use Case Name	Reconcile Payment Records
Primary Actor	Finance Staff
Supporting Actors	None
Trigger	Finance Staff starts a reconciliation cycle.
Preconditions	Payment records exist for review.
Main Success Scenario	1. Finance Staff reviews payment records. 2. System identifies possible discrepancies or Finance Staff detects them manually. 3. Finance Staff corrects the record where needed. 4. System marks the record as reconciled or archived.
Alternative Flows	• If unresolved discrepancies remain, the record stays flagged for follow-up.
Postconditions	Payment records are reconciled or explicitly flagged for later action.
Related Requirements	FR-36

UC-27 — Track Refunds & Adjustments

Record financial adjustments linked to cancellations or payment corrections.

Use Case ID	UC-27
Use Case Name	Track Refunds & Adjustments
Primary Actor	Finance Staff
Supporting Actors	None
Trigger	A refund or adjustment event requires financial recording.
Preconditions	A cancellation, refund decision, or payment correction exists.
Main Success Scenario	1. Finance Staff records the refund or adjustment amount and reason. 2. System updates the financial records. 3. System notifies the customer where appropriate.
Alternative Flows	• If the refund is not approved, no refund adjustment is posted.
Postconditions	The refund or financial adjustment is fully recorded.
Related Requirements	FR-37

UC-28 — Generate Financial Report

Produce a financial summary for management review using recorded revenue, expense, and profit data.

Use Case ID	UC-28
Use Case Name	Generate Financial Report
Primary Actor	Finance Staff or Manager/Owner
Supporting Actors	None
Trigger	An authorised internal user requests a financial report.
Preconditions	Relevant financial data exists for the selected period.
Main Success Scenario	1. The actor selects the reporting period. 2. System aggregates financial values. 3. System generates the report. 4. The report becomes available for review and possible export.
Alternative Flows	• If the report contains an issue, the actor can request correction and a regenerated report.
Postconditions	A financial report is available for review, export, or archival.
Related Requirements	FR-35

7. Scheduling, Operations & Partner Management

These use cases cover schedule maintenance, trip operations, internal coordination, and partner management.

UC-29 — Maintain Travel Schedules

Create, update, or remove departure and return scheduling information for packages or trips.

Use Case ID	UC-29
Use Case Name	Maintain Travel Schedules
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff opens schedule maintenance.
Preconditions	Staff is logged in and the related package or trip exists.
Main Success Scenario	1. Staff adds, edits, or removes a schedule entry. 2. System updates the travel schedule. 3. System reflects the change in relevant package or trip views.
Alternative Flows	• Invalid dates or scheduling conflicts are rejected until corrected.
Postconditions	The travel schedule is updated and available to other functions.
Related Requirements	FR-25

UC-30 — Assign Guide / Coordinator

Assign a guide or coordinator to a scheduled trip after checking for conflicts.

Use Case ID	UC-30
Use Case Name	Assign Guide / Coordinator
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff selects a trip that needs operational assignment.
Preconditions	A trip exists and candidate personnel are available for assignment.
Main Success Scenario	1. Staff selects a guide or coordinator. 2. System checks for scheduling conflicts. 3. If the assignment is valid, the system stores it. 4. System notifies the assigned person where required.
Alternative Flows	• If a conflict exists, staff must choose a different person.
Postconditions	The trip is assigned to the selected operational staff member.
Related Requirements	FR-26

UC-31 — Close & Archive Trip

Mark a trip as completed, distribute internal documentation, and archive operational data.

Use Case ID	UC-31
Use Case Name	Close & Archive Trip
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff starts trip closure for a completed trip.
Preconditions	The trip has been completed and closure data is available.
Main Success Scenario	1. Staff marks the trip as completed. 2. System distributes required trip-related documents to internal personnel. 3. System archives operational data. 4. System updates operational reporting information.
Alternative Flows	• If closure information is incomplete, the trip cannot be archived until required data is provided.
Postconditions	The trip is closed, archived, and reflected in reporting.
Related Requirements	FR-27, FR-28

UC-32 — Manage Business Partners

Maintain the records of hotels, transport providers, guides, and other business partners.

Use Case ID	UC-32
Use Case Name	Manage Business Partners
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff opens partner management.
Preconditions	Staff is logged in.
Main Success Scenario	1. Staff adds a new partner or updates an existing one. 2. System validates partner details. 3. System stores the partner in the business-partner directory.
Alternative Flows	• If data is incomplete or duplicate, the system blocks the save until corrected.
Postconditions	The partner directory is updated.
Related Requirements	FR-29

UC-33 — Link Partners to Packages

Associate one or more business partners with a travel package.

Use Case ID	UC-33
Use Case Name	Link Partners to Packages
Primary Actor	Staff
Supporting Actors	None
Trigger	Staff selects a package and partner for association.
Preconditions	The package exists and the partner is already recorded in the system.
Main Success Scenario	1. Staff chooses a package. 2. Staff chooses one or more partners. 3. System saves the association. 4. System confirms the save.
Alternative Flows	• Duplicate or invalid package-partner links are rejected.
Postconditions	The selected package is linked to the selected partner records.
Related Requirements	FR-30

8. Reporting, Analytics & Post-Transaction Rewards

UC-34 — View Loyalty & Referral Benefits

Allow the customer to review loyalty rewards or referral benefits linked to completed bookings.

Use Case ID	UC-34
Use Case Name	View Loyalty & Referral Benefits
Primary Actor	Customer
Supporting Actors	None
Trigger	Customer opens the loyalty or rewards area after an eligible booking or referral event.
Preconditions	A completed booking exists and loyalty or referral rules may apply.
Main Success Scenario	1. Customer opens the loyalty or rewards area. 2. System checks completed bookings and referral records for eligibility. 3. System applies any qualifying benefit to the customer profile where required. 4. System displays the current loyalty or referral benefit status. 5. Customer reviews the updated rewards information.
Alternative Flows	• If no loyalty or referral condition is met, the system shows that no benefit is currently available.
Postconditions	Eligible loyalty or referral benefits are stored in the customer record and visible to the customer.
Related Requirements	FR-41, FR-42

UC-35 — View Operations Dashboard

Review a unified summary of sales, active bookings, cancellations, and package performance.

Use Case ID	UC-35
Use Case Name	View Operations Dashboard
Primary Actor	Manager/Owner
Supporting Actors	None
Trigger	Manager/Owner opens the dashboard.
Preconditions	Manager/Owner is logged in.
Main Success Scenario	1. Manager/Owner opens the operations dashboard. 2. System aggregates sales data, active bookings and cancellations, and package performance. 3. System displays the unified dashboard view.
Alternative Flows	• If live data is unavailable, the system displays the latest valid data or an error notice.
Postconditions	The manager sees the current operational overview.
Related Requirements	FR-44

UC-36 — Export Reports & Log System Actions

Generate an exportable report file and record the export or access event in the audit trail.

Use Case ID	UC-36
Use Case Name	Export Reports & Log System Actions
Primary Actor	Authorised Internal User (Manager/Owner or Finance Staff)
Supporting Actors	None
Trigger	The actor requests report export.
Preconditions	A report exists or can be generated for export.
Main Success Scenario	1. The actor requests report export. 2. System generates the file. 3. System makes the file available for download or export. 4. System logs the export or access action in the audit trail.
Alternative Flows	• If report generation fails, the system reports the error and no export file is produced.
Postconditions	The report is exported or made available, and the action is logged.
Related Requirements	FR-45