


Rad52 (Normal 0 of 12) With AreaShape site of polarized growth nucleus-Golgi apparatus endoplasmic reticulum Cellular Compartment Compartme cytoplasmic vesicle chromosomecellular budcell cortex-0.04 0.08 0.12 0.00 Proportion

Rad52 (Normal 0 of 12)






Rad52 (Normal 1 of 12)




Rad52 (Normal 2 of 12) With AreaShape site of polarized growthnucleusmicrotubule organizing centermembrane -Golgi apparatus -Cellular Compartment endoplasmic reticulumendomembrane systemcytoskeletoncytoplasmic vesicle chromosomecellular budcell cortex-0.05 0.15 0.10 0.00 Proportion

Rad52 (Normal 2 of 12)



Rad52 (Normal 4 of 12) With AreaShape site of polarized growthnucleusmicrotubule organizing center-Cellular Compartment cytoskeletonchromosomecellular budcell cortex-0.1 0.0 0.2 Proportion

Rad52 (Normal 4 of 12)



Rad52 (Normal 5 of 12) With AreaShape nucleus-Cellular Compartment chromosome-0.02 0.03 0.04 0.00 0.01 Proportion

Rad52 (Normal 5 of 12) With AreaShape transposition transcription from RNA polymerase II promoter telomere organization RNA catabolic process regulation of cell cycle proteolysis involved in cellular protein catabolicprocess protein modification by small Biological Process protein conjugation or removal organelle fission mitotic cell cycle -DNA replication -DNA repair

0.05

0.10

Proportion

0.15

DNA-templated transcription, \_

DNA-templated transcription, \_

chromatin organization -

cellular response to DNA \_ damage stimulus


initiation

elongation

0.00


Rad52 (Normal 6 of 12) With AreaShape site of polarized growthnucleusnucleolus microtubule organizing center-Golgi apparatus -Cellular Compartment endoplasmic reticulumendomembrane systemcytoskeletoncytoplasmic vesicle chromosomecellular budcell cortex-0.2 0.3 0.1 0.0 Proportion

Rad52 (Normal 6 of 12)




Rad52 (Normal 7 of 12) With AreaShape site of polarized growthnucleusmicrotubule organizing center-Cellular Compartment endomembrane system cytoskeletonchromosomecellular bud-0.05 0.00 0.10 Proportion

Rad52 (Normal 7 of 12)




Rad52 (Normal 8 of 12) With AreaShape nucleusmicrotubule organizing center-Cellular Compartment cytoskeletonchromosome-0.10 0.20 0.05 0.00 0.15 Proportion

Rad52 (Normal 8 of 12)




Rad52 (Normal 9 of 12) With AreaShape site of polarized growthnucleusmicrotubule organizing center-Cellular Compartment cytoskeletonchromosomecellular budcell cortex-0.1 0.2 0.0 Proportion


Rad52 (Normal 9 of 12)



Rad52 (Normal 10 of 12) With AreaShape nucleusnucleolus -Cellular Compartment organizing center microtubule organizing center cytoskeletonchromosome-0.1 0.2 0.3 0.0 Proportion

Rad52 (Normal 10 of 12)





Rad52 (Normal 11 of 12)

