IJIRE-0000793

FDRP Journal's

Submission date: 19-Jul-2024 11:40AM (UTC+0300)
Submission ID: 2419104115
File name: IJIRE-0000793.docx (123.95K)
Word count: 1113
Character count: 6328

ANALYSIS AND IMPLEMENTATION OF HIGH GAIN STEP-UP CONVERTER FED VOLTAGE SOURCE INVERTER

AKSHAYA MEERA.G[1], Dr. V. GEETHA[2]
[1](Pg Scholar, Department of EEE, / GCE Salem, Tamil Nadi, India)
[2](Associate Professor, Department of EEE/GCE, Salem, Tamil Nadu, India)
Corresponding Author: akshayaganesan291@gmail.com

Abstract: ***A high gain step-up Converter is typically used to boost lower DC Voltage (from a source like batteries or Solar panels to a higher DC voltage suitable for feeding into a single-phase half-bridge voltage source inverter. The level of achievement in the type of converter DC Voltage is high enough to achieve the desired AC output Voltage from the Voltage Source Inverter. The controlling switches MOSFET to regulate the output voltage. In single phase inverter used in a transformer step down and step up into controlled AC Output Voltage***
Key Word: *Multimeter, CRO, MOSFET Switches ,optocoupler*

I. Introduction

The rapid advancements in renewable energy technologies and the increasing need for efficient power conversion systems have underscored the importance of high-gain step-up converters in various applications. These converters play a crucial role in boosting low DC voltage levels, typically generated by renewable energy sources such as solar panels and fuel cells, to higher DC voltage levels required for further conversion or utilization. A significant application of such converters is in feeding voltage source inverters (VSIs), which are essential voltages suitable for various loads or grid connections. The combination of a high-gain step-up converter and a VSI forms a versatile and efficient power conversion solution that can cater to a wide range of power levels and application requirements converting DC power to AC power for grid integration or standalone applications.

A high-gain step-up converter-fed VSI system is particularly valuable in scenarios where renewable energy sources generate relatively low voltage outputs that need to be stepped up efficiently before inversion to AC power. The VSI then converts this high DC voltage to a high-quality AC

II. Existing System

The generalized circuit diagram of the proposed inverter is depicted in Figure 4.1 . This boost converter consists one inductor, one capacitor and one diode



Figure 2.1 High Gain Step-Up Converter Fed Voltage Source Inverter

III. HARDWARE AND IMPLEMENTATION

High-Gain DC-DC Converter: This is used to step up the low DC input voltage to a higher level, suitable for the VSI. Common topologies include boost converters, coupled inductor converters, and switched-capacitor converters. **Voltage Source Inverter (VSI):** Converts the high DC voltage into AC voltage. It typically uses IGBTs or MOSFETs as switching device.



Fig 3.1 Analysis And Implantation Of High Gain Step-Up Converter Fed Voltage Source Inverter

IV. RESULT AND DISCUSSION

4.1 INPUT VOLTAGE WAVEFORM FOR CONVERTER

A boost converter, also known as a step-up converter, is a type of DC-DC converter that increases (boosts) the input voltage to a higher output voltage. It typically consists of an inductor, switch (usually a transistor), diode, and a capacitor

For a DC-DC converter with an input voltage of 12V, the choice of converter type depends on the required output voltage.Powering devices requiring higher voltage, like certain types of LEDs or charging higher voltage batteries



Figure 4.1 Input Voltage Waveform For Dc-Dc Boost Converter

4.2 OUTPUT VOLTAGE WAVEFORM FOR CONVERTER

A DC-DC converter is an electronic circuit that converts a source of direct current (DC) from one voltage

level to another. It is commonly used in power supplies for various electronic devices. For a 24V DC-DC converter, the output voltage waveform can vary depending on the type of converter being used.



Figure 4.2 Output Voltage Waveform For Converter

4.3 AC OUTPUT WAVEFORM INVERTER PULSE STEP-DOWN TRANSFORMER

A step-down transformer is an electrical device that reduces the voltage from the primary side to a lower voltage on the secondary side. It operates on the principle of electromagnetic induction, where a varying current in the primary coil generates a varying magnetic field, inducing a voltage in the secondary coil



Figure 4.3 Output Voltage Waveform Step-Down Transformer

An inverter generates AC pulses by switching the DC input on and off rapidly. The switching devices, typically transistors or MOSFETs, are controlled by a pulse-width modulation (PWM) technique to create the desired AC waveform. The high-frequency AC pulse is fed into the primary winding of the transformer.The transformer steps down the voltage to the desired lower AC level .

4.4 AC OUTPUT VOLTAGE WAVEFORM STEP-UP TRANSFORMER

A step-up transformer inverter with AC pulse modulation is a device used to convert low-voltage DC (direct current) to a higher-voltage AC (alternating current) using a step-up transformer and pulse modulation techniques.



Figure 4.4 Output Voltage Waveform Step Up Transformer

V .Conclusion

A voltage source inverter is a critical component in solar power systems, responsible for converting the direct current (DC) generated by solar panels into alternating current (AC) suitable for use in homes or the grid.By using solar power, we harness a clean and renewable energy source, reducing dependence on conventional fossil fuels and minimizing environmental impact.The Boost Converter is a type of DC-DC converter used in photovoltaic systems to efficiently regulate the voltage and maximize power output

References

[1]. Ghamrawi A, Gaubert JP, Mehdi D. New control strategy for a **Quadratic Boost Converter used in solar energy system**. Energy Conference (ENERGYCON); 2016 Apr. p. 1–6. Crossref.

[2]. Mitulkumar RD, Dave CK. **Analysis of boost converter using PI control algorithms**. International Journal of Engineering Trends and Technology. 2012; 3(2):71–3.

[3]. Pandav Kiran Maroti, P.Sanjeevikumar, Frede Blaabjerg, Viliam Fedák, Pierluigi Siano, Vigna K. Chandrasekhar, "A Novel Switched Inductor Configuration for Modified SEPIC DC-to-DC Converter for Renewable Energy Application", Conf. Proc., 3rd IEEE Conf. on Energy Conversion, IEEE-CENCON'17, Kuala Lumpur (Malaysia).

[4]. Priya P, Basha SG, Niranjan VSV, Seyezhai R. Investigation of the MOSFET based Quadratic Boost Converter for Photovoltaic Applications. IJPERA. 2016 Oct;1(3):26–9.

[5]. M. Forouzesh, Y. P. Siwakoti, S. A. Gorji, F. Blaabjerg, and B. Lehman, "Step-Up DC-DC Converters: A Comprehensive Review of Voltage Boosting Techniques, Topologies, and Applications," in IEEE Transactions on Power Electronics, vol. 32, no. 12, pp. 9143-9178, 06 March 2017

[6]. Pranshu Agarwal, Sarajevo Kumar Singh" A Modular Magnetically Coupled Quadratic Boost Converter for Micro source Applications" in IEEE at 7th IET International Conference on Power Electronics, Machines and Drives (PEMD 2014)

[7]. Sherif M. Dabour1, Majed Alotaibi2, Amr A. Abd-Elaziz1 Modeling and Control of Single-Stage Quadratic-Boost Split Source Inverters Author Name: Preparation of Papers for IEEE Access (December 2021)
[8]. Milad Rezaie1 , Vahid Abbasi1 , Tamas Kerekes2 High step-up DC-DC converter composed of quadratic boost converter and switched capacitor Power Electron., 2020, Vol. 13 Iss. 17, pp. 4008-4018 © The Institution of Engineering and Technology 2020
[9]. Beena KH, Benny A. Analysis and implementation of Quadratic Boost Converter for Nanogrid applications. IJAREEIE. 2017 Jul; 4(7):1–6. 5

IJIRE-0000793_T

ORIGINALITY REPORT

26%	18%	12%	13%
SIMILARITY INDEX	INTERNET SOURCES	PUBLICATIONS	STUDENT PAPERS

PRIMARY SOURCES

1	lup.lub.lu.se Internet Source	3%
2	Submitted to University of East London Student Paper	3%
3	www.researchgate.net Internet Source	2%
4	Submitted to Farnborough College of Technology, Hampshire Student Paper	2%
5	Submitted to Istanbul Medipol Ãniversitesi Student Paper	1%
6	ijrpr.com Internet Source	1%
7	Umarani, Devaraj, and R. Seyezhai. "Investigation of Quasi Z-Source Cascaded Multilevel Inverter for PV System with Maximum Power Point Tracking", Applied Mechanics and Materials, 2014. Publication	1%

8	Submitted to IED Barcelona Student Paper	1 %
9	Submitted to University of Northumbria at Newcastle Student Paper	1 %
10	hdl.handle.net Internet Source	1 %
11	i-scholar.in Internet Source	1 %
12	www.ijraset.com Internet Source	1 %
13	www.mdpi.com Internet Source	1 %
14	pluginhighway.ca Internet Source	1 %
15	theses.ncl.ac.uk Internet Source	1 %
16	F.-w. Fuchs. "Voltage Fed and Current Fed Full Bridge Converter for the Use in Three Phase Grid Connected Fuel Cell Systems", 2006 5th International Power Electronics and Motion Control Conference, 08/2006 Publication	1 %
17	Umaz, Ridvan. "Power Management Systems for Biomass-Based Energy Harvesting",	1 %

University of Connecticut, 2024
Publication

18 Pandav Kiran Maroti, Sanjeevikumar Padmanaban, Frede Blaabjerg, Dan Ionel, Patrick Wheeler. "Novel immense configurations of boost converter for renewable energy application", The Journal of Engineering, 2019 — 1%
Publication

19 Venkatesan, L., A.D. Janarthanan, P.R. Aarthi, and R. Arulmozhiyal. "Speed Control of Induction Motor via Pic Controller Using Lab View", Advanced Materials Research, 2013. — 1%
Publication

20 Vinod, S., V. Navin, and C. Sivaraj. "Simulation of power electronics based controller for grid connected wind turbine", 2011 International Conference on Emerging Trends in Electrical and Computer Technology, 2011. — 1%
Publication

Exclude quotes	On	Exclude matches	Off
Exclude bibliography	On		

PAGE 1

PAGE 2

PAGE 3

PAGE 4

PAGE 5