About Java ▼ Spring MVC ▼ WordPress ▼ Genesis WP Deals Advertise Contact

ADVERTISEMENT

Blog ► Apache Tomcat Tutorials ► Step by Step guide to Enable HTTPS or SSL correct way on Apache Tomcat ...

Step by Step guide to Enable HTTPS or SSL correct way on Apache Tomcat Server – Port 8443

Last Updated on July 16th, 2017 by 🚨 App Shah

20 comments

It's been almost 12 years I started using Apache Tomcat. I believe when I did my 1st under grade project, it was on Tomcat version 1.x. Now it's already on version 8.0. Mostly I've been in touch with Tomcat Server in my daily work life, simply can't live without it.

On Crunchify we have already published almost 40 articles on Apache Tomcat. In most of the tutorial I've run server on port 8080 which is default port configured in server.xml file.

In this tutorial we will go over all steps in details on how to enable HTTPS/SSL on Apache Tomcat Server .

Let's get started:

Step-1

keytool: we will generate secure key using keytool command – which is key and certificate management tool.

Command:

```
keytool -genkey -alias Crunchify -keyalg RSA -keystore /Users/<username>/Documents/c
```

I'm using Mac OS X, so replace your path accordingly if you are on windows.

```
👚 arpshah — bash — 140×35
bash-3.2$ keytool -genkey -alias Crunchify keyalg RSA -keystore /Users username /Documents/crunchifyKey
Enter keystore password:
Re-enter new password:
What is your first and last name?
[Unknown]: App Shah
What is the name of your organizational unit?
 [Unknown]: Crunchify
What is the name of your organization?
 [Unknown]: Crunchify.com
What is the name of your City or Locality?
 [Unknown]: Greater New York
What is the name of your State or Province?
 [Unknown]: NY
What is the two-letter country code for this unit?
Is CN=App Shah, OU=Crunchify, O=Crunchify.com, L=Greater New York, ST=NY, C=US correct?
  [no]: yes
Enter key password for <Crunchify>
        (RETURN if same as keystore password):
bash-3.2$
                                                                                           crunchify.com
```

Step-2

Start tomcat server using command: <tomcat_home>/bin/startup.sh. Make sure you are this location.

```
bash-3.2# pwd
/Users/<username>/Documents/apache-tomcat-8.0.26/bin
bash-3.2# ./startup.sh
```

Step-3

Hit URL: http://localhost:8080 to make sure server is up and running.

Step-4

 \wedge

Now check port 8443 (HTTPS/SSL URL). Hit URL: https://localhost:8443 - you should see error message. Page shouldn't load at all.



Step-5

```
Change server.xml file which is located at <tomcat_home>/conf/ folder and modify settings. In our case it's /Users/<username>/Documents/apache-tomcat-8.0.26/conf folder.
```

Look for below properties and add keystoreFile and keystorePass values. Here password is 123456 which I used in Step-1.

Step-6


Stop and Start server again using commands:

```
bash-3.2# ./shutdown.sh
bash-3.2# ./startup.sh
```

Step-7

Now hit HTTPS secure URL again to check you page loaded successfully:

https://localhost:8443



and you are all set. Have you noticed red padlock? Don't worry. We haven't purchase SSL cert from Verisign or Comodo. In production environment you may not see that red cross sign.

Bonus point:

How to check your cert content using command keytool ?

bash-3.2# keytool -list -keystore /Users/<username>/Documents/crunchifyKey

Result:

```
bash-3.2$ keytool -list -keystore /Users/<username>/Documents/crunchifyKey
Enter keystore password:


Keystore type: JKS
Keystore provider: SUN

Your keystore contains 1 entry
```

```
crunchify, Sep 17, 2015, PrivateKeyEntry,
Certificate fingerprint (SHA1): 3E:F2:95:62:F5:B0:88:09:27:C6:8F:F6:91:84:CD:A0:80:E
bash-3.2$
```


Join the Discussion

Share & leave us some comments on what you think about this topic or if you like to add something.



Other Popular Articles...

- 1. How to Run Multiple Tomcat Instances on One Server?
- 2. How to Install Apache Web Server, PHP, Perl on Mac OS X Yosemite
- 3. How to Start Stop Apache Tomcat via Command Line? Check if Tomcat is already running and Kill command
- 4. Step by Step Guide to Setup and Install Apache Tomcat Server in Eclipse Development Environment (IDE)
- How to Increase Apache Tomcat HeapSize (JVM Heap) in Eclipse IDE (integrated development environment) to Avoid OutOfMemory
- 6. How to redirect any incoming request from non-secure (HTTP) to secure (HTTPS) call?
- ♠ Apache Tomcat Tutorials
 ♠ SSL Certs





About App Shah

I'm an Engineer by profession, Blogger by passion & Founder of Crunchify, LLC, the largest free blogging & technical resource site for beginners. Love SEO,


Subscribe To Newsletter...

Get Early Access To New Articles, Plugins, Discount Codes And Brief Updates About What's New With Crunchify! Join Over 16 Million Monthly Readers...

✓

E-Mail Address SUBSCRIBE!

 \wedge







TOP TECH TUTORIALS

- NEW In Java8 Join List Of Object & Build RESTful Service Using JAX-RS & Jersey
- Simplest Spring MVC Hello WorldSpring Boot Tutorial
- Top 10 Java Interview Questions
 Answers & JavaScript & Validate
 Username, Phone Field

 \wedge

- Better Logging Tips & Create Your
 Own Logging Level Using Log4j
- Sort A HashMap By Key & Value & Read And Parse CSV Tutorial
- NEW Implement A LinkedList Class From Scratch & Enable Pretty Print In JSON Processing API

BASIC JAVA TECH

Singleton Pattern Java Caching

LinkedList Iterator Java Abstract

Java Static Intro Java Interface

Github OAuth Sorting Algorithm

Semaphore & Mutex

Java Reflection

Java NIO (Non-blocking)

SOAP vs REST .zip file by Maven

Modern, Secure & Fast Managed WordPress Hosting. Check it out.

USEFUL WORDPRESS GUIDE

NEW Start 1st WordPress Blog & 15
Essential Optimization Tips

- Leverage .Htaccess To Speed Up WordPress & Stop Loading Unnecessary Files On Site
- Better Cleanup WordPress Header Section & Fix CPanel CPU Issue
- 16 Proven Ways To Get Quality Backlinks & Better Upgrade To PHP 71
- NEW Secure WordPress Login
 Area & Cloak Affiliate Links
 Without WordPress Plugin

WORDPRESS TUNING TIPS

Install WP Locally WordPress CPT

Disable Cron Jobs Modify 404 Page

Scroll To Top GenesisWP Hooks

Add Bitly Shortlink

Adsense without Plugin

Plugins we Use Top Backup Plugins

Domain Authority Tips

Setup Forum

.....

Top Blogging Categories...

SEO 101 Tutorials

WordPress Optimization and

Tutorials

Top Tech Categories...

Java & J2EE

Eclipse IDE Tutorials

Android Dev Tutorials

Recently Crunched...

In Java How to Sort a Map on the Values? The
 Map Interface – Java Collections

Interlinking Tips

 How to use Spring Framework StopWatch() to Log ExecutionTime and ElapseTime of any. Step by Step guide to Enable HTTPS or SSL correct way on Apache Tomcat Server - Port 8443 • Crunchify

Genesis WP Apache Tomcat Tutorials

Blogging Design & Dev

Making Money Online Interview Questions

functions.php Hacks Answers

14/3/2019

WebHosting JavaScript

style.css Hacks Spring MVC and Spring

WooCommerce Boot Tutorials

Maven

Thread

SEMrush – favorite Site Audit and SEO Checker

Tool

Ads.txt (Authorized Digital Sellers) file and Google

Adsense Revenue [All in one Guide]

• Missing Buffer Social Icon in Font Awesome?

How to add it manually into your WordPress site?

ADVERTISE SITEMAP SETUP FORUM PRO SERVICES COOKIE POLICY



© 2019 Crunchify, LLC. Hosted at Kinsta & MaxCDN • Built on Genesis Themes.

Partner: SEMrush Noticed a bug? Report it here.