Distribution: Khovs., Khent., Khang., Mong-Dag., Mong. Alt., Gobi-Alt.

Habitat: Mountain and waterside meadows in forest-steppe belt [2–5].

Parts used: Herb, root and flowers

Traditional Uses: The taste is sweet and bitter, and the potency is cool. It is used for the following: treatment of conjunctivitis, eye diseases, diarrhea, dysentery, rheumatism, podagra, nephrolithiasis, stomatitis, and throat diseases. It is an ingredient of the following traditional prescriptions: extract of Geranium, Gavar-3, Rashinamjil, Jur ur-6, and Lider-3 [5–7].

Chemical constituents: Sugars: glucose, saccharose, fructose, and raffinose [8], saponins, alkaloids, vitamins [9], tannins [10], polyphenolic compounds: myricetin $3-O-(2"-O-\text{galloyl})-\beta-D-\text{glucopyranoside}$ and (-)-6-chloroepicatechin, quercetin $3-O-(2"-O-\text{galloyl})-\beta-D-\text{glucopyranoside}$, quercetin $3-O-(2"-O-\text{galloyl})-\beta-D-\text{glucopyranoside}$ [11].

Bioactivity: Sedative [9].

References:

- 1. Olziikhutag, N. (Ed). (1983). Latin-Mongolian-Russian Dictionary of Vascular Plants of Mongolia (p. 195). Ulaanbaatar: Press of Mongolian Academy of Sciences.
- 2. Gubanov, I.A. (1996). Conspectus on Mongolian Flora (vascular plants) (p. 74). Moscow: Valang Press.
- Malishev, L.I., and Peshkova, G.A. (1979). Flora of Central Siberia (Vol. 2, p. 641). Novosibirsk: Science Printing.
- 4. Sanchir, Ch., Batkhuu, J., Boldsaikhan, B., and Komatsu, K. (2003). Illustrated Guide of Mongolian Useful Plants. (Vol. 1, p. 128). Ulaanbaatar: Admon Printing.
- 5. Ligaa, U., Davaasuren, B., and Ninjil, N. (2005). Medicinal Plants of Mongolia Used in Western and Eastern Medicine. (p. 524). Ulaanbaatar: JCK Printing.
- 6. Yuthok Yonten Gonpo., Four Medical Tantras, VIII-IXth century.
- 7. Boldsaikhan, B. (2004). Encyclopedia of Mongolian Medicinal Plants (p. 97). Ulaanbaatar: Mongolian University of Science and Technology.
- 8. Leifertová, I. (1968). Zur Chemataxonomie der Gattung Geranium-freie Saccharide und Aminosäuren. Preslia 40, 357.
- 9. Sokolov, P.D. et al. (1988). Plants Review of USSR: Family Rutaceae-Elaeagnaceae. (p. 37). Leningrad: Science Printing.
- 10. Neamtu, G., and Bodea, C. (1970). Cercetärl chemataxonomice la plantele superioare: Pigmentii caratinoidici din plante semiparazite. *Stud. si cerc. biochim.* 13, 405.
- 11. Akdemir, Z.S., Tatli, I.I., Saracoğlu, I., Ismailoğlu, U.B., Sahin-Erdemli. I., and Caliş, I. (2001). Polyphenolic compounds from *Geranium pratense* and their free radical scavenging activities. *Phytochemistry* 56, 189.