

References:

1. Olziikhutag, N. (Ed). (1983). Latin-Mongolian-Russian Dictionary of Vascular Plants of Mongolia (p. 106). Ulaanbaatar: Press of Mongolian Academy of Sciences.
2. Gubanov, I.A. (1996). Conspectus on Mongolian Flora (vascular plants) (p. 46). Moscow: Valang Press.
3. Malishev, L.I., and Peshkova, G.A. (1979). Flora of Central Siberia (Vol. 2, p. 312). Novosibirsk: Science Printing.
4. Sanchir, Ch., Batkhuu, J., Boldsaikhan, B., and Komatsu, K. (2003). Illustrated Guide of Mongolian Useful Plants. (Vol. 1, p. 86). Ulaanbaatar: Admon Printing.
5. Ligaa, U., Davaasuren, B., and Ninjil, N. (2005). Medicinal Plants of Mongolia Used in Western and Eastern Medicine. (p. 249). Ulaanbaatar: JCK Printing.
6. Danzanpuntsag, Crystal rosary. XVIIIth century.
7. Boldsaikhan, B. (2004). Encyclopedia of Mongolian Medicinal Plants (p. 312). Ulaanbaatar: Mongolian University of Science and Technology.
8. Khurelchuluun, B., and Batchimeg, U. (2006). Illustrated Guide of Medicinal Plant Raw Materials of Mongolia. (p. 306). Ulaanbaatar: Erkhes Printing.
9. Bayasgalan, B. (2001). On the quality evaluation and standardization of some Mongolian traditional drugs. (p. 22, 72). A thesis submitted for the degree of Doctor of Philosophy in Pharmacy. Ulaanbaatar: Medical University of Mongolia.
10. Fedorov, A.A. *et al.* (1985). Plants Review of USSR: Family Magnoliaceae-Limoniaceae. (p. 214). Leningrad: Science Printing.
11. Tuya, D. and Selenge, D. (1994). Herb of *Stellaria dichotoma*. Mongolian National Standard 3391–94.
12. Morita, H., Takeya, K., and Itokawa, H. (1997). Cyclic octapeptides from *Stellaria dichotoma* var. *lanceolata*. *Phytochemistry* 45, 8415.
13. Morita, H., Iizuka, T., Choo, C.Y., Chan, K.L., Itokawa, H., and Takeya, K. (2005). Dichotomins J and K, vasodilator cyclic peptides from *Stellaria dichotoma*. *J. Nat. Prod.* 68, 1686.
14. Morikawa, T., Sun, B., Matsuda, H., Wu, L.J., Harima, S., and Yoshikawa, M. (2004). Bioactive constituents from Chinese natural medicines. XIV. New glycosides of beta-carboline-type alkaloid, neolignan, and phenylpropanoid from *Stellaria dichotoma* L. var. *lanceolata* and their antiallergic activities. *Chem. Pharm. Bull.* 52, 1194.
15. Sun, B., Morikawa, T., Matsuda, H., Tewtrakul, S., Wu, L.J., Harima, S., and Yoshikawa, M. (2004). Structures of new beta-carboline-type alkaloids with antiallergic effects from *Stellaria dichotoma*. *J. Nat. Prod.* 67, 1464.