

References:

1. Olziikhutag, N. (Ed). (1983). Latin-Mongolian-Russian Dictionary of Vascular Plants of Mongolia (p. 212). Ulaanbaatar: Press of Mongolian Academy of Sciences.
2. Gubanov, I.A. (1996). Conspectus on Mongolian Flora (vascular plants) (p. 84). Moscow: Valang Press.
3. Malishev, L.I., and Peshkova, G.A. (1979). Flora of Central Siberia (Vol. 2, p. 712). Novosibirsk: Science Printing.
4. Sanchir, Ch., Batkhuu, J., Boldsai Khan, B., and Komatsu, K. (2003). Illustrated Guide of Mongolian Useful Plants. (Vol. 1, p. 123). Ulaanbaatar: Admon Printing.
5. Ligaa, U., Davaasuren, B., and Ninjil, N. (2005). Medicinal Plants of Mongolia Used in Western and Eastern Medicine. (p. 163). Ulaanbaatar: JCK Printing.
6. Yuthok Yonten Gonpo., Four Medical Tantras, VIII-IXth century.
7. Danzanpuntsag., Crystal rosary. XVIIIth century.
8. Boldsai Khan, B. (2004). Encyclopedia of Mongolian Medicinal Plants (p. 37). Ulaanbaatar: Mongolian University of Science and Technology.
9. Burnee, Bo. The standardization of Banlag-3 prescription use in Mongolian Traditional Medicine. (p. 76). A thesis submitted for the degree of Doctor of Philosophy in Pharmacy. Ulaanbaatar: Health Sciences University of Mongolia.
10. Sokolov, P.D. *et al.* (1990). Plants Review of USSR: Family Caprifoliaceae-Plantaginaceae. (p. 50). Leningrad: Science Printing.
11. Nikolaeva, G.G., Glyzin, V.I., Fesenko, D.A., and Patudin, A.V. (1980). Xanthone compounds of *Gentiana barbata*. *Khim. Prir. Soedin.* 255.
12. Nikolaeva, G.G., Glyzin, V.I., Patudin, A.V., and Fesenko, D.A. (1980). Xanthone glycosides of *Gentiana barbata*. I. *Khim. Prir. Soedin.* 841.
13. Oyuun, Kh. (2000). Chemical investigation of some species of Gentianaceae growing in Mongolia. (p. 8). A thesis submitted for the degree of Doctor of Philosophy in Chemistry. Ulaanbaatar: Institute of Chemistry and Chemical Technology.
14. Purev, O., Zhamyansan, Ya., and Oyuun, Kh. (1991). Xanthoness and flavonoids of *Gentiana barbata*. *Khim. Prir. Soedin.* 284.
15. Nikolaeva, G.G., Glyzin, V.I., Patudin, A.V., and Fesenko, D.A. (1981). *Gentiana barbata* xanthoglycosides. II. *Khim. Prir. Soedin.* 392.
16. Nikolaeva, G.G., Glyzin, V.I., Fesenko, D.A., and Patudin, A.V. (1979). Flavonoids of *Gentiana barbata*. *Khim. Prir. Soedin.* 859.
17. Nikolaeva, G.G., Glyzin, V.I., and Patudin, A.V. (1981). Flavonoids of *Gentiana barbata*. *Khim. Prir. Soedin.* 241–2.
18. Nikolaev, S.M., Sambueva, Z.G., Tsyrenzhapov, A.V., Nikolaeva, G.G., Tankhaeva, L.M., Glyzin, V.I., and Dargaeva, T.D. (2003). Comparative choleretic properties of natural xanthone compounds from *Gentianopsis barbata*. *Eksp. Klin. Farmakol.* 66, 29.
19. Nikolaeva, G.G., Sergeev, A.V., Nikolaev, S.M., Glyzin, V.I., Dargaeva, T.D., Sambueva, Z.G., and Tsyrenzhapov, A.V. (2004). Isolation and immunomodulant activity of gentiavaroside from *Gentiana barbata*. *Pharm. Chem. J.* 38, 25.