PRODUCT OVERVIEW

ZYPREXA
olanzapine · coated tablets

Olanzapine for schizophrenia and bipolar mani

ZYPREXA manic episodes dicated for preve

Approve

ZYPREXA (OLANZAPINE)

This website is intended for healthcare professionals

It contains information about a prescription-only medicine, based on the EU Summary of Product Characteristics. Please confirm that you are a healthcare professional.

I am a healthcare professional | I am not

This website is not intended for you. If you have questions about your medicine, please speak with your doctor or pharmacist, or read the package leaflet on the European Medicines Agency website.

> 90%

5-HT2 receptor occupancy at every dose from 5 to 20 mg/day[12]

Mechanism of action

5–20 mg

once-daily dose range, individualised[1]

Dosing

> 2,900

patients in the controlled schizophrenia trials[1]

Clinical evidence

48.6%

vs 24.2%

responders at 3 weeks in manic episodes, vs placebo[11]

Clinical evidence

Appr

For adults
backgrou

01

ing
e.[1]

02

03

Prevention of recurrence in bipolar disorder

In patients whose manic episode has responded to olanzapine treatment.[1]

Clinical evidence

Not an approved indication: bipolar depression. This site covers ZYPREXA coated tablets; the injectable formulations have separate prescribing information.[2,3]

ZYPREXA (OLANZAPINE)

This website is intended for healthcare professionals

It contains information about a prescription-only medicine, based on the EU Summary of Product Characteristics. Please confirm that you are a healthcare professional.

This website is not intended for you. If you have questions about your medicine, please speak with your doctor or pharmacist, or read the package leaflet on the European Medicines Agency website.

Mechanism of action

Receptor binding profile

Olanzapine is an antipsychotic, antimanic and mood-stabilising agent with affinity for several receptor families. It has greater affinity for serotonin 5-HT2 than dopamine D2 receptors.[1]

Across the dose range of 5–20 mg/day, 5-HT2 occupancy was above 90%, while D2 [illegible] mean

Recep

D1–5	5-HT	H1	M1–5	α1
Dopamine	Serotonin 2A/2C, 3, 6	Histamine	Muscarinic	Adrenergic

Receptor families at which olanzapine showed affinity (Ki < 100 nM) in preclinical studies. Order does not indicate relative affinity.[1]

Dosir

Admi

Admin
food.
5–20 m
to clin

Dose e
should
24 hours to ensure proper clinical assessment.[1]

Consider a **5 mg/day** starting dose in elderly patients (≥ 65 years) or those with renal or moderate hepatic impairment.[1]

Dose range and special populations →

[illegible]

Prevention of recurrence in bipolar disorder

ZYPREXA (OLANZAPINE)

This website is intended for healthcare professionals

It contains information about a prescription-only medicine, based on the EU Summary of Product Characteristics. Please confirm that you are a healthcare professional.

This website is not intended for you. If you have questions about your medicine, please speak with your doctor or pharmacist, or read the package leaflet on the European Medicines Agency website.

Important safety information

Contraindications

Hypersensitivity to olanzapine or any excipient; known risk of narrow-angle glaucoma.[1]

Dementia-related psychosis

Not recommended: increased mortality and risk of cerebrovascular accident in elderly patients.[1]

Weight and metabolic changes

Monitor weight, blood glucose and lipids at bas… treatm…

Neuroleptic malignant syndrome

If signs occur, all antipsychotic… …ust

All warnin…

Clinic…

Schiz…

Signifi… improv… and pc… in 2 of… contro… compa… trials.[1]

Trials →

Trials →

…r ·

…o over …ferior …nce …. Not superior as 18-month add-on to lithium or valproate.[1]

Trials →

ZYPREXA (OLANZAPINE)

This website is intended for healthcare professionals

It contains information about a prescription-only medicine, based on the EU Summary of Product Characteristics. Please confirm that you are a healthcare professional.

This website is not intended for you. If you have questions about your medicine, please speak with your doctor or pharmacist, or read the package leaflet on the European Medicines Agency website.

PRESCRIBING INFORMATION

Consult the prescribing information before prescribing

ZYPREXA is a prescription medicine. Treatment should be initiated and monitored by an appropriately qualified healthcare professional.

View full prescribing information

Next screen: **Disease background** →

ZYPREXA (OLANZAPINE)

This website is intended for healthcare professionals

It contains information about a prescription-only medicine, based on the EU Summary of Product Characteristics. Please confirm that you are a healthcare professional.

This website is not intended for you. If you have questions about your medicine, please speak with your doctor or pharmacist, or read the package leaflet on the European Medicines Agency website.

Address

CHEPLAPHARM Registration GmbH
Weiler Straße 5e
79540 Lörrach, Germany

Contact

+49 7621 593 06-00

+49 7621 593 06-98

info@cheplapharm-reg.com

ZYPREXA (OLANZAPINE)

This website is intended for healthcare professionals

It contains information about a prescription-only medicine, based on the EU Summary of Product Characteristics. Please confirm that you are a healthcare professional.

This website is not intended for you. If you have questions about your medicine, please speak with your doctor or pharmacist, or read the package leaflet on the European Medicines Agency website.