

# Informatica Cloud Application Integration

## IICS Service Connector Package

### October 2018

#### Contents

|   |   |
|---|---|
| Copyright .....                                 | 1 |
| Overview .....                                  | 1 |
| Prerequisites .....                             | 1 |
| Use Case #1 – Export IICS Assets into Git ..... | 2 |
| Use Case #2 - Import Git Assets into IICS ..... | 2 |
| Quick Setup .....                               | 3 |
| Detailed Setup:.....                            | 5 |

#### Copyright:

Please refer to the copyright notice [here](#).

#### Overview:

The Informatica Intelligent Cloud Service (IICS) provides developers with access to the power of the platform via a robust REST interface. This Service Connector package demonstrates how the IICS API can be used to implement source-code-management (SCM) functionality into CAI processes and orchestrations.

Git will be used as the demonstration SCM environment.

#### Prerequisites:

- Git access and credentials
- Appropriate account and role/permissions on Informatica Intelligent Cloud Service to perform an IMPORT operation

## Use Case #1 – Export IICS Assets into Git

A developer can specify which objects in their IICS workspace are to be exported from IICS using the IICS REST API and imported into Git using the Git Contents API.

Use the sample process “SCM Export to Git” with the appropriate IICS credentials, along with information specifying the asset to be loaded into the Git repository to export that asset into your Git repository. Git access is defined in the Git-Contents-API-actions Connection.

## Use Case #2 - Import Git Assets into IICS

A developer can specify which objects in their Git repository are to be exported using the Git Contents API and imported into their CAI workspace using the IICS REST API.

Use the sample process “SCM Import from Git” with the appropriate IICS credentials and the filename of the object in your Git repository to load an asset from Git into your CAI environment. Git access is defined in the Git-Contents-API-actions Connection.

## Quick Setup

1. Download the [IICSServiceConnectorPackage1018.zip](#) from the [Informatica CAI GitHub Repository](#).
2. Import the package into your CAI workspace
3. This creates a new project named "IICS REST API and Git" with four assets at the root level of the project.
  - a. A folder named "Connections" with two Connections in it
  - b. A folder named "Service Connectors" with two Service Connectors in it
  - c. A process named "SCM Export to Git"
  - d. A process named "SCM Import from Git"
4. Publish the "IICS REST API" Service Connector
5. Publish the "Git Contents API" Service Connector
6. Publish the IICS-REST-API-Actions Connection
7. Edit the Git-Contents-API-Actions, supplying the necessary Git information.
  - a. Username
  - b. Password
  - c. BaseURL
  - d. Owner
  - e. Repo
  - f. Branch
8. Save the Connection.
9. Publish the Connection.
10. Publish the "SCM Export to Git" Process
11. Publish the "SCM Import from Git" Process
12. Test **Import from Git** using Postman
  - a. Define a new Request
  - b. Configure the Request as a POST.
  - c. Set the Body to "raw" and "JSON (application/json)"
  - d. Get the Service URL from the Properties Detail of the "SCM Import from Git" process
  - e. Set the Request URL in your Postman request to the Service URL obtained previously
  - f. Configure your input – importing a project named "DemoProject" that is located at the root level of the "demo" repository in Git. The Git details are defined in the Git-Contents-API-Actions connection.
    - i. 

```
{  
  "IICS Hostname": "dm-us.informaticacloud.com",  
  "IICS Username": "<your username>",  
  "IICS Password": "<your password>",  
  "SCM File Path": "DemoProject-18:50:14.989Z.zip"  
}
```
  - g. Execute the Request
    - i. The response should look like:

```
{  
  "Login Status": "Active",  
  "SCM Checkout Status": "DemoProject-18:50:14.989Z.zip",
```

```
"Import Status": "SUCCESSFUL"
}
```

- ii. Check the CAI Project View to see that the DemoProject has been created.

### 13. Test **Export to Git** using Postman

- a. Define a new Request
- b. Configure the Request as a POST.
- c. Set the Body to "raw" and "JSON (application/json)".
- d. Get the Service URL from the Properties Detail of the "SCM Export to Git" process.
- e. Set the Request URL in your Postman request to the Service URL obtained previously.
- f. Configure your input – Specifying an existing asset named "FMLab" that is of type "Project" that is to be copied to the root level of the "demo" repository. The Git details are defined in the Git-Contents-API-Actions connection.

```
i. {
  "Enable Source Control": "Yes",
  "IICS Hostname": "dm-us.informaticacloud.com",
  "IICS Username": "<your username>",
  "IICS Password": "<your password>",
  "Object Path": "FMLab",
  "Object Type": "PROJECT"
}
```



#### g. Execute the Request

- i. The response should look like:


```
{
  "Login Status": "Active",
  "Export Status": "SUCCESSFUL",
  "SCM Checkin Status":
  "https://api.github.com/repos/sagarwal1980/demo/git/trees/1a80939c26805e15d78924ef4447a2d7208ad543"
}
```
- ii. Check your Git repository to see that an export of the specified asset has been created and uploaded.

## Detailed Setup:


1. Download the [IICTServiceConnectorPackage1018.zip](#) from the [Informatica CAI GitHub Repository](#).
2. Import the package into your CAI workspace.




- This will create a new project called “IICS REST API and Git” at the root level of your CAI environment.




- Publish the “IICS REST API” Service Connector



## 5. Publish the “Git Contents API” Service Connector



## 6. Publish the IICS-REST-API-Actions Connection





- Supply the necessary values in the Git-Contents-API-actions Connection that correspond to your Git environment.

Application Integration

https://na1.ai.dm-us.informaticacloud.com/activevos-central/projres/...

Informatica Application Integration

Git-Contents-API-actions Invalid Save Test

Properties Metadata

### Connection Details

Name:\* Git-Contents-API-actions

Location: IICS REST API and GitConnections Browse...

Description:

Type:\* IICS REST API and Git > Service Connectors > Git

Run On: Cloud Server or any Secure Agent

Connection Test: Not Supported

OData-Enabled: Not Supported

List of available Secure Agents. One or more Secure Agents must be associated with your account.

### Connection Properties

| Name       | Value                | Description             |
|------------|----------------------|-------------------------|
| username:* | <input type="text"/> | Username                |
| password:* | <input type="text"/> | Password                |
| baseURL:*  | <input type="text"/> | Base URL                |
| owner:*    | <input type="text"/> | Owner of the Repository |
| repo:*     | <input type="text"/> | Repository              |
| branch:    | <input type="text"/> | Repository Branch       |

## 8. Save the Connection

Application Integration

https://na1.ai.dm-us.informaticacloud.com/activevos-central/projres/ai

Most Visited Getting Started Most Visited Popular Informatica Cloud Login | Salesforce Informatica Cloud

Informatica Application Integration

New... Explore My Processes My Import/Export Logs Configure Guides Git Contents API Git-Contents-API-a...

Git-Contents-API-actions Valid Save Test

Properties Metadata

### Connection Details

Name: Git-Contents-API-actions

Location: IICS REST API and GitConnections Browse...

Description:

Type: IICS REST API and Git > Service Connectors > Git

Run On: List of available Secure Agents. One or more Secure Agents must be associated with your account. Cloud Server or any Secure Agent

Connection Test: Not Supported

OData-Enabled: Not Supported

### Connection Properties

| Name      | Value                  | Description             |
|-----------|------------------------|-------------------------|
| username: |                        | Username                |
| password: |                        | Password                |
| baseURL:  | https://api.github.com | Base URL                |
| owner:    |                        | Owner of the Repository |
| repo:     | demo                   | Repository              |
| branch:   | master                 | Repository Branch       |

## 9. Publish the Connection

The screenshot shows the Informatica Application Integration console. The left sidebar contains navigation options: New..., Explore, My Processes, My Import/Export Logs, Configure Guides, Git Contents API, and Git-Contents-API-a... The main area displays the configuration for 'Git-Contents-API-actions'. The 'Properties' tab is selected, showing the following details:

**Connection Details**


- Name: Git-Contents-API-actions
- Location: IICS REST API and GitConnections (Browse...)
- Description:
- Type: IICS REST API and Git > Service Connectors > Git
- Run On: Cloud Server or any Secure Agent (List of available Secure Agents. One or more Secure Agents must be associated with your account.)
- Connection Test: Not Supported
- OData-Enabled: Not Supported

**Connection Properties**


| Name       | Value                  | Description             |
|------------|------------------------|-------------------------|
| username:* |                        | Username                |
| password:* |                        | Password                |
| baseURL:*  | https://api.github.com | Base URL                |
| owner:*    |                        | Owner of the Repository |
| repo:*     | demo                   | Repository              |
| branch:    | master                 | Repository Branch       |

In the top right corner, there is a 'Publish' button, an 'Unpublish' button, and a 'Properties Detail...' button.

## 10. Publish the “SCM Export to Git” Process





## 11. Publish the “SCM Import from Git” Process



12. Test **Import from Git** using Postman


- a. Define a new Request
- b. Configure the Request as a POST.
- c. Set the Body to “raw” and “JSON (application/json)”

- d. Get the Service URL from the Properties Detail of the “SCM Import from Git” process



- e. Set the Request URL in your Postman request to the Service URL obtained above
- f. Configure your input – importing a project named “DemoProject” from the root level of the “demo” repository into our IICS workspace. The Git details are defined in the Git-

## Contents-API-Actions connection.




- i. 

```
{  
  "IICS Hostname": "dm-us.informaticacloud.com",  
  "IICS Username": "<YourIICSUserName>",  
  "IICS Password": "<YourIICSPassword>",  
  "SCM File Path": "DemoProject-18:50:14.989Z.zip"  
}
```
- g. Execute the Request
  - i. The response should look like:


```
{  
  "Login Status": "Active",  
  "SCM Checkout Status": "DemoProject-18:50:14.989Z.zip",  
  "Import Status": "SUCCESSFUL"  
}
```



}





- ii. Check your CAI Project View to see that a new project named “DemoProject” has been created.




### 13. Test **Export to Git** using Postman

- Define a new Request
- Configure the Request as a POST.
- Set the Body to “raw” and “JSON (application/json)”
- Get the Service URL from the Properties Detail of the “SCM Export to Git” process



- Set the Request URL in your Postman request to the Service URL obtained above
- Configure your input – Specifying an existing asset named “FMLab” that is of type “Project” that is to be copied to the root level of the “demo” Git repository. The Git details are defined in the Git-Contents-API-Actions connection.




- i. {
 

```
"Enable Source Control": "Yes",
      "IICS Hostname": "dm-us.informaticacloud.com",
      "IICS Username": "<your username>",
      "IICS Password": "<your password>",
      "Object Path": "FMLab",
      "Object Type": "PROJECT"
    }
```
- g. Execute the Request
  - i. The response should look like:
 

```
{
      "Login Status": "Active",
      "Export Status": "SUCCESSFUL",
      "SCM Checkin Status":
      "https://api.github.com/repos/<yourGitLogin>/demo/git/trees
      /1a80939c26805e15d78924ef4447a2d7208ad543"
```

}



- ii. Check your Git repository to see that an export of “FMLab” has been created, timestamped, and uploaded.

