

FORM F

Malaria in Pregnancy at ANC

Form F is filled at the ANC clinic. You follow one pregnant woman through her visit and check whether the IPTp-SP dose, the net and the counselling all happened.

Ten sections, one screen at a time. Nothing is scored — you record what happened.

HOW TO USE THIS GUIDE

Each step shows the screen as it looks on your phone, with numbers on the parts that matter. The page after it explains those numbers. Every question must be answered before the form will submit to the ICF-SL server.

WHAT THIS GUIDE COVERS

Six steps.

1 The two ANC counts

2 The worker you observe

3 ANC readiness: SP, water, nets, supplements

4 The IPTp visit: eligibility, HIV, the dose

5 The net and the counselling

6 Actions, feedback, then submit

THE TWO ANC COUNTS

Section 1 ends with two numbers that frame the whole visit.

DATA ENTRY

SUMMARY

ICF-SL

NMCP

National Malaria Control Programme — Ministry of Health, Sierra Leone

MOCM/OTSS+ CHECKLIST

FORM F: Malaria in Pregnancy (MiP) Interventions at ANC

FORM F: MiP INTERVENTIONS AT ANC

Section 1 of 10: Facility Demographics

1. FACILITY DEMOGRAPHICS

District *

Bo

1

Chiefdom / Zone / City *

Bongor Chiefdom

2

Health Facility (PHU) *

Mamboma (Bongor) CHP

Health Facility Type *

CHP

HF workers at ANC today *

3

Providers trained on ANC guidelines in last 2 years *

2

Next →

THE TWO ANC COUNTS

What each number on the previous page means.

1 HF workers at ANC today

Who was on duty during the session you observed, not the establishment.

2 Providers trained on ANC guidelines

In the last two years. Count providers, not training events.

These two numbers are the denominator

A missed IPTp dose at a one-midwife session is a different finding from the same miss with three trained providers on duty.

THE WORKER YOU OBSERVE

Section 2. One card per health worker at ANC.

2. STAFF OBSERVATION

Healthcare Worker #1

Cadre of staff being observed *

Midwife

1

Gender *

☐ Male

☒ Female

Skills updates on ANC guidelines in previous 2 years? *

☒ Yes

☐ No

2

+ Add Another Healthcare Worker

3

THE WORKER YOU OBSERVE

What each number on the previous page means.

1 Cadre and gender

Both compulsory. "Other" opens a box to type the cadre.

2 Skills update in 2 years

Whether this worker has had an ANC guidelines update.

3 + Add Another Healthcare Worker

One card per worker — next pages.

ADD ANOTHER WORKER

The button sits under the last worker card.

BEFORE

2. STAFF OBSERVATION

Healthcare Worker #1

Cadre of staff being observed *

Midwife

Gender *

☐ Male

☒ Female

Skills updates on ANC guidelines in previous 2 years? *

☒ Yes

☐ No

+ Add Another Healthcare Worker

ADD ANOTHER WORKER

A blank Healthcare Worker #2 opens below it.



2. STAFF OBSERVATION

Healthcare Worker #1

Cadre *

Midwife

Healthcare Worker #2

Cadre of staff being observed *

Select...

Gender *

Male

Female

Skills updates on ANC guidelines? *

Yes

No

+ Add Another Healthcare Worker

ADD ANOTHER WORKER

What to do with the new card.

1 Two workers at ANC?

Add a card for each one.

2 The same three questions

Cadre, gender, skills update.

3 Added by mistake?

Tap the red ✕ on its header.

ANC READINESS

Section 3. Seven things that must be on hand.

Section 3 of 10: MiP Services Readiness

3. MIP SERVICES READINESS

SP available for administration of IPTp at ANC? *

☒ Yes

1

☐ No

Clean water and cups for IPTp-SP via DOT at ANC? *

☐ Yes

2

☒ No

ITNs available at ANC? *

☒ Yes

3

☐ No

← Back

Next →

ANC READINESS

What each number on the previous page means.

1 SP and ACTs

SP for IPTp; ACTs for a woman who tests positive.

2 Water and cups

Without them there is no DOT — the dose goes home in a hand instead.

3 ITNs and supplements

Nets for first contact, and micronutrients to dispense.

Look, don't ask

Guidelines, job aids, cups and nets are observed items. Walk to the ANC table and check.

IS SHE ELIGIBLE TODAY?

Section 4 opens with the eligibility questions.

4. ADMINISTER IPTP — ELIGIBILITY

Was gestational age assessed? *

☒ Yes

1

☐ No

Received IPTp in the previous 4 weeks? *

☐ Yes

2

☒ No

Eligible for IPTp at this visit (at least 13 weeks gestation)? *

☒ Yes

3

☐ No

IS SHE ELIGIBLE TODAY?

What each number on the previous page means.

1 Gestational age assessed

Without it, eligibility cannot be judged at all.

2 IPTp in the last 4 weeks

Doses are monthly. A dose given three weeks ago means wait.

3 At least 13 weeks

IPTp starts in the second trimester. Before that, no SP.

4 Fever in the last 2 days

If yes, she is tested and treated — AL in all trimesters, not SP.

HIV, CTX, THEN THE DOSE

Cotrimoxazole decides whether SP is given at all.

HIV AND CTX

4. ADMINISTER IPTP — HIV AND CTX

Receiving cotrimoxazole prophylaxis if living with HIV? *

- ☒ No, not living with HIV
- ☐ No, HIV+ but not receiving CTX
- ☐ Yes, receiving CTX prophylaxis
- ☐ HIV status unknown

If HIV+ and not on CTX, administer IPTp? *

- ☐ Yes
- ☐ No
- ☒ N/A

HIV, CTX, THEN THE DOSE

Then the dose itself, and the records.

THE DOSE

4. ADMINISTER IPTP — THE DOSE

Administer IPTp-SP in correct dosage? *

☒ Correct SP dose administered via DOT

☐ SP provided in correct dose but not taken on site

☐ SP prescribed in correct dose but not provided

☐ Incorrect SP dose provided

☐ Incorrect SP dose prescribed

Records IPTp in register and ANC card? (Select all that apply) *

☒ Register updated correctly

☐ MCH handbook ANC card updated correctly

☐ Neither updated correctly

1 On cotrimoxazole

A woman on CTX prophylaxis does not get SP. Withholding it is correct.

2 HIV+ but not on CTX

She gets IPTp, and a referral to start cotrimoxazole.

THE NET AND THE MESSAGES

Section 5: the net at first ANC contact.

5 · ITN

5. DISTRIBUTE ITNS VIA ANC FIRST CONTACT

Already received an ITN through first contact this pregnancy? *

☐ Yes

☒ No

Give an ITN if none has been given? *

☐ Yes

☒ No, but ITNs in stock

☐ No, ITNs out of stock

☐ N/A

THE NET AND THE MESSAGES

Section 6: the nine counselling messages.

6 · COUNSELLING

6. COUNSELLING & EDUCATION

Prevention with IPTp-SP: monthly dosing beginning at 13-16 weeks *

☒ Yes

☐ No

Drug interactions (cotrimoxazole, micronutrients) *

☐ Yes

☒ No

Client to repeat key messages before departure *

☐ Yes

☒ No

1 One net, at first contact

If she has not had one this pregnancy, she should leave with one.

2 “In stock but not given”

A separate answer from a stock-out — and a supervision issue, not a supply one.

ACTIONS, FEEDBACK, SUBMIT

Sections 7 and 8: issues found, staff reached.

7 · ISSUES

7. IMMEDIATE CORRECTIVE ACTIONS

Clean water and cups for IPTp-SP DOT *

☒ Yes (Issue present)

☐ No issue

Administration of IPTp to eligible women *

☐ Yes (Issue present)

☒ No issue

ACTIONS, FEEDBACK, SUBMIT

Section 9: your feedback and rating, then submit.

9 · FEEDBACK

9. SUPERVISOR FEEDBACK

Did you provide feedback on the MiP workflow at ANC? *

☒ Yes

☐ No

Overall rating on Malaria in Pregnancy interventions *

☐ Unsatisfactory

☒ Fair

☐ Satisfactory

☐ Excellent

[← Back](#) [✓ SUBMIT FORM](#)

1 Eleven areas, Yes or No

“Yes” means an issue was present — the opposite of a score.

2 Then the counts

Section 8: how many staff you reached on each of the same eleven areas.

FORM F IN SIX MOVES

Count

1

ANC workers on duty; providers trained on ANC guidelines.

Note the worker

2

A card per worker: cadre, gender, skills update.

Check the table

3

SP, ACTs, water and cups, nets, supplements.

Judge eligibility

4

Gestational age, last dose, 13 weeks, fever, then CTX.

Dose, net, messages

5

DOT if possible; net at first contact; nine messages.

Close

6

Issues, staff reached, feedback, rating, submit.