

FORM I

Perennial Malaria Chemoprevention (PMC)

PMC is SP given to infants and young children alongside routine immunisation. It was called IPTi until the policy was revised.

Three parts: where you are, what the provider has, and how many doses of each of the six were given last month.

HOW TO USE THIS GUIDE

Each step shows the screen as it looks on your phone, with numbers on the parts that matter. The page after it explains those numbers. Every question must be answered before the form will submit to the ICF-SL server.

WHAT THIS GUIDE COVERS

Two steps.

1 **Provider readiness**

2 **The monthly dose tally**

WHAT THE PROVIDER HAS

Section 2. Two questions — one asked, one observed.

2. PROVIDER READINESS

1. Have you been trained on the revised malaria policy and treatment guidelines? *

☒ Yes

☐ No

1

2. Is the PMC job aide available in your clinic? *

Observe — do not accept a verbal answer.

☐ Yes

☒ No

2

WHAT THE PROVIDER HAS

What each number on the previous page means.

1 Trained on the revised guidelines

Ask. The revision is what renamed IPTi to PMC.

2 PMC job aide in the clinic

Observe. Walk to the wall or the table and look for it.

Observed means seen

If you cannot see the job aide, the answer is No — even if the provider says there is one somewhere.

THE MONTHLY DOSE TALLY

Section 3. Six doses, counted from the register.

3. SP DOSES ADMINISTERED — MONTHLY TALLY

Reporting month *

May 20261

Total visits for the month *

2102

SP Doses Administered *

1) 1st dose (10 weeks)3

2) 2nd dose (14 weeks)10

3) 3rd dose (6 months)9

4) 4th dose (9 months)7

5) 5th dose (12 months)5

6) 6th dose (15 months)4

TOTAL SP DOSES4

✓ SAVE & VIEW SUMMARY

THE MONTHLY DOSE TALLY

What each number on the previous page means.

1 Reporting month

Pick the month you are counting, not today.

2 Total visits for the month

The denominator. Take it from the register, not an estimate.

3 Six doses by age

10 weeks, 14 weeks, 6 months, 9 months, 12 months, 15 months.

4 Total fills itself

The six add up as you type; doses per visit appears in the summary.

Watch for dropping doses

Counts that fall steeply from 1st to 6th dose mean children are not coming back — that is the finding, not the total.

FORM I IN TWO MOVES

Look

1

Trained on the revised guidelines? Job aide on the wall?

Count

2

Month, total visits, then the six doses from the register.