

FORM J

Malaria Vaccine (RTS,S) Administration

RTS,S is the malaria vaccine given to children under five through routine immunisation, in four doses.

Three parts: where you are, what the provider has, and how many doses of each of the four were given last month.

HOW TO USE THIS GUIDE

Each step shows the screen as it looks on your phone, with numbers on the parts that matter. The page after it explains those numbers. Every question must be answered before the form will submit to the ICF-SL server.

WHAT THIS GUIDE COVERS

Three steps.

1 Facility and provider

2 Provider readiness

3 The monthly dose tally

A help page follows the steps.

WHAT THE PROVIDER HAS

Section 2. One asked, two observed.

2. PROVIDER READINESS

1. Have you been trained on Malaria Vaccine administration to children under 5 years? *

☒ Yes

☐ No

1

2. Are malaria vaccine educational and reference materials available? *

Observe — do not accept a verbal answer.

☒ Yes

☐ No

2

3. Do you have immunization policy guidelines for vaccine management? *

Observe — do not accept a verbal answer.

☐ Yes

☒ No

WHAT THE PROVIDER HAS

What each number on the previous page means.

1 Trained on MV administration

For children under five. Ask.

2 Education and reference materials

From the training. Observe.

3 Immunization policy guidelines

For vaccine management. Observe.

Observed means seen

Two of these three are observations. If it is not in the room, the answer is No.

THE MONTHLY DOSE TALLY

Section 3. Four doses, counted from the register.

3. VACCINE DOSES ADMINISTERED — MONTHLY TALLY

Reporting month *

May 2026

1

Total visits for the month *

210

2

Vaccine Doses Administered *

1) 1st dose (6 months)

3

2) 2nd dose (7 months)

10

3) 3rd dose (8 months)

9

4) 4th dose (15 months)

7

TOTAL MV DOSES

4

✓ SAVE & VIEW SUMMARY

THE MONTHLY DOSE TALLY

What each number on the previous page means.

1 Reporting month

Pick the month you are counting, not today.

2 Total visits for the month

The denominator. Take it from the register.

3 Four doses by age

6 months, 7 months, 8 months, 15 months.

4 Total fills itself

The four add up as you type; doses per visit appears in the summary.

The 4th dose is the test

Dose 4 comes at 15 months, long after the first three. A sharp drop there is the usual finding.

FORM J IN TWO MOVES

Look

1

Trained? Materials in the room? Policy guidelines present?

Count

2

Month, total visits, then the four doses from the register.