

Exercice 1

Créer un dossier ex1_init_repo

```
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/mon-projet-git (main)
$ mkdir ex1_init_repo
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/mon-projet-git (main)
```

Ajouter un fichier README.md contenant une description

```
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/ex1_init_repo (main)
$ touch README.md
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/ex1_init_repo (main)
$ git add README.md
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/ex1_init_repo (main)
$ nano README.md
```

Exercice 2

Modifier plusieurs fois note.txt

```
$ nano README.md
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/ex1_init_repo (main)
$ touch note.txt
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/ex1_init_repo (main)
$ nano note.txt
```

Consulter l'historique des changements

Exercice 3

```
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/ex1_init_repo (main)
$ git log
```

Exercice 4

Annuler avant le commit

```
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/ex1_init_repo (main)
$ git remote add origin https://github.com/Ingbenchoud/mon-projet-git
error: remote origin already exists.
```

Exercice 5

Push vers GitHub

```
Ing Benchoud@BENCHOUD-2025 MINGW64 ~/ex1_init_repo (main)
$ git push -u origin master
```