Hoapa

Logic, collective inquiry and open-science workshops

Jean-Charles Belouard

Helsinki Logic Group, 11 November 2026

Hoapa

Logic, collective inquiry and open-science workshops

Jean-Charles Belouard: great engineer, ok driver

Helsinki Logic Group, 11 November 2026

Introduction — The context

Pitch

The core of my research consists in drawing inspiration from the philosophy of mathematics and the engineering of networks to formulate a theory of work constrained by “permacultural” logic: how to produce reusable results while preserving the conditions for future work. Applied to collectives, it becomes an extension of the scientific method which incorporates participatory democracy and sustainability.

Introduction — The context

Pitch

The core of my research consists in drawing inspiration from the philosophy of mathematics and the engineering of networks to formulate [a theory of work constrained by "permacultural" logic: how to produce reusable results while preserving the conditions for future work]. Applied to collectives, it becomes an extension of the scientific method which incorporates participatory democracy and sustainability.

- [...]: one point of view among many

Introduction — The context

Pitch

The core of my research consists in drawing inspiration from the philosophy of mathematics and the engineering of networks to formulate [a theory of work constrained by *"permacultural"* logic: how to produce reusable results while preserving the conditions for future work]. Applied to collectives, it becomes an extension of the scientific method which incorporates participatory democracy and sustainability.

- [...]: one point of view among many
- *Permacultural*: concretely minimal, abstractly demanding

Introduction — The context

Pitch

The core of my research consists in drawing inspiration from the philosophy of mathematics and the engineering of networks to formulate [a theory of work constrained by *"permacultural"* logic: how to produce reusable results while preserving the conditions for future work]. Applied to collectives, it becomes an extension of the *scientific method* which incorporates participatory democracy and sustainability.

- [...]: one point of view among many
- *Permacultural*: concretely minimal, abstractly demanding
- *Scientific method*:
  well-regulated scientist–Nature relation + (ad hoc peer review $\hookrightarrow$ universities $\hookrightarrow$ economy) $\rightarrow$ well-regulated network of relations among scientists, each retaining a well-regulated relation with Nature

Sources

The authors it draws on are mathematicians (F.W. Lawvere, A. Grothendieck), philosophers (C.S. Peirce, G. Simondon, G. Deleuze), and scientists (S. Kauffman, J. Bowlby). In my project, these approaches meet in Albert Lautman's philosophy of mathematics, as read by Fernando Zalamea (who has been supporting my work).

Sources

The authors it draws on are mathematicians (F.W. Lawvere, *A. Grothendieck*), philosophers (C.S. Peirce, G. Simondon, G. Deleuze), and scientists (S. Kauffman, J. Bowlby). In my project, these approaches meet in Albert Lautman's philosophy of mathematics, as read by Fernando Zalamea (who has been supporting my work).

- *A. Grothendieck*: creativity, relative point of view, naturalness via rising sea, ecological thinking… the structure and destination of the project

Sources

The authors it draws on are mathematicians (F.W. Lawvere, *A. Grothendieck*), philosophers (C.S. Peirce, G. Simondon, G. Deleuze), and *scientists* (S. Kauffman, J. Bowlby). In my project, these approaches meet in Albert Lautman's philosophy of mathematics, as read by Fernando Zalamea (who has been supporting my work).

- *A. Grothendieck*: creativity, relative point of view, naturalness via rising sea, ecological thinking… the structure and destination of the project
- *Scientists*: we're interested in each step of the evolution of the universe, from field theories to origins of life and attachment

Introduction — The context

Sources

The authors it draws on are mathematicians (F.W. Lawvere, *A. Grothendieck*), philosophers (C.S. Peirce, G. Simondon, G. Deleuze), and *scientists* (S. Kauffman, J. Bowlby). In my project, these approaches meet in *Albert Lautman*'s philosophy of mathematics, as read by Fernando Zalamea (who has been supporting my work).

- *A. Grothendieck*: creativity, relative point of view, naturalness via rising sea, ecological thinking… the structure and destination of the project
- *Scientists*: we're interested in each step of the evolution of the universe, from field theories to origins of life and attachment
- *Albert Lautman*: metaphysics as "problems the universe was going to run into no matter what", mathematics and physics as "effective theories answering those problems"…

Introduction — The context

Sources

The authors it draws on are mathematicians (F.W. Lawvere, *A. Grothendieck*), philosophers (C.S. Peirce, G. Simondon, G. Deleuze), and *scientists* (S. Kauffman, J. Bowlby). In my project, these approaches meet in *Albert Lautman's* philosophy of mathematics, as read by Fernando Zalamea (who has been supporting my work).

- *A. Grothendieck*: creativity, relative point of view, naturalness via rising sea, ecological thinking… the structure and destination of the project
- *Scientists*: we're interested in each step of the evolution of the universe, from field theories to origins of life and attachment
- *Albert Lautman*: metaphysics as "problems the universe was going to run into no matter what", mathematics and physics as "effective theories answering those problems"…

…Hoapa as an invariant in the effective theories we see

Introduction — The main thesis

Thesis

My main thesis states that in a system that puts the dialectic between concrete and abstract to work (brain, computer, community), the relation between concrete substrate and logical labor must be a resource entirely dedicated to the design and application of representations and algorithms. A form of separation between two kinds of decomposition—analytic (as in prime factorization) and synthetic (as in vector coordinates relative to a basis)—is a guiding principle, informed by Lautman, which can keep this relation fruitful: in a community, between thinkers and the knowledge they produce.

Introduction — The main thesis

Thesis

My main thesis states that in a system that puts the dialectic between concrete and abstract to *work* (brain, computer, community), the relation between concrete substrate and logical labor must be a resource entirely dedicated to the design and application of representations and algorithms. A form of separation between two kinds of decomposition—analytic (as in prime factorization) and synthetic (as in vector coordinates relative to a basis)—is a guiding principle, informed by Lautman, which can keep this relation fruitful: in a community, between thinkers and the knowledge they produce.

- *Work*: explosion vs. engine, the role of constraints;
  engine vs. organism, the role of closure;
  engine vs. computer, the role of the "abstract loop"

Stuart Kauffman, "Beyond Physics" (talk)

Introduction — The main thesis

Thesis

My main thesis states that in a system that puts the dialectic between concrete and abstract to *work* (brain, computer, community), the relation between concrete substrate and logical labor must be a resource entirely *dedicated* to the design and application of representations and algorithms. A form of separation between two kinds of decomposition—analytic (as in prime factorization) and synthetic (as in vector coordinates relative to a basis)—is a guiding principle, informed by Lautman, which can keep this relation fruitful: in a community, between thinkers and the knowledge they produce.

- *Work*: explosion vs. engine, the role of constraints;
  engine vs. organism, the role of closure;
  engine vs. computer, the role of the "abstract loop"

  Stuart Kauffman, "Beyond Physics" (talk)
- *Dedicated*: in computers, in cells, in brains, in communities

Introduction — The main thesis

Thesis

My main thesis states that in a system that puts the dialectic between concrete and abstract to *work* (brain, computer, community), the relation between concrete substrate and logical labor must be a resource entirely *dedicated* to the design and application of representations and algorithms. A form of separation between two kinds of *decomposition*— analytic (as in prime factorization) and synthetic (as in vector coordinates relative to a basis)—is a guiding principle, informed by Lautman, which can keep this relation fruitful: in a community, between thinkers and the knowledge they produce.

- *Work*: explosion vs. engine, the role of constraints;
  engine vs. organism, the role of closure;
  engine vs. computer, the role of the "abstract loop"

  Stuart Kauffman, "Beyond Physics" (talk)
- *Dedicated*: in computers, in cells, in brains, in communities
- *Decomposition*: synthetic $\sim$ dimensional ; analytic $\sim$ proper

Introduction — The main thesis

Theory of work

The physical starting point is that work depends on constraints that channel energy into particular effects. In living systems, activity also helps maintain the machinery that makes further activity possible. Abstract representations and algorithms enable a system to retain and share experience, discover relations, construct and test possibilities, revise its own means of understanding and action, and turn results into conditions for further work. This makes the relation between concrete conditions and abstract operations a powerful resource. Lautman supplies a way to investigate such relations through the mathematical and physical constructions that give them substance; Peirce, Simondon, and Kauffman help connect the question to living beings, their environments, and their practices of understanding. Hoapa's proposed separation between thinkers and the organization of knowledge is an engineering approach to developing this potential.

Theory of work

The physical starting point is that work depends on *constraints* that channel energy into particular effects. In living systems, activity also helps maintain the machinery that makes further activity possible. Abstract representations and algorithms enable a system to retain and share experience, discover relations, construct and test possibilities, revise its own means of understanding and action, and turn results into conditions for further work. This makes the relation between concrete conditions and abstract operations a powerful resource. Lautman supplies a way to investigate such relations through the mathematical and physical constructions that give them substance; Peirce, Simondon, and Kauffman help connect the question to living beings, their environments, and their practices of understanding. Hoapa's proposed separation between thinkers and the organization of knowledge is an engineering approach to developing this potential.

Constraints: effects

Theory of work

The physical starting point is that work depends on *constraints* that channel energy into particular effects. In living systems, activity also helps *maintain* the machinery that makes further activity possible. Abstract representations and algorithms enable a system to retain and share experience, discover relations, construct and test possibilities, revise its own means of understanding and action, and turn results into conditions for further work. This makes the relation between concrete conditions and abstract operations a powerful resource. Lautman supplies a way to investigate such relations through the mathematical and physical constructions that give them substance; Peirce, Simondon, and Kauffman help connect the question to living beings, their environments, and their practices of understanding. Hoapa's proposed separation between thinkers and the organization of knowledge is an engineering approach to developing this potential.

Constraints: effects — *Maintain*: closure

Introduction — The main thesis

Theory of work

The physical starting point is that work depends on *constraints* that channel energy into particular effects. In living systems, activity also helps *maintain* the machinery that makes further activity possible. *Abstract* representations and algorithms enable a system to retain and share experience, discover relations, construct and test possibilities, revise its own means of understanding and action, and turn results into conditions for further work. This makes the relation between concrete conditions and abstract operations a powerful resource. Lautman supplies a way to investigate such relations through the mathematical and physical constructions that give them substance; Peirce, Simondon, and Kauffman help connect the question to living beings, their environments, and their practices of understanding. Hoapa's proposed separation between thinkers and the organization of knowledge is an engineering approach to developing this potential.

Constraints: effects — *Maintain*: closure — *Abstract*: secondary loop

Project

Hoapa is an open project in mathematics, software, and the design of collective inquiry. I set its direction, develop its questions, and decide which proposals to pursue. AI agents help explore mathematical connections, compare approaches, and write and review code and documentation. Cubical Agda checks that the formalized constructions fit together under explicit definitions and assumptions, allowing new work to build on results already established.

Project

Hoapa is an *open* project in mathematics, software, and the design of collective inquiry. I set its direction, develop its questions, and decide which proposals to pursue. AI agents help explore mathematical connections, compare approaches, and write and review code and documentation. Cubical Agda checks that the formalized constructions fit together under explicit definitions and assumptions, allowing new work to build on results already established.

- *Open*: autonomous, role-symmetric, modular, reflexive, transparent, recursive and federated, network-shaped and sheaf-like

Project

Hoapa is an *open* project in mathematics, software, and the design of collective inquiry. I set its direction, develop its questions, and decide which proposals to pursue. AI agents help explore mathematical connections, compare approaches, and write and review code and documentation. Cubical Agda checks that the formalized constructions fit together under explicit definitions and assumptions, allowing new work to build on *results* already established.

- *Open*: autonomous, role-symmetric, modular, reflexive, transparent, recursive and federated, network-shaped and sheaf-like
- *Results*: "Event-Local Sheafification and a Linear/Non-Linear Adjunction with Chu Coefficients"

Process

Hoapa is designed as a network of small conversations in which one group's work becomes another group's starting point. A question brings participants together; their discussion produces a document that others can examine, challenge, or develop. These documents form a growing map of questions, concepts, arguments, and dependencies: a knowledge graph. So that contributions can differ and come unforced, the system gives participants control and equal standing (they all play by the same rules they themselves manage). Knowledge acquires structure independently of the structure of its producers, be it social, political, economic…

Introduction — How Hoapa works

Process

Hoapa is designed as a network of small *conversations* in which one group's work becomes another group's starting point. A question brings participants together; their discussion produces a document that others can examine, challenge, or develop. These documents form a growing map of questions, concepts, arguments, and dependencies: a knowledge graph. So that contributions can differ and come unforced, the system gives participants control and equal standing (they all play by the same rules they themselves manage). Knowledge acquires structure independently of the structure of its producers, be it social, political, economic…

- *Conversation*: same shape as citizen assemblies (enables autonomy, role-symmetry, modularity… control and equal standing)

Process

Hoapa is designed as a network of small *conversations* in which one group's work *becomes* another group's starting point. A question brings participants together; their discussion produces a document that others can examine, challenge, or develop. These documents form a growing map of questions, concepts, arguments, and dependencies: a knowledge graph. So that contributions can differ and come unforced, the system gives participants control and equal standing (they all play by the same rules they themselves manage). Knowledge acquires structure independently of the structure of its producers, be it social, political, economic…

- *Conversation*: same shape as citizen assemblies (enables autonomy, role-symmetry, modularity… control and equal standing)
- *Becomes*: message passing style, as in the actor model or π-calculus in concurrency

Process

Hoapa is designed as a network of small *conversations* in which one group's work *becomes* another group's starting point. A question brings participants together; their discussion produces a document that others can examine, challenge, or develop. These documents form a growing map of questions, concepts, arguments, and dependencies: a knowledge *graph*. So that contributions can differ and come unforced, the system gives participants control and equal standing (they all play by the same rules they themselves manage). Knowledge acquires structure independently of the structure of its producers, be it social, political, economic…

- *Conversation*: same shape as citizen assemblies (enables autonomy, role-symmetry, modularity… control and equal standing)
- *Becomes*: message passing style, as in the actor model or π-calculus in concurrency
- *Graph*: typed knowledge graphs, which are versioned, multiplex, homotopical, federated…

Process

Hoapa is designed as a network of small *conversations* in which one group's work *becomes* another group's starting point. A question brings participants together; their discussion produces a document that others can examine, challenge, or develop. These documents form a growing map of questions, concepts, arguments, and dependencies: a knowledge *graph*. So that contributions can differ and come unforced, the system gives participants control and equal standing (they all play by the same rules they themselves manage). Knowledge acquires structure *independently* of the structure of its producers, be it social, political, economic…

- *Conversation*: same shape as citizen assemblies (enables autonomy, role-symmetry, modularity… control and equal standing)
- *Becomes*: message passing style, as in the actor model or π-calculus in concurrency
- *Graph*: typed knowledge graphs, which are versioned, multiplex, homotopical, federated…
- *Independently*: respecting the concrete/abstract separation of concerns

Introduction — What is checked, what is conjectured

Verification

The communication protocols specify how these conversations proceed and how their results enter the shared documentation. Software is used as a referee and is itself subject to modification by the conversations. Alongside the conversation process, a mathematical verification layer is being developed in cubical Agda, a language in which proofs can be checked by a computer. One existing result establishes that consistently renaming participants cannot change the checker's verdict. The broader aim is to make the system's promises precise enough to test and prove.

Introduction — What is checked, what is conjectured

Verification

The communication protocols specify how these conversations proceed and how their results enter the shared documentation. Software is used as a *referee* and is itself subject to modification by the conversations. Alongside the conversation process, a mathematical verification layer is being developed in cubical Agda, a language in which proofs can be checked by a computer. One existing result establishes that consistently renaming participants cannot change the checker's verdict. The broader aim is to make the system's promises precise enough to test and prove.

- *Referee*: automation as *liberation from control mechanisms*, from the necessity to have management

Introduction — What is checked, what is conjectured

Verification

The communication protocols specify how these conversations proceed and how their results enter the shared documentation. Software is used as a *referee* and is itself subject to modification by the conversations. Alongside the conversation process, a mathematical *verification* layer is being developed in cubical Agda, a language in which proofs can be checked by a computer. One existing result establishes that consistently renaming participants cannot change the checker's verdict. The broader aim is to make the system's promises precise enough to test and prove.

- *Referee*: automation as *liberation from control mechanisms*, from the necessity to have management
- *Verification*: machine-checks that the record of each conversation is well-formed, never that its conclusions are true

Introduction — What is checked, what is conjectured

Verification

The communication protocols specify how these conversations proceed and how their results enter the shared documentation. Software is used as a *referee* and is itself subject to modification by the conversations. Alongside the conversation process, a mathematical *verification* layer is being developed in cubical Agda, a language in which proofs can be checked by a computer. One existing result establishes that consistently renaming *participants* cannot change the checker's verdict. The broader aim is to make the system's promises precise enough to test and prove.

- *Referee*: automation as *liberation from control mechanisms*, from the necessity to have management
- *Verification*: machine-checks that the record of each conversation is well-formed, never that its conclusions are true
- *Participants*: the protocol is blind to identity of contributors, which means it can't count on specialization (is knowledge lost?)

Introduction — What is checked, what is conjectured

Conjecture

The project seeks a mathematical correspondence—an adjunction—between two poles. One organizes inquiry through conversations, verification, and knowledge graphs. The other represents mathematical contexts and the different perspectives through which they can be investigated. The conjecture is guided by an intuition prompted by the perspectival nature of the world: our different understandings of it invite discussion, without presuppositions, from which something the world can reuse may emerge. The conjecture asks whether a universal property can distinguish Hoapa's organization from alternatives. This talk will explore a candidate in which methods are represented by logics and mathematical worlds by the inner models they generate.

Introduction — What is checked, what is conjectured

Conjecture

The project seeks a mathematical correspondence—an *adjunction*—between two poles. One organizes inquiry through conversations, verification, and knowledge graphs. The other represents mathematical contexts and the different perspectives through which they can be investigated. The conjecture is guided by an intuition prompted by the perspectival nature of the world: our different understandings of it invite discussion, without presuppositions, from which something the world can reuse may emerge. The conjecture asks whether a universal property can distinguish Hoapa's organization from alternatives. This talk will explore a candidate in which methods are represented by logics and mathematical worlds by the inner models they generate.

- *Adjunction*: context & inquiry, structure & genesis

Introduction — What is checked, what is conjectured

Conjecture

The project seeks a mathematical correspondence—an *adjunction*—between two poles. One organizes inquiry through conversations, verification, and knowledge graphs. The other represents mathematical contexts and the different perspectives through which they can be investigated. The conjecture is guided by an intuition prompted by the perspectival nature of the world: our different understandings of it invite discussion, without presuppositions, from which something the world can reuse may *emerge*. The conjecture asks whether a universal property can distinguish Hoapa's organization from alternatives. This talk will explore a candidate in which methods are represented by logics and mathematical worlds by the inner models they generate.

- *Adjunction*: context & inquiry, structure & genesis
- *Emerge*: the recursive nature of evolution: biology from physics… some AGI world

Introduction — What is checked, what is conjectured

Conjecture

The project seeks a mathematical correspondence—an *adjunction*—between two poles. One organizes inquiry through conversations, verification, and knowledge graphs. The other represents mathematical contexts and the different perspectives through which they can be investigated. The conjecture is guided by an intuition prompted by the perspectival nature of the world: our different understandings of it invite discussion, without presuppositions, from which something the world can reuse may *emerge*. The conjecture asks whether a *universal property* can distinguish Hoapa's organization from alternatives. This talk will explore a candidate in which methods are represented by logics and mathematical worlds by the inner models they generate.

- *Adjunction*: context & inquiry, structure & genesis
- *Emerge*: the recursive nature of evolution: biology from physics… some AGI world
- *Universal property*: "specialness" vs. optimality

Permacultural logic

The project also looks for this pattern inside logic, where “permaculture” is understood broadly as the two-step process of (1) getting to know one’s context as much as possible, (2) acting minimally in a manner that will enhance one’s condition while preserving and enriching the context. A proof may begin with a provisional assumption (borrow), derive a conclusion (work), and turn the derivation into a conditional statement that later proofs can use (replay). What began as work under particular conditions becomes a reusable achievement. Hoapa investigates this borrow–work–replay pattern as a possible logical expression of its permacultural ambition: the harmony between receiving and giving back.

Permacultural logic

The project also looks for this pattern inside logic, where “permaculture” is understood broadly as the two-step process of (1) getting to know one’s context as much as possible, (2) acting minimally in a manner that will enhance one’s condition while preserving and enriching the context. A proof may begin with a provisional assumption (borrow), derive a conclusion (work), and turn the derivation into a conditional statement that later proofs can use (replay). What began as work under particular conditions becomes a reusable achievement. Hoapa investigates this borrow–work–replay pattern as a possible logical expression of its permacultural ambition: the *harmony* between receiving and giving back.

- *Harmony*: as in Gentzen

Permacultural logic

The project also looks for this pattern inside logic, where "permaculture" is understood broadly as the two-step process of (1) getting to know one's context as much as possible, (2) acting minimally in a manner that will enhance one's condition while preserving and enriching the context. A proof may begin with a provisional assumption (borrow), derive a conclusion (work), and turn the derivation into a conditional statement that later proofs can use *(replay)*. What began as work under particular conditions becomes a reusable achievement. Hoapa investigates this borrow–work–replay pattern as a possible logical expression of its permacultural ambition: the *harmony* between receiving and giving back.

- *Harmony*: as in Gentzen
- *Replay*: the hidden part of logic that makes logic work

Development

The architecture of a “mature” Hoapa system is both demanding—to respect its constraints—and—by virtue of presuppositionlessness—unpredictable. Autonomous open-science workshops could make these ideas tangible and seed larger systems, embracing both pragmaticism and experimentalism. Their first requirement is usefulness: knowledge sharing must be truly at stake, so that the organization develops through serving a real purpose. Concretely, I envision something based on the philosophy of “document-driven-development”, where documentation gradually replaces the instructor, both as the joint source of truth and the manager of the process.

Development

The architecture of a "mature" Hoapa system is both demanding—to respect its constraints—and—by virtue of presuppositionlessness— *unpredictable*. Autonomous open-science workshops could make these ideas tangible and seed larger systems, embracing both pragmaticism and experimentalism. Their first requirement is usefulness: knowledge sharing must be truly at stake, so that the organization develops through serving a real purpose. Concretely, I envision something based on the philosophy of "document-driven-development", where documentation gradually replaces the instructor, both as the joint source of truth and the manager of the process.

- *Unpredictable*: collective inquiry helps determine how collective inquiry is organized

Development

The architecture of a "mature" Hoapa system is both demanding—to respect its constraints—and—by virtue of presuppositionlessness— *unpredictable*. Autonomous open-science workshops could make these ideas tangible and seed larger systems, embracing both pragmaticism and experimentalism. Their first requirement is usefulness: knowledge sharing must be truly at *stake*, so that the organization develops through serving a real purpose. Concretely, I envision something based on the philosophy of "document-driven-development", where documentation gradually replaces the instructor, both as the joint source of truth and the manager of the process.

- *Unpredictable*: collective inquiry helps determine how collective inquiry is organized
- *Stake*: what distinguishes and makes citizen assemblies efficient; you can't simulate life or understanding

Development

The architecture of a "mature" Hoapa system is both demanding—to respect its constraints—and—by virtue of presuppositionlessness— *unpredictable*. Autonomous open-science workshops could make these ideas tangible and seed larger systems, embracing both pragmaticism and experimentalism. Their first requirement is usefulness: knowledge sharing must be truly at *stake*, so that the organization develops through serving a real purpose. Concretely, I envision something based on the philosophy of "document-driven-development", where *documentation* gradually replaces the instructor, both as the joint source of truth and the manager of the process.

- *Unpredictable*: collective inquiry helps determine how collective inquiry is organized
- *Stake*: what distinguishes and makes citizen assemblies efficient; you can't simulate life or understanding
- *Documentation*: does in the Lautmanian-analytic what specialization does in the synthetic: shared source and management, but "softer"

Implementation — Use cases

A park

Hoapa can also operate at small scales and with only the “base layer of complexity” which separates the role-symmetric agents (unityped, univocal, synthetic/dimensional) from the typed documentation they produce.

Implementation — Use cases

A park

Hoapa can also operate at small scales and with only the “base layer of complexity” which separates the role-symmetric agents (unityped, univocal, synthetic/dimensional) from the typed documentation they produce.

For instance we could have a neighborhood “manage” its local park via a protocol in which the motivated residents discuss how it could be enhanced, and produce a to-do list for its maintenance.

Implementation — Use cases

A park

Hoapa can also operate at small scales and with only the “base layer of complexity” which separates the role-symmetric agents (unityped, univocal, synthetic/dimensional) from the typed documentation they produce.

For instance we could have a neighborhood “manage” its local park via a protocol in which the motivated residents discuss how it could be enhanced, and produce a to-do list for its maintenance.

Here it is crucial to understand that the system can preserve its advantageous mathematical, social and engineering properties if it is **only** a communication system, and not a full management system which also enacts in reality what has been discussed in the abstract.

A park

Its task is to chart the world and design appropriate algorithms, not interfere with and certainly not control it. (That would kill all the carefully crafted separations of concerns, starting with the role-symmetry of agents, because it necessarily introduces some hierarchical structure and tension—for basically the same reasons you can share an idea with the entire world without losing it, but you can't do that with a loaf of bread.)

Implementation — Use cases

A park

Its task is to chart the world and design appropriate algorithms, not interfere with and certainly not control it. (That would kill all the carefully crafted separations of concerns, starting with the *role-symmetry of agents*, because it necessarily introduces some hierarchical structure and tension—for basically the same reasons you can share an idea with the entire world without losing it, but you can't do that with a loaf of bread.)

- *Role-symmetry*: rename the participants; preserve the verdict

Implementation — Use cases

A park

Hoapa protocols can interact with the world only behind buffers which respect individual freedom:

Implementation — Use cases

A park

Hoapa protocols can interact with the world only behind buffers which respect individual freedom:

- If it needs something it simply asks for it, and expects those needs to be met (for instance, if it uses the internet, it states via a self-reflective conversation how much bandwidth it needs, and specifies the characteristics of its network). Individuals or communities, outside of the protocol, would then respond to those needs without compensation.

Implementation — Use cases

A park

Hoapa protocols can interact with the world only behind buffers which respect individual freedom:

- If it needs something it simply asks for it, and expects those needs to be met (for instance, if it uses the internet, it states via a self-reflective conversation how much bandwidth it needs, and specifies the characteristics of its network). Individuals or communities, outside of the protocol, would then respond to those needs without compensation.
- If it wants something to be known it simply makes it as available and accessible as possible, which includes a pedagogical effort in presentation and terminology. But it can't advertise, at the risk of favoring certain targets over others.

A park

Hoapa protocols can interact with the world only behind buffers which respect individual freedom:

- If it needs something it simply asks for it, and expects those needs to be met (for instance, if it uses the internet, it states via a self-reflective conversation how much bandwidth it needs, and specifies the characteristics of its network). Individuals or communities, outside of the protocol, would then respond to those needs without compensation.
- If it wants something to be known it simply makes it as available and accessible as possible, which includes a pedagogical effort in presentation and terminology. But it can't advertise, at the risk of favoring certain targets over others.

In either direction, we can think of Hoapa as a coach in sports: its domain of action is preparation and strategy, but it can never enter the field of play or control the players. The game belongs to the players.

A park

In this example, we can imagine an institution/Hoapa hybrid in which the city government has delegated the supervision of the park to the protocol, but it's still the paid workforce of gardeners which will perform the tasks suggested by the protocol. But ideally, in the spirit of the protocol, it would be only voluntary work, suggested by the protocol but decided at the level of the individuals and communities.

A park

In this example, we can imagine an institution/Hoapa hybrid in which the city government has delegated the supervision of the park to the protocol, but it's still the paid workforce of gardeners which will perform the tasks suggested by the protocol. But ideally, in the spirit of the protocol, it would be only voluntary work, suggested by the protocol but decided at the level of the individuals and communities.

Which makes Hoapa protocols especially well suited to organize the open source economy.

Open source

Because open source produces code, it mostly “lives in the abstract”. Historically, it has also used a lot of voluntary labor. So it is by design a process that respects the separation of concerns Hoapa systems start with.

Open source

Because open source produces code, it mostly “lives in the abstract”. Historically, it has also used a lot of voluntary labor. So it is by design a process that respects the separation of concerns Hoapa systems start with.

The main recurring problem open source projects face is scalability and continuation beyond the circle of core contributors and maintainers, usually the instigators of the project: because open source projects are structured around “circles of knowledge and influence”, which is in essence a hierarchy, it is very likely to terminate the moment the inner circle quits.

Implementation — Use cases

Open source

Hoapa revokes the privileges of the inner circle, distributes the workload evenly and transfers all the essential knowledge from the original designer's minds into a strictly typed and operational documentation.

Implementation — Use cases

Open source

Hoapa revokes the privileges of the inner circle, distributes the workload evenly and transfers all the essential knowledge from the original designer's minds into a strictly typed and *operational documentation*.

- *Operational documentation*: using team semantics and provenance, what must remain traceable for others to understand, revise, and continue the work (as an extension to the collective of Knuth's literate programming)

Implementation — Use cases

Open source

Hoapa revokes the privileges of the inner circle, distributes the workload evenly and transfers all the essential knowledge from the original designer's minds into a strictly typed and *operational documentation*.

- *Operational documentation*: using team semantics and provenance, what must remain traceable for others to understand, revise, and continue the work (as an extension to the collective of Knuth's literate programming)

While this is more demanding in the early stages of the process, it pays off by making the project truly scalable and persistent (not persistent in the sense of a capitalistic endeavor, which always needs to grow and colonize new markets, but closer to how ecosystems work, with minimalism and circularity).

Implementation — Use cases

Open source

Hoapa revokes the privileges of the inner circle, distributes the workload evenly and transfers all the essential knowledge from the original designer's minds into a strictly typed and *operational documentation*.

- *Operational documentation*: using team semantics and provenance, what must remain traceable for others to understand, revise, and continue the work (as an extension to the collective of Knuth's literate programming)

While this is more demanding in the early stages of the process, it pays off by making the project truly scalable and persistent (not persistent in the sense of a capitalistic endeavor, which always needs to grow and colonize new markets, but closer to how ecosystems work, with minimalism and circularity).

The same arguments can be used to suggest a reform of how science is conducted.

Implementation — Use cases

Science

Universities organize inquiry through hierarchies that also distribute funding, employment, and recognition. These dependencies influence which questions can be pursued and whose contributions are heard.

Implementation — Use cases

Science

~~Universities organize inquiry through hierarchies that also distribute funding, employment, and recognition. These dependencies influence which questions can be pursued and whose contributions are heard.~~

Universities are extremely hierarchical political machines whose ties to reality are clearly not behind buffers, which impair their capacity to describe the world they inhabit.*

Implementation — Use cases

Science

~~Universities organize inquiry through hierarchies that also distribute funding, employment, and recognition. These dependencies influence which questions can be pursued and whose contributions are heard.~~

Universities are extremely hierarchical political machines whose ties to reality are clearly not behind buffers, which impair their capacity to describe the world they inhabit.*

While the scientific method, in the domains where it is applicable, makes claims answerable to evidence and correction, it doesn't prevent other types of evils. Notably a mismanagement of efforts toward certain technologies at the expense of understanding, the fragmentation of the study of Nature into opposing departments, the proliferation of opaque jargons, the insistence that there exists a "view from nowhere", the enclosure of knowledge behind paywalls, proprietary tools, and restricted access, the depreciation of errors and failures, etc.

Implementation — Use cases

Science

Hoapa protocols, on the other hand, are ideal for the realization of what citizen science promised to be, but only marginally developed. In a real and, hopefully, demonstrable sense, they are an extension of the Galilean scientific method to the collective.

Implementation — Use cases

Science

Hoapa protocols, on the other hand, are ideal for the realization of what citizen science promised to be, but only marginally developed. In a real and, hopefully, demonstrable sense, they are an extension of the Galilean scientific method to the collective.

In the Hoapa extension, we define how scientists are supposed to converse among themselves, and how they should refine and store information into a strictly typed and operational technical language. Our conjecture is that a universal property can distinguish Hoapa among organizations pursuing this work.

Implementation — Use cases

Science

Hoapa protocols, on the other hand, are ideal for the realization of what citizen science promised to be, but only marginally developed. In a real and, hopefully, demonstrable sense, they are an extension of the Galilean scientific method to the collective.

In the Hoapa extension, we define how scientists are supposed to converse among themselves, and how they should refine and store information into a strictly typed and operational technical *language*. Our conjecture is that a universal property can distinguish Hoapa among organizations pursuing this work.

- *Language*: "Learn once, write everywhere" ← a shared conceptual landscape built through explicit and systematic comparisons (interpretation, equivalence, coherence, ...)

Implementation — Use cases

Science

Hoapa protocols are designed for education, as part of their mandate to treat everybody on an equal footing. What is removed with the status is not the knowledge, but the hunt for the status, and at the same time it resituates the obligation to make one's specialized knowledge accessible to others.

Implementation — Use cases

Science

Hoapa protocols are designed for education, as part of their mandate to treat everybody on an equal footing. What is removed with the status is not the knowledge, but the hunt for the status, and at the same time it resituates the obligation to make one's specialized knowledge accessible to others.

Crucially, each individual practitioner gets to decide what questions are worth pursuing, opening a path to restoring science's sense of purpose from the ground up.

Implementation — Use cases

Science

Hoapa protocols are designed for education, as part of their mandate to treat everybody on an equal footing. What is removed with the status is not the knowledge, but the hunt for the status, and at the same time it resituates the obligation to make one's specialized knowledge accessible to others.

Crucially, each individual practitioner gets to decide what questions are worth pursuing, opening a path to restoring science's sense of purpose from the ground up.

And the organization of inquiry is itself something we can try to understand mathematically.

Implementation — Use cases

Mathematics

All of the above applies in mathematics as well, but here the connection goes further: mathematics also supplies the language in which the organization of mathematical work can itself be investigated. Hoapa's formalization uses Cubical Agda, bringing together homotopy type theory, computer-checked proofs, and a line of thought connecting Alexander Grothendieck's ideas about homotopy types and higher groupoids with Vladimir Voevodsky's univalent foundations.*

Implementation — Use cases

Mathematics

All of the above applies in mathematics as well, but here the connection goes further: mathematics also supplies the language in which the organization of mathematical work can itself be investigated. Hoapa's formalization uses Cubical Agda, bringing together homotopy type theory, computer-checked proofs, and a line of thought connecting Alexander Grothendieck's ideas about homotopy types and higher groupoids with Vladimir Voevodsky's univalent foundations.*

Hoapa proposes to carry this connection into the organization of collective inquiry itself. This ambition echoes Grothendieck's memoirs, which weave together reflections on creativity, mathematical practice and mathematics itself.

Implementation — Use cases

Mathematics

All of the above applies in mathematics as well, but here the connection goes *further*: mathematics also supplies the language in which the organization of mathematical work can itself be investigated. Hoapa's formalization uses Cubical Agda, bringing together homotopy type theory, computer-checked proofs, and a line of thought connecting Alexander Grothendieck's ideas about homotopy types and higher groupoids with Vladimir Voevodsky's univalent foundations.*

Hoapa proposes to carry this connection into the organization of collective inquiry itself. This ambition echoes Grothendieck's memoirs, which weave together reflections on creativity, mathematical practice and mathematics itself.

- *Further*: a method of articulating a context can generate a new context for further inquiry

Implementation — Use cases

Mathematics

All of the above applies in mathematics as well, but here the connection goes *further*: mathematics also supplies the language in which the organization of mathematical work can itself be investigated. Hoapa's formalization uses Cubical Agda, bringing together homotopy type theory, computer-checked proofs, and a line of thought connecting Alexander Grothendieck's ideas about homotopy types and higher groupoids with Vladimir Voevodsky's univalent foundations.*

Hoapa proposes to carry this connection into the organization of collective inquiry itself. This ambition echoes Grothendieck's memoirs, which weave together reflections on creativity, mathematical practice and mathematics itself.

Grothendieck also questioned the ecological consequences of scientific activity; Hoapa approaches that concern by asking how understanding a world can help us inhabit it.

Generalized permaculture

I believe Hoapa protocols can stage and target the kind of recursive and self-reflective patterns just mentioned, in the ecosystem, by generalizing the concept of permaculture and applying it to a vast majority of human endeavors. Permaculture could in effect become the default mode of being of humanity, following this very simple algorithm:

Generalized permaculture

I believe Hoapa protocols can stage and target the kind of recursive and self-reflective patterns just mentioned, in the ecosystem, by generalizing the concept of permaculture and applying it to a vast majority of human endeavors. Permaculture could in effect become the default mode of being of humanity, following this very simple algorithm:

- Make a very detailed and executable map of your environment, including your imprint on it.

Generalized permaculture

I believe Hoapa protocols can stage and target the kind of recursive and self-reflective patterns just mentioned, in the ecosystem, by generalizing the concept of permaculture and applying it to a vast majority of human endeavors. Permaculture could in effect become the default mode of being of humanity, following this very simple algorithm:

- Make a very detailed and executable map of your environment, including your imprint on it.
- Use it to figure out what is best for both you and your environment, and do it (which becomes the default if individual freedom replaces “investability” as the condition for action).

Generalized permaculture

This is where the “layers of complexity” which respect and target perspectivism, decentralization, autonomy, openness to peers, expressiveness, transparency, scalability and self-reflection, start to be really useful.

Generalized permaculture

This is where the “layers of complexity” which respect and target perspectivism, decentralization, autonomy, openness to peers, expressiveness, transparency, scalability and self-reflection, start to be really useful.

> To tend a place is also to attend to the relations that sustain it—and those relations lead us into a network.

Implementation — Use cases

Networks

In all the preceding examples we've looked at instances of Hoapa protocols in isolation, but each of them would be better envisioned as a node of a vast network.

Networks

In all the preceding examples we've looked at instances of Hoapa protocols in isolation, but each of them would be better envisioned as a node of a vast network.

A mature protocol regulating a park would necessarily have typed conversations with other park protocols, especially those close by, to share information and reuse each other's research. It would also have ties to all the independent but interlinked networks a city would be made up of: electricity grid, water management, transportation, agriculture… and then beyond the city limits, into all sorts of other communities organized through protocols, each bringing its own point of view, from playground design to natural philosophy.

Implementation — Use cases

Networks

In all the preceding examples we've looked at instances of Hoapa protocols in isolation, but each of them would be better envisioned as a node of a vast network.

A mature protocol regulating a park would necessarily have typed conversations with other park protocols, especially those close by, to share information and reuse each other's research. It would also have ties to all the independent but interlinked networks a city would be made up of: electricity grid, water management, transportation, agriculture… and then beyond the city limits, into all sorts of other communities organized through protocols, each bringing its own point of view, from playground design to natural philosophy.

A park's investigation of soil and water becomes useful to another park; a software improvement made for its documentation becomes available to other projects; a scientific question raised locally finds research communities elsewhere equipped to pursue it. The park community's teaching material can help newcomers elsewhere. And communities can help one another translate documentation, test proposals, or investigate disagreements. Records of failed attempts can spare others the same mistakes.

Implementation — Use cases

Networks

In all of this, each protocol is both an agent and a recipient of care, as a concrete ecosystem as well as an abstract community of participants.

Implementation — Use cases

Networks

In all of this, each protocol is both an agent and a recipient of *care*, as a concrete ecosystem as well as an abstract community of participants.

- *Care*: Hoapa's generalization of attachment theory into a two-step cyclic algorithm

Implementation — Use cases

Networks

In all of this, each protocol is both an agent and a recipient of *care*, as a concrete ecosystem as well as an abstract community of participants.


- *Care*: Hoapa's generalization of attachment theory into a two-step cyclic algorithm
  1. In a given network, the evolution toward maturity of newer elements is taken care of by the mature elements already present in the network

Networks


In all of this, each protocol is both an agent and a recipient of *care*, as a concrete ecosystem as well as an abstract community of participants.

- *Care*: Hoapa's generalization of attachment theory into a two-step cyclic algorithm
  1. In a given network, the evolution toward maturity of newer elements is taken care of by the mature elements already present in the network
  2. In turn, those newer elements become mature and take care of a new generation of elements

The Hoapa conjecture — an adjunction



The Hoapa conjecture — an adjunction



Motivations and goals

To motivate its adoption and distinguish Hoapa from other "interesting projects" we can attach buzzwords to, I need a mathematical reason for organizing inquiry this way. The goal is to characterize Hoapa by a universal property, in a setting that represents both the contexts it investigates and alternative ways of investigating them.

Motivations and goals

To motivate its adoption and distinguish Hoapa from other "interesting projects" we can attach buzzwords to, I need a mathematical reason for organizing inquiry this way. The goal is to characterize Hoapa by a universal property, in a setting that represents both the contexts it investigates and alternative ways of investigating them.

If the conjecture succeeds, this universal property would translate into a claim of optimality for any implementation satisfying its conditions. The world we inhabit must explain why those conditions matter. Hoapa is also its own experiment: implementing its protocols lets us test the conjecture's claims.

Motivations and goals

To motivate its adoption and distinguish Hoapa from other "interesting projects" we can attach buzzwords to, I need a mathematical reason for organizing inquiry this way. The goal is to characterize Hoapa by a universal property, in a setting that represents both the contexts it investigates and alternative ways of investigating them.

If the conjecture succeeds, this universal property would translate into a claim of *optimality* for any implementation satisfying its conditions. The world we inhabit must explain why those conditions matter. Hoapa is also its own experiment: implementing its protocols lets us test the conjecture's claims.

- *Optimality*: the constraints imposed on a process, in a given context, to achieve an intended outcome
  constraints = the protocol; process = collective inquiry; context = this world;
  outcome = understanding that enables generalized permaculture to be enacted

Motivations and goals

Perspectivism motivates this ambition; presuppositionlessness guides the response. The world has already produced different beings, experiences, skills, and ways of understanding. Their contributions must be able to enter the inquiry without their worth being decided in advance by a hierarchy or an established division of knowledge. What the world has already developed becomes material for collective work; what that work will produce remains open.

Motivations and goals

Perspectivism motivates this ambition; presuppositionlessness guides the response. The world has already produced different beings, experiences, skills, and ways of understanding. Their contributions must be able to enter the inquiry without their worth being decided in advance by a hierarchy or an established division of knowledge. What the world has already developed becomes material for collective work; what that work will produce remains open.

- *Perspectivism*: global understanding assembled from local views, with obstructions to assembly retained as information

Motivations and goals

Perspectivism motivates this ambition; *presuppositionlessness* guides the response. The world has already produced different beings, experiences, skills, and ways of understanding. Their contributions must be able to enter the inquiry without their worth being decided in advance by a hierarchy or an established division of knowledge. What the world has already developed becomes material for collective work; what that work will produce remains open.

- *Perspectivism*: global understanding assembled from local views, with obstructions to assembly retained as information
- *Presuppositionlessness*: common rules, open rules with equal power to revise them, and only the rules needed to make communication possible

Motivations and goals

To formulate this universal characterization, I am exploring an adjunction between two sides: the organization of inquiry, its verification, and the knowledge it produces; and the contexts that make inquiry possible, whose mathematical form I am still seeking.

Motivations and goals

To formulate this universal characterization, I am exploring an adjunction between two sides: the organization of inquiry, its verification, and the knowledge it produces; and the contexts that make inquiry possible, whose mathematical form I am still seeking.

My larger hypothesis is that this movement participates in the evolution of the world itself. What Hoapa preserves as a representation and reflection of the context in which it is implemented, and the creativity it enables as a response to the problems posed by this context, form the basis for a new context in which a community of "synthetic" agents can work on an "analytic" representation of their world. And this statement can travel through the boundaries between concrete (theory of work) and abstract (the conjectured adjunction).

Categories from metaphysics

Lautman looked for the problems that recur beneath different mathematical theories: local and global, the whole and its parts, structure and existence. Zalamea reads his account of the passages between local and global, and of the intermediate structures that carry them, as anticipating sheaf theory. Category theory makes such recurrences explicit, through constructions, transformations and universal properties that can be compared from one theory to another. That is how this project passes from metaphysical problems to effective mathematics.

Categories from metaphysics

Lautman looked for the problems that recur beneath different mathematical theories: local and global, the whole and its parts, structure and existence. Zalamea reads his account of the passages between local and global, and of the intermediate structures that carry them, as anticipating sheaf theory. Category theory makes such recurrences explicit, through constructions, transformations and universal properties that can be compared from one theory to another. That is how this project passes from metaphysical problems to effective mathematics.

The project has affinities with formalisms well adapted to the tasks it must carry out. Topos theory gathers local descriptions, the conditions under which they fit together, and an internal language in which to reason about them. Higher structures keep the different comparisons between descriptions, and let us ask how those comparisons fit together. Univalence, at the heart of homotopy type theory, treats equivalence as identity, so that properties and constructions transport between equivalent types.

The Hoapa conjecture — an adjunction

Categories from metaphysics

The proposed adjunction relates a category of contexts to a category of organizations of inquiry: write **Ctx** for the first and **Inq** for the second. We seek functors $F\colon \mathbf{Ctx} \to \mathbf{Inq}$ and $G\colon \mathbf{Inq} \to \mathbf{Ctx}$ with natural bijections $\mathrm{Hom}_{\mathbf{Inq}}(Fc, i) \cong \mathrm{Hom}_{\mathbf{Ctx}}(c, Gi)$. The unit $\eta_c\colon c \to GFc$ and the counit $\varepsilon_i\colon FGi \to i$ compare each side with its round trip. The mathematical form of **Ctx** is still under investigation, and neither functor has been constructed.

Categories from metaphysics

Each piece of this structure is meant to carry one of the project's concepts: F, G, the unit η and the counit ε.

Categories from metaphysics

Each piece of this structure is meant to carry one of the project's concepts: F, G, the unit η and the counit ε.

- F: Complexity, the organized work a context allows

Categories from metaphysics

Each piece of this structure is meant to carry one of the project's concepts: F, G, the unit η and the counit ε.

- F: Complexity, the organized work a context allows
- G: Evolution, how work acquires a contextual presentation through which its achievements can enter further development; compare the construction of inner models from logics (L, C^*, HOD)

Categories from metaphysics

Each piece of this structure is meant to carry one of the project's concepts: F, G, the unit η and the counit ε.

- F: Complexity, the organized work a context allows
- G: Evolution, how work acquires a contextual presentation through which its achievements can enter further development; compare the construction of inner models from logics (L, C^*, HOD)
- η: Praxis, the general opening; a piece of work $w\colon Fc \to i$ realizes it in particular, and its transpose $G(w) \circ \eta_c\colon c \to Gi$ returns the work in contextual form

Categories from metaphysics

Each piece of this structure is meant to carry one of the project's concepts: F, G, the unit η and the counit ε.

- F: Complexity, the organized work a context allows
- G: Evolution, how work acquires a contextual presentation through which its achievements can enter further development; compare the construction of inner models from logics (L, C^*, HOD)
- η: Praxis, the general opening; a piece of work $w\colon Fc \to i$ realizes it in particular, and its transpose $G(w) \circ \eta_c\colon c \to Gi$ returns the work in contextual form
- ε: Anthropic loss, the possible failure of the reconstruction map $\varepsilon_i\colon FGi \to i$ to be invertible; compare the gap between elementary equivalence and isomorphism, with Ehrenfeucht–Fraïssé games describing logical indistinguishability