Hoapa protocols as the *pure form* of communication systems

Hoapa project, June 2026

Contents

1 Preliminary insight **3**

1.1 Unityping for taming complexity . . . 3

1.2 Geographer/explorer separation of roles . . . 3

1.3 Democratic evolutionary conversations for truth verification . . . 4

1.4 The mathematics of adequate growth . . . 4

1.5 Nutshell and opening . . . 5

2 Roadmap **6**

3 Foundations **6**

3.1 Scope . . . 6

3.2 Objective . . . 7

3.3 Mathematical construction . . . 8

3.3.1 Op — the operational . . . 8

3.3.2 Ct — the contextual . . . 9

3.3.3 Adj — the structural relation . . . 9

4 Implementation **9**

4.1 Stack / programming languages . . . 10

4.2 Implementation details . . . 10

5 Use cases **11**

5.1 A park . . . 11

5.2 Open source . . . 12

5.3 Science . . . 12

5.4 Mathematics . . . 13
5.5 Generalized permaculture . . . 13
5.6 Care . . . 14
5.7 Networks . . . 14
5.8 Justice and police . . . 15

6 Related structures **15**

6.1 Experiments . . . 15
6.2 Theories . . . 16

7 Name **16**

8 Summary of Hoapa protocols in four steps **17**

8.1 Eternal . . . 17
8.2 Initial . . . 17
8.3 (Net)work . . . 17
8.4 Self-evolution . . . 17

9 Repository **17**

9.1 Folder structure . . . 17
9.2 Documents of interest . . . 18

1 Preliminary insight

1.1 Unityping for taming complexity

In 'The Little Prince', Antoine de Saint-Exupéry betrays the mind of a good engineer when he envisions tiny planets with one occupant each, for whom everybody else is of the same *type*. He thinks in the same foundational abstractions on which many complex modern frameworks are built.

On asteroid 325 there is only a king, and to him everybody else is a subject:

> "Ah! Here is a subject," exclaimed the king, when he saw the little prince coming

In Linux, or rather from the point of view of Linux, everything is a file: folders are files that list other files, programs are executable files, and hardware devices are files that you can read from and write to. In HTTP, everything is a resource addressed through standard verbs: GET, POST, DELETE... In Erlang, the programming language of choice for scalable concurrency, everything is a process (as you would be inside a Hoapa protocol).

And not just in engineering: in living organisms every constituent is a cell, in Legos everything is a brick. They all standardize the container to liberate the content. This *unityping* of the right concept lets a system tame its own internal complexity.

1.2 Geographer/explorer separation of roles

The little prince visits several of those population:1 celestial objects, and one of them is very close in spirit to Hoapa protocols: asteroid 330, whose lone resident is a geographer. Hoapa and this geographer have the same task: to chart their world, and the same inputs: explorers. And both will produce "voluminous books", except the Hoapa ones will welcome a lot more diversity and nuance while being a lot more accessible and pedagogical than the old fashioned atlases.

The little prince is surprised to see his geographer doesn't know anything about the planet he inhabits:

> "Exactly," the geographer said. "But I am not an explorer. I haven't a single explorer on my planet. It is not the geographer who goes out to count the towns, the rivers, the mountains, the seas, the oceans, and the deserts. The geographer is much too important to go loafing about. He does not leave his desk. But he receives the explorers in his study. He asks them questions, and he notes down what they recall of their travels. And if the recollections of any one among them seem interesting to him, the geographer orders an inquiry into that explorer's moral character."

Hoapa protocols are autonomous computer programs that can emulate the geographer to produce a decentralized form of citizen science. And they are in the same empty/waiting state at the moment: (almost) ready to do their work, but without input to work with.

Obviously, with those allegories, Saint-Exupéry is criticizing modern tendencies for uniformity, non-humanity and non-experimentalism. Yet this is exactly what Hoapa embraces and uses to its

advantage to achieve another kind of architectural harmony: separation of concerns. So the protocol *reflects* reality but never *touches* it.

In order to enjoy all the unique pluralism, humanness and experiences that make life beautiful, any group of explorers should have a separate system in which to encapsulate the "dirty work" of geography, but also philosophy and all sciences, such that this enterprise and a life of freedom don't interfere with one another. Like the fox's rites in the story, separation of concerns gives each activity its proper time and place. (Fittingly, Hoapa's mathematical incarnation is a topos, a 'place' in ancient Greek).

1.3 Democratic evolutionary conversations for truth verification

The shape of this insulated system is not arbitrary. Once a designer has chosen the egalitarian and freedom-preserving path—unitype the participants, separate the map from the territory—the rest of the architecture lights up ahead like a landing strip at night. Across disciplines, it compels a very coherent, satisfying and voluble network of self-reflecting, conversation-inviting concepts. All in the name of fairness and legitimacy.

This is reflected in the contrasting ways the geographer of asteroid 330 and the community of explorers in Hoapa protocols verify truth:

- The geographer *looks inward and back* when presented with new information: first he decides what is worthy of interest, then orders inquiries into the life of contributors, and will later demand proofs of their claims. Truth is decided at the scale of the individual proposition, who comes under a scrutiny organized by the geographer himself.
- Hoapa *projects forward* and submits any new data to an informational ecosystem regulated by an evolutionary game, where randomly selected explorers are the referees. Truth is decided at the scale of the group, which uses its dynamics to filter out the mistaken and irrelevant as it refines and composes the remainder.

This evolutionary game is again unityped like Legos: to it every process is a *conversation*. Those are shaped exactly like the citizen assemblies/conventions of participative democracy: select a few citizens at random, give them ample time and resources to study their topic, let them write a document of their findings by consensus and, most importantly, take their work seriously and use it. (Randomness is here the most democratic strategy, since everyone is actually on the same footing.) This strategy is field-proven and has shown time and time again how men and women "in the street", when put in the right context, can efficiently mobilize expert knowledge while preserving the well-being of communities. In a very real sense Hoapa has ethics baked-in at its base.

Hoapa protocols therefore take in the full extent of the explorers' knowledge and *process* it without ever turning either the input or its carrier into an object of *judgment*.

1.4 The mathematics of adequate growth

All this is preserved and amplified in the mathematics that composes those bricks of processing to scale gracefully to possibly infinite structures, without ever letting the system bloat. In three major ways—evolvability, expressivity and multiplicity:

- Protocols are always evolving, not just in terms of what they produce but also as engineering constructions. The computer code they're made of is automatically and regularly subjected to modifications by conversations, organized just like the others but with the special mandate to edit the code if they see fit. So they evolve autonomously, without managers.
- The documentation protocols produce also becomes the language they use. The concepts they map are given names with accessibility, pedagogy, interoperability and overall coherence as top priorities. Two related concepts, especially across domains, will have their relation reflected in their names, aiming at a "learn once, express everywhere" convention. Eventually every new member coming into the protocol is asked an equivalent effort, minimized by design, to engage with its concepts.
- From their own perspective as engineering constructions, protocols are "aware of" their neighbors and "want to be part of" networks. They always "think of themselves" as members of a multiplicity. (The Yoneda philosophy, after arguably the most beautiful result in abstract mathematics which says mathematical objects remember their friends when they're separated).

In a nice duality with the *unityping* of participants, most of this composition is encapsulated in *type theories*. Mathematical structures which have also proven their worth in several fields, as a way to organize computation, meaning, existence, proofs or equality.

Interestingly, most of the mathematics Hoapa networks use have been discovered by an unusual geometer and obstinate ecologist who wrote volumes about the creativity of one's inner innocent child, Alexander Grothendieck. (They stand at the opposite end of the spectrum from the simplistic models used by mainstream economists to justify the exploitation of Nature and populations, or by some evolutionary biologists to deny the true complexity of ecosystems.)

1.5 Nutshell and opening

In summary, Hoapa are based on a double separation of worlds:

- The *protocols* are separate from *reality*: they want to "tell its story" but in order to tell it faithfully they must never be part of it.
- The participants are all strictly *unityped* in the eyes of the protocol, no judgement at this stage but only the *welcoming* of complexity; while the voluminous documentation the participants produce collectively is in effect a multilayered *type theory*, the form it must take to adequately *render* the complexity processed by the system.

Saint-Exupéry's text found a universal echo because his tale is about care, or love, and renders in prose what Bowlby would later name attachment: the bond that lets a small creature explore the world unafraid, and return to a secure community. An expensive evolutionary strategy invented by mammals, that the human species has considerably gambled on to great success, until the social structures it was generating closed, turned against one another, and fell into unbounded growth by exploitation.

What Hoapa networks promise to achieve through their sound logic and efficient engineering, once fully mature, is to fix our broken algorithm of care. They can do so by being both a secure base for exploration at the scale of whole communities, and a network whose openness is guaranteed by contract.

2 Roadmap

The sense of my work is twofold:

- To make the system fully ready to receive its first explorers (the implementation)
- To make the system legitimate enough to motivate participation (the verifiable theory)

The first is straightforward once Hoapa is clearly defined. Then it's just a matter of building and arranging modules and libraries together. No new problems surface in the implementation, nothing needs to be invented for this. This is the obvious objective of this project, covered in a later section.

The second is more sophisticated. In the current progress of my work it takes the form of a theorem-rich mathematical theory of Hoapa protocols, which is the main topic of the next section. I believe the mathematical model also supports Hoapa's claim to engineering efficiency, innovative social structure, and to "naturality" via correspondences to several descriptions of Nature, most notably physical field theories. It is the substantial objective of this project.

Eventually we could pursue the true validation: the testing of the effects of the protocols at scale.

3 Foundations

The Hoapa project is composed of three layers:

- a communication system (in the form of a computer program)
- its verification layer (via a proof-checker)
- a documentation of what they are in theory and how they develop in practice

3.1 Scope

The project belongs to a broad category of "informational architectures" which has been studied by disciplines such as:

- Cybernetics/systems theory
- Collective intelligence
- Process Philosophy
- Protocol studies
- Semiotics
- Media ecology
- Concurrency (computer science)
- Information theory
- Non-equilibrium Thermodynamics

Our framework assumes the point of view of yet another: **Applied Category Theory**. Where category theory is the most abstract branch of mathematics, a silent and slow epistemic revolution happening behind closed doors, whose potential to profoundly change the way we perceive reality has been recognized by some insiders, ignored by most, and never really expanded beyond its mathematical origins, despite its universality.

It's the study of how things relate, regardless of what they are. It asks: "What patterns of connection, transformation, and composition appear everywhere?"

Applied Category Theory takes those formal patterns and uses them to:

- Design efficient communication systems
- Model complex interactions compositionally with guarantees about their behavior
- Translate between different disciplines, so insights from one domain can inform another

Which more or less mirrors the three layers of our project: the system, its verification and its working documentation.

Examples of Hoapa's relatives include:
The internet, the universal postal union, supply-chain logistics networks, road signaling systems, distributed computing systems, the genetic code, underground fungal forest networks, flocks of starlings in murmurations, nervous systems, immune systems, Wikipedia, social media, citizen assemblies, the scientific method, conversations...

3.2 Objective

The main objective of this project is to demonstrate the optimality and accessibility of Hoapa protocols.

We do so by leveraging the universality and expressiveness of category theory to recognize Hoapa as a distinguished element in its domain.

Category theory is made out of categories, which are like webs of family relations (morphisms) between similar enough things (objects). The existence of a "new" category is often revealed by a bridge (adjunction) between two "prior" categories, and this bridge also identifies certain objects as being the "original incarnation" of the family members (initial object), their "final incarnation" (terminal object), or their "default incarnation" (free object).

This is the story we're trying to tell here: there is a "pure form" of communication architecture whose advantageous social, engineering or scientific characteristics are reflected in its mathematical properties.

This can be used practically in two ways:

- The optimality to organize any kind of collective work
- The "naturality" to start the process uncontroversially

Just like many games and sports start at the center of the field of play, Hoapa can be the center from which productive communication starts. (The fact that Hoapa protocols are absolutely decentralized, autonomous and capable of self-modifications to adapt to their context makes them all the more suitable for the role.)

3.3 Mathematical construction

The two categories our bridge **Adj** will connect are:

Op: The operational structure of Hoapa networks
Ct: The context in which they are optimal

3.3.1 Op — the operational

The **Op** side is necessarily an intricate construction because it must navigate several trade-offs to establish decentralization, autonomy, openness to peers, expressiveness, transparency, scalability and self-reflection. But all of them are won with the same strategy: separation of concerns, or modularity—each part of the system must only do one thing.

All the structural properties descend from an original separation which encapsulates the entire system, between:

- a community of *unityped* communicating agents
- layers of *multityped* documents produced by the communication of the agents.

This has a precise meaning in computer science (known as "untyped/typed"), which is roughly the double specification that:

- *All participants must "play by the same rules" (like basketball players, and unlike goal keepers vs fields players in sports with goals—or unityped checkers vs multityped chess pieces), meaning the communication system can't distinguish them. To the system, participants are computational resources with all the same characteristics. Whenever it needs resources, it taps into its reserves at random.*
- *Whatever the participants produce, it should be put in meaningful containers and properly labelled. Those labelled containers describe the data they enclose and guarantee it has certain properties, so we can safely run certain operations on them (if you know you have two numbers, you know you can add them).*

Here, contrary to the participants who are all of the same type, the multiplicity of types is the crucial mechanism through which the system copes with *complexity of output*.

Importantly, "unityping" should not be interpreted as "the system wants all participants to be the same". On the contrary, the whole point of this is to welcome and make use of diversity: it is the crucial mechanism through which the system copes with *diversity of input*.

Partial and compact versions of the operational side exist in this world, in the field of participative/direct democracy: citizen assemblies, and they've proved their worth and efficiency time and

time again. A small number of participants are selected from the entire electoral register, they're given ample time and resources to study and deliberate, they write a report of their conclusions by consensus only.

Hoapa would be the "networkization" of such units into an open and autonomous protocol. Ideally, it would be embedded in a socio-political context which reflects its philosophy, pacified and circular (unlike the one we have now, but which it can repair by co-evolution, from the ground up).

3.3.2 Ct — the contextual

At the integrated level, the context **Ct** becomes the recognition that the world is profoundly perspectival: all assertions must be evaluated as points of view, never from a supposedly neutral or absolute standpoint, simply because those don't exist.

Perspectivism is represented mathematically in our framework by *(modal) homotopy type theory*, starting in *sheaf theory*. To its advocates, it's the best foundations we have for the whole of mathematics at the moment, both for theory and practice. It is in particular much more capable of reasoning about relations and equality, while the long established *set theory*, of which it is an extension, focuses on objects viewed in isolation.

3.3.3 Adj — the structural relation

The bridge is then the statement that the generative complexity emerging from such perspectival contexts is what **allows** concurrent architectures like Hoapa to **unfold**, while the operational layer of Hoapa is what is **required** by this context to **map itself**, and eventually attain recursion. (Where the context is represented by the organization of a community of agents embedded in this context, or how we can view an ecosystem as a network of relations between organisms.)

In a sense, the two ends are quite self-evident:

- That modalities/perspectivism allow complexity to develop is trivial in both abstract mathematics (Bill Lawvere, Yuri Manin) and philosophy (Gilles Deleuze).
- That typed data is more robust, readable, literate, composable… is trivial in any domain concerned with information transfer, such as programming, whereas the fact that large numbers of unityped agents are most adapted to handle complexity is trivial in concurrency theory.

The bridge simply establishes the recognition that those facts are intimately linked.

The relation is still conjectural at this point. But while building for it, we've extracted a first theorem which can be interpreted as "there are no privileged points of view on the operational side of the construction". In mathematical terms it is *a machine-checked adjunction of sheaves over a site of causal interaction contexts, exhibiting every globally coherent state as the free/canonical gluing of its event-local views, and lifting the resource-sensitive logic of the data, in Benton's linear/non-linear sense, up to that same global level from values to sheaves.*

4 Implementation

To establish the accessibility and optimality of Hoapa protocols we must also produce and test them at scale.

A certain amount of scientific recognition is necessary to justify the collective efforts needed for an initial implementation—which it can obtain through the clear, fruitful and inspiring theoretical framework this project aspires to be. But the true test of the validity of the conjecture lies in its realization.

4.1 Stack / programming languages

While the mathematical verification program is written in Agda—a math-oriented proof-checker designed for homotopy type theory—the usable program which it verifies will be concurrency-oriented and written in:

- Elixir/Erlang for the part of the program which connects participants—a language based on the same model of concurrency as our framework: the actor model.
- Rust for the part of the program which orchestrates the transformation of the communication into typed documentation—a low-level "systems language" which is well adapted for the task. It also has the advantage of being used by Pijul, a version control program based on patch theory which is very close in spirit to our protocol, so the two programs can share code.

4.2 Implementation details

The actor model of concurrency is straightforward, all agents have the same privileges and they can:

- *send messages*
- *receive messages and update their internal state accordingly*
- *create new actors (for instance if they "feel overworked")*

Every human participant will be considered an actor in the sense that they can talk/write, listen/read, think and update their worldview accordingly, and tell their friends about the protocol. And the door will always be open for any volunteer to come in, or come out of the protocol.

However, in our framework, the true actors, or "units of computation", are not the individuals but the conversations.

Every time the system needs something to be done it will create one: a small number of registered participants are selected at random and given a specification for the task (in the actor model's view: the protocol sends a request to a newly created conversation, and expects a response from it). And every conversation created by the system can in turn create new conversations to break down its task in smaller increments of work: it can send requests or questions, and expect answers back.

It is in effect an orchestrated conversation of conversations.

Here the orchestration part is taken care of by session types, another model of concurrency which works in the opposite way as the actor model and brings a new layer to our framework, which tracks and remembers the "shape" of the global conversation, so that the documentation produced by the communication knows its own structure and history: we get traceable data.

While the orchestration layer can be thought of as the "how" for the data, we use the same strategy for its "what", and add another layer of types (again, labelled containers which describe the data

and guarantee certain properties and operations) which in this case gives an executable content-map of what is being discussed.

We repeat the type/container strategy every time we need to add complexity to the system: for its autonomy (typed conversations about the system itself), for its openness and interoperability (typed conversations about other protocols), or for its internal language (how the content types can be given a grammar), etc.

In total there are 6 such layers in the current framework, either encoded or planned. They are, like the unityped agents/typed documentation, all motivated by an engineering trade-off and handled by a mathematical structure:

- local specificities vs global coherence of content (*sheaf descent*)
- stability vs adaptability of protocol (*protocol-version category* Π *with a patch-theoretic fragment category*)
- expressive power vs transparency/accessibility of language (*concept category* Λ*, likely 2- or* $(\infty,1)$*-categorical*)
- exploration vs exploitation of concepts (*factorization algebra over the actor site valued in* Λ)
- internal coherence vs plurality of protocols (*2-category of protocols with Hoapa-respecting geometric morphisms*)
- receiver-relative reading of complexity (*information cohomology*)

5 Use cases

5.1 A park

Hoapa can also operate at small scales and with only the "base layer of complexity" which separates the unityped agents from the typed documentation they produce.

For instance we could have a neighborhood "managing" its local park via a protocol in which the motivated residents discuss how it could be enhanced, and produce a to-do list for its maintenance.

Here it is crucial to understand that the system can preserve its advantageous mathematical, social and engineering properties if it is *only* a communication system, and not a full management system which also enacts in reality what has been discussed in the abstract.

Its task is to chart the world, not inhabit and certainly not control it. (That kills all the carefully crafted separations of concerns, starting with the unityping of agents, because it necessarily introduces some hierarchical structure and tension—for basically the same reasons you can share an idea with the entire world without losing it, but you can't do that with a loaf of bread.)

Hoapa protocols can interact with the world only behind buffers which respect individual freedom:

- If it needs something it simply asks for it, and expects those needs to be met (for instance, if it uses the internet, it states via a self-reflective conversation how much bandwidth it needs, and specifies the characteristics of its network). Individuals or communities, outside of the protocol, would then respond to those needs without compensation.

- If it wants something to be known it simply makes it as available and accessible as possible, which includes a pedagogical effort in presentation and terminology. But it can't advertise, at the risk of favoring certain targets over others.
- In some cases, if it wants something to be done it also asks for it, by creating a conversation of a special type, whose members, still selected at random, are charged with the task of pushing for the realization of the desired outcome, again without compensation for themselves or the specialists they convince to do the work. (But philosophically, protocols "prefer" to focus on the documentation and let free individuals and communities decide what they want to do with it.)

In either direction, we can think of Hoapa as a coach in sports: its domain of action is preparation and strategy, but it can never enter the field of play or control the players. Only the players play.

In the park example, we can imagine an institution/Hoapa hybrid in which the city government has delegated the supervision of the park to the protocol, but it's still the paid workforce of gardeners which will perform the tasks suggested by the protocol. But ideally, in the spirit of the protocol, it would be only voluntary work, suggested by the protocol but decided at the level of the individuals and communities.

Which makes Hoapa protocols especially well suited to organize the open source economy.

5.2 Open source

Because open source produces code, it "lives in the abstract" entirely. Historically, and by definition, only it has only used voluntary labour.

Hoapa is especially adapted to resolve the main recurring problem open source projects face: scalability and continuation beyond the circle of core contributors, usually the instigators of the project. Because every open source project is based on this "circles of knowledge/influence" architecture, which is in essence a hierarchy, it is destined to terminate the moment the inner circle quits (which, as humans, they're bound to do eventually).

Hoapa revokes the privileges of the inner circle, distributes the workload evenly and transfers all the essential knowledge from the original designer's mind into a strictly typed and operational documentation. (As in *literate programming*, by Donald Knuth, the great missed opportunity of software development.)

While this is more demanding in the early stages of the process, it pays off by making the project truly scalable and persistent (not persistent in the sense of a capitalistic endeavour, which always needs to grow and colonize new markets, but closer to how ecosystems work, with minimalism and circularity).

The same arguments can be used to suggest a reform of how science is conducted.

5.3 Science

Universities are extremely hierarchical political machines whose ties to reality are clearly not behind buffers, which impair their capacity to describe the world they inhabit.

While the scientific method prevents them from stating things that are wrong in the domains it is applicable, it doesn't prevent a mismanagement of efforts towards certain technologies at the

expense of understanding, the fragmentation of the study of Nature into opposing departments, the proliferation of opaque jargons, etc.

Hoapa protocols, on the other hand, are ideal for the realization of what citizen science promised to be, but only marginally developed. In a very real and demonstrable sense, they are the extension of the Galilean scientific method.

This method defines how one scientist is supposed to ask questions to Nature if they want to receive a reliable answer: through rigorous empirical observation and controlled experimentation, translating those observations into precise mathematical models to test hypotheses.

In our protocol that would be the types of the orchestration layer, here transposed to a relation to Nature.

In the Hoapa extension, we also define how scientists are supposed to converse among themselves, how they should refine information and eventually store it into a strictly typed and operational technical language which, like the pan-genome is the emanation of chemistry at the surface the planet, would be the reflection of the world we inhabit in language. (Importantly, we can use the amazing properties of homotopy theory to federate all jargons into a "learn once, use everywhere" terminology.)

Practically, one has to visualize a system in which the randomly selected participants, when faced with a technical problem, find and contact the specialists of the domain in question. This is exactly what happens in all citizen assemblies, and again, it's working extremely well in that setting, with both parties reporting high levels of engagement, communication and commitment to understanding.

However, when specialists imagine a world in which the main mode of organization doesn't recognize specialization, they conclude that all the benefits of specialization are lost. But it's not recognition that made them experts in the first place, it's education. And Hoapa protocols are designed for education, as part of their mandate to treat everybody on an equal footing. What is removed with the status is not the knowledge, but the hunt for the status, and at the same time it resituates the obligation to make one's specialized knowledge accessible to others.

Crucially, each individual practitioner gets to decide what questions are worth pursuing.

5.4 Mathematics

All of the above applies in mathematics as well, but here things get even more interesting, because the protocol itself is built on the very concepts that its practitioners claim is the correct foundations for the whole field (the aforementioned homotopy type theory and its modal variant, as the internal language of the more general setting of an ∞-topos).

This could accomplish one of the many dreams of the main architect behind those structures, Alexander Grothendieck, whose memoirs weave together reflections on creativity, mathematical practice and mathematics itself.

The proof assistant we use in our framework, Agda, is a direct descendant of this history.

5.5 Generalized permaculture

I believe Hoapa protocols can stage and target the kind of recursive and self-reflective patterns just mentioned, in the ecosystem, by generalizing the concept of permaculture and applying it to a vast

majority of human endeavors. Permaculture could in effect become the default mode of being of humanity, following this very simple algorithm:

- Make a very detailed and executable map of your environment, including you (where Hoapa protocols shine).
- Use it to figure out what is best for both you and your environment, and do it (which becomes the default if individual freedom replaces "investability" as the condition for action).

This is where the "layers of complexity" which guarantee perspectivism, decentralization, autonomy, openness to peers, expressiveness, transparency, scalability and self-reflection, start to be really useful.

5.6 Care

Care can be defined rigorously by another simple 2-step algorithm, which can be viewed as a strategy for networks to ensure their continuity in time:

1. *In a given network, the evolution towards maturity of newer elements is taken care of by the mature elements already present in the network*
2. *In turn, those newer elements become mature and take care of a new generation of elements*

Which is an abstraction of John Bowlby's theory of attachment, a generalization at the interdisciplinary level of a process happening in the domains of biology, psychology and evolution.

Because it is a recursive and self-reflective pattern (step 1 = step 2, or more appropriately $1 \leftrightarrow 2$), we also find traces of *caring* in the technicalities of our framework:

- on the side of perspectivism, where we model the context in which the agents operate, in what makes this structure cyclical (*the unit of the adjunction*)
- on the operational side, where we model the conversation between agents, in what makes this structure reciprocal (*operadic boundary-swap*)

Hoapa can serve as the "$\leftrightarrow$" in "$1 \leftrightarrow 2$", and in fact our conjecture is that it is both required and optimal for this caring algorithm.

5.7 Networks

In all the preceding examples we've looked at instances of Hoapa protocols in isolation, but each of them would be better envisioned as nodes of a vast network.

A mature protocol regulating a park would necessarily have typed conversations with other park protocols, especially those close by, to share information and reuse each other's research. It would also have ties to all the independent but interlinked networks a city would be made out of: electricity grid, water management, transportation, agriculture..., and then beyond the city limits, into all sorts of possible protocols-as-points-of-view entities, from playground area design to natural philosophy.

It would also use the code of several open source projects to manage its documentation, and information coming from scientific protocols to apply the precepts of generalized permaculture on its grounds.

In all of this, it would be both an agent and a recipient of care, as a concrete ecosystem as well as an abstract community of participants.

5.8 Justice and police

We've listed some of the most positive aspects of life in this presentation, but Hoapa, because it has all these buffers with reality built-in, is also well adapted to coordinate efforts in the regulation of difficult situations, without compromising freedom.

Again we can represent the Hoapa philosophy with a two step algorithm:

1. The individual chooses to opt into one of the multiple justice-protocol available
2. Each justice-protocol signs up for a police-protocol

All individuals select the authority to which they want to respond, which exists as a documentation and can only be "instantiated" by a jury of peers (a random selection of people, just like in many existing judicial systems; in Hoapa, a typed conversation). The common legal system of two parties which have signed up for different justice protocols is a "*homotopical*" mixture between the two (preestablished by the typed conversations of the "openness to others" layer of each protocol).

This and other self-regulating properties are guaranteed by a combination of attributes of Hoapa protocols, again starting with the unityped-agents/typed-documentation separation of concern: perspectivism, decentralization, autonomy, multiplicity and openness to peers...

(Those ideas were put forward by Emmanuel Dockès, a professor of law whose 'Voyage en Misarchie' has been a huge influence on my unlearning path to accept freedom.)

6 Related structures

6.1 Experiments

While we can find in the history of all the domains just mentioned many examples of projects targeting this state of affairs "philosophically", they never did so with the unityped/typed discipline of Hoapa and its verification layer, which is essential to not see the "old habits" of hierarchical structures reemerge.

This is the fate of most attempts at community-driven structures, especially when they were most active in the post WWII era until the 1970s. They would only exchange the formal hierarchical structures for informal ones, because the root cause of their emergence wasn't properly diagnosed and addressed at the organizational level.

In Hoapa, communities do the "dirty work" in a special place under strict conditions, voluntarily, in order to organize networks of solidarity, so that eventually all individuals can have both freedom and dignity in their lives.

As for the argument that hierarchical structures are part of "human nature", it simply doesn't match our history and evolution, contrary to deep-seated assumptions which only look at a partial rendering of the tail end of the story and often dress Nature in a grotesque 'only the strong survive' frame, which is the antithesis of its autonomous and distributed operational core—a worldview best represented by Herbert Spencer and still extremely influential today, especially in biology and economics.

~three phases, like phases of matter: open/horizontal, closed/vertical, hybrid/hybrid. Only open/horizontal is sustainable and preserves attachment, Hoapa formalizes it~

The lion has never been a king. Humans, on the other hand, have a ~300,000 years long history of autonomous and distributed cooperative behavior, whose most outstanding payoff is certainly natural language. Hoapa suggests we keep on working on it, in those working conditions.

6.2 Theories

- Charles S. Peirce's — community of inquiry
- Gordon Pask — conversation theory
- Deleuze / Guattari — Rhizome & plane of immanence
- Maturana / Varela — autopoiesis
- Robert Rosen — (M/R) systems (metabolic/repair)
- Barr / Chu - Chu spaces
- Karl Friston — active inference & free-energy principle
- Alain Connes — noncommutative geometry & modular flow
- Bennequin / Belfiore / Laforgue (Huawei) — topos theory for cognition

7 Name

'Hoapa' means "everywhere" (every domain) in Khoekhoegowab (of the Khoe language family, spoken in Namibia, Botswana, and South Africa primarily by three ethnic groups: Namakhoen, ǂNūkhoen, and Hai||omkhoen), to be pronounced like in English, and chosen for 4 reasons:

- The surface area of the concept to be named is so large, modular and decentralized that it's not possible to select an element or a viewpoint and call it the essence of the system. The alternative is to point to the very multiplicity of the concept for its name.
- As an homage to San culture, which has been a wonderful source of inspiration for this work. In many ways they are the last known human practitioners of Hoapa, along with the Hadza and other hunter-gatherers of the Congo Basin, so it's only natural the name should come out of one of their languages.
- It is easy and new to the general public and research community alike, so no one will be jumping to conclusions when they encounter it.

- The general theory in which Hoapa is embedded as a crucial recursion-inducing element, where theory is understood as a point of view on the universe/Nature, can be said to be a "theory of everywhere". It has the same holistic scope as the currently proposed theories of everything, but doesn't claim describe everything. It only talks about an infinitesimal part of every thing, namely how it is connected to the rest of the theory through its context—its "where". It doesn't make the universe unsurprising, and every newly thing encountered by the wandering eye requires to be studied de novo.

8 Summary of Hoapa protocols in four steps

8.1 Eternal

The protocol has certain **invariant** mathematical properties which translate into engineering features as a system, into social dynamics as a communication system, and even allows students of Nature to recognize its signature in many systems occurring at all scales in the universe.

8.2 Initial

Those properties make it particularly adapted to be the **starting point** of any collective endeavour, because it has this "default configuration" aspect that favors no one, and this "initial configuration" which is the most welcoming to future change and complexity.

8.3 (Net)work

The protocol is then the place where communication **unfolds** to collect and refine information about a shared context, and produce a useful output in the form of a documentation. Both the protocol and the documentation think of themselves as being part of a network of similar objects, they are constantly working on their external relations as much as their internal growth.

8.4 Self-evolution

As it is doing its work of mapping its context, the protocol is also continuously monitoring itself and using its resources to enact its own **evolution**.

9 Repository

The repository — Hosted by Codeberg, a truly open source alternative to Microsoft's GitHub

9.1 Folder structure

/agda
: The code files for the verification layer

/communication
: All files related to the presentation of the project (see 7.2)

/elixir
: The code files for the protocol's module concerned with communication between agents

/pedagogy
: Mirrors the /agda folder and walks the reader through what the code does chunk by chunk (AI generated and unfortunately largely inaccessible to non-mathematicians)

/workflow
: The files used and written by LLM coding agents to ground and track the progress of the project

9.2 Documents of interest

Extended abstract: "A linear/non-linear adjunction of sheaves. . . "
: For mathematicians, the first, deliberately modest theorem of the framework, fully machine-checked in cubical Agda

Diagram: Construction map for the cross-side adjunction
: A diagram presenting to mathematicians the conjectured adjunction, the bridge this project is trying to establish

Letter of Recommendation: From Fernando Zalamea
: From Fernando Zalamea, a mathematician and philosopher, leading expert on the work of Alexander Grothendieck and Charles S. Peirce

Article: "An Introduction to Grothendieck's General Theory of Evolution"
: For exact and natural scientists, about the dynamics our universe keeps on repeating, a sort of Hoapa-informed version of Philip Anderson's "More is Different"

Article: "Univocal Science — From Spinoza to Grothendieck, missed opportunities for a category-theory-driven scientific revolution"
: For philosophers and philosophers of mathematics, the "seed" of the conjectured bridge

Manifesto: "Liberation engineering for resistance networks"
: For social scientists, a diagnosis of institutional hierarchy as a "virus" in humanity's world-describing systems, and the argument for decentralized liberation networks as the remedy