

# Genetic analysis of phenotypic variation measured in the Oregon Wolfe Barley collection

Halide Aydin, Aliz Fodor, Ingo Giebel, and Alessia Russo

QBio305: Population and Quantitative Genetics

Institute of Plant Genetics, Heinrich-Heine-Universität Düsseldorf

Prof. Dr. Maria von Korff Schmising, Dr. Timo Hellwig, Dr. Agatha Walla

December 22, 2023

## Contents

|          |                               |          |
|----------|-------------------------------|----------|
| <b>1</b> | <b>Introduction</b>           | <b>3</b> |
| <b>2</b> | <b>Materials and methods</b>  | <b>3</b> |
| <b>3</b> | <b>Results and discussion</b> | <b>4</b> |
|          | <b>References</b>             | <b>5</b> |
| <b>A</b> | <b>Appendix A</b>             | <b>6</b> |
| <b>B</b> | <b>Appendix B</b>             | <b>6</b> |
| <b>C</b> | <b>Appendix C</b>             | <b>6</b> |
|          | <b>Index</b>                  | <b>7</b> |

## **List of tables**

## **List of figures**

## 1 Introduction

Task definition: Paper about the phenotypic variation measured in the Oregon Wolfe Barley collection. This paper has to follow the structure of a scientific journal paper and should include the following analyses:

- ANOVA of plant height You find the data in

dta---ANOVA\_QTLanalysis.csv

, which includes the measurements of all groups. The group is actually not a replicate, because you just measured the same plant several times. However, for the purpose of this exercise pretend that the group is a valid replicate, and do not include it in your model.

- Genetic linkage mapping of the qualitative trait your group has scored (which marker is in closest linkage?)

- QTL analysis of plant height You find the data in

dta---ANOVA\_QTLanalysis.csv

.

Submit your paper as a pdf to [agatha.walla@hhu.de](mailto:agatha.walla@hhu.de) and [timo.hellwig@hhu.de](mailto:timo.hellwig@hhu.de). Deadline: December 22, 2023

Introduction: The Oregon Wolfe Barley collection. Text of 500 words describing the OWB population. See <https://barleyworld.org/owb> and (Costa et al., 2001).

Linkage maps and mapping qualitative traits: Text of 200 words.

Quantitative traits and QTL mapping Text of 200 words.

## 2 Materials and methods

Plant population and phenotyping: How large was your population? Which traits did we score, and how did we score them in detail?

Side note: the plants were 2 month old.

Statistics: Which statistical methods did we use and how did we implement them? Which are potential problems with these approaches? Which software/packages and versions did we use?

### 3 Results and discussion

Show the ANOVA table and an overview of the linkage and QTL plots you have generated in this course with the code you have used.

What are your major findings?

Are your traits in proximity to any of the following known genes and if so, can they explain your trait?

Locus Chromosome References:

VRS1 2H <https://doi.org/10.3390/ijms23042276>

ZE01 2H <https://doi.org/10.1242/dev.170373>

Kap 4H <https://doi.org/10.1038/374727a0>

LKS2 7H <https://doi.org/10.1093/jxb/ers182>

Gpa1 2H <https://doi.org/10.1186/s12870-021-02915-9>

Nud 7H <https://doi.org/10.1073/pnas.0711034105>

Blp1 1H <https://doi.org/10.3389/fpls.2017.01414>

## References

- Costa, J. M., Corey, A., Hayes, P. M., Jobet, C., Kleinhofs, A., Kopisch-Obusch, A., Kramer, S. F., Kudrna, D., Li, M., Riera-Lizarazu, O., Sato, K., Szucs, P., Toojinda, T., Vales, M. I., & Wolfe, R. I. (2001). Molecular mapping of the oregon wolfe barleys: A phenotypically polymorphic doubled-haploid population. *Theoretical and Applied Genetics*, 103(2-3), 415–424. <https://doi.org/10.1007/s001220100622>

## **A   Appendix A**

The first appendix...

## **B   Appendix B**

The second appendix...

## **C   Appendix C**

The third appendix...

## **Index**