



Customer Portal for Fabric

Preparation Deployment Guide

Deployment Guide for creation of required resources in Microsoft Entra and Azure tenant.

Written by: Ingraphic AS
Updated on 05.06.2025

1	INTRODUCTION.....	3
2	ROLES	4
3	CHECKLIST	4
4	REGISTER RESOURCE PROVIDERS	5
5	DEPLOYMENT STEPS (BASIC).....	6
5.1	Azure Subscription	6
5.1.1	Resource Group.....	7
5.2	Microsoft Entra	7
5.2.1	Primary Domain name.....	7
5.3	Entra Groups (Groups Configuration)	8
5.4	SQL Configuration	10
5.4.1	SQL Server Administrator	10
5.4.1.1	Username	10
5.4.1.2	Password	10
5.4.2	SQL Server Entra Administrator (optional)	10
5.4.2.1	Add Entra user as SQL Server Administrator (optional)	10
5.4.2.2	Office IP Address (Optional)	11
6	ENTRA CONFIGURATION.....	11
6.1	Web Service Principal	11
6.2	SPA Service Principal.....	14
6.3	Fabric Service Principal	17
6.4	Retrieve Enterprise application Object IDs for SP_Portal- WEB and Fabric	18
6.5	Fabric Configuration.....	19
6.5.1	Do you have an existing Fabric Capacity which you would like to use? (optional)	21
6.5.2	Name of the existing Fabric Capacity resource (optional)	21
6.6	Tags	21
7	POST DEPLOYMENT	21
7.1	Logic app for e-mail invitations	22
8	FAILING APPLICATION	22
8.1	Deployment fails	22
8.2	Successful deployment, but the application does not work	22

1 INTRODUCTION

This guide is for technical resources that is responsible for creating the resources needed to deploy the “Portal for Microsoft Fabric” in Microsoft Azure.

The “Portal for Microsoft Fabric will create the following resources during deployment.

Name	Description
Log Analytics Workspace	Collect, analyze and query logs from various Azure services and applications.
Application Insights	Monitoring service that provides real-time performance metrics and analytics, and diagnostics for web applications.
Automation Account	Enables process automation through runbooks, configurations and other features. Used in this case for managing Fabric Capacity Start and Pause schedules.
Runbooks	Workflow scripts in PowerShell that automate Fabric Capacity start up and pause times.
Storage account	Storage for data objects including blobs, files and tables. Used in this case for storing company and logo images, report images and application configuration settings.
SQL Server and Database	Relational database used by the application. Stores user, group, report data and references.
Logic App	Low code workflow automation service which in this case used for automating sending of invite e-mails to external users or customers.
Key Vault	Secure storage for keys, secrets and other credentials. Used by the Container Applications.
Container Apps Environment	Managed hosting environment for containerized applications.

Fabric Portal – Preparation Deployment Guide

Container Instance	Serverless container service that runs isolated containers on-demand. This initializes the database, Fabric Capacity workspace, uploads necessary images and initializes the application.
Container Apps	Managed serverless platform for deploying containerized applications. These are the main components of the frontend and backend parts of this solution.

2 ROLES

Roles needed during the preparation of deployment.

Role	Description
Entra Administrator	Entra Administrator role (or corresponding permissions) are needed to create Entra groups and assign users to the groups.
Entra Application Developer	Entra Application Developer role (or corresponding) is needed to create the necessary Service principals and add permissions.
Fabric Administrator	Fabric Administrator role is needed to configure Fabric and add the necessary configurations and settings to the Fabric portal (as shown in section 5.5).
Owner role for Subscription	This is very important to note for the deployment. Due to how Azure Marketplace is setup, only a user with the Owner role at the Subscription level can successfully deploy the application from Azure Marketplace. This is something that needs to be taken into account before deploying the application.

3 CHECKLIST

High-level checklist of the steps that is required before the deployment of “Portal for Microsoft Fabric”.

Steps	Description
Resource providers	Registering Resource Providers is essential for the deployment to be successful. This can be found in your Subscription.
Entra Primary domain	Primary Domain is used by the Portal Application. This can be found in Microsoft Entra ID.
Entra Groups	Entra Groups are essential for access control and management. The following groups must be created – Users, Admins, Fabric Admins in order to run the application.
Entra Application Registrations	Entra Application Registrations, also known as Service Principals are essential for the application to run, and handles permissions, authentication, authorization and access to various resources. For this application 3 Service Principals are needed – WEB, SPA and Fabric.
Fabric Capacity	Fabric Capacity is used to access, manage and embed Fabric resources like workspaces, reports and dashboards.

4 REGISTER RESOURCE PROVIDERS

The following Resource providers must be registered before attempting to deploy the application, as not doing so will fail the deployment.

To find the **Resource providers** blade, first go to your **Azure Portal front page**, the follow this path:


Subscriptions --> Select Subscription --> Settings --> Resource providers

Then filter the providers by name (below) and register the following:

Microsoft.Advisor

Microsoft.App
Microsoft.Automation
Microsoft.ContainerInstance
Microsoft.Fabric
Microsoft.GuestConfiguration
Microsoft.KeyVault
Microsoft.Logic
Microsoft.ManagedIdentity
Microsoft.OperationInsights
Microsoft.PolicyInsights
Microsoft.Security
Microsoft.Solutions
Microsoft.Sql
Microsoft.Storage
Microsoft.Web
Microsoft.insights

Select the resource provider, then click on the “Register” button.



5 DEPLOYMENT STEPS (BASIC)

5.1 Azure Subscription

Make sure you have a valid Microsoft Azure subscription ready to be used for the Portal for Fabric Deployment. The Managed Application and resources that follow will be deployed to this subscription.

Fabric Portal – Preparation Deployment Guide

5.1.1 Resource Group

During the deployment in Azure a Resource group is needed to contain the Managed Application resource, which will then be automatically used to build all the Azure resources needed to run the application.

The resource group can be created before the deployment or during the deployment. As mentioned above, this resource group will only contain the Managed Application resource. All other resources that are needed to run the application will be deployed to a separate Managed Resource Group.

Recommended name: **rg-manapp-storage**

rg-manapp-storage
Resource group

Search

Create Manage view Delete resource group Refresh Export to CSV Open query Assign tags Move

Overview

Activity log

Access control (IAM)

Tags

Resource visualizer

Events

Favorites

Deployments

Settings

Cost Management

Cost analysis

Essentials

Subscription (move) : Deployments : [1 Deploying](#)

Subscription ID : Location : Norway East

Tags (edit) : [Add tags](#)

Resources Recommendations

Filter for any field... Type equals all Location equals all Add filter

Showing 1 to 1 of 1 records. ☐ Show hidden types List

Name ↑↓	Type ↑↓	Location ↑↓
☐ CustomerPortal	Managed application	Norway East


5.2 Microsoft Entra

5.2.1 Primary Domain name

Fabric Portal – Preparation Deployment Guide

The primary domain name is needed during the deployment of the Portal for Microsoft Fabric. The domain name can be found here.

Steps: Go to Azure Portal – Microsoft Entra ID. You will find the **Primary Domain** field there.



5.3 Entra Groups (Groups Configuration)


Create new groups that will be used by the application. Register Admin group first.

Group Name	Description
------------	-------------

Fabric Portal – Preparation Deployment Guide

Portal Admin Group	Allows access to the Portal as admin. Users added to this group have access to the platform, as well as having privileged permissions in the Portal application. Admins may invite new users, create groups, add reports, remove, edit and customize existing configuration and components. Suggested name for the Entra Group: SG_APP_{Company Standard}_Portal_Admins
Portal User Group	Allows access to the Portal as user. Users added to this group will have access to the Portal application and will be able to interact with and navigate through the application. Users have limited permissions, and may not add, edit or remove any existing components. Suggested name for the Entra Group: SG_APP_{Company Standard}_Portal_Users <u>After registering the Users group, be sure to add the Admins group as a member, along other members.</u>
Fabric Workspace Admin Group	Access to all workspaces created in the Portal application. This group sets the Admins and Owners of the newly created Fabric Workspaces. Suggested name for the Entra Group: SG_APP_{Company Standard}_Portal_FabricAdmins

1. Go to Azure Portal – Microsoft Entra ID – Groups – Add New Group



2. Create the required groups as mentioned in the table above.
3. Assign users to the groups.
4. Do this for all groups.

5.4 SQL Configuration

5.4.1 SQL Server Administrator

SQL Server Administrator details are used for basic authentication to the database. These fields allow Administrators to login to the SQL Server and database only using Username and Password, without requiring any additional credentials. The SQL Server has strict password requirements, so make sure to make the password hard and unique.

5.4.1.1 Username

The SQL Server Administrator username may only contain lowercase and uppercase letters as well as numbers. Username must NOT start with numbers or symbols.

5.4.1.2 Password

The password must be at least 8 characters in length, but no longer than 128 characters. Password must contain uppercase and lowercase letters, numbers and symbols (not allowed symbols - \ " ; ' ~). Example for a password: **P@ssw0rd1234!** (Don't use this!). Strong passwords can also be generated here (website by a well-known antivirus company Norton): [Norton Password Generator](https://my.norton.com/extspa/passwordmanager?path=pwd-gen)


(<https://my.norton.com/extspa/passwordmanager?path=pwd-gen>)

5.4.2 SQL Server Entra Administrator (optional)

These fields are optional but allows you to configure the SQL Server to accept Administrator logins using Entra Authentication as well, which is a more robust and secure solution than basic authentication.

5.4.2.1 Add Entra user as SQL Server Administrator (optional)

For this you will need to provide the UPN (User principal name) and Object ID of the Entra user you want to be Administrator for this SQL Server. These values can be found in Microsoft Entra ID – Users - (Select user of your choice):



5.4.2.2 Office IP Address (Optional)

Office IP Address is needed for configuration of the SQL Server, for manual access to the database. Azure resources have access by default, but in order to manually access the SQL Database by Administrator, the Office IP address needs to be provided. This step is optional, can be skipped and configured later if necessary or needed, as it won't affect the application in any way.

Steps:

1. The easiest way to find the IP Address is to visit: [What Is My IP Address - See Your Public Address - IPv4 & IPv6](#)
2. Copy the IPv4 field.

6 ENTRA CONFIGURATION

These steps are related to the creation and configuration of Azure Entra Application Registrations, better known as Service Principles. Service principles are used to manage authentication and authorization to the application and different resources, as well as secure access to said resources. These are essential to the Portal application and must be configured correctly.


6.1 Web Service Principal

Create Entra Application for back-end. It serves as an identity for the application's backend service when they need to interact with various Azure resources and services. It allows the backend API to authenticate and authorize with Azure Entra, enables for non-interactive and secure access to different resources.

Steps :

1. Go to Azure Portal – Microsoft Entra ID – App Registrations. Click on “New Registration”.

Fabric Portal – Preparation Deployment Guide



2. Give it a name. Suggested name: **SP_Portal_WEB** or choose your own.
3. Leave the rest of the configuration as is. Click on “Register”.
4. After the App Registration is created, go to “Certificates & Secrets”, create a new secret and set the expiration time to 730 days. Copy the **Value** of the secret and save it somewhere for later use.

Home > App registrations > SP_Portal_WEB

SP_Portal_WEB | Certificates & secrets

Search Got feedback?

Overview
Quickstart
Integration assistant
Diagnose and solve problems
Manage
Branding & properties
Authentication
Certificates & secrets
Token configuration
API permissions
Expose an API
App roles
Owners
Roles and administrators
Manifest
Support + Troubleshooting

Credentials enable confidential applications to identify the application (using an HTTPS scheme). For a higher level of assurance, we recommend using certificates.

Application registration certificates, secrets and federated credentials

Certificates (0) **Client secrets (0)** Federated credentials (0)

A secret string that the application uses to prove its identity to the resource.

+ New client secret

Description	Expires	Value
Portal_Secret	3/14/2027	o-K8Q~1z08Ag3nIWVXcU_b3x~H...

+ New client secret

Description Expires Value

Portal_Secret 3/14/2027 o-K8Q~1z08Ag3nIWVXcU_b3x~H...

5. In the “API Permissions” blade, add the following permissions:

Fabric Portal – Preparation Deployment Guide

- Click on “Add a permission”. Then select **Microsoft Graph - Application permissions**:

The screenshot shows the Microsoft Entra ID 'API permissions' page for the application 'SP_Portal_WEB'. The left navigation pane has 'API permissions' selected. The main area shows 'Configured permissions' with a table listing permissions for 'Microsoft Graph (1)'. The 'Add a permission' button is highlighted. The 'Grant admin consent for' button is also highlighted. The 'Request API permissions' dialog is open, showing 'Microsoft Graph' as the selected API. The 'Application permissions' tab is selected, and the 'Group.Create' and 'Group.Read.All' permissions are checked. The 'Add permissions' button is highlighted.

- Select the following permissions: **Application.ReadWrite.All, Group.Create, Group.ReadWrite.All, User.Invite.All, User.Read, User.ReadWrite.All**
- Then click **Grant admin consent for <tenant name>**
- Make sure you have these permissions enabled for SP_Portal_WEB:

API / Permissions name	Type	Description	Admin consent requ...	Status
Microsoft Graph (6)				
Application.ReadWrite.All	Application	Read and write all applications	Yes	Granted for
Group.Create	Application	Create groups	Yes	Granted for
Group.ReadWrite.All	Application	Read and write all groups	Yes	Granted for
User.Invite.All	Application	Invite guest users to the organization	Yes	Granted for
User.Read	Delegated	Sign in and read user profile	No	Granted for
User.ReadWrite.All	Application	Read and write all users' full profiles	Yes	Granted for

- In the “Expose an API” blade, click on “Add a scope”, then an automatically generated URI will appear, click on “Save and continue” and then configure the following:
 - Scope Name: access_as_user
 - Who can consent? Admins and users
 - Admin consent display name: Access Portal for Fabric
 - Admin consent description: Allows admins to access the Portal for Fabric
 - User consent display name: Access Portal for Fabric
 - User consent description: Allows users to access the Portal for Fabric

Fabric Portal – Preparation Deployment Guide

SP_Portal_WEB Expose an API

Application ID URI:

Scopes defined by this API

Define custom scopes to restrict access to data and functionality protected by the API. An application that requires access to parts of this API can request that a user or admin consent to one or more of these.

Adding a scope here creates only delegated permissions. If you are looking to create application-only scopes, use 'App roles' and define app roles type. [Go to App roles.](#)

+ Add a scope

Scopes	Who can consent	Admin consent display ...	User consent display na
No scopes have been defined			

Authorized client applications

Authorizing a client application indicates that this API trusts the application and users should not be asked to consent when the client calls this API.

+ Add a client application

Client Id	Scopes
No client applications have been authorized	

Edit application ID URI

The globally unique URI used to identify this web API. It is the prefix for so tokens, it is the value of the audience claim. Also referred to as an identifie

Application ID URI:

Save **Discard**

Add a scope

Scope name *
api://a4732f4e-0243-4d57-b9f6-7819f6de7af1/access_as_user

Who can consent? ☐ Admins and users ☐ Admins only

Admin consent display name *

Admin consent description *

User consent display name

User consent description

State ☐ Enabled ☐ Disabled

Add scope **Cancel**

Later, once SPA Service Principal is created, we will add the SPA Service Principal as Authorized Client Application to create trust between the service principals.

Copy the Application (client) ID (found in the Overview blade) and Secret value to the required fields in the deployment window. The Enterprise Object ID will be retrieved later in this guide.


6.2 SPA Service Principal

Create Entra Application for front-end. This service principal enables users to sign in to the Portal using Microsoft identity platform. It is a secure way to acquire tokens that are then used to call protected APIs (the backend service of the application).

Fabric Portal – Preparation Deployment Guide

Steps:

1. Go to Azure Portal – Microsoft Entra ID – App Registrations. Click on “New Registration”.
2. Give it a name. Suggested name: **SP_Portal_SPA**
3. Leave the rest of the configuration as is. Click on “Register”.
4. In the “API Permissions” blade, add the following permissions – in **Graph** --> **Delegated: email, offline_access, openid, profile, User.Read**



5. Also, in “API Permissions” blade, click again on “Add a permission”, the “APIs my organization uses”, then select **SP_Portal_WEB – access_as_user**.

Fabric Portal – Preparation Deployment Guide

< All APIs

 SP_Portal_WEB
api://a4732f4e-0243-4d57-b9f6-7819f6de7af1

What type of permissions does your application require?

Delegated permissions
Your application needs to access the API as the signed-in user.

Application permissions
Your application runs as a background service c
signed-in user.

Select permissions

 Start typing a permission to filter these results

 The "Admin consent required" column shows the default value for an organization. However, user consent can be custo
permission, user, or app. This column may not reflect the value in your organization, or in organizations where this app
[more](#)


Permission	Admin consent
 Permissions (1)	
 access_as_user ⓘ Access Portal for Fabric	No

Add permissions

Discard

Lastly, **Grant admin consent**.

Copy the Application (client) ID to the required field in the deployment. The client ID can be found in the **Overview** blade:



 **SP_Portal_SPA**  ...

 Search  <<  Delete  Endpoints  Preview features

 **Overview**  Quickstart  Integration assistant  Diagnose and solve problems  Manage

 Got a second? We would love your feedback on Microsoft identity platform (previ

Essentials

Display name : [SP_Portal_SPA](#)

Application (client) ID : **fe94b562-9d46-4583-9145-4209d7d2c4f5**

Use this same Client ID to add to **SP_Portal_WEB – Expose an API – Add client application**. Paste the Client ID and select **Authorized scopes**, then click on **Add application**.

6.3 Fabric Service Principal

Create Entra Application for Fabric API Access. Very similar to SP_CustomerPortal_WEB. For visual reference and aid, please take a look at section 5.1.

Steps:

1. Go to Azure Portal – **Microsoft Entra ID – App Registrations**. Click on “**New Registration**”.
2. Give it a name. Suggested name: **SP_Portal_Fabric**
3. Leave the rest of the configuration as is. Click on “Register”.
4. Just like with **SP_Portal_WEB** application, after the App Registration is created, go to “Certificates & Secrets”, create a new secret and set the expiration time to 730 days. Copy the value of the secret.
5. In the “API Permissions” blade, add the following **Delegated** permissions: **PowerBI – Delegated permissions: Capacity.ReadWrite.All, Dashboard.ReadWrite.All, Dataset.ReadWrite.All, PaginatedReport.ReadWrite.All, Report.ReadWrite.All, Workspace.ReadWrite.All** and **Grant Admin Consent**
6. Make sure your newly added permissions look like this:

Configured permissions

Applications are authorized to call APIs when they are granted permissions by users/admins as part of the consent process. The list of configured permissions shows all the permissions the application needs. [Learn more about permissions and consent](#)

[+ Add a permission](#) [✓ Grant admin consent for](#)

API / Permissions name	Type	Description	Admin consent requ...	Status
Microsoft Graph (1)				
User.Read	Delegated	Sign in and read user profile	No	✓ Granted for
Power BI Service (6)				
Capacity.ReadWrite.All	Delegated	Read and write all capacities	No	✓ Granted for
Dashboard.ReadWrite.All	Delegated	Make API calls that require read and write permissions on ...	No	✓ Granted for
Dataset.ReadWrite.All	Delegated	Read and write all datasets	No	✓ Granted for
PaginatedReport.ReadWrite.A	Delegated	Make API calls that require read and write permissions on ...	No	✓ Granted for
Report.ReadWrite.All	Delegated	Make API calls that require read and write permissions on ...	No	✓ Granted for
Workspace.ReadWrite.All	Delegated	Read and write all workspaces	No	✓ Granted for


7. Then add this Service Principal to the **SG_APP_Portal_FabricAdmins** Group in **Microsoft Entra – Groups**.

Copy the Client ID and Secret value to the required field in the deployment page. The required Object ID for **SP_Portal_Fabric** and **SP_Portal_WEB** will be retrieved in the next paragraph.


6.4 Retrieve Enterprise application Object IDs for SP_Portal- WEB and Fabric

To retrieve the Enterprise application Object IDs of the **SP_Portal_WEB** and **SP_Portal_Fabric** service principals, we need to first access the Enterprise Applications blade in Microsoft Entra ID:

1. Go to **Microsoft Entra ID – Enterprise applications**



2. Then search for **SP_Portal_WEB** and copy the **Object ID**. Do the same for **SP_Portal_Fabric** and paste these values into their corresponding fields in the deployment page:



6.5 Fabric Configuration


The following input is needed to connect the portal to Microsoft Fabric Capacity that will be used during the deployment.

If you already have an existing Fabric Capacity, you may use that. If not, then a new Capacity must be created, and Trial version can be used.

NOTE: If you don't have an existing Fabric Capacity License and are having troubles with setup of a regular or trial version, please contact us at: portalsupport@ingraphic.no

Additionally, several settings must be enabled in Fabric for the solution to work.

In Fabric, select the gear icon at the top of the page, then select "Admin portal":



In "Tenant settings", enable the following (see below for image reference):

Section	Setting to be enabled
Microsoft Fabric	Users can create Fabric items
Workspace settings	Create workspaces
Developer settings	Service principals can create workspaces, connections, and deployment pipelines
Developer settings	Service principals can call public Fabric APIs

Fabric Portal – Preparation Deployment Guide

Admin portal

Tenant settings **New**

Usage metrics
Users
Premium Per User
Audit logs
Domains **New**
Workloads
Tags (preview) **New**
Capacity settings
Refresh summary
Embed Codes
Organizational visuals
Azure connections
Workspaces

① There are new or updated tenant settings. Exp

Microsoft Fabric

Users can create Fabric items

Enabled for the entire organization

Users can use production-ready features to create content. This setting doesn't impact users' ability to create Power BI content. [Learn more](#)

☒ Enabled

Apply to:

☒ The entire organization

☐ Specific security groups

☐ Except specific security groups

Admin portal

Tenant settings **New**

Usage metrics
Users
Premium Per User
Audit logs
Domains **New**
Workloads
Tags (preview) **New**
Capacity settings
Refresh summary
Embed Codes

Workspace settings

Create workspaces

Enabled for the entire organization

Users in the organization can create app workspaces to collaborate on dashboards, reports, and other content. Even if this setting is disabled, a workspace will be created when a template app is installed.

☒ Enabled

Apply to:

☒ The entire organization

☐ Specific security groups

Developer settings

- Embed content in apps
Enabled for the entire organization

- Service principals can create workspaces, connections, and deployment pipelines **New**
Enabled for the entire organization

- Service principals can call Fabric public APIs **New**
Enabled for the entire organization

- Allow service principals to create and use profiles
Enabled for the entire organization

6.5.1 Do you have an existing Fabric Capacity which you would like to use? (optional)

This is an optional checkbox to check if you have an already existing Fabric Capacity. If you already have one and would like to use that, please enable this checkbox. And fill the name of the Fabric Capacity resource name into the text field below.


6.5.2 Name of the existing Fabric Capacity resource (optional)

Resource name of the already existing Fabric Capacity resource is required if the above checkbox is checked. The initialization container that sets up the application for use “out of the door” requires the Fabric Capacity resource name in order to retrieve the Capacity License ID.

Please leave this blank if you would like the deployment to create a Fabric Capacity for you.

IMPORTANT!

If you decide to use your own Fabric Capacity, please add the **SP_Portal_Fabric** service principal as **Capacity Administrator** to your existing Fabric Capacity and save:



6.6 Tags


Tags are essential for good organization and resource management in Azure. Good tagging practices allow for easier and better insights and cost management, and helps you categorize resources by department, project or environment.

7 POST DEPLOYMENT

There are several minor things that need to be done post deployment for the application to work as expected.

7.1 Logic app for e-mail invitations

Logic app is required to send invitation e-mails to new and existing customers. The created Logic app resource uses Outlook messaging system to send e-mails, therefore it must be authenticated. Once deployment is done, please go into the API connection resource called **office 365** and authenticate an e-mail address you want e-mails to be sent from. To authenticate, go to **office 365 – General – Edit API connection – Authorize** and then save.



8 FAILING APPLICATION

If the deployment has succeeded, then you can access the application already to confirm that it works. To do so, go to the newly created Resource group and select the frontend container app named **ca-<customername>-cp-front** and click on the URL. If the deployment and initialization is successful, then you will be prompted to sign-in, and after that you will be able to use the application. However, if you were not able to access the application or the application didn't load, please refer to one of the points below.

8.1 Deployment fails

If the deployment is failing, please check the error messages presented under deployment. Make sure you have **Owner permissions** at the Subscription level. If any other problems arise, Azure will let you know by showing you an error message. If you need assistance, please contact us.

8.2 Successful deployment, but the application does not work

If the deployment succeeded, but the application does not work, please check the Container Instance named initialization-container, then go to Settings – Containers – Logs and check for error messages. The most probable issue is that permissions are not correctly set or Fabric hasn't been configured correctly. Please check the permissions and configurations as explained above.

If you have any problems and/or need assistance, please contact us at:
portalsupport@ingraphic.no.