

	1	2	3	4	5	6
A						
B						
C						
D						
	1	2	3	4	5	6

Sheet: [OpenAVRc\\_Power](#)



File: OpenAVRc\_Power.sch

Sheet: [OpenAVRc\\_Sticks](#)




File: OpenAVRc\_Sticks.sch

Sheet: [OpenAVRc\\_I2C](#)




File: OpenAVRc\_I2C.sch

Sheet: [OpenAVRc\\_CoreConnects](#)




File: OpenAVRc\_CoreConnects.sch

Sheet: [OpenAVRc\\_HF\\_Telemetry](#)



File: OpenAVRc\_HF\_Telemetry.sch


Sheet: [OpenAVRc\\_Audio\\_Haptic](#)








File: OpenAVRc\_Audio\_Haptic.sch




Shield pour RC OpenAVRc		
By Antho.breizh / pierrotm777		
Reproduction et commercialisation interdite		
© Team OpenAVRc		
Sheet: /		
File: Mega_2560 core mini_full_2.2.sch		
Title: <b>Shield Mega2560 core Full</b>		
Size: A4	Date: 2019-04-10	Rev: 2.2
KiCad E.D.A. kicad (5.0.2)-1		Id: 1/7












Id: 6/7

## Power Management



Option module DCDC 3A

Option si utilisation du 3.3V dans le montage

Shield pour RC OpenAVRc

By Antho.breizh / pierrotm777  
Reproduction et commercialisation interdite

© Team OpenAVRc

Sheet: /OpenAVRc\_Power/  
File: OpenAVRc\_Power.sch

**Title: Shield Mega2560 core Full**

Size: A4 Date: 2019-04-10

KiCad E.D.A. kicad (5.0.2)-1

**Rev: 2.2**

Id: 7/7