enum

```
so now we will see nmap results
```

```
nmap -sCTV -oN /home/kali/machines/active/love/nmap.txt
10.10.10.239
Starting Nmap 7.91 (https://nmap.org) at 2021-06-10 10:22
EDT
Nmap scan report for
10.10.10.239
Host is up (0.26s
latency).
Not shown: 993 closed
ports
PORT
       STATE SERVICE
VERSION
80/tcp open http
                      Apache httpd 2.4.46 ((Win64) OpenSSL/1.1.1j PHP/-
7.3.27)
| http-cookie-
flags:
 /:
PHPSESSID:
    httponly flag not
set
http-server-header: Apache/2.4.46 (Win64) OpenSSL/1.1.1j PHP/-
7.3.27
| http-title: Voting System using
PHP
                        Microsoft Windows
135/tcp open msrpc
RPC
139/tcp open netbios-ssn Microsoft Windows netbios-
ssn
                       Apache httpd 2.4.46 (OpenSSL/1.1.1j PHP/-
443/tcp open ssl/http
7.3.27)
http-server-header: Apache/2.4.46 (Win64) OpenSSL/1.1.1j PHP/-
7.3.27
http-title: 403
Forbidden
| ssl-cert: Subject: commonName=staging.love.htb/-
organizationName=ValentineCorp/stateOrProvinceName=m/-
countryName=in
```

```
| Not valid before:
2021-01-18T14:00:16
| Not valid after:
2022-01-18T14:00:16
| ssl-date: TLS randomness does not represent
time
Itls-
alpn:
|_ http/-
1.1
445/tcp open microsoft-ds Windows 10 Pro 19042 microsoft-ds (workgroup:
WORKGROUP)
3306/tcp open
mysql?
| fingerprint-
strings:
NULL:
         Host '10.10.14.108' is not allowed to connect to this MariaDB
server
5000/tcp open http
                                                          Apache httpd 2.4.46 (OpenSSL/1.1.1j PHP/7.3.27)
http-server-header: Apache/2.4.46 (Win64) OpenSSL/1.1.1j PHP/7.3.27
| http-title: 403 Forbidden
1 service unrecognized despite returning data. If you know the service/-
version, please submit the following fingerprint at <a href="https://nmap.org/cgi-bin/-">https://nmap.org/cgi-bin/-</a>
submit.cgi?new-service:
SF-Port3306-TCP:V=7.91%I=7%D=6/10%Time=60C22079%P=x86 64-pc-
linux-gnu%r(NU
SF:LL,4B,"G\\0\\0\\x01\\xffj\\x04Host\\x20'10\\.10\\.14\\.108'\\x20is\\x20not\\x20allogerian and a second content of the 
SF:wed\x20to\x20connect\x20to\x20this\x20MariaDB\x20server");
Service Info: Hosts: www.example.com, LOVE, www.love.htb; OS: Windows;
CPE: cpe:/o:microsoft:windows
Host script results:
| clock-skew: mean: 2h53m16s, deviation: 4h02m30s, median: 33m15s
I smb-os-discovery:
     OS: Windows 10 Pro 19042 (Windows 10 Pro 6.3)
     OS CPE: cpe:/o:microsoft:windows 10::-
     Computer name: Love
     NetBIOS computer name: LOVE\x00
     Workgroup: WORKGROUP\x00
     System time: 2021-06-10T07:57:29-07:00
 smb-security-mode:
     account used: <blank>
     authentication_level: user
```

```
challenge response: supported
message signing: disabled (dangerous, but default)
| smb2-security-mode:
  2.02:
    Message signing enabled but not required
I smb2-time:
  date: 2021-06-10T14:57:31
| start date: N/A
Service detection performed. Please report any incorrect results at <a href="https://-">https://-</a>
nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 122.02 seconds
vuln script results
nmap --script vuln
10.10.10.239
Starting Nmap 7.91 ( https://nmap.org ) at 2021-06-10 10:22
EDT
Nmap scan report for
10.10.10.239
Host is up (0.28s
latency).
Not shown: 993 closed
ports
PORT
      STATE
SERVICE
80/tcp open
http
| http-cookie-
flags:
 /:
PHPSESSID:
    httponly flag not
set
 /
admin/:
PHPSESSID:
    httponly flag not
set
 /admin/-
```

```
index.php:
PHPSESSID:
    httponly flag not
set
| /
Admin/:
PHPSESSID:
     httponly flag not
set
| http-
csrf:
| Spidering limited to: maxdepth=3; maxpagecount=20;
withinhost=10.10.10.239
  Found the following possible CSRF
vulnerabilities:
   Path: <a href="http://10.10.10.239:80/">http://10.10.10.239:80/</a>
   Form
id:
   Form action:
login.php
   Path: http://10.10.10.239:80/login.php
   Form
id:
    Form action:
login.php
| http-dombased-xss: Couldn't find any DOM based
XSS.
| http-
enum:
/admin/: Possible admin
folder
  /admin/index.php: Possible admin
folder
/ /Admin/: Possible admin
folder
  /icons/: Potentially interesting folder w/ directory
listing
  /images/: Potentially interesting directory w/ listing on 'apache/2.4.46
```

```
(win64) openssl/1.1.1j php/7.3.27'
http-fileupload-
exploiter:
   Couldn't find a file-type
field.
   Couldn't find a file-type
field.
   Couldn't find a file-type
field.
   Couldn't find a file-type
field.
| http-slowloris-
check:
VULNERABLE:
  Slowloris DOS
attack
   State: LIKELY VULNERABLE
   IDs: CVE:CVE-2007-6750
    Slowloris tries to keep many connections to the target web server open
and hold
    them open as long as possible. It accomplishes this by opening
connections to
    the target web server and sending a partial request. By doing so, it starves
    the http server's resources causing Denial Of Service.
   Disclosure date: 2009-09-17
   References:
    http://ha.ckers.org/slowloris/
    https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2007-6750
http-sql-injection:
  Possible sqli for queries:
   http://10.10.10.239:80/bower_components/jquery/dist/?-
C=M%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=N%3bO%3dD%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=D%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=S%3bO%3dA%27%20OR%20sqlspider
```

```
http://10.10.10.239:80/bower components/jquery/dist/?-
C=N%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=D%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=S%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=M%3bO%3dD%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/?-
C=M%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/?-
C=D%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/?-
C=N%3bO%3dD%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/?-
C=S%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=M%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=D%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=S%3bO%3dA%27%20OR%20sqlspider
   http://10.10.10.239:80/bower components/jquery/dist/?-
C=N%3bO%3dA%27%20OR%20sqlspider
| http-stored-xss: Couldn't find any stored XSS vulnerabilities.
| http-trace: TRACE is enabled
http-vuln-cve2017-1001000: ERROR: Script execution failed (use -d to debug)
135/tcp open msrpc
139/tcp open netbios-ssn
443/tcp open https
| http-aspnet-debug: ERROR: Script execution failed (use -d to debug)
| http-csrf: Couldn't find any CSRF vulnerabilities.
| http-dombased-xss: Couldn't find any DOM based XSS.
| http-enum:
/icons/: Potentially interesting folder w/ directory listing
| http-slowloris-check:
  VULNERABLE:
  Slowloris DOS attack
   State: LIKELY VULNERABLE
   IDs: CVE:CVE-2007-6750
    Slowloris tries to keep many connections to the target web server open
and hold
    them open as long as possible. It accomplishes this by opening
connections to
```

```
the target web server and sending a partial request. By doing so, it starves
    the http server's resources causing Denial Of Service.
   Disclosure date: 2009-09-17
   References:
    http://ha.ckers.org/slowloris/
    https://cve.mitre.org/cgi-bin/cvename.cgi?name=CVE-2007-6750
| http-stored-xss: Couldn't find any stored XSS vulnerabilities.
| http-trace: TRACE is enabled
| sslv2-drown:
445/tcp open microsoft-ds
3306/tcp open mysql
| mysgl-vuln-cve2012-2122: ERROR: Script execution failed (use -d to debug)
| sslv2-drown:
5000/tcp open upnp
Host script results:
| samba-vuln-cve-2012-1182: NT STATUS ACCESS DENIED
smb-vuln-ms10-054: false
| smb-vuln-ms10-061: NT STATUS ACCESS DENIED
Nmap done: 1 IP address (1 host up) scanned in 368.94 seconds
nmap result of complete port scan result
nmap -sCV -p- -oN /home/kali/machines/active/love/nmap_complete.txt
10.10.10.239
Starting Nmap 7.91 ( <a href="https://nmap.org">https://nmap.org</a> ) at 2021-06-10 10:23
EDT
Stats: 0:29:37 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth
Scan
SYN Stealth Scan Timing: About 81.74% done; ETC: 10:59 (0:06:37
remaining)
Stats: 0:30:51 elapsed; 0 hosts completed (1 up), 1 undergoing SYN Stealth
Scan
SYN Stealth Scan Timing: About 85.84% done; ETC: 10:59 (0:05:05
remaining)
Nmap scan report for
10.10.10.239
Host is up (0.24s
latency).
Not shown: 65453 closed ports, 63 filtered
```

```
ports
        STATE SERVICE
PORT
VERSION
80/tcp
        open http
                       Apache httpd 2.4.46 ((Win64) OpenSSL/1.1.1j PHP/-
7.3.27)
| http-cookie-
flags:
| /:
PHPSESSID:
    httponly flag not
set
http-server-header: Apache/2.4.46 (Win64) OpenSSL/1.1.1j PHP/-
7.3.27
| http-title: Voting System using
PHP
                         Microsoft Windows
135/tcp open msrpc
RPC
139/tcp open netbios-ssn Microsoft Windows netbios-
ssn
443/tcp open ssl/http
                        Apache httpd 2.4.46 (OpenSSL/1.1.1j PHP/-
7.3.27)
http-server-header: Apache/2.4.46 (Win64) OpenSSL/1.1.1j PHP/-
7.3.27
http-title: 403
Forbidden
| ssl-cert: Subject: commonName=staging.love.htb/-
organizationName=ValentineCorp/stateOrProvinceName=m/-
countryName=in
| Not valid before:
2021-01-18T14:00:16
| Not valid after:
2022-01-18T14:00:16
| ssl-date: TLS randomness does not represent
time
| tls-
alpn:
http/-
1.1
445/tcp open microsoft-ds Windows 10 Pro 19042 microsoft-ds (workgroup:
WORKGROUP)
3306/tcp open
mysql?
| fingerprint-
```

```
strings:
| LPDString,
X11Probe:
   Host '10.10.14.108' is not allowed to connect to this MariaDB
server
                        Apache httpd 2.4.46 (OpenSSL/1.1.1j PHP/-
5000/tcp open http
7.3.27)
http-server-header: Apache/2.4.46 (Win64) OpenSSL/1.1.1j PHP/-
7.3.27
| http-title: 403
Forbidden
5040/tcp open
unknown
5985/tcp open http
                        Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
| http-server-header: Microsoft-HTTPAPI/-
2.0
                                                                    [21/61]
| http-title: Not Found
5986/tcp open ssl/http
                        Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
http-server-header: Microsoft-HTTPAPI/2.0
| http-title: Not Found
| ssl-cert: Subject: commonName=LOVE
| Subject Alternative Name: DNS:LOVE, DNS:Love
| Not valid before: 2021-04-11T14:39:19
| Not valid after: 2024-04-10T14:39:19
| ssl-date: 2021-06-10T15:34:23+00:00; +33m14s from scanner time.
| tls-alpn:
| http/1.1
7680/tcp open pando-pub?
                        Microsoft HTTPAPI httpd 2.0 (SSDP/UPnP)
47001/tcp open http
| http-server-header: Microsoft-HTTPAPI/2.0
| http-title: Not Found
49664/tcp open msrpc
                          Microsoft Windows RPC
                          Microsoft Windows RPC
49665/tcp open msrpc
49666/tcp open msrpc
                          Microsoft Windows RPC
                          Microsoft Windows RPC
49667/tcp open msrpc
49668/tcp open msrpc
                          Microsoft Windows RPC
49669/tcp open msrpc
                          Microsoft Windows RPC
49670/tcp open msrpc
                          Microsoft Windows RPC
1 service unrecognized despite returning data. If you know the service/-
version, please submit the following fingerprint at <a href="https://nmap.org/cgi-bin/-">https://nmap.org/cgi-bin/-</a>
submit.cgi?new-service
linux-gnu%r(X1
```

```
SF:1Probe,4B,"G\0\0\x01\xffj\x04Host\x20'10\.10\.14\.108'\x20is\x20not\x20
SF:allowed\x20to\x20connect\x20to\x20this\x20MariaDB\x20server")-
%r(LPDStri
SF:ng,4B,"G\0\0\x01\xffj\x04Host\x20'10\.10\.14\.108'\x20is\x20not\x20allo
SF:wed\x20to\x20connect\x20to\x20this\x20MariaDB\x20server");
Service Info: Hosts: www.example.com, LOVE, www.love.htb; OS: Windows;
CPE: cpe:/o:microsoft:windows
Host script results:
| clock-skew: mean: 2h18m14s, deviation: 3h30m00s, median: 33m13s
| smb-os-discovery:
  OS: Windows 10 Pro 19042 (Windows 10 Pro 6.3)
  OS CPE: cpe:/o:microsoft:windows 10::-
  Computer name: Love
  NetBIOS computer name: LOVE\x00
  Workgroup: WORKGROUP\x00
  Workgroup: WORKGROUP\x00
System time: 2021-06-10T08:34:05-07:00
smb-security-mode:
  account used: <blank>
  authentication level: user
  challenge response: supported
message signing: disabled (dangerous, but default)
smb2-security-mode:
  2.02:
   Message signing enabled but not required
l smb2-time:
 date: 2021-06-10T15:34:11
| start date: N/A
Service detection performed. Please report any incorrect results at <a href="https://-">https://-</a>
nmap.org/submit/
Nmap done: 1 IP address (1 host up) scanned in 2268.97 seconds
hash-- aab42ca009fed69fa5ee57c52cf5bcf1
open ports
80/tcp open http Apache httpd 2.4.46 ((Win64)
                        Microsoft Windows RPC
135/tcp open msrpc
139/tcp open netbios-ssn Microsoft Windows netbios-ssn
```

443/tcp open ssl/http Apache httpd 2.4.46

445/tcp open microsoft-ds Windows 10 Pro 19042 microsoft-ds

3306/tcp open mysql?

5000/tcp open http Apache httpd 2.4.46

80/tcp open http Apache httpd 2.4.46

135/tcp open msrpc Microsoft Windows RPC

139/tcp open netbios-ssn Microsoft Windows netbios-

ssn

443/tcp open ssl/http Apache httpd 2.4.46

445/tcp open microsoft-ds Windows 10 Pro 19042 microsoft-ds (workgroup: WORKGROUP)

3306/tcp open mysql?

5000/tcp open http Apache httpd 2.4.46

5040/tcp open unknown

5985/tcp open http Microsoft HTTPAPI httpd 2.0

5986/tcp open ssl/http Microsoft HTTPAPI httpd 2.0


7680/tcp open pando-pub


47001/tcp open http

found some domain names

staging.love.htb www.love.htb;

so going to default page we found this page





love.htb is same but the 2nd domain name took us to this page

lets signup to this

in love.htb we found this

/images (Status: 301) [Size: 330] [--> http://love.htb/images/]

/index.php (Status: 200) [Size:

4388]

/login.php (Status: 302) [Size: 0] [-->

index.php]

/home.php (Status: 302) [Size: 0] [-->

index.php]

/Images (Status: 301) [Size: 330] [--> http://love.htb/Images/]

/admin (Status: 301) [Size: 329] [--> http://love.htb/admin/]

/Home.php (Status: 302) [Size: 0] [-->

index.php]

/plugins (Status: 301) [Size: 331] [--> http://love.htb/plugins/]

/includes (Status: 301) [Size: 332] [--> http://love.htb/includes/]

/Index.php (Status: 200) [Size:

4388]

/Login.php (Status: 302) [Size: 0] [-->

index.php]

/examples (Status: 503) [Size:

3981

/logout.php (Status: 302) [Size: 0] [-->

index.php]

/preview.php (Status: 302) [Size: 0] [-->

index.php]

/dist (Status: 301) [Size: 328] [--> http://love.htb/dist/]

/licenses (Status: 403) [Size:

4171

/IMAGES (Status: 301) [Size: 330] [--> http://love.htb/IMAGES/]

/%20 (Status: 403) [Size:


298]

/INDEX.php (Status: 200) [Size: 4388]

/examples

we found nothing we have to look we finally found that the staging.love.htb we can run localhost to port 5000 which is forbidden to see the page

go to demo




and we found this

credentials which clearly says vote admin creds are **admin**:

@LoveIsInTheAir!!!!


lets try to login using the credentials


go to http://love.htb/admin/ because we have admin credentials



and we have a login

we went to top right and saw to update profile we updated it with a reverse shell





Admin Profile	×
Username	admin
Password	•••••••••
Firstname	Neovic
Lastname	Devierte
Photo:	Browse reverse-shell.php
Current Password:	•••••
≭ Close	☑ Save

and now lets enable listner

https://github.com/ivan-sincek/php-reverse-shell/blob/master/src/minified/-

php reverse shell mini.php

this reverse shell works

C:\>whoami love\phoebe

C:\>

C:\Users\Phoebe\Desktop>cat user.txt
'cat' is not recognized as an internal o
operable program or batch file.

C:\Users\Phoebe\Desktop>type user.txt
ef6a8f277c33a36a39b8001779770d8d

C:\Users\Phoebe\Desktop>

going further we have user.txt

flag --- ef6a8f277c33a36a39b8001779770d8d