



# ALL MANUFACTURER-SPECIFIC CODES

Compiled by ***OBDCodeX***



[www.obdcodex.com](http://www.obdcodex.com)

| CODES              | DEFINITION                                                                  |
|--------------------|-----------------------------------------------------------------------------|
| <b>Acura B1000</b> | Communication Bus Line Error                                                |
| <b>Acura B1001</b> | Multiplex Integrated Control Unit (MICU) Internal Error                     |
| <b>Acura B1002</b> | Multiplex Integrated Control Unit (MICU) Internal Error                     |
| <b>Acura B1005</b> | MICU Lost Communication with Relay Control Module (RM Message)              |
| <b>Acura B1007</b> | MICU Lost Communication with Combination Switch Control Unit (HLSW Message) |
| <b>Acura B1008</b> | MICU Lost Communication With Gauge Control Module (A/T Message)             |
| <b>Acura B1011</b> | MICU Lost Communication with Gauge Control Module (VSP/NE Message)          |
| <b>Acura B1012</b> | MICU Lost Communication with Rear MICU (RJC Message)                        |
| <b>Acura B1013</b> | MICU Lost Communication with Driver's MPCS Unit (ASLOCKSW Message)          |
| <b>Acura B1014</b> | MICU Lost Communication With Driver's MPCS Unit (DOORSW Message)            |
| <b>Acura B1015</b> | MICU Lost Communication with Driver's MPCS Unit (DRLOCKSW Message)          |
| <b>Acura B1016</b> | MICU Lost Communication With Keyless Access Control Unit (PANIC Message)    |
| <b>Acura B1032</b> | MICU Lost Communication with the SRS Unit (CDS Message)                     |
| <b>Acura B1050</b> | Communication Bus Line Error                                                |
| <b>Acura B1051</b> | Relay Control Module Internal (CPU) Error                                   |
| <b>Acura B1052</b> | Relay Control Module Internal (EEPROM) Error                                |
| <b>Acura B1055</b> | Relay Control Module Lost Communication with MICU (MICU Message)            |

| CODES              | DEFINITION                                                                                   |
|--------------------|----------------------------------------------------------------------------------------------|
| <b>Acura B1056</b> | Relay Control Module Lost Communication with MICU (ALARM Message)                            |
| <b>Acura B1057</b> | Relay Control Module Lost Communication with MICU (DOORSW Message)                           |
| <b>Acura B1060</b> | Relay Control Module Lost Communication with Gauge Control Module (VPS/NE Message)           |
| <b>Acura B1061</b> | Relay Control Module Lost Communication with Gauge Control Module (A/T Message)              |
| <b>Acura B1062</b> | Relay Control Module Lost Communication with Combination Switch Control Unit (HLSW Message)  |
| <b>Acura B1063</b> | Relay Control Module Lost Communication with Combination Switch Control Unit (WIPSW Message) |
| <b>Acura B1064</b> | Relay Control Module Lost Communication With Driver's MPCS Unit (DOORSW Message)             |
| <b>Acura B1065</b> | Relay Control Module Lost Communication with Driver's MPCS Unit (DRLOCKSW Message)           |
| <b>Acura B1066</b> | Relay Control Module Lost Communication With Keyless Access Control Unit (PANIC Message)     |
| <b>Acura B1075</b> | Headlight Switch Back-up Circuit Malfunction                                                 |
| <b>Acura B1076</b> | Windshield Wiper Switch Back-up Circuit Malfunction                                          |
| <b>Acura B1077</b> | Windshield Wiper Auto Switch Circuit Malfunction                                             |
| <b>Acura B1078</b> | Daytime Running Lights System Error                                                          |
| <b>Acura B1079</b> | Daytime Running Lights Malfunction                                                           |
| <b>Acura B1080</b> | Power Supply Circuit (IG1 Line) Input Error for Relay Control Module and MICU                |
| <b>Acura B1132</b> | Left Rear Power Window Motor Pulse A Error                                                   |
| <b>Acura B1133</b> | Left Rear Power Window Motor Pulse B Error                                                   |
| <b>Acura B1134</b> | Right Rear Power Window Motor Pulse A Error                                                  |

| CODES              | DEFINITION                                                                                      |
|--------------------|-------------------------------------------------------------------------------------------------|
| <b>Acura B1135</b> | Right Rear Power Window Motor Pulse B Error                                                     |
| <b>Acura B1136</b> | Right Rear Power Window Switch Internal Error                                                   |
| <b>Acura B1147</b> | Left Rear Power Window Position Information Error                                               |
| <b>Acura B1148</b> | Left Rear Power Window Switch Internal Error                                                    |
| <b>Acura B1149</b> | Right Rear Power Window Position Information Error                                              |
| <b>Acura B1150</b> | Communication Bus Line Error                                                                    |
| <b>Acura B1152</b> | Gauge Control Module Internal (EEPROM) Error                                                    |
| <b>Acura B1155</b> | Gauge Control Module Lost Communication with Combination Switch Control Unit (HLSW Message)     |
| <b>Acura B1156</b> | Gauge Control Module Lost Communication with Combination Switch Control Unit (WIPSW Message)    |
| <b>Acura B1157</b> | Gauge Control Module Lost Communication with MICU (MICU Message)                                |
| <b>Acura B1158</b> | Gauge Control Module Lost Communication with Relay Control Module (RM Message)                  |
| <b>Acura B1159</b> | Gauge Control Module Lost Communication with MICU (DOORSW Message)                              |
| <b>Acura B1161</b> | Gauge Control Module Lost Communication With Keyless Access Control Unit (REMOTE ID Message)    |
| <b>Acura B1162</b> | Gauge Control Module Lost Communication with Power Tailgate (PTG Message)                       |
| <b>Acura B1166</b> | Gauge Control Module Lost Communication With Adaptive Front Lighting Control Unit (AFS Message) |
| <b>Acura B1168</b> | Gauge Control Module Lost Communication with PCM (ENG Message)                                  |
| <b>Acura B1169</b> | Gauge Control Module Lost Communication with the PCM (A/T Message)                              |

| CODES              | DEFINITION                                                                                   |
|--------------------|----------------------------------------------------------------------------------------------|
| <b>Acura B1170</b> | Gauge Control Module Lost Communication with the VSA Modulator-Control Unit (VSA Message)    |
| <b>Acura B1171</b> | Gauge Control Module Lost Communication With Adaptive Cruise Control Unit (ACC Message)      |
| <b>Acura B1173</b> | Gauge Control Module Lost Communication with the TPMS Control Unit (TPMS Message)            |
| <b>Acura B1175</b> | Fuel Level Sensor (Fuel Gauge Sending Unit) Circuit Open                                     |
| <b>Acura B1176</b> | Fuel Level Sensor (Fuel Gauge Sending Unit) Circuit Short                                    |
| <b>Acura B1177</b> | Battery Voltage Abnormal                                                                     |
| <b>Acura B1178</b> | F-CAN Communication Line Error                                                               |
| <b>Acura B1180</b> | Gauge Control Module Lost Communication with MICU (AUTOLT Message)                           |
| <b>Acura B1181</b> | Gauge Control Module Lost Communication With Driver's MPCS Unit (DOORSW Message)             |
| <b>Acura B1182</b> | Gauge Control Module Lost Communication with Driver's MPCS Unit (DRLOCKSW Message)           |
| <b>Acura B1187</b> | Gauge Control Module Lost Communication with SRS Unit (SRS Message)                          |
| <b>Acura B1188</b> | Gauge Control Module Lost Communication with the MICU (RM Message)                           |
| <b>Acura B1189</b> | Gauge Control Module Lost Communication with Active Damper System Control Unit (ADS Message) |
| <b>Acura B1200</b> | Communication Bus Line Error                                                                 |
| <b>Acura B1202</b> | Climate Control Unit Internal Error                                                          |
| <b>Acura B1205</b> | Climate Control Unit Lost Communication with Gauge Control Module (VSP/NE message)           |
| <b>Acura B1206</b> | Climate Control Unit Lost Communication with Gauge Control Module (ECT message)              |

| CODES              | DEFINITION                                                                                |
|--------------------|-------------------------------------------------------------------------------------------|
| <b>Acura B1207</b> | Climate Control Unit Lost Communication with Gauge Control Module (ILLUMI message)        |
| <b>Acura B1208</b> | Climate Control Unit Lost Communication with Keyless Access Control Unit (FOB ID message) |
| <b>Acura B1213</b> | An Open in the Rear Evaporator Temperature Sensor Circuit                                 |
| <b>Acura B1214</b> | Short in the Rear Evaporator Temperature Sensor Circuit                                   |
| <b>Acura B1215</b> | Open or Short in the Recirculation Control Motor Circuit                                  |
| <b>Acura B1223</b> | Problem in the Rear Blower Motor Circuit                                                  |
| <b>Acura B1225</b> | Open in the In-car Temperature Sensor Circuit                                             |
| <b>Acura B1226</b> | Short in the In-car Temperature Sensor Circuit                                            |
| <b>Acura B1227</b> | Open in the Outside Air Temperature Sensor Circuit                                        |
| <b>Acura B1228</b> | Short in the Outside Air Temperature Sensor Circuit                                       |
| <b>Acura B1229</b> | Open in the Sunlight Sensor Circuit                                                       |
| <b>Acura B1230</b> | Short in the Sunlight Sensor Circuit                                                      |
| <b>Acura B1231</b> | Open in the Front Evaporator Temperature Sensor Circuit                                   |
| <b>Acura B1232</b> | Short in the Front Evaporator Temperature Sensor Circuit                                  |
| <b>Acura B1233</b> | Open in the Driver's Air Mix Control Motor Circuit                                        |
| <b>Acura B1234</b> | Short in the Driver's Air Mix Control Motor Circuit                                       |
| <b>Acura B1235</b> | Problem in the Driver's Air Mix Control Linkage, Door, or Motor Circuit                   |
| <b>Acura B1236</b> | Open in the Passenger's Air Mix Control Motor Circuit                                     |
| <b>Acura B1237</b> | Short in the Passenger's Air Mix Control Motor Circuit                                    |

| CODES              | DEFINITION                                                                  |
|--------------------|-----------------------------------------------------------------------------|
| <b>Acura B1238</b> | A Problem in the Passenger's Air Mix Control Linkage, Door, or Motor        |
| <b>Acura B1239</b> | Open or Short in the Front Mode Control Motor Circuit                       |
| <b>Acura B1240</b> | Problem in the Front Mode Control Linkage, Doors, or Motor Circuit          |
| <b>Acura B1241</b> | Problem in the Front Blower Motor Circuit                                   |
| <b>Acura B1244</b> | Open in the Rear Air Mix Control Motor Circuit                              |
| <b>Acura B1245</b> | Short in the Rear Air Mix Control Motor Circuit                             |
| <b>Acura B1246</b> | Problem in the Rear Air Mix Control Linkage, Door, or Motor Circuit         |
| <b>Acura B1250</b> | Communication Bus Line Error                                                |
| <b>Acura B1252</b> | Combination Switch Control Unit Internal (EEPROM) Error                     |
| <b>Acura B1255</b> | Combination Switch Control Unit Lost Communication with MICU (MICU Message) |
| <b>Acura B1275</b> | Combination Light Switch OFF Position Circuit Malfunction                   |
| <b>Acura B1276</b> | Combination Light Switch Parking (SMALL) Position Circuit Malfunction       |
| <b>Acura B1277</b> | Headlight Switch AUTO Position Circuit Malfunction                          |
| <b>Acura B1278</b> | Headlight Switch ON Position Circuit Malfunction                            |
| <b>Acura B1279</b> | Headlight Switch DIMMER Position Circuit Malfunction                        |
| <b>Acura B1280</b> | Turn Signal Switch Circuit Malfunction                                      |
| <b>Acura B1281</b> | Windshield Wiper Switch MIST Position Circuit Malfunction                   |
| <b>Acura B1282</b> | Windshield Wiper Switch INT (AUTO) Position Circuit Malfunction             |

| CODES              | DEFINITION                                                                                |
|--------------------|-------------------------------------------------------------------------------------------|
| <b>Acura B1283</b> | Windshield Wiper Switch LOW Position Circuit Malfunction                                  |
| <b>Acura B1284</b> | Windshield Wiper Switch HIGH Position Circuit Malfunction                                 |
| <b>Acura B1350</b> | Communication Bus Line Error                                                              |
| <b>Acura B1352</b> | Power Tailgate Control Unit Internal (EEPROM) Error                                       |
| <b>Acura B1355</b> | Power Tailgate Control Unit Lost Communication with MICU (MICU Message)                   |
| <b>Acura B1356</b> | Power Tailgate Control Unit Lost Communication with Driver's MPCU Unit (DRLOCKSW Message) |
| <b>Acura B1357</b> | Power Tailgate Control Unit Lost Communication with Gauge Control Module (VSP/NE Message) |
| <b>Acura B1358</b> | Power Tailgate Control Unit Lost Communication with Driver's MPCU Unit (ASLOCKSW Message) |
| <b>Acura B1359</b> | Power Tailgate Control Unit Lost Communication with Gauge Control Module (A/T Message)    |
| <b>Acura B1375</b> | Driver's Door Power Tailgate Switch Circuit Malfunction                                   |
| <b>Acura B1376</b> | Tailgate Outer Handle Switch Circuit Malfunction                                          |
| <b>Acura B1377</b> | Inside Tailgate Switch Circuit Malfunction                                                |
| <b>Acura B1378</b> | Power Tailgate Right Pinch Sensor Circuit Malfunction                                     |
| <b>Acura B1379</b> | Power Tailgate Left Pinch Sensor Circuit Malfunction                                      |
| <b>Acura B1380</b> | Power Tailgate Closer Unit Neutral Switch Circuit Malfunction                             |
| <b>Acura B1381</b> | Power Tailgate Closer Unit Release Switch Circuit Malfunction                             |
| <b>Acura B1382</b> | Power Tailgate Closer Unit Full Latch Switch Circuit Malfunction                          |



| CODES              | DEFINITION                                                                              |
|--------------------|-----------------------------------------------------------------------------------------|
| <b>Acura B1383</b> | Power Tailgate Closer Unit Ratchet Switch Circuit Malfunction                           |
| <b>Acura B1384</b> | Power Tailgate Closer Unit Half Latch Switch Circuit Malfunction                        |
| <b>Acura B1386</b> | Power Tailgate Sensor Pulse A Circuit Malfunction                                       |
| <b>Acura B1387</b> | Power Tailgate Sensor Pulse B Circuit Malfunction                                       |
| <b>Acura B1388</b> | Power Tailgate Motor Circuit Malfunction                                                |
| <b>Acura B1389</b> | Power Tailgate Motor Clutch Circuit Malfunction                                         |
| <b>Acura B1390</b> | Power Tailgate Closer Function Error                                                    |
| <b>Acura B1575</b> | Automatic Lighting Sensor Circuit Malfunction                                           |
| <b>Acura B1600</b> | Communication Bus Line Error                                                            |
| <b>Acura B1605</b> | Keyless Access Control Unit Lost Communication With MICU (MICU Message)                 |
| <b>Acura B1750</b> | Communication Bus Line Error                                                            |
| <b>Acura B1775</b> | Microphone Input/Output Short to Power/Open                                             |
| <b>Acura B1776</b> | Microphone Input/Output Short to Ground/Open                                            |
| <b>Acura B1779</b> | HFL Switch (HFL TALK/HFL BACK Buttons) Circuit Open/Short                               |
| <b>Acura B1780</b> | HFL Switch (HFL TALK/HFL BACK Buttons) Circuit Short                                    |
| <b>Acura B1785</b> | Incorrect Configuration (VEHINFO Frame)                                                 |
| <b>Acura B1786</b> | HandsFreeLink Control Unit Lost Communication with Gauge Control Module (VEHINFO Frame) |
| <b>Acura B1792</b> | HandsFreeLink Control Unit Internal Error                                               |
| <b>Acura B1800</b> | Communication Bus Line Error                                                            |
| <b>Acura B1802</b> | Power Seat Control Unit Internal (EEPROM) Error                                         |

| CODES              | DEFINITION                                                                                              |
|--------------------|---------------------------------------------------------------------------------------------------------|
| <b>Acura B1805</b> | Power Seat Control Unit Lost Communication with Gauge Control Module (VSP/NE Message)                   |
| <b>Acura B1806</b> | Power Seat Control Unit Lost Communication with MICU (MICU Message)                                     |
| <b>Acura B1808</b> | Power Seat Control Unit Lost Communication with Gauge Control Module (A/T Message)                      |
| <b>Acura B1810</b> | Power Seat Control Unit Lost Communication with MICU (MIRRORSW Message)                                 |
| <b>Acura B1811</b> | Power Seat Control Unit Lost Communication with MICU (DOORSW Message)                                   |
| <b>Acura B1812</b> | Power Seat Control Unit Lost Communication with Driver's MPCU Unit (MEMSW Message)                      |
| <b>Acura B1825</b> | Power Seat Slide Motor Pulse Error                                                                      |
| <b>Acura B1826</b> | Power Seat Front Up-down Motor Pulse Error                                                              |
| <b>Acura B1827</b> | Power Seat Rear Up-down Motor Pulse Error                                                               |
| <b>Acura B1828</b> | Power Seat Recline Motor Pulse Error                                                                    |
| <b>Acura B1829</b> | A/T P Signal and VSS Signal Mismatch                                                                    |
| <b>Acura B1835</b> | Power Tilt/Telescopic Steering Switch Signal Input Error                                                |
| <b>Acura B1836</b> | Power Seat Position Sensor Circuit Short                                                                |
| <b>Acura B1837</b> | Driving Position Memory Recall Timeout                                                                  |
| <b>Acura B1840</b> | Tilt Motor Pulse Error                                                                                  |
| <b>Acura B1841</b> | Telescopic Motor Pulse Error                                                                            |
| <b>Acura B1842</b> | Power Tilt/Telescopic Position Sensor Power Supply Circuit (SVCC Line) Short                            |
| <b>Acura B1843</b> | Power Seat Control Unit Lost Communication with Power Tilt/Telescopic Steering Control Unit (UART line) |
| <b>Acura B1844</b> | Power Seat Slide Switch Circuit Malfunction                                                             |

| CODES              | DEFINITION                                                                                     |
|--------------------|------------------------------------------------------------------------------------------------|
| <b>Acura B1845</b> | Power Seat Recline Switch Circuit Malfunction                                                  |
| <b>Acura B1846</b> | Power Seat Front Up-Down Switch Circuit Malfunction                                            |
| <b>Acura B1847</b> | Power Seat Rear Up-Down Switch Circuit Malfunction                                             |
| <b>Acura B1900</b> | Communication Bus Line Error                                                                   |
| <b>Acura B1905</b> | Immobilizer-Keyless Control Unit Lost Communication with Driver's MPCS Unit (DRLOCKSW Message) |
| <b>Acura B1906</b> | Immobilizer-Keyless Control Unit Lost Communication with Gauge Control Module (A/T Message)    |
| <b>Acura B1950</b> | Communication Bus Line Error                                                                   |
| <b>Acura B1955</b> | Rear MICU Lost Communication with MICU (MICU Message)                                          |
| <b>Acura B1956</b> | Rear MICU Lost Communication with Gauge Control Module (A/T Message)                           |
| <b>Acura B1957</b> | Rear MICU Lost Communication with Combination Switch Control Unit (HLSW Message)               |
| <b>Acura B1958</b> | Rear MICU Lost Communication with Combination Switch Control Unit (WIPSW Message)              |
| <b>Acura B1959</b> | Rear MICU Lost Communication with Relay Control Module (RM Message)                            |
| <b>Acura B2100</b> | Communication Bus Line Error                                                                   |
| <b>Acura B2150</b> | Communication Bus Line Error                                                                   |
| <b>Acura B2152</b> | Driver's MPCS Unit Internal (EEPROM) Error                                                     |
| <b>Acura B2155</b> | Driver's MPCS Unit Lost Communication with MICU (MICU Message)                                 |
| <b>Acura B2156</b> | Driver's MPCS Unit Lost Communication with MICU (MIRRORSW Message)                             |
| <b>Acura B2157</b> | Driver's MPCS Unit Lost Communication with Gauge Control Module (ILLUMI Message)               |

| CODES              | DEFINITION                                                                                                       |
|--------------------|------------------------------------------------------------------------------------------------------------------|
| <b>Acura B2160</b> | Driver's MPCS Unit Lost Communication with Gauge Control Module (VSP/NE Message)                                 |
| <b>Acura B2161</b> | Driver's MPCS Unit Lost Communication with MICU (DOORSW Message)                                                 |
| <b>Acura B2162</b> | Driver's MPCS Unit Lost Communication with Relay Control Module (RM Message)                                     |
| <b>Acura B2175</b> | Driver's Power Window Motor Pulse A Error                                                                        |
| <b>Acura B2176</b> | Driver's Power Window Motor Pulse B Error                                                                        |
| <b>Acura B2177</b> | Front Passenger's Power Window Motor Pulse A Error                                                               |
| <b>Acura B2178</b> | Front Passenger's Power Window Motor Pulse B Error                                                               |
| <b>Acura B2179</b> | Driver's Door Key Cylinder Switch LOCK/UNLOCK Signal Error                                                       |
| <b>Acura B2180</b> | Driver's Door Lock Switch LOCK/UNLOCK Signal Error                                                               |
| <b>Acura B2181</b> | Driver's Door Lock Knob Switch LOCK/UNLOCK Signal Error                                                          |
| <b>Acura B2182</b> | Left Power Mirror Horizontal Sensor Signal Error                                                                 |
| <b>Acura B2183</b> | Left Power Mirror Vertical Sensor Signal Error                                                                   |
| <b>Acura B2184</b> | Right Power Mirror Horizontal Sensor Signal Error                                                                |
| <b>Acura B2185</b> | Right Power Mirror Vertical Sensor Signal Error                                                                  |
| <b>Acura B2186</b> | Front Passenger's Door Lock Switch LOCK/UNLOCK Signal Error                                                      |
| <b>Acura B2187</b> | Communication Line (UART Line) Driver's MPCS Unit cannot send UART messages.                                     |
| <b>Acura B2188</b> | Communication Line (UART Line) Driver's MPCS Unit cannot receive UART messages from Front Passenger's MPCS Unit. |
| <b>Acura B2189</b> | Driver's Power Window Position Detect Circuit Error                                                              |

| CODES              | DEFINITION                                                                                         |
|--------------------|----------------------------------------------------------------------------------------------------|
| <b>Acura B2190</b> | Front Passenger's Power Window Position Detect Circuit Error                                       |
| <b>Acura B2191</b> | Front Passenger's MPCS Unit Internal (EEPROM) Error                                                |
| <b>Acura B2200</b> | Communication Bus Line Error                                                                       |
| <b>Acura B2202</b> | AcuraLink Control Unit EEPROM Error                                                                |
| <b>Acura B2204</b> | B-CAN Communication Line Error                                                                     |
| <b>Acura B2205</b> | F-CAN Communication Line Error                                                                     |
| <b>Acura B2206</b> | SRS Unit Lost Communication with AcuraLink Control Unit (XM receiver)                              |
| <b>Acura B2207</b> | Navigation Unit Lost Communication with AcuraLink Control Unit                                     |
| <b>Acura B2208</b> | HandsFreeLink Control Unit Lost Communication with AcuraLink Control Unit                          |
| <b>Acura B2209</b> | AcuraLink Control Unit Internal Error                                                              |
| <b>Acura B2211</b> | F-CAN Communication Line Error with PCM                                                            |
| <b>Acura B2212</b> | Gauge Control Module Lost F-CAN Communication Line Error with AcuraLink Control Unit (XM receiver) |
| <b>Acura B2240</b> | XM Antenna Error                                                                                   |
| <b>Acura B2248</b> | HIP Power Supply Abnormal (more than 16 V)                                                         |
| <b>Acura B2249</b> | HIP Power Supply Abnormal (less than 9 V)                                                          |
| <b>Acura B2965</b> | Climate Control Unit Lost Communication with Rear Climate Control Panel                            |
| <b>Acura B2967</b> | Open in the Humidity Sensor Circuit (WINDSHIELD DEFROST)                                           |
| <b>Acura B2968</b> | Short in the Humidity Sensor Circuit (WINDSHIELD DEFROST)                                          |

| CODES              | DEFINITION                                                                                   |
|--------------------|----------------------------------------------------------------------------------------------|
| <b>Acura B2969</b> | Climate Control Unit Lost Communication with Combination Switch Control Unit (WIPSW message) |
| <b>Acura B2970</b> | Climate Control Unit Lost Communication with Relay Control Module (RM message)               |
| <b>Acura B2975</b> | Open in the Driver's Vent Air Temperature Sensor Circuit                                     |
| <b>Acura B2976</b> | Short in the Driver's Vent Air Temperature Sensor Circuit                                    |
| <b>Acura B2977</b> | Open in the Passenger's Vent Air Temperature Sensor Circuit                                  |
| <b>Acura B2978</b> | Short in the Passenger's Vent Air Temperature Sensor Circuit                                 |
| <b>Acura B2979</b> | Open in the A/C Pressure Sensor Circuit                                                      |
| <b>Acura B2980</b> | Short in the A/C Pressure Sensor Circuit (WINDSHIELD DEFROST)                                |
| <b>Acura B2981</b> | Climate Control Unit Lost Communication with Navigation Unit                                 |
| <b>Acura B2982</b> | Climate Control Unit Lost Communication with Each Control Motor                              |
| <b>Acura B2983</b> | Problem in the Recirculation Control Linkage, Door, or Motor Circuit                         |
| <b>Acura B2984</b> | Problem in the Driver's Cool Vent Control Linkage, Door, or Motor                            |
| <b>Acura B2985</b> | Problem in the Passenger's Cool Vent Control Linkage, Door, or Motor                         |
| <b>Acura B2987</b> | Problem in the Rear Vent Control Linkage, Door, or Motor                                     |
| <b>Acura B2991</b> | Climate Control Unit Lost Communication with Audio Unit                                      |
| <b>Acura P1077</b> | Intake Manifold Tuning (IMT) Valve Stuck in High RPM Position                                |

| CODES              | DEFINITION                                                                  |
|--------------------|-----------------------------------------------------------------------------|
| <b>Acura P1078</b> | Intake Manifold Tuning (IMT) Valve Stuck in Low RPM Position                |
| <b>Acura P1102</b> | Mass Airflow Sensor Signal Lower Than Expected                              |
| <b>Acura P1103</b> | Mass Airflow Sensor Signal Higher Than Expected                             |
| <b>Acura P1106</b> | MAP Sensor Circuit High Input (Intermittent)                                |
| <b>Acura P1107</b> | BARO Pressure Sensor Circuit Low Input                                      |
| <b>Acura P1108</b> | BARO Pressure Sensor Circuit High Input                                     |
| <b>Acura P1109</b> | Barometric Pressure (BARO) Sensor Circuit Out of Range High                 |
| <b>Acura P1111</b> | IAT Sensor Circuit High Input (Intermittent)                                |
| <b>Acura P1112</b> | IAT Sensor Circuit Low Input (Intermittent)                                 |
| <b>Acura P1114</b> | ECT Sensor Circuit Low Input (Intermittent)                                 |
| <b>Acura P1115</b> | ECT Sensor Circuit High Input (Intermittent)                                |
| <b>Acura P1116</b> | Engine Coolant Temperature (ECT) Sensor 1 Circuit Range/Performance Problem |
| <b>Acura P1121</b> | Throttle Position Sensor Intermittent High Input                            |
| <b>Acura P1122</b> | Throttle Position Sensor Intermittent Low Input                             |
| <b>Acura P1128</b> | Manifold Absolute Pressure (MAP) Sensor Signal Lower Than Expected          |
| <b>Acura P1129</b> | Manifold Absolute Pressure (MAP) Sensor Signal Higher Than Expected         |
| <b>Acura P1133</b> | HO2S-11 (Bank 1 Sensor 1) Insufficient Switching                            |
| <b>Acura P1134</b> | HO2S-11 (Bank 1 Sensor 1) Transition Time Ratio Error                       |
| <b>Acura P1153</b> | HO2S-21 (Bank 2 Sensor 1) Insufficient Switching                            |
| <b>Acura P1154</b> | HO2S-21 (Bank 2 Sensor 1) Transition Time Ratio                             |

| CODES              | DEFINITION                                                                     |
|--------------------|--------------------------------------------------------------------------------|
| <b>Acura P1162</b> | Air Fuel Sensor (Bank 1 Sensor 1) Circuit Malfunction                          |
| <b>Acura P1163</b> | Air Fuel Sensor (Bank 1 Sensor 1) Slow Response                                |
| <b>Acura P1164</b> | Air Fuel Sensor (Bank 1 Sensor 1) Range/Performance                            |
| <b>Acura P1166</b> | Air Fuel Sensor (Bank 1 Sensor 1) Heater Circuit Malfunction                   |
| <b>Acura P1167</b> | Air Fuel Sensor (Bank 1 Sensor 1) Heater Circuit Malfunction                   |
| <b>Acura P1171</b> | Fuel System Lean During Acceleration Detected                                  |
| <b>Acura P1172</b> | Rear Air/Fuel Ratio (A/F) Sensor (Bank 1, Sensor 1) Circuit Out of Range High  |
| <b>Acura P1174</b> | Front Air/Fuel Ratio (A/F) Sensor (Bank 2, Sensor 1) Circuit Out of Range High |
| <b>Acura P1201</b> | Cylinder 1 Misfire Detected                                                    |
| <b>Acura P1202</b> | Cylinder 2 Misfire Detected                                                    |
| <b>Acura P1203</b> | Cylinder 3 Misfire Detected                                                    |
| <b>Acura P1204</b> | Cylinder 4 Misfire Detected                                                    |
| <b>Acura P1205</b> | Cylinder 5 Misfire Detected                                                    |
| <b>Acura P1206</b> | Cylinder 6 Misfire Detected                                                    |
| <b>Acura P1241</b> | Throttle Valve Control Motor 1 Circuit Malfunction                             |
| <b>Acura P1242</b> | Throttle Valve Control Motor 2 Circuit Malfunction                             |
| <b>Acura P1243</b> | Throttle Position Insufficient                                                 |
| <b>Acura P1244</b> | Insufficient Closed Throttle Position Detected                                 |
| <b>Acura P1246</b> | Accelerator Position Sensor 1 Circuit Malfunction                              |
| <b>Acura P1247</b> | Accelerator Position Sensor 2 Circuit Malfunction                              |



| CODES              | DEFINITION                                               |
|--------------------|----------------------------------------------------------|
| <b>Acura P1248</b> | Accelerator Pedal Position Sensor Correlation            |
| <b>Acura P1259</b> | VTEC System Malfunction (Bank 1)                         |
| <b>Acura P1279</b> | VTEC System Malfunction (Bank 2)                         |
| <b>Acura P1297</b> | Electrical Load Detector (ELD) Circuit Low Voltage       |
| <b>Acura P1298</b> | Electrical Load Detector (ELD) Circuit High Voltage      |
| <b>Acura P1300</b> | Random Misfire Detected                                  |
| <b>Acura P1301</b> | Cylinder 1 Misfire Detected                              |
| <b>Acura P1302</b> | Cylinder 2 Misfire Detected                              |
| <b>Acura P1303</b> | Cylinder 3 Misfire Detected                              |
| <b>Acura P1304</b> | Cylinder 4 Misfire Detected                              |
| <b>Acura P1305</b> | Cylinder 5 Misfire Detected                              |
| <b>Acura P1306</b> | Cylinder 6 Misfire Detected                              |
| <b>Acura P1316</b> | Spark Plug Detection Module Circuit Fault (Bank 2)       |
| <b>Acura P1317</b> | Spark Plug Detection Module Circuit Fault (Bank 1)       |
| <b>Acura P1318</b> | Spark Plug Detection Module Reset Circuit Fault (Bank 2) |
| <b>Acura P1319</b> | Spark Plug Detection Module Reset Circuit Fault (Bank 1) |
| <b>Acura P1336</b> | Crankshaft Position Sensor 'B' Circuit Malfunction       |
| <b>Acura P1337</b> | Crankshaft Position Sensor 'B' Circuit No Signal         |
| <b>Acura P1359</b> | CKP/TDC/CYP Sensor Circuit Malfunction                   |
| <b>Acura P1361</b> | Top Dead Center Sensor Intermittent Signal               |
| <b>Acura P1362</b> | Top Dead Center 1 Sensor No Signal                       |
| <b>Acura P1366</b> | Top Dead Center Sensor 2 Circuit Intermittent Signal     |

| CODES              | DEFINITION                                                        |
|--------------------|-------------------------------------------------------------------|
| <b>Acura P1367</b> | Top Dead Center Sensor 2 No Signal                                |
| <b>Acura P1381</b> | Camshaft Position Sensor 1 No Signal                              |
| <b>Acura P1382</b> | Camshaft Position Sensor 1 No Signal                              |
| <b>Acura P1386</b> | Camshaft Position Sensor 2 Circuit Malfunction                    |
| <b>Acura P1387</b> | Camshaft Position Sensor 2 No Signal                              |
| <b>Acura P1404</b> | EGR Valve Stuck Closed Malfunction                                |
| <b>Acura P1441</b> | EVAP Vacuum Switch Circuit High Input                             |
| <b>Acura P1454</b> | Fuel Tank Pressure (FTP) Sensor Circuit Range/Performance Problem |
| <b>Acura P1456</b> | EVAP System Leak Detected (Fuel Tank Area)                        |
| <b>Acura P1457</b> | EVAP System Leak Detected (Canister Area)                         |
| <b>Acura P1459</b> | EVAP Purge Flow Switch Circuit Malfunction                        |
| <b>Acura P145C</b> | Evaporative Emission (EVAP) System Purge Flow Malfunction         |
| <b>Acura P1486</b> | Cooling System Malfunction                                        |
| <b>Acura P1491</b> | EGR Valve Lift Sensor Insufficient Flow Detected                  |
| <b>Acura P1498</b> | EGR Valve Lift Sensor High Input                                  |
| <b>Acura P1508</b> | Idle Air Control Valve Circuit Malfunction                        |
| <b>Acura P1509</b> | Idle Speed Control System High RPM                                |
| <b>Acura P1519</b> | Idle Air Control Valve Circuit Malfunction                        |
| <b>Acura P1549</b> | Charging System High Voltage                                      |
| <b>Acura P1607</b> | PCM Internal Circuit 'A' Malfunction                              |
| <b>Acura P1608</b> | PCM Internal Circuit 'B' Malfunction                              |

| CODES              | DEFINITION                                                              |
|--------------------|-------------------------------------------------------------------------|
| <b>Acura P1618</b> | Serial Peripheral Interface Communication                               |
| <b>Acura P1625</b> | PCM Unexpected Reset                                                    |
| <b>Acura P1640</b> | Output Driver Module 'A' Circuit Malfunction                            |
| <b>Acura P1650</b> | Output Driver Module Circuit Malfunction                                |
| <b>Acura P1655</b> | PCM Internal Circuit Malfunction                                        |
| <b>Acura P1656</b> | PCM To VSA Unit Signal Line Circuit Malfunction                         |
| <b>Acura P1658</b> | Electronic Throttle Control System (ETCS) Control Relay ON Malfunction  |
| <b>Acura P1659</b> | Electronic Throttle Control System (ETCS) Control Relay OFF Malfunction |
| <b>Acura P1660</b> | A/T (TCM) FI Data Line Circuit Malfunction                              |
| <b>Acura P1671</b> | A/T (TCM) FI Data Line No Signal                                        |
| <b>Acura P1672</b> | A/T (TCM) FI Data Line Circuit Malfunction                              |
| <b>Acura P1676</b> | A/T (TCM) FI Data Line Circuit Malfunction                              |
| <b>Acura P1677</b> | A/T (TCM) FI Data Line Circuit Malfunction                              |
| <b>Acura P1678</b> | A/T (TCM) FPTDR Signal Line Circuit Malfunction                         |
| <b>Acura P1683</b> | Throttle Valve Default Position Spring Performance Problem              |
| <b>Acura P1684</b> | Throttle Valve Return Spring Performance Problem                        |
| <b>Acura P1690</b> | A/T (TCM) TCSTB Data Line Circuit Malfunction                           |
| <b>Acura P1696</b> | TCFC Data Line Signal Low Input                                         |
| <b>Acura P1697</b> | TUFT Data Line Signal High Input                                        |
| <b>Acura P16BB</b> | Alternator B Terminal Circuit Low Voltage                               |
| <b>Acura P16BC</b> | Alternator FR Terminal Circuit/IGP Circuit Low Voltage                  |

| CODES              | DEFINITION                                                                              |
|--------------------|-----------------------------------------------------------------------------------------|
| <b>Acura P16BD</b> | Starter Cut Relay 2 Malfunction                                                         |
| <b>Acura P16BE</b> | Starter Cut Relay 1 Malfunction                                                         |
| <b>Acura P16BF</b> | Starter Cut Relay STRLY Circuit Malfunction                                             |
| <b>Acura P16C0</b> | PCM A/T Control System Incomplete Update                                                |
| <b>Acura P1705</b> | A/T Transmission Range Switch Low Input                                                 |
| <b>Acura P1706</b> | A/T Transmission Range Switch Circuit No Gear Inputs                                    |
| <b>Acura P1709</b> | A/T Transmission Gear Switch Circuit Malfunction                                        |
| <b>Acura P1710</b> | A/T First Hold Switch Circuit Malfunction                                               |
| <b>Acura P1717</b> | A/T Transmission Range Switch Circuit Malfunction                                       |
| <b>Acura P1738</b> | A/T 2nd Pressure Switch Circuit Malfunction                                             |
| <b>Acura P1739</b> | A/T 3rd Pressure Switch Circuit Malfunction                                             |
| <b>Acura P1740</b> | A/T 4th Pressure Switch Circuit Malfunction                                             |
| <b>Acura P1743</b> | Problem in Shift Control System; Shift Valve E Stuck OFF                                |
| <b>Acura P1744</b> | Problem in Shift Control System; Shift Valve E Stuck ON                                 |
| <b>Acura P1745</b> | Problem in Shift Control System; Servo Control Valve Stuck OFF or Servo Valve Stuck OFF |
| <b>Acura P1750</b> | A/T Hydraulic Pressure Control Malfunction (Mechanical)                                 |
| <b>Acura P1751</b> | A/T Hydraulic Pressure Control Malfunction (Mechanical)                                 |
| <b>Acura P1753</b> | A/T Lockup Solenoid Valve 'A' Circuit Malfunction                                       |
| <b>Acura P1758</b> | A/T Lockup Solenoid Valve 'B' Circuit Malfunction                                       |
| <b>Acura P1768</b> | Automatic Transaxle Linear Solenoid Circuit Malfunction                                 |
| <b>Acura P1773</b> | A/T Lockup Solenoid Valve 'B' Circuit Malfunction                                       |
| <b>Acura P1778</b> | A/T Lockup Solenoid Valve 'C' Circuit Malfunction                                       |

| CODES              | DEFINITION                                                        |
|--------------------|-------------------------------------------------------------------|
| <b>Acura P1780</b> | Problem in Shift Control System (Transmission is in Default Mode) |
| <b>Acura P1786</b> | A/T FAS Signal Circuit Malfunction                                |
| <b>Acura P1787</b> | A/T FFS Signal Circuit Malfunction                                |
| <b>Acura P1788</b> | A/T ATSDLA Signal Circuit Malfunction                             |
| <b>Acura P1790</b> | A/T Throttle Position Sensor Circuit Malfunction                  |
| <b>Acura P1791</b> | A/T Vehicle Speed Sensor Circuit Malfunction                      |
| <b>Acura P1792</b> | A/T Engine Coolant Temperature Sensor Circuit Malfunction         |
| <b>Acura P1793</b> | A/T Manifold Absolute Pressure Sensor Circuit Malfunction         |
| <b>Acura P1794</b> | A/T Barometric Pressure Sensor Circuit Malfunction                |
| <b>Acura P1795</b> | A/T Accelerator Position Sensor Circuit Malfunction               |
| <b>Acura P1835</b> | Kick Down Switch Circuit Low Input                                |
| <b>Acura P1850</b> | A/T Brake Band Apply Solenoid Circuit Malfunction                 |
| <b>Acura P1860</b> | Torque Converter Clutch PWM Solenoid Circuit Malfunction          |
| <b>Acura P1870</b> | Transmission Component Slipping Malfunction                       |
| <b>Audi P1004</b>  | Torque difference cylinder 1 Limiting value exceeded              |
| <b>Audi P1005</b>  | Torque difference cylinder 2 Limiting value exceeded              |
| <b>Audi P1006</b>  | Torque difference cylinder 3 Limiting value exceeded              |
| <b>Audi P1007</b>  | Torque difference cylinder 4 Limiting value exceeded              |
| <b>Audi P1009</b>  | Air mass meter 1/2 implausible signal from load detection         |
| <b>Audi P100F</b>  | Fuel Rail Injection Valves                                        |

| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Audi P10A0</b> | RFP Powerstage, signal range check                        |
| <b>Audi P10A4</b> | RFP Actuator, functional check                            |
| <b>Audi P1103</b> | O2 Sensor Circuit (Bank 1-Sensor 1) Output Too Low        |
| <b>Audi P1105</b> | O2 Sensor Circuit (Bank 1-Sensor 2) Short to B+           |
| <b>Audi P1107</b> | O2 Sensor Circuit (Bank 2-Sensor 1) Voltage Too Low       |
| <b>Audi P1110</b> | O2 Sensor Circuit (Bank 2-Sensor 2) Short to B+           |
| <b>Audi P1111</b> | O2 Control (Bank 1) System Too Lean                       |
| <b>Audi P1112</b> | O2 Control (Bank 1) System Too Rich                       |
| <b>Audi P1113</b> | O2 Control (Bank 1 Sensor 1) Internal Resistance Too High |
| <b>Audi P1114</b> | O2 Control (Bank 1 Sensor 2) Internal Resistance Too High |
| <b>Audi P1115</b> | O2 Control (Bank 1 Sensor 1) Short to Ground              |
| <b>Audi P1116</b> | O2 Control (Bank 1 Sensor 1) Open                         |
| <b>Audi P1117</b> | O2 Control (Bank 1 Sensor 2) Open                         |
| <b>Audi P1118</b> | O2 Sensor Heater Circ. (Bank 1-Sensor2) Open              |
| <b>Audi P1127</b> | Long Term Fuel Trim Add. Air. Bank 1 System Too Rich      |
| <b>Audi P1128</b> | Long Term Fuel Trim Add. Air. Bank 1 System Too Lean      |
| <b>Audi P1129</b> | Long Term Fuel Trim at Rich Limit                         |
| <b>Audi P1130</b> | Long Term Fuel Trim at Lean Limit                         |
| <b>Audi P1136</b> | Long Term Fuel Trim Add. Fuel, Bank 1 System Too Lean     |
| <b>Audi P1137</b> | Long Term Fuel Trim Add. Fuel, Bank 1 System Too Rich     |
| <b>Audi P1138</b> | Long Term Fuel Trim Add. Fuel, Bank 2 System Too Lean     |

| CODES             | DEFINITION                                                                |
|-------------------|---------------------------------------------------------------------------|
| <b>Audi P1139</b> | Long Term Fuel Trim Add. Fuel, Bank 2 System Too Rich                     |
| <b>Audi P1141</b> | Load Calculation Cross Check Range/Performance                            |
| <b>Audi P1143</b> | Load Calculation Cross Check Upper Limit                                  |
| <b>Audi P1146</b> | Air mass meter -G70 supply voltage                                        |
| <b>Audi P1149</b> | O2 Control (Bank 1) Out of Range                                          |
| <b>Audi P1160</b> | Intake Air Temperature (IAT) Sensor -G72- Short circuit to Ground (GND)   |
| <b>Audi P1161</b> | Intake Air Temperature (IAT) Sensor -G72-Open circuit/short circuit to B+ |
| <b>Audi P1171</b> | Throttle Actuation Potentiometer Sign.2 Range/Performance                 |
| <b>Audi P1172</b> | Throttle Actuation Potentiometer Sign.2 Signal Too Low                    |
| <b>Audi P1173</b> | Throttle Actuation Potentiometer Sign.2 Signal Too High                   |
| <b>Audi P1176</b> | O2 Correction Behind Catalyst B1 Limit Attained                           |
| <b>Audi P1177</b> | O2 Correction Behind Catalyst B2 Limit Attained                           |
| <b>Audi P117A</b> | O2S (Bank 1, Sensor 3)                                                    |
| <b>Audi P117C</b> | Post Catalyst Fuel Trim System Too Lean Bank 3                            |
| <b>Audi P117D</b> | Post Catalyst Fuel Trim System Too Rich Bank 3                            |
| <b>Audi P117E</b> | Post Catalyst Fuel Trim System Too Lean Bank 4                            |
| <b>Audi P117F</b> | Post Catalyst Fuel Trim System Too Rich Bank 4                            |
| <b>Audi P1196</b> | O2 Sensor Heater Circuit (Bank 1-Sensor 1) Electrical Malfunction         |
| <b>Audi P1197</b> | O2 Sensor Heater Circuit (Bank 2-Sensor 1) Electrical Malfunction         |
| <b>Audi P1198</b> | O2 Sensor Heater Circuit (Bank 1-Sensor 2) Electrical Malfunction         |

| CODES             | DEFINITION                                                        |
|-------------------|-------------------------------------------------------------------|
| <b>Audi P1199</b> | O2 Sensor Heater Circuit (Bank 2-Sensor 2) Electrical Malfunction |
| <b>Audi P1201</b> | Cylinder 1 Fuel Injection Circuit Electrical Malfunction          |
| <b>Audi P1202</b> | Cylinder 2 Fuel Injection Circuit Electrical Malfunction          |
| <b>Audi P1203</b> | Cylinder 3 Fuel Injection Circuit Electrical Malfunction          |
| <b>Audi P1204</b> | Cylinder 4 Fuel Injection Circuit Electrical Malfunction          |
| <b>Audi P1213</b> | Cylinder 1 Fuel Injection Circuit Short to B+                     |
| <b>Audi P1214</b> | Cylinder 2 Fuel Injection Circuit Short to B+                     |
| <b>Audi P1215</b> | Cylinder 3 Fuel Injection Circuit Short to B+                     |
| <b>Audi P1216</b> | Cylinder 4 Fuel Injection Circuit Short to B+                     |
| <b>Audi P1217</b> | Cylinder 5 Fuel Injection Circuit Short to B+                     |
| <b>Audi P1218</b> | Cylinder 6 Fuel Injection Circuit Short to B+                     |
| <b>Audi P1225</b> | Cylinder 1 Fuel Injection Circuit Short to Ground                 |
| <b>Audi P1226</b> | Cylinder 2 Fuel Injection Circuit Short to Ground                 |
| <b>Audi P1227</b> | Cylinder 3 Fuel Injection Circuit Short to Ground                 |
| <b>Audi P1228</b> | Cylinder 4 Fuel Injection Circuit Short to Ground                 |
| <b>Audi P1229</b> | Cylinder 5 Fuel Injection Circuit Short to Ground                 |
| <b>Audi P1230</b> | Cylinder 6 Fuel Injection Circuit Short to Ground                 |
| <b>Audi P1237</b> | Cylinder 1 Fuel Injection Circuit Open Circuit                    |
| <b>Audi P1238</b> | Cylinder 2 Fuel Injection Circuit Open Circuit                    |
| <b>Audi P1239</b> | Cylinder 3 Fuel Injection Circuit Open Circuit                    |
| <b>Audi P1240</b> | Cylinder 4 Fuel Injection Circuit Open Circuit                    |
| <b>Audi P1241</b> | Cylinder 5 Fuel Injection Circuit Open Circuit                    |



| CODES             | DEFINITION                                                               |
|-------------------|--------------------------------------------------------------------------|
| <b>Audi P1242</b> | Cylinder 6 Fuel Injection Circuit Open Circuit                           |
| <b>Audi P1250</b> | Fuel Pressure Regulator Control Circuit Malfunction (Fuel Level too Low) |
| <b>Audi P1255</b> | Engine Coolant Temperature (ECT) Sensor, Short to Ground                 |
| <b>Audi P1256</b> | Engine Coolant Temperature (ECT) Sensor, Open circuit/short to B+        |
| <b>Audi P1287</b> | Turbocharger Bypass Valve Open                                           |
| <b>Audi P1288</b> | Turbocharger Bypass Valve Short to B+                                    |
| <b>Audi P1289</b> | Turbocharger Bypass Valve Short to Ground                                |
| <b>Audi P1295</b> | Turbocharger Bypass Valve Throughput Faulty                              |
| <b>Audi P1296</b> | Cooling System Malfunction                                               |
| <b>Audi P1297</b> | Connection Turbocharger/Throttle Valve Pressure Hose                     |
| <b>Audi P129B</b> | Fuel Pressure Regulator 2 Control Circuit                                |
| <b>Audi P129C</b> | Fuel Pressure Regulator 2 Control Circuit Low                            |
| <b>Audi P129D</b> | Fuel Pressure Regulator 2 Control Circuit High                           |
| <b>Audi P12A1</b> | Fuel Rail Pressure Sensor Inappropriately Low                            |
| <b>Audi P12A2</b> | Fuel Rail Pressure Sensor Inappropriately High                           |
| <b>Audi P12A4</b> | Fuel Rail Pump Control Valve Stuck Closed                                |
| <b>Audi P12A5</b> | Fuel Rail Pressure Sensor High Pressure System                           |
| <b>Audi P12A6</b> | Fuel Rail Pressure Sensor High Pressure System                           |
| <b>Audi P12A7</b> | Fuel Rail Pressure Control valve                                         |
| <b>Audi P1300</b> | Misfire Detected Low Fuel                                                |
| <b>Audi P1325</b> | Cylinder 1-Knock Control Limit Attained                                  |

| CODES             | DEFINITION                                                 |
|-------------------|------------------------------------------------------------|
| <b>Audi P1326</b> | Cylinder 2-Knock Control Limit Attained                    |
| <b>Audi P1327</b> | Cylinder 3-Knock Control Limit Attained                    |
| <b>Audi P1328</b> | Cylinder 4-Knock Control Limit Attained                    |
| <b>Audi P1329</b> | Cylinder 5-Knock Control Limit Attained                    |
| <b>Audi P1330</b> | Cylinder 6-Knock Control Limit Attained                    |
| <b>Audi P1335</b> | Engine Torque Monitoring 2 Control Limit Exceeded          |
| <b>Audi P1336</b> | Engine Torque Monitoring Control Limit Exceeded            |
| <b>Audi P1337</b> | Camshaft Position Sensor (Bank 1) Short to Ground          |
| <b>Audi P1338</b> | Camshaft Position Sensor (Bank 1) Open/Short to B+         |
| <b>Audi P1340</b> | Crankshaft Position/Camshaft Sensor Signal Out of Sequence |
| <b>Audi P1341</b> | Ignition Coil Power Output Stage 1 Short to Ground         |
| <b>Audi P1343</b> | Ignition Coil Power Output Stage 2 Short to Ground         |
| <b>Audi P1345</b> | Ignition Coil Power Output Stage 3 Short to Ground         |
| <b>Audi P1355</b> | Cylinder 1 Ignition Circuit Open Circuit                   |
| <b>Audi P1356</b> | Cylinder 1 Ignition Circuit Short to B+                    |
| <b>Audi P1357</b> | Cylinder 1 Ignition Circuit Short to Ground                |
| <b>Audi P1358</b> | Cylinder 2 Ignition Circuit Open Circuit                   |
| <b>Audi P1359</b> | Cylinder 2 Ignition Circuit Short to B+                    |
| <b>Audi P1360</b> | Cylinder 2 Ignition Circuit Short to Ground                |
| <b>Audi P1361</b> | Cylinder 3 Ignition Circuit Open Circuit                   |
| <b>Audi P1362</b> | Cylinder 3 Ignition Circuit Short to B+                    |
| <b>Audi P1363</b> | Cylinder 3 Ignition Circuit Short to Ground                |

| CODES             | DEFINITION                                                         |
|-------------------|--------------------------------------------------------------------|
| <b>Audi P1364</b> | Cylinder 4 Ignition Circuit Open Circuit                           |
| <b>Audi P1365</b> | Cylinder 4 Ignition Circuit Short to B+                            |
| <b>Audi P1366</b> | Cylinder 4 Ignition Circuit Short to Ground                        |
| <b>Audi P1386</b> | Internal Control Module, Knock Control Circuit Error               |
| <b>Audi P1387</b> | Internal Control Module Altitude Sensor Error                      |
| <b>Audi P1388</b> | Internal Control Module Drive By Wire Error                        |
| <b>Audi P1391</b> | Camshaft Position Sensor (Bank 2) Short to Ground                  |
| <b>Audi P1392</b> | Camshaft Position Sensor (Bank 2) Open/Short to B+                 |
| <b>Audi P1393</b> | Ignition Coil Power Output Stage 1 Electrical Malfunction          |
| <b>Audi P1394</b> | Ignition Coil Power Output Stage 2 Electrical Malfunction          |
| <b>Audi P1395</b> | Ignition Coil Power Output Stage 3 Electrical Malfunction          |
| <b>Audi P1398</b> | Engine RPM Signal, TD Short to Ground                              |
| <b>Audi P13CE</b> | Sensor for internal pressure of cylinder 1 Electrical malfunction  |
| <b>Audi P13CF</b> | Sensor for internal pressure of cylinder 1 Short circuit to ground |
| <b>Audi P13D1</b> | Sensor for internal pressure of cylinder 2 Electrical malfunction  |
| <b>Audi P13D2</b> | Sensor for internal pressure of cylinder 2 Short circuit to ground |
| <b>Audi P13D3</b> | Sensor for internal pressure of cylinder 2 Implausible signal      |
| <b>Audi P13D4</b> | Sensor for internal pressure of cylinder 3 Electrical malfunction  |
| <b>Audi P13D5</b> | Sensor For Internal Pressure Of Cylinder 3 Short Circuit To Ground |

| CODES             | DEFINITION                                                         |
|-------------------|--------------------------------------------------------------------|
| <b>Audi P13D6</b> | Sensor for internal pressure of cylinder 3 Implausible signal      |
| <b>Audi P13D7</b> | Sensor for internal pressure of cylinder 4 Electrical malfunction  |
| <b>Audi P13D8</b> | Sensor For Internal Pressure Of Cylinder 4 Short Circuit To Ground |
| <b>Audi P13D9</b> | Sensor for internal pressure of cylinder 4 Implausible signal      |
| <b>Audi P13EA</b> | ignition timing monitor                                            |
| <b>Audi P1409</b> | Tank Ventilation Valve Circuit Malfunction Conditions              |
| <b>Audi P140C</b> | Low Pressure EGR Sensor Position circuit high                      |
| <b>Audi P1410</b> | Tank Ventilation Valve Circuit Short to B+:                        |
| <b>Audi P1420</b> | Secondary Air Injector Valve Circuit Electrical Malfunction        |
| <b>Audi P1421</b> | Secondary Air Injector Valve Circuit Short to Ground               |
| <b>Audi P1422</b> | Secondary Air Injector Valve Circuit Short to B+                   |
| <b>Audi P1424</b> | Secondary Air Injector System (Bank 1) Leak Detected               |
| <b>Audi P1425</b> | Tank Ventilation Valve Short to Ground                             |
| <b>Audi P1426</b> | Tank Ventilation Valve Open                                        |
| <b>Audi P1432</b> | Secondary Air Injection Valve Open                                 |
| <b>Audi P1433</b> | Secondary Air Injection System Pump Relay Circuit Open             |
| <b>Audi P1434</b> | Secondary Air Injection System Pump Relay Circuit Short to B+      |
| <b>Audi P1435</b> | Secondary Air Injection System Pump Relay Circuit Short to Ground  |
| <b>Audi P1436</b> | A/C Evaporator Temperature (ACET) Circuit Low Input                |
| <b>Audi P1470</b> | EVAP Emission Control LDP Circuit Electrical Malfunction           |

| CODES             | DEFINITION                                                        |
|-------------------|-------------------------------------------------------------------|
| <b>Audi P1471</b> | EVAP Emission Control Leak Detection Pump Circuit Short to B+     |
| <b>Audi P1472</b> | EVAP Emission Control Leak Detection Pump Circuit Short to Ground |
| <b>Audi P1473</b> | EVAP Emission Control Leak Detection Pump Circuit Open            |
| <b>Audi P1475</b> | EVAP Emission Control LDP Circuit Malfunction/Signal Circuit Open |
| <b>Audi P1476</b> | EVAP Emission Control LDP Circuit Malfunction/Insufficient Vacuum |
| <b>Audi P1477</b> | EVAP Emission Control LDP Circuit Malfunction                     |
| <b>Audi P1478</b> | EVAP Emission Control LDP Circuit Clamped Tube Detected           |
| <b>Audi P1489</b> | Evaporative Emission System Purge Control Valve Circuit High      |
| <b>Audi P1490</b> | Evaporative Emission System Purge Control Valve Circuit Low       |
| <b>Audi P1491</b> | Evaporative Emission System Purge Control Valve CircuitOpen       |
| <b>Audi P1494</b> | Evaporative Emission System Incorrect Purge Flow                  |
| <b>Audi P1497</b> | Secondary Air Injection System Insufficient Flow Bank 3           |
| <b>Audi P1498</b> | Secondary Air Injection System Insufficient Flow Bank 4           |
| <b>Audi P1500</b> | Fuel Pump Relay Circuit Electrical Malfunction                    |
| <b>Audi P1501</b> | Fuel Pump Relay Circuit Electrical Short to Ground                |
| <b>Audi P1502</b> | Fuel Pump Relay Circuit Short to B+                               |
| <b>Audi P150A</b> | Engine Off Timer Performance                                      |
| <b>Audi P1512</b> | Intake Manifold Changeover Valve Circuit Short to B+              |

| CODES             | DEFINITION                                               |
|-------------------|----------------------------------------------------------|
| <b>Audi P1515</b> | Intake Manifold Changeover Valve Circuit Short to Ground |
| <b>Audi P1516</b> | Intake Manifold Runner Control Input Error (Bank 1)      |
| <b>Audi P1517</b> | Main Relay Circuit Electrical Malfunction                |
| <b>Audi P1519</b> | Intake Manifold Runner Control Stuck Closed              |
| <b>Audi P1522</b> | Intake Camshaft Control (Bank 2) Malfunction             |
| <b>Audi P1529</b> | Camshaft Control Circuit Short to B+                     |
| <b>Audi P1530</b> | Camshaft Control Circuit Short to Ground                 |
| <b>Audi P1531</b> | Camshaft Control Circuit Open                            |
| <b>Audi P1541</b> | Fuel Pump Relay Circuit Open                             |
| <b>Audi P1542</b> | Throttle Actuation Potentiometer Range/Performance       |
| <b>Audi P1543</b> | Throttle Actuation Potentiometer Signal Too Low          |
| <b>Audi P1544</b> | Throttle Actuation Potentiometer Signal Too High         |
| <b>Audi P1545</b> | Throttle Position Control Malfunction                    |
| <b>Audi P1546</b> | Boost Pressure Control Valve Short to B+                 |
| <b>Audi P1547</b> | Boost Pressure Control Valve Short to Ground             |
| <b>Audi P1548</b> | Boost Pressure Control Valve Open                        |
| <b>Audi P1550</b> | Charge Pressure Deviation                                |
| <b>Audi P1555</b> | Charge Pressure Upper Limit Exceeded                     |
| <b>Audi P1556</b> | Charge Pressure Control Negative Deviation               |
| <b>Audi P1557</b> | Charge Pressure Control Positive Deviation               |
| <b>Audi P1558</b> | Throttle Actuator Electrical Malfunction                 |

| CODES             | DEFINITION                                                            |
|-------------------|-----------------------------------------------------------------------|
| <b>Audi P1559</b> | Idle Speed Control Throttle Position Adaptation Malfunction           |
| <b>Audi P1560</b> | Maximum Engine Speed Exceeded                                         |
| <b>Audi P1564</b> | Idle Speed Control Throttle Position Low Voltage During Adaptation    |
| <b>Audi P1565</b> | Idle Speed Control Throttle Position Lower Limit Not Attained         |
| <b>Audi P1568</b> | Idle Speed Control Throttle Position Mechanical Malfunction           |
| <b>Audi P1580</b> | Throttle Valve Drive, Bank 1 Malfunction                              |
| <b>Audi P1582</b> | Idling Speed Regulation Adaption Limit Reached                        |
| <b>Audi P1602</b> | Power Supply (B+) Terminal 15 Low Voltage                             |
| <b>Audi P1603</b> | Internal Control Module Malfunction                                   |
| <b>Audi P1604</b> | Internal Control Module Driver Error                                  |
| <b>Audi P1606</b> | Rough Road Spec Engine Torque ABS-ECU Electrical Malfunction          |
| <b>Audi P1609</b> | Crash Shut-Down Activated                                             |
| <b>Audi P1610</b> | ECU Defective                                                         |
| <b>Audi P1611</b> | MIL Call-Up Circuit, Transmission Control Module Short to Ground      |
| <b>Audi P1612</b> | Electronic Control Module Incorrect Coding                            |
| <b>Audi P1613</b> | MIL Call-up Circuit Open/Short to B+                                  |
| <b>Audi P1624</b> | MIL Requested Signature Active                                        |
| <b>Audi P1626</b> | Data-Bus Drive Train Missing Message From Transmission Control Module |
| <b>Audi P1630</b> | Acceleration Pedal Position Sensor 1 Signal Too Low                   |

| CODES             | DEFINITION                                                                                                                   |
|-------------------|------------------------------------------------------------------------------------------------------------------------------|
| <b>Audi P1631</b> | Acceleration Pedal Position Sensor 1 Signal Too High                                                                         |
| <b>Audi P1633</b> | Acceleration Pedal Position Sensor 2 Signal Too Low                                                                          |
| <b>Audi P1634</b> | Acceleration Pedal Position Sensor 2 Signal Too High                                                                         |
| <b>Audi P1639</b> | Accelerator Pedal Position Sensor 1+2<br>Range/Performance                                                                   |
| <b>Audi P1640</b> | Internal Control Module (EEPROM) Error                                                                                       |
| <b>Audi P1647</b> | Checking coding/versions of control modules in CAN-bus                                                                       |
| <b>Audi P1648</b> | Data Bus Powertrain Malfunction                                                                                              |
| <b>Audi P1649</b> | Data Bus Powertrain Missing Message from ABS Control Module                                                                  |
| <b>Audi P1650</b> | Data-bus-drive train missing message from instrument cluster                                                                 |
| <b>Audi P1654</b> | Please Check DTC Memory of the Control Panel ECU                                                                             |
| <b>Audi P1676</b> | Drive by Wire-MIL Circuit Electrical Malfunction                                                                             |
| <b>Audi P1677</b> | Drive by Wire-MIL Circuit Short to B+                                                                                        |
| <b>Audi P1681</b> | Control Unit Programming Not Finished                                                                                        |
| <b>Audi P1690</b> | Malfunction Indication Light Malfunction                                                                                     |
| <b>Audi P1691</b> | Malfunction Indication Light Open                                                                                            |
| <b>Audi P1692</b> | Malfunction Indication Light Short to Ground                                                                                 |
| <b>Audi P1693</b> | Malfunction Indication Light Short to B+                                                                                     |
| <b>Audi P1702</b> | Malfunction cannot activate control module<br>Replacement function, since another malfunction with equal priority is present |
| <b>Audi P172E</b> | Gear box                                                                                                                     |
| <b>Audi P1750</b> | Power supply (Clamp 30)                                                                                                      |



| CODES             | DEFINITION                          |
|-------------------|-------------------------------------|
| <b>Audi P1757</b> | Power supply (Clamp 30)             |
| <b>Audi P1778</b> | Valve 7 Electrical Fault In Circuit |
| <b>Audi P1780</b> | Torque Withdrawal Faulty            |
| <b>Audi P17A8</b> | Shift valve                         |
| <b>Audi P17A9</b> | Shift valve                         |
| <b>Audi P17AA</b> | Shift valve                         |
| <b>Audi P17AB</b> | Shift valve                         |
| <b>Audi P17AC</b> | Gear valve 1                        |
| <b>Audi P17AD</b> | Gear valve 1                        |
| <b>Audi P17AE</b> | Gear valve 1                        |
| <b>Audi P17AF</b> | Gear valve 1                        |
| <b>Audi P17B0</b> | Gear Valve 2                        |
| <b>Audi P17B1</b> | Gear Valve 2                        |
| <b>Audi P17B2</b> | Gear Valve 2                        |
| <b>Audi P17B3</b> | Gear Valve 2                        |
| <b>Audi P17B8</b> | Clutch Position Sensor              |
| <b>Audi P17B9</b> | Clutch Position Sensor              |
| <b>Audi P17BA</b> | Clutch Position Sensor              |
| <b>Audi P17BB</b> | Shift position sensor               |
| <b>Audi P17BC</b> | Shift position sensor               |
| <b>Audi P17BD</b> | Shift Position Sensor               |
| <b>Audi P17BE</b> | Hydraulic pump                      |

| CODES             | DEFINITION                                                          |
|-------------------|---------------------------------------------------------------------|
| <b>Audi P1850</b> | Data-Bus Drive Train Missing Message From Engine Control Module     |
| <b>Audi P1854</b> | Data-Bus Driving Gear Hardware Faulty                               |
| <b>Audi P1855</b> | Data-Bus-driving gear Software version monitoring.                  |
| <b>Audi P1857</b> | Load Signal Error Message From Engine Control                       |
| <b>Audi P1861</b> | Throttle Position Sensor Message from ECM                           |
| <b>Audi P1866</b> | Data-Bus-driving gear missing messages.                             |
| <b>Audi P1912</b> | Brake Booster Pressure Sensor Short Circuit to B+                   |
| <b>Audi P1913</b> | Brake Booster Pressure Sensor Short Circuit to Ground               |
| <b>Audi P3025</b> | Angle sensor 1 (on throttle drive 2 power accelerator actuation)    |
| <b>Audi P3028</b> | Angle sensor 2 (on throttle drive 2 power accelerator actuation)    |
| <b>Audi P3032</b> | Throttle Actuator Basic Setting Bank 1 Bank 2                       |
| <b>Audi P3035</b> | Throttle Valve Control Module 2 Mechanical malfunction              |
| <b>Audi P3081</b> | Engine Temperature Too Low                                          |
| <b>Audi P3211</b> | Exhaust-Heater Return Connection (Bank 1 - Sensor 1)                |
| <b>Audi P3298</b> | Warm Up Catalyst Efficiency Below Threshold Bank 3                  |
| <b>Audi P3299</b> | Warm Up Catalyst Efficiency Below Threshold Bank 4                  |
| <b>Audi U1024</b> | Control module for instrument panel insert please read DTC          |
| <b>Audi U102C</b> | Lost Communication With Anti-Lock Brake System (ABS) Control Module |
| <b>Audi U102E</b> | LIN Communication                                                   |
| <b>Audi U102F</b> | LIN Communication                                                   |

| CODES             | DEFINITION                                                                    |
|-------------------|-------------------------------------------------------------------------------|
| <b>Audi U1030</b> | LIN Communication                                                             |
| <b>BMW P1001</b>  | Valvetronic (VVT) Limp Home Request High Input                                |
| <b>BMW P1002</b>  | Valvetronic (VVT) Limp Home Request Low Input                                 |
| <b>BMW P1003</b>  | Valvetronic (VVT) Limp Home Request Open Circuit                              |
| <b>BMW P1004</b>  | Valvetronic (VVT) Guiding Sensor Solenoid Loss (Bank 1)                       |
| <b>BMW P1005</b>  | Valvetronic (VVT) Guiding Sensor Reset Error (Bank 1)                         |
| <b>BMW P1006</b>  | Valvetronic (VVT) Guiding Sensor Parity Error (Bank 1)                        |
| <b>BMW P1007</b>  | Valvetronic (VVT) Guiding Sensor Gradient Error (Bank 1)                      |
| <b>BMW P1008</b>  | Valvetronic (VVT) Guiding Sensor Solenoid Loss (Bank 2)                       |
| <b>BMW P1009</b>  | Valvetronic (VVT) Guiding Sensor Reset Error (Bank 2)                         |
| <b>BMW P1010</b>  | Valvetronic (VVT) Guiding Sensor Parity Error (Bank 2)                        |
| <b>BMW P1011</b>  | Valvetronic (VVT) Guiding Sensor Gradient Error (Bank 2)                      |
| <b>BMW P1012</b>  | Valvetronic (VVT) Reference Sensor Solenoid Loss (Bank 1)                     |
| <b>BMW P1013</b>  | Valvetronic (VVT) Reference Sensor Reset Error (Bank 1)                       |
| <b>BMW P1014</b>  | Valvetronic (VVT) Reference Sensor Parity Error (Bank 1)                      |
| <b>BMW P1015</b>  | Valvetronic (VVT) Reference Sensor Gradient Error (Bank 1)                    |
| <b>BMW P1022</b>  | Valvetronic (VVT), Eccentric Shaft Sensor 2 Circuit Low Input                 |
| <b>BMW P1023</b>  | Valvetronic (VVT) Self-Learning Function Faulty Adjustment Range (Bank 1)     |
| <b>BMW P1024</b>  | Valvetronic (VVT) Self-Learning Function Faulty Lower Learning Range (Bank 1) |
| <b>BMW P1025</b>  | Valvetronic (VVT) Self-Learning Function No Positions Stored (Bank 1)         |

| CODES            | DEFINITION                                                                                       |
|------------------|--------------------------------------------------------------------------------------------------|
| <b>BMW P1026</b> | Valvetronic (VVT) Self-Learning Function Faulty Adjustment Range (Bank 2)                        |
| <b>BMW P1027</b> | Valvetronic (VVT) Self-Learning Function Faulty Lower Learning Range (Bank 2)                    |
| <b>BMW P1028</b> | Valvetronic (VVT) Self-Learning Function No Positions Stored (Bank 2)                            |
| <b>BMW P1030</b> | Valvetronic (VVT) Actuator Monitoring Position Control, Control Deviation (Bank 1)               |
| <b>BMW P1031</b> | Valvetronic (VVT) Actuator Monitoring Recognition of Direction of Rotation Plausibility (Bank 1) |
| <b>BMW P1033</b> | Valvetronic (VVT) Actuator Monitoring Position Control, Control Deviation (Bank 2)               |
| <b>BMW P1034</b> | Valvetronic (VVT) Actuator Monitoring Recognition of Direction of Rotation Plausibility (Bank 1) |
| <b>BMW P1035</b> | Valvetronic (VVT) CAN Message Monitoring Faulty Desired Message (Bank 1)                         |
| <b>BMW P1036</b> | Valvetronic (VVT) CAN Timeout VVT-Desired Message (Bank 1)                                       |
| <b>BMW P1037</b> | Valvetronic (VVT) CAN Timeout Message (Bank 1)                                                   |
| <b>BMW P1038</b> | Valvetronic (VVT) CAN Message Monitoring Faulty Desired Message (Bank 2)                         |
| <b>BMW P1039</b> | Valvetronic (VVT) CAN Timeout VVT-Desired Message (Bank 2)                                       |
| <b>BMW P1040</b> | Valvetronic (VVT) CAN Timeout Message (Bank 2)                                                   |
| <b>BMW P1041</b> | Valvetronic (VVT) Actuator Control Module EEPROM Error (Bank 1)                                  |
| <b>BMW P1042</b> | Valvetronic (VVT) Actuator Control Module Random Access Memory Error (Bank 1)                    |
| <b>BMW P1043</b> | Valvetronic (VVT) Actuator Control Module Read Only Memory Error (Bank 1)                        |

| CODES            | DEFINITION                                                                    |
|------------------|-------------------------------------------------------------------------------|
| <b>BMW P1044</b> | Valvetronic (VVT) Actuator Control Module EEPROM Error (Bank 2)               |
| <b>BMW P1045</b> | Valvetronic (VVT) Actuator Control Module Random Access Memory Error (Bank 2) |
| <b>BMW P1046</b> | Valvetronic (VVT) Actuator Control Module Read Only Memory Error (Bank 2)     |
| <b>BMW P1047</b> | Valvetronic (VVT) Actuator Control Circuit High Input (Bank 1)                |
| <b>BMW P1048</b> | Valvetronic (VVT) Actuator Control Circuit Low Input (Bank 1)                 |
| <b>BMW P1050</b> | Valvetronic (VVT) Control Circuit (Bank 1)                                    |
| <b>BMW P1051</b> | Valvetronic (VVT) Control Circuit High Input (Bank 1)                         |
| <b>BMW P1052</b> | Valvetronic (VVT) Control Circuit Low Input (Bank 1)                          |
| <b>BMW P1054</b> | Valvetronic (VVT) Control Circuit (Bank 2)                                    |
| <b>BMW P1055</b> | Valvetronic (VVT) Supply Voltage Control Motor High Input (Bank 1)            |
| <b>BMW P1056</b> | Valvetronic (VVT) Supply Voltage Control Motor Low Input (Bank 1)             |
| <b>BMW P1057</b> | Valvetronic (VVT) Supply Voltage Control Motor Electrical (Bank 1)            |
| <b>BMW P1058</b> | Valvetronic (VVT) Supply Voltage Control Motor High Input (Bank 2)            |
| <b>BMW P1059</b> | Valvetronic (VVT) Supply Voltage Control Motor Low Input (Bank 2)             |
| <b>BMW P1060</b> | Valvetronic (VVT) Supply Voltage Control Motor Electrical (Bank 2)            |
| <b>BMW P1061</b> | Valvetronic (VVT) Limp Home Request RPM and Charge Limitation (Bank 1)        |

| CODES            | DEFINITION                                                                                  |
|------------------|---------------------------------------------------------------------------------------------|
| <b>BMW P1062</b> | Valvetronic (VVT) Limp Home Request Full Stroke Position Not Reached (Bank 1)               |
| <b>BMW P1063</b> | Valvetronic (VVT) Limp Home Request Air Mass Plausibility (Bank 1)                          |
| <b>BMW P1064</b> | Valvetronic (VVT) Value Comparison Starting Position/Parking Position Plausibility (Bank 1) |
| <b>BMW P1065</b> | Valvetronic (VVT) CAN Timeout No Signal                                                     |
| <b>BMW P1066</b> | Valvetronic (VVT) CAN Message Monitoring Faulty Actual Message                              |
| <b>BMW P1067</b> | Valvetronic (VVT) Reference Sensor Solenoid Loss (Bank 2)                                   |
| <b>BMW P1068</b> | Valvetronic (VVT) Reference Sensor Reset Error (Bank 2)                                     |
| <b>BMW P1069</b> | Valvetronic (VVT) Reference Sensor Parity Error (Bank 2)                                    |
| <b>BMW P1070</b> | Valvetronic (VVT) Reference Sensor Gradient Error (Bank 2)                                  |
| <b>BMW P1071</b> | Valvetronic (VVT) Control Module Watchdog or Temperature Sensor Error (Bank 1)              |
| <b>BMW P1072</b> | Valvetronic (VVT) Control Module Watchdog or Temperature Sensor Error (Bank 2)              |
| <b>BMW P1075</b> | Valvetronic (VVT) Overload Protection (Bank 1)                                              |
| <b>BMW P1076</b> | Valvetronic (VVT) Overload Protection ECU Temperature High Input (Bank 1)                   |
| <b>BMW P1077</b> | Valvetronic (VVT) Overload Protection Control Motor Temperature High Input (Bank 1)         |
| <b>BMW P1078</b> | Valvetronic (VVT) Overload Protection Control Motor Current High Input (Bank 1)             |
| <b>BMW P1079</b> | Valvetronic (VVT) Overload Protection (Bank 1)                                              |
| <b>BMW P1080</b> | Valvetronic (VVT) Overload Protection ECU Temperature High Input (Bank 2)                   |

| CODES            | DEFINITION                                                                          |
|------------------|-------------------------------------------------------------------------------------|
| <b>BMW P1081</b> | Valvetronic (VVT) Overload Protection Control Motor Temperature High Input (Bank 2) |
| <b>BMW P1082</b> | Valvetronic (VVT) Overload Protection Control Motor Current High Input (Bank 2)     |
| <b>BMW P1083</b> | Fuel System Too Rich                                                                |
| <b>BMW P1084</b> | Fuel System Too Lean                                                                |
| <b>BMW P1085</b> | Fuel System Too Rich                                                                |
| <b>BMW P1086</b> | Fuel System Too Lean                                                                |
| <b>BMW P1100</b> | Mass Air Flow Circuit Conditions                                                    |
| <b>BMW P1101</b> | Mass Air Flow Circuit Rationality Check Conditions                                  |
| <b>BMW P1103</b> | Mass Air Flow Circuit Rationality Check Conditions                                  |
| <b>BMW P1104</b> | Differential Pressure Sensor Intake Manifold Pressure Too Low (Bank 1)              |
| <b>BMW P1105</b> | Differential Pressure Sensor Intake Manifold Pressure Too High (Bank 1)             |
| <b>BMW P1111</b> | O2 Control (Bank 1) System Too Lean                                                 |
| <b>BMW P1112</b> | O2 Control (Bank 1) System Too Rich                                                 |
| <b>BMW P1129</b> | Engine Oil Level Sensor Signal Oil Level Too Low                                    |
| <b>BMW P1130</b> | Long Term Fuel Trim at Lean Limit                                                   |
| <b>BMW P1132</b> | HO2S (Bank 2 Sensor 1) Heater Circuit Malfunction                                   |
| <b>BMW P1133</b> | HO2S (Bank 2 Sensor 1) Heater Circuit Malfunction                                   |
| <b>BMW P1134</b> | HO2S Heater Circuit Current Malfunction                                             |
| <b>BMW P1135</b> | HO2S Heater Circuit Current Malfunction                                             |
| <b>BMW P1136</b> | HO2S Heater Circuit Heater Resistance                                               |

| CODES            | DEFINITION                                                        |
|------------------|-------------------------------------------------------------------|
| <b>BMW P1137</b> | Long Term Fuel Trim Add. Fuel, Bank 1 System Too Rich             |
| <b>BMW P1138</b> | HO2S Circuit Malfunction                                          |
| <b>BMW P1139</b> | HO2S Circuit Malfunction                                          |
| <b>BMW P1140</b> | Throttle/Pedal Position Sensor Malfunction                        |
| <b>BMW P1149</b> | O2 Control (Bank 1) Out of Range (Sensor Aging)                   |
| <b>BMW P1151</b> | HO2S Heater Circuit Current Malfunction                           |
| <b>BMW P1152</b> | HO2S Heater Circuit Current Malfunction                           |
| <b>BMW P1153</b> | HO2S Heater Circuit Current Malfunction                           |
| <b>BMW P1155</b> | HO2S Heater Circuit Current Malfunction                           |
| <b>BMW P1156</b> | HO2S Heater Circuit Current Malfunction-Circuit Continuity        |
| <b>BMW P1157</b> | HO2S Heater Circuit Current Malfunction-Heater Resistance         |
| <b>BMW P1158</b> | Fuel Trim System Too Rich (Bank 1)                                |
| <b>BMW P1159</b> | Fuel Trim System Too Lean (Bank 1)                                |
| <b>BMW P1160</b> | Fuel Trim System Too Rich (Bank 1)                                |
| <b>BMW P1161</b> | Fuel Trim System Too Lean (Bank 1)                                |
| <b>BMW P1163</b> | HO2S Heater Circuit Current Malfunction                           |
| <b>BMW P1174</b> | Fuel System Malfunction (Cylinder Bank 1)                         |
| <b>BMW P1175</b> | Fuel System Malfunction (Cylinder Bank 1)                         |
| <b>BMW P1178</b> | O2 Sensor Switching Time                                          |
| <b>BMW P1179</b> | O2 Sensor Switching Time                                          |
| <b>BMW P1186</b> | O2 Sensor Heater Circuit (Bank 1-Sensor 1) Electrical Malfunction |



| CODES            | DEFINITION                                                                  |
|------------------|-----------------------------------------------------------------------------|
| <b>BMW P1187</b> | O2 Sensor Heater Circuit (Bank 1-Sensor 1) Electrical Malfunction           |
| <b>BMW P1188</b> | Fuel System Malfunction (Cylinder Bank 1)                                   |
| <b>BMW P1189</b> | Fuel System Malfunction (Cylinder Bank 1)                                   |
| <b>BMW P1197</b> | Differential Pressure Sensor Intake Manifold High Input (Bank 1)            |
| <b>BMW P1198</b> | Differential Pressure Sensor Intake Manifold Low Input (Bank 1)             |
| <b>BMW P1199</b> | Differential Pressure Sensor Intake Manifold Pressure Plausibility (Bank 1) |
| <b>BMW P1200</b> | Fuel System Too Lean                                                        |
| <b>BMW P1201</b> | Fuel System Too Rich                                                        |
| <b>BMW P1202</b> | Fuel System Too Lean                                                        |
| <b>BMW P1203</b> | Fuel System Too Rich                                                        |
| <b>BMW P1270</b> | Mass or Volume Air Flow Circuit "A" Conditions                              |
| <b>BMW P1327</b> | Knock Sensor 2 Signal Low Input                                             |
| <b>BMW P1328</b> | Knock Sensor 2 Signal High Input                                            |
| <b>BMW P1329</b> | Knock Sensor 3 Signal Low Input                                             |
| <b>BMW P1330</b> | Knock Sensor 3 Signal High Input                                            |
| <b>BMW P1332</b> | Knock Sensor 4 Signal Low Input                                             |
| <b>BMW P1333</b> | Knock Sensor 4 Signal High Input                                            |
| <b>BMW P1338</b> | Camshaft Position Sensor (Bank 1) Open/Short to B+                          |
| <b>BMW P1339</b> | Camshaft Position Sensor (Bank 1) Open/Short to B+                          |
| <b>BMW P1340</b> | Crankshaft Position/Camshaft Sensor Signal Out of Sequence                  |

| CODES            | DEFINITION                                                             |
|------------------|------------------------------------------------------------------------|
| <b>BMW P1342</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1344</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1346</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1348</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1350</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1352</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1354</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1355</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1356</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1357</b> | Random/Multiple Misfire Detected                                       |
| <b>BMW P1377</b> | Camshaft Position Sensor Master Camshaft Not Defined                   |
| <b>BMW P1381</b> | Control Module Self-Test, Knock Control Offset (Bank 1)                |
| <b>BMW P1382</b> | Control Module Self-Test, Knock Control Test Pulse (Bank 1)            |
| <b>BMW P1383</b> | Secondary Ignition Circuit Range Check Voltage Malfunction             |
| <b>BMW P1384</b> | Knock Sensor 3 Circuit Malfunction                                     |
| <b>BMW P1385</b> | Knock Sensor 4 Circuit Malfunction                                     |
| <b>BMW P1386</b> | Control Module Self-Test, Knock Control Circuit Baseline Test (Bank 1) |
| <b>BMW P1396</b> | Camshaft Position Sensor "A" Circ Malfunction                          |
| <b>BMW P1397</b> | Camshaft Position Sensor Circ Malfunction                              |
| <b>BMW P1403</b> | Evaporative Emission System Shut Off Valve                             |
| <b>BMW P1411</b> | Secondary Air Pump Valve Plausibility                                  |

| CODES            | DEFINITION                                                                  |
|------------------|-----------------------------------------------------------------------------|
| <b>BMW P1412</b> | Secondary Air Pump Valve Plausibility                                       |
| <b>BMW P1413</b> | Secondary Air Injector Pump Relay Control Circuit Signal Low                |
| <b>BMW P1414</b> | Secondary Air Injector Pump Relay Control Circuit Signal High               |
| <b>BMW P1418</b> | Secondary Air Pump Valve Plausibility                                       |
| <b>BMW P1420</b> | Secondary Air Injector Valve Circuit Electrical Malfunction                 |
| <b>BMW P1421</b> | Secondary Air Injector Valve Circuit Short to Ground                        |
| <b>BMW P1423</b> | Secondary Air Pump Valve Plausibility                                       |
| <b>BMW P1432</b> | Secondary Air Injection Valve Open                                          |
| <b>BMW P1453</b> | Secondary Air Injector Valve Circuit Electrical Malfunction (Disconnection) |
| <b>BMW P1470</b> | EVAP Emission Control LDP Circuit Electrical Malfunction                    |
| <b>BMW P1472</b> | EVAP Emission Control Leak Detection Pump Circuit Short to Ground           |
| <b>BMW P1473</b> | EVAP Emission Control Leak Detection Pump Circuit Open                      |
| <b>BMW P1475</b> | EVAP Emission Control LDP Circuit Malfunction/Signal Circuit Open           |
| <b>BMW P1476</b> | EVAP Emission Control LDP Circuit Malfunction/Insufficient Vacuum           |
| <b>BMW P1500</b> | Idle Air Control Valve Malfunction                                          |
| <b>BMW P1501</b> | Idle Air Control Valve Malfunction                                          |
| <b>BMW P1502</b> | Idle Air Control Valve Circuit Short to B+                                  |
| <b>BMW P1503</b> | Idle Air Control Valve Circuit Short to Ground                              |
| <b>BMW P1504</b> | Idle Air Control Valve Circuit Continuity-Open Load                         |

| CODES            | DEFINITION                                                              |
|------------------|-------------------------------------------------------------------------|
| <b>BMW P1506</b> | Idle Air Control Valve Circuit Short to B+                              |
| <b>BMW P1507</b> | Idle Air Control Valve Circuit Short to Ground                          |
| <b>BMW P1508</b> | Idle Air Control Valve Circuit Continuity-Open Load                     |
| <b>BMW P1509</b> | Idle Air Control Valve                                                  |
| <b>BMW P1511</b> | Differentiated Intake Manifold Control Circuit Electrical               |
| <b>BMW P1512</b> | Differentiated Intake Manifold Control Circuit Signal Low               |
| <b>BMW P1513</b> | Differentiated Intake Manifold Control Circuit Signal High              |
| <b>BMW P1515</b> | Engine Off Timer Plausibility                                           |
| <b>BMW P1517</b> | Rough Road Detection, No Wheel Speed Signal                             |
| <b>BMW P1518</b> | Rough Road Detection, Wheel Speed Too High                              |
| <b>BMW P1519</b> | Engine Oil Quality Sensor Temperature Measurement                       |
| <b>BMW P1520</b> | Engine Oil Quality Sensor Level Measurement Error                       |
| <b>BMW P1521</b> | Intake Camshaft Control (Bank 2) Malfunction                            |
| <b>BMW P1522</b> | Intake Camshaft Control (Bank 2) Malfunction                            |
| <b>BMW P1526</b> | Camshaft Control Circuit Ground                                         |
| <b>BMW P1527</b> | Variable Camshaft Timing (VANOS) Circuit Malfunction                    |
| <b>BMW P1529</b> | Camshaft Control Circuit Short to B+                                    |
| <b>BMW P1530</b> | Camshaft Control Circuit Short to Ground                                |
| <b>BMW P1532</b> | Camshaft Control Circuit Open                                           |
| <b>BMW P1535</b> | Differentiated Intake Manifold Coil Temperature Limit Value Exceeded    |
| <b>BMW P1536</b> | Differentiated Intake Manifold Controller Monitoring, Control Deviation |

| CODES            | DEFINITION                                                                    |
|------------------|-------------------------------------------------------------------------------|
| <b>BMW P1537</b> | Differentiated Intake Manifold Potentiometer Voltage in Lower Diagnosis Range |
| <b>BMW P1538</b> | Differentiated Intake Manifold Potentiometer Voltage in Upper Diagnosis Range |
| <b>BMW P1539</b> | Differentiated Intake Manifold Coil Temperature Threshold Exceeded            |
| <b>BMW P1542</b> | Throttle Actuation Potentiometer Range/Performance                            |
| <b>BMW P1550</b> | Idle Air Control Valve                                                        |
| <b>BMW P1551</b> | Engine Off Timer Timeout                                                      |
| <b>BMW P1590</b> | Throttle Actuation Potentiometer Signal Too Low (right side)                  |
| <b>BMW P1591</b> | Throttle Actuation Potentiometer Signal Too High (Right Side)                 |
| <b>BMW P1592</b> | Throttle Position Control Malfunction (Right Side)                            |
| <b>BMW P1603</b> | Control Module Self Test, Torque Monitoring                                   |
| <b>BMW P1604</b> | Internal Control Module Driver Error                                          |
| <b>BMW P1614</b> | Serial Communication Link ACC Malfunction                                     |
| <b>BMW P1624</b> | Thermostat Control Circuit Malfunction                                        |
| <b>BMW P1626</b> | Throttle/Pedal Position Sensor Rationality Check                              |
| <b>BMW P1628</b> | Throttle Valve Adaptation Spring Test Malfunction During Opening (Bank 1)     |
| <b>BMW P1629</b> | Throttle Valve Adaptation Spring Test Stop, Spring Does Not Open (Bank 1)     |
| <b>BMW P1631</b> | Throttle Valve Adaptation Spring Test (Bank 1)                                |
| <b>BMW P1633</b> | Throttle Valve Adaptation Limp-Home Position Unknown                          |
| <b>BMW P1634</b> | Throttle Valve Adaptation Spring Test Failed (Bank 1)                         |

| CODES            | DEFINITION                                                           |
|------------------|----------------------------------------------------------------------|
| <b>BMW P1635</b> | Throttle Valve Adaptation Lower Mechanical Stop Not Adapted (Bank 1) |
| <b>BMW P1636</b> | Throttle Valve Position Control, Range Check (Bank 1)                |
| <b>BMW P1637</b> | Throttle Valve Position Control, Control Deviation (Bank 1)          |
| <b>BMW P1638</b> | Throttle Valve Position Control Throttle Stuck Temporarily (Bank 1)  |
| <b>BMW P1639</b> | Accelerator Pedal Position Sensor 1+2 Range/Performance              |
| <b>BMW P1640</b> | Internal Control Module (EEPROM) Error                               |
| <b>BMW P1641</b> | Throttle Valve Adaptation Stop Due to Environmental Conditions       |
| <b>BMW P1642</b> | Throttle Valve Adaptation Stop Due to Environmental Values           |
| <b>BMW P1643</b> | Throttle Valve Actuator Start Test Amplifier Balancing Plausibility  |
| <b>BMW P1644</b> | Throttle Valve Adaptation Stop Relearning Lower Mechanical Stop      |
| <b>BMW P1645</b> | Internal Control Module Random Access Memory (RAM) Reading Error     |
| <b>BMW P1649</b> | Internal Control Module Random Access Memory (RAM) Writing Error     |
| <b>BMW P1650</b> | Start While Engine is Running                                        |
| <b>BMW P1660</b> | EWS (Electronic Immobilizer) Telegram Error                          |
| <b>BMW P1661</b> | Timeout EWS (Electronic Immobilizer) Telegram                        |
| <b>BMW P1662</b> | EWS (Electronic Immobilizer) Telegram Parity Error                   |
| <b>BMW P1663</b> | EWS (Electronic Immobilizer) Rolling Code Faulty Storage in EEPROM   |

| CODES            | DEFINITION                                                            |
|------------------|-----------------------------------------------------------------------|
| <b>BMW P1664</b> | EWS (Electronic Immobilizer) Writing/Reading Error in EEPROM          |
| <b>BMW P1665</b> | EWS (Electronic Immobilizer) Tampering Via Rolling Code               |
| <b>BMW P1666</b> | EWS (Electronic Immobilizer) Tampering/Start Value Not Yet Programmed |
| <b>BMW P1667</b> | EWS (Electronic Immobilizer) Start Value Not Yet Programmed           |
| <b>BMW P1668</b> | EWS (Electronic Immobilizer) Start Value Destroyed                    |
| <b>BMW P1677</b> | Adaptive Cruise Control No Activity Detected                          |
| <b>BMW P1680</b> | Electronic Throttle Control Monitor Level 2/3 ADC Processor Fault     |
| <b>BMW P1719</b> | CAN Level Wrong Value                                                 |
| <b>BMW P1720</b> | CAN Message Timeout                                                   |
| <b>BMW P1721</b> | CAN Timeout ASC/DSC                                                   |
| <b>BMW P1727</b> | Engine Speed Signal Plausibility                                      |
| <b>BMW P1728</b> | Engine Overspeed Plausibility                                         |
| <b>BMW P1734</b> | Pressure Control Valve 2 Electrical                                   |
| <b>BMW P1738</b> | Pressure Control Valve 3 Electrical                                   |
| <b>BMW P1740</b> | Clutch Solenoid Circuit Range/Performance                             |
| <b>BMW P1743</b> | Pressure Regulator Valve 5 Upper Threshold                            |
| <b>BMW P1745</b> | Pressure Regulator Valve 5 Plausibility                               |
| <b>BMW P1747</b> | CAN-Bus Plausibility-Disabled                                         |
| <b>BMW P1750</b> | Shift Solenoid Power Supply Malfunction                               |
| <b>BMW P1753</b> | Pressure Regulator Valve 4 Upper Threshold                            |

| CODES            | DEFINITION                                                     |
|------------------|----------------------------------------------------------------|
| <b>BMW P1758</b> | Shift Solenoid B                                               |
| <b>BMW P1762</b> | Shift Solenoid C Short to Power                                |
| <b>BMW P1763</b> | Shift Solenoid C Short to Ground                               |
| <b>BMW P1764</b> | Shift Solenoid C Short Circuit Continuity-Disconnection        |
| <b>BMW P1765</b> | Throttle Valve Signal Plausibility                             |
| <b>BMW P1766</b> | Engine Speed Plausibility                                      |
| <b>BMW P1771</b> | Engine Torque Plausibility                                     |
| <b>BMW P1782</b> | Brake Pedal Signal Plausibility                                |
| <b>BMW P1790</b> | Internal Control Module Memory Checksum Error                  |
| <b>BMW P1791</b> | EEPROM Failure                                                 |
| <b>BMW P1801</b> | Solenoid Valve 1 Lower Threshold                               |
| <b>BMW P1802</b> | Solenoid Valve 2 Lower Threshold                               |
| <b>BMW P1803</b> | Solenoid Valve 3 Lower Threshold                               |
| <b>BMW P1810</b> | Input/Turbine Speed Sensor Circuit Malfunction Upper Threshold |
| <b>BMW P1811</b> | Input/Turbine Speed Sensor Circuit Malfunction Lower Threshold |
| <b>BMW P1812</b> | Output Speed Sensor Circuit Malfunction Upper Threshold        |
| <b>BMW P1813</b> | Output Speed Sensor Circuit Malfunction Lower Threshold        |
| <b>BMW P1814</b> | Output Speed Sensor Circuit Malfunction Plausibility           |
| <b>BMW P1831</b> | Pressure Regulator Valve 1 Upper Threshold                     |
| <b>BMW P1832</b> | Pressure Regulator Valve 2 Upper Threshold                     |



| CODES            | DEFINITION                                       |
|------------------|--------------------------------------------------|
| <b>BMW P1833</b> | Pressure Regulator Valve 3 Upper Threshold       |
| <b>BMW P1834</b> | Pressure Regulator Valve 4 Upper Threshold       |
| <b>BMW P1835</b> | Pressure Regulator Valve 5 Upper Threshold       |
| <b>BMW P1841</b> | Pressure Regulator Valve 1 Lower Threshold       |
| <b>BMW P1842</b> | Pressure Regulator Valve 2 Lower Threshold       |
| <b>BMW P1843</b> | Pressure Regulator Valve 3 Lower Threshold       |
| <b>BMW P1844</b> | Pressure Regulator Valve 4 Lower Threshold       |
| <b>BMW P1845</b> | Pressure Regulator Valve 5 Lower Threshold       |
| <b>BMW P1861</b> | 2-1 Shift Range Monitoring General Malfunction   |
| <b>BMW P1862</b> | 3-2 Shift Range Monitoring                       |
| <b>BMW P1863</b> | 4-3 Shift Range Monitoring                       |
| <b>BMW P1864</b> | 5-4 Shift Range Monitoring                       |
| <b>BMW P1865</b> | 6-5 Shift Range Monitoring                       |
| <b>BMW P1881</b> | 1-2 Shift Range Monitoring Upper Threshold       |
| <b>BMW P1882</b> | 2-3 Shift Range Monitoring Upper Threshold       |
| <b>BMW P1883</b> | 3-4 Shift Upper Threshold                        |
| <b>BMW P1884</b> | 4-5 Shift Upper Threshold                        |
| <b>BMW P1885</b> | 5-6 Shift Upper Threshold                        |
| <b>BMW P1889</b> | System Power Supply (B+) Terminal 15 Malfunction |
| <b>BMW P1890</b> | TCC Power Supply Upper Threshold                 |
| <b>BMW P1891</b> | TCC Power Supply Upper Threshold                 |
| <b>BMW P1892</b> | TCC Power Supply Lower Threshold                 |

| CODES            | DEFINITION                                                                                                            |
|------------------|-----------------------------------------------------------------------------------------------------------------------|
| <b>BMW P1893</b> | TCC Power Supply Circuit Continuity Power Short                                                                       |
| <b>BMW P1894</b> | TCC Power Supply Circuit Continuity Ground Short                                                                      |
| <b>BMW P1895</b> | TCC Power Supply Circuit Continuity Disconnection                                                                     |
| <b>BMW P3013</b> | O2 Sensor Circuit Adaptation Value to High (Bank 2 Sensor 1)                                                          |
| <b>BMW P3014</b> | O2 Sensor WRAF-IC Supply Voltage Too Low (Bank 1 Sensor 1)                                                            |
| <b>BMW P3015</b> | O2 Sensor WRAF-IC Supply Voltage Too Low (Bank 2 Sensor 1)                                                            |
| <b>BMW P3016</b> | O2 Sensor Calibration Resistance at WRAF-IC Plausibility Bank 1 Sensor 1                                              |
| <b>BMW P3017</b> | O2 Sensor Calibration Resistance at WRAF-IC Plausibility Bank 2 Sensor 1                                              |
| <b>BMW P3018</b> | O2 Sensor Lambda Controller Value Above Threshold due to Open Pumping Current Circuit (Bank 1 Sensor 1)               |
| <b>BMW P3019</b> | O2 Sensor Lambda Controller Value Above Threshold due to Open Pumping Current Circuit (Bank 2 Sensor 1)               |
| <b>BMW P3020</b> | O2 Sensor Signal Voltage Too Low During Coast Down Fuel Cut-Off Due to Open Pumping Current Circuit (Bank 1 Sensor 1) |
| <b>BMW P3021</b> | O2 Sensor Signal Voltage Too Low During Coast Down Fuel Cut-Off Due to Open Pumping Current Circuit (Bank 2 Sensor 1) |
| <b>BMW P3022</b> | O2 Sensor Disturbed SPI Communication to WRAF-IC (Bank 1 Sensor 1)                                                    |
| <b>BMW P3023</b> | O2 Sensor Disturbed SPI Communication to WRAF-IC (Bank 2 Sensor 1)                                                    |
| <b>BMW P3024</b> | O2 Sensor Initialization Error WRAF-IC (Bank 1 Sensor 1)                                                              |
| <b>BMW P3025</b> | O2 Sensor Initialization Error WRAF-IC (Bank 2 Sensor 1)                                                              |

| CODES            | DEFINITION                                                                |
|------------------|---------------------------------------------------------------------------|
| <b>BMW P3026</b> | O2 Sensor Operating Temperature Not Reached Bank 1 Sensor 1               |
| <b>BMW P3027</b> | O2 Sensor Operating Temperature Not Reached Bank 2 Sensor 1               |
| <b>BMW P3028</b> | O2 Sensor Heater Control No Activity Detected Bank 1 Sensor 1             |
| <b>BMW P3029</b> | O2 Sensor Heater Control No Activity Detected Bank 2 Sensor 1             |
| <b>BMW P3037</b> | O2 Sensor Positive Current Control Circuit/Open Circuit (Bank 1 Sensor 1) |
| <b>BMW P3200</b> | Power CAN, CAN Chip Defective                                             |
| <b>BMW P3201</b> | Power CAN, DPRAM-CAN Chip Defective                                       |
| <b>BMW P3202</b> | Powertrain CAN, CAN Chip Cut-Off                                          |
| <b>BMW P3203</b> | Local CAN, LoCAN Chip Defective                                           |
| <b>BMW P3204</b> | Local CAN, DPRAM-LoCAN Chip Defective                                     |
| <b>BMW P3205</b> | Local CAN, DPRAM-LoCAN Chip Cut-Off                                       |
| <b>BMW P3206</b> | CAN Timeout ARS                                                           |
| <b>BMW P3207</b> | CAN Message Monitoring ARS No Signal                                      |
| <b>BMW P3208</b> | CAN Message Monitoring ARS Plausibility                                   |
| <b>BMW P3209</b> | CAN Message Monitoring ASC/DSC Alive Check Malfunction                    |
| <b>BMW P3210</b> | CAN Message Monitoring ASC/DSC Plausibility                               |
| <b>BMW P3211</b> | CAN Message Monitoring CAS No Signal                                      |
| <b>BMW P3212</b> | CAN Message Monitoring CAS Plausibility                                   |
| <b>BMW P3213</b> | CAN Message Monitoring ETC Alive Check Malfunction                        |
| <b>BMW P3214</b> | CAN Message Monitoring ETC Plausibility                                   |

| CODES            | DEFINITION                                                                          |
|------------------|-------------------------------------------------------------------------------------|
| <b>BMW P3215</b> | CAN Message Monitoring IHKA (Automatic Heating and Air Conditioning) No Signal      |
| <b>BMW P3216</b> | CAN Timeout Instrument Pack                                                         |
| <b>BMW P3217</b> | CAN Message Monitoring Instrument Pack Plausibility                                 |
| <b>BMW P3219</b> | CAN Message Monitoring SZL (Switch Cluster Steering Column) Alive Check Malfunction |
| <b>BMW P3220</b> | CAN Message Monitoring SZL (Switch Cluster Steering Column) No Signal               |
| <b>BMW P3221</b> | CAN Message Monitoring SZL (Switch Cluster Steering Column) Plausibility            |
| <b>BMW P3223</b> | Generator Mechanical Error                                                          |
| <b>BMW P3225</b> | Generator Communication Error                                                       |
| <b>BMW P3226</b> | E-Box Control Circuit Fan High                                                      |
| <b>BMW P3227</b> | E-Box Control Circuit Fan Low                                                       |
| <b>BMW P3228</b> | E-Box Control Circuit Open Circuit                                                  |
| <b>BMW P3231</b> | Control Module Monitoring Error Response Plausibility                               |
| <b>BMW P3232</b> | Control Module Monitoring Ignition Timing Plausibility                              |
| <b>BMW P3233</b> | Control Module Monitoring Relative Charge Plausibility                              |
| <b>BMW P3236</b> | Control Module Monitoring Injection Time Relative Fuel Quantity Plausibility        |
| <b>BMW P3237</b> | Control Module Monitoring Fuel Correction Error                                     |
| <b>BMW P3238</b> | Control Module Monitoring TPU Chip Defective                                        |
| <b>BMW P3247</b> | Internal Control Module NVRAM Backup Error                                          |
| <b>BMW P3300</b> | Ignition Coil Cylinder 1 High Input or None-Impedance                               |
| <b>BMW P3301</b> | Ignition Coil Cylinder 1 Contact Resistance or High-Impedance                       |

| CODES            | DEFINITION                                                                      |
|------------------|---------------------------------------------------------------------------------|
| <b>BMW P3302</b> | Ignition Coil Cylinder 1 Cut-Off Due to Over-temperature Condition or No Signal |
| <b>BMW P3303</b> | Ignition Coil Cylinder 5 High Input or None-Impedance                           |
| <b>BMW P3304</b> | Ignition Coil Cylinder 5 Contact Resistance or High-Impedance                   |
| <b>BMW P3305</b> | Ignition Coil Cylinder 5 Cut-Off Due to Over-temperature Condition or No Signal |
| <b>BMW P3306</b> | Ignition Coil Cylinder 4 High Input or None-Impedance                           |
| <b>BMW P3307</b> | Ignition Coil Cylinder 4 Contact Resistance or High-Impedance                   |
| <b>BMW P3308</b> | Ignition Coil Cylinder 4 Cut-Off Due to Over-temperature Condition or No Signal |
| <b>BMW P3309</b> | Ignition Coil Cylinder 8 High Input or None-Impedance                           |
| <b>BMW P3310</b> | Ignition Coil Cylinder 8 Contact Resistance or High-Impedance                   |
| <b>BMW P3311</b> | Ignition Coil Cylinder 8 Cut-Off Due to Over-temperature Condition or No Signal |
| <b>BMW P3312</b> | Ignition Coil Cylinder 6 High Input or None-Impedance                           |
| <b>BMW P3313</b> | Ignition Coil Cylinder 6 Contact Resistance or High-Impedance                   |
| <b>BMW P3314</b> | Ignition Coil Cylinder 6 Cut-Off Due to Over-temperature Condition or No Signal |
| <b>BMW P3315</b> | Ignition Coil Cylinder 31 High Input or None-Impedance                          |
| <b>BMW P3316</b> | Ignition Coil Cylinder 3 Contact Resistance or High-Impedance                   |
| <b>BMW P3317</b> | Ignition Coil Cylinder 3 Cut-Off Due to Over-temperature Condition or No Signal |
| <b>BMW P3318</b> | Ignition Coil Cylinder 7 High Input or None-Impedance                           |

| CODES                 | DEFINITION                                                                      |
|-----------------------|---------------------------------------------------------------------------------|
| <b>BMW P3319</b>      | Ignition Coil Cylinder 7 Contact Resistance or High-Impedance                   |
| <b>BMW P3320</b>      | Ignition Coil Cylinder 7 Cut-Off Due to Over-temperature Condition or No Signal |
| <b>BMW U1115</b>      | Lost Communication With Vehicle Mode Status                                     |
| <b>BMW U1116</b>      | Lost Communication With Vehicle Mode Status Check Sum Error                     |
| <b>BMW U1120</b>      | Lost Communication With Steering Angle Sensor Module                            |
| <b>BMW U1121</b>      | Lost Communication With Power Management Battery Voltage                        |
| <b>BMW U1129</b>      | Lost Communication With Reverse Status                                          |
| <b>BMW U1134</b>      | Lost Communication With Lamp Status                                             |
| <b>BMW U1135</b>      | Lost Communication With Status Water Valve                                      |
| <b>Cadillac B101D</b> | XX: ECU Hardware                                                                |
| <b>Cadillac B1327</b> | Dash Integration Module Power Circuit Low Input                                 |
| <b>Cadillac B1328</b> | Dash Integration Module Power Circuit High Input                                |
| <b>Cadillac B1428</b> | Ignition Switched Power Run/Crank Relay Circuit                                 |
| <b>Cadillac B1513</b> | Instrument Panel Cluster Voltage Low Input                                      |
| <b>Cadillac B1514</b> | Instrument Panel Cluster Voltage High Input                                     |
| <b>Cadillac C120A</b> | Brake Boost Regulation Pressure Sensor Plausibility Failure                     |
| <b>Cadillac C120C</b> | Brake Pedal Position Sensor 4 Plausibility                                      |
| <b>Cadillac C120D</b> | Traction Control Power Switch Circuit Open                                      |
| <b>Cadillac C120E</b> | Traction Control Power Switch Circuit Shorted                                   |
| <b>Cadillac C121A</b> | ABS Regenerative Axle Pressure Sensor                                           |

| CODES                 | DEFINITION                                                     |
|-----------------------|----------------------------------------------------------------|
| <b>Cadillac C121C</b> | EBCM Internal Communication Error                              |
| <b>Cadillac C121D</b> | Improper Shutdown                                              |
| <b>Cadillac C121E</b> | EBCM Malfunction                                               |
| <b>Cadillac C121F</b> | EBCM Unexpected Exception                                      |
| <b>Cadillac C122E</b> | Wheel Speed Sensor Frequency Error                             |
| <b>Cadillac C123A</b> | EBCM High End Timer Watchdog                                   |
| <b>Cadillac C123B</b> | EBCM High End Timer Program Overflow                           |
| <b>Cadillac C123C</b> | EBCM High End Timer RAM Fault                                  |
| <b>Cadillac C123D</b> | EBCM Solenoid Timeout                                          |
| <b>Cadillac C123E</b> | EBCM High End Timer Periodic Interrupt                         |
| <b>Cadillac C123F</b> | EBCM Serial Peripheral Interface Inoperative                   |
| <b>Cadillac C1255</b> | Electronic Control Unit Performance                            |
| <b>Cadillac C1256</b> | Program ROM Checksum Error                                     |
| <b>Cadillac C126D</b> | EBCM communication Bus B RAM Error                             |
| <b>Cadillac C126E</b> | EBCM Stack Overrun                                             |
| <b>Cadillac C126F</b> | EBCM Serial Peripheral Interface Performance                   |
| <b>Cadillac C1276</b> | Delivered Torque Signal Circuit Malfunction                    |
| <b>Cadillac C1277</b> | Requested Torque Signal Circuit Malfunction                    |
| <b>Cadillac C127C</b> | EBCM Self Test Failed                                          |
| <b>Cadillac C127D</b> | Antilock Brake System (ABS) Brake Switch Circuit               |
| <b>Cadillac C127E</b> | EBCM Module High Temperature                                   |
| <b>Cadillac C128A</b> | Brake Boost Regulation Pressure Sensor Above Maximum Threshold |

| CODES                 | DEFINITION                                                                        |
|-----------------------|-----------------------------------------------------------------------------------|
| <b>Cadillac C128B</b> | Master Cylinder Pressure Sensor Above Maximum Threshold                           |
| <b>Cadillac C128C</b> | ABS Regenerative Axle Pressure Sensor Offset Error                                |
| <b>Cadillac C128D</b> | Brake Boost Regulation Pressure Sensor                                            |
| <b>Cadillac C128E</b> | Master Cylinder Pressure Sensor                                                   |
| <b>Cadillac C128F</b> | ABS Regenerative Axle Pressure Sensor Raw Offset Error                            |
| <b>Cadillac C129A</b> | Brake Pedal Position Sensor 3 Circuit Low                                         |
| <b>Cadillac C129B</b> | Brake Pedal Position Sensor 3 Circuit High                                        |
| <b>Cadillac C129D</b> | Brake Pedal Position Sensor 4 Circuit Low                                         |
| <b>Cadillac C129E</b> | Brake Pedal Position Sensor 4 Circuit High                                        |
| <b>Cadillac C12A7</b> | Brake Boost Solenoid Valve Circuit Performance                                    |
| <b>Cadillac C12B1</b> | ABS Master Cylinder Pressure Sensor and Brake Pedal Position Sensor Not Plausible |
| <b>Cadillac C12B2</b> | Master Cylinder Pressure Sensor Short to Ground or Open                           |
| <b>Cadillac C12B3</b> | Master Cylinder Pressure Sensor Short to Battery                                  |
| <b>Cadillac C12B4</b> | Master Cylinder Pressure Sensor Erratic                                           |
| <b>Cadillac C12B6</b> | High Pressure Accumulator Pressure Sensor Short to Ground or Open                 |
| <b>Cadillac C12B7</b> | High Pressure Accumulator Pressure Sensor Short to Battery                        |
| <b>Cadillac C12B8</b> | High Pressure Accumulator Pressure Sensor Erratic                                 |
| <b>Cadillac C12B9</b> | ABS Regenerative Axle Pressure Sensor Circuit Open or Short To Ground             |
| <b>Cadillac C12BA</b> | ABS Regenerative Axle Pressure Sensor Circuit Short To Battery                    |



| CODES                 | DEFINITION                                                     |
|-----------------------|----------------------------------------------------------------|
| <b>Cadillac C12BB</b> | ABS Regenerative Axle Pressure Sensor Erratic                  |
| <b>Cadillac C12BC</b> | Brake Boost Regulation Pressure Sensor Short to Ground or Open |
| <b>Cadillac C12BD</b> | Brake Boost Regulation Pressure Sensor Short to Battery        |
| <b>Cadillac C12BE</b> | Brake Boost Regulation Pressure Sensor Erratic                 |
| <b>Cadillac C12C2</b> | ABS Left Front Isolation Solenoid Valve Driver Shorted         |
| <b>Cadillac C12C5</b> | ABS Right Front Isolation Solenoid Valve Diver Shorted         |
| <b>Cadillac C12C6</b> | ABS Left Rear Isolation Solenoid Valve Circuit Failure         |
| <b>Cadillac C12C8</b> | ABS Right Rear Isolation Solenoid Valve Circuit Failure        |
| <b>Cadillac C12CC</b> | ABS Left Front Dump Solenoid Valve Driver Shorted              |
| <b>Cadillac C12CF</b> | ABS Right Front Dump Solenoid Valve Driver Shorted             |
| <b>Cadillac C12D0</b> | ABS Left Rear Dump Solenoid valve Circuit Open                 |
| <b>Cadillac C12D1</b> | ABS Left Rear Dump Solenoid Valve Circuit Shorted              |
| <b>Cadillac C12D2</b> | ABS Left Rear Dump Solenoid Valve Driver Shorted               |
| <b>Cadillac C12D3</b> | ABS Right Rear Dump Solenoid Valve Circuit Open                |
| <b>Cadillac C12D4</b> | ABS Right Rear Dump Solenoid Valve Circuit Shorted             |
| <b>Cadillac C12D5</b> | ABS Right Rear Dump Solenoid Driver Shorted                    |
| <b>Cadillac C12D6</b> | ABS Base Brake Open Solenoid Circuit Open                      |
| <b>Cadillac C12D7</b> | ABS Base Brake Open Solenoid Circuit Shorted                   |
| <b>Cadillac C12D8</b> | ABS Base Brake Open Solenoid Driver Shorted                    |
| <b>Cadillac C12D9</b> | ABS Base Brake Closed Solenoid Circuit Open                    |
| <b>Cadillac C12DA</b> | ABS Base Brake Closed Solenoid Circuit Shorted                 |
| <b>Cadillac C12DB</b> | ABS Base Brake Closed Solenoid Driver Shorted                  |

| CODES                 | DEFINITION                                                                    |
|-----------------------|-------------------------------------------------------------------------------|
| <b>Cadillac C12DC</b> | Brake Boost Solenoid Valve Circuit Malfunction                                |
| <b>Cadillac C12DD</b> | Brake Boost Solenoid Valve Circuit Shorted                                    |
| <b>Cadillac C12DE</b> | ABS Proportioning Valve Solenoid Circuit Open                                 |
| <b>Cadillac C12DF</b> | ABS Proportioning Valve Solenoid Driver Shorted                               |
| <b>Cadillac C12E4</b> | Device Voltage Reference Output Circuit                                       |
| <b>Cadillac C12E6</b> | Valve Relay Contact Circuit Open                                              |
| <b>Cadillac C12E7</b> | Valve Relay Contact Circuit Resistance Below Threshold                        |
| <b>Cadillac C12F2</b> | ABS Left Rear Isolation Solenoid Valve Circuit Shorted                        |
| <b>Cadillac C12F3</b> | ABS Left Rear Isolation Solenoid Circuit Performance                          |
| <b>Cadillac C12F4</b> | ABS Proportioning Valve Solenoid Performance                                  |
| <b>Cadillac C12F5</b> | ABS Right Rear Isolation Solenoid Circuit Shorted                             |
| <b>Cadillac C12F6</b> | ABS Right Rear Isolation Solenoid Performance                                 |
| <b>Cadillac C12F7</b> | ABS Boost Pressure Sensor and Regenerative Axle Pressure Sensor Not Plausible |
| <b>Cadillac C12F8</b> | Brake Pedal Position Sensor 3 Not Plausible                                   |
| <b>Cadillac P1031</b> | HO2S Heater Current Monitor Control (Bank 1 Sensor 1)                         |
| <b>Cadillac P1032</b> | HO2S Heater Current Monitor Control (Bank 2 Sensor 1)                         |
| <b>Cadillac P1101</b> | Intake Air Flow System Performance                                            |
| <b>Cadillac P1106</b> | MAP Sensor Circuit Intermittent High Input                                    |
| <b>Cadillac P1107</b> | MAP Sensor Circuit Intermittent Low Input                                     |
| <b>Cadillac P1108</b> | BARO to MAP Sensor Comparison Too High                                        |
| <b>Cadillac P1111</b> | IAT Sensor Circuit Intermittent High Input                                    |
| <b>Cadillac P1112</b> | IAT Sensor Circuit Intermittent Low Input                                     |

| CODES                 | DEFINITION                                            |
|-----------------------|-------------------------------------------------------|
| <b>Cadillac P1113</b> | Intake Resonance Switchover Valve Circuit Malfunction |
| <b>Cadillac P1114</b> | ECT Sensor Circuit Intermittent Low Input             |
| <b>Cadillac P1115</b> | ECT Sensor Circuit Intermittent High Input            |
| <b>Cadillac P1120</b> | TP Sensor 1 Circuit Malfunction                       |
| <b>Cadillac P1121</b> | TP Sensor Circuit High Input (Intermittent)           |
| <b>Cadillac P1122</b> | TP Sensor Circuit Intermittent Low Input              |
| <b>Cadillac P1125</b> | APP Sensors Out of Range                              |
| <b>Cadillac P1133</b> | HO2S Insufficient Switching Bank 1 Sensor 1           |
| <b>Cadillac P1134</b> | HO2S-11 (Bank 1 Sensor 1) Transition Time Ratio       |
| <b>Cadillac P1139</b> | HO2S-12 (Bank 1 Sensor 2) Insufficient Switching      |
| <b>Cadillac P1140</b> | HO2S-12 (Bank 1 Sensor 2) Transition Time Ratio       |
| <b>Cadillac P1141</b> | HO2S-12 (Bank 1 Sensor 2) Heater Circuit Malfunction  |
| <b>Cadillac P1153</b> | HO2S Insufficient Switching Bank 2 Sensor 1           |
| <b>Cadillac P1154</b> | HO2S-21 (Bank 2 Sensor 1) Transition Time Ratio       |
| <b>Cadillac P1161</b> | HO2S-22 (Bank 2 Sensor 2) Heater Circuit Malfunction  |
| <b>Cadillac P1171</b> | Fuel System Lean During Acceleration                  |
| <b>Cadillac P1172</b> | Secondary Fuel Pump Insufficient/No Fuel Flow         |
| <b>Cadillac P1174</b> | Fuel Trim Cylinder Balance Bank 1                     |
| <b>Cadillac P1175</b> | Fuel Trim Cylinder Balance Bank 2                     |
| <b>Cadillac P1189</b> | Engine Oil Pressure Switch Circuit Malfunction        |
| <b>Cadillac P1220</b> | TP Sensor 2 Circuit Malfunction                       |
| <b>Cadillac P1221</b> | TP Sensor 2 Signal Correlation                        |

| CODES                 | DEFINITION                                                    |
|-----------------------|---------------------------------------------------------------|
| <b>Cadillac P1222</b> | Injector Control Circuit Malfunction (Intermittent)           |
| <b>Cadillac P1258</b> | Engine Coolant Over Temperature - Protection Mode Active      |
| <b>Cadillac P1260</b> | Fuel Pump Speed Relay Control Circuit Malfunctions            |
| <b>Cadillac P1271</b> | Accelerator Pedal Position Sensor 1-2 Correlation             |
| <b>Cadillac P1275</b> | Accelerator Pedal Position Sensor 1 Circuit Malfunction       |
| <b>Cadillac P1276</b> | Accelerator Pedal Position Sensor 1 Range/Performance         |
| <b>Cadillac P1280</b> | Accelerator Pedal Position Sensor 2 Circuit Malfunction       |
| <b>Cadillac P1281</b> | TP Sensors Mismatch                                           |
| <b>Cadillac P1285</b> | TP Sensor 3 Improper Voltage                                  |
| <b>Cadillac P1286</b> | TP Sensors Mismatch                                           |
| <b>Cadillac P1320</b> | ICM 4X Reference Circuit No Pulses (Intermittent)             |
| <b>Cadillac P1323</b> | ICM 24X Reference Circuit Low Frequency                       |
| <b>Cadillac P1336</b> | Crankshaft Position (CKP) System Variation Not Learned        |
| <b>Cadillac P1345</b> | Crankshaft Position (CKP)-Camshaft Position (CMP) Correlation |
| <b>Cadillac P1350</b> | Ignition Control (IC) Circuit Malfunction                     |
| <b>Cadillac P1351</b> | ICM Ignition Control Circuit High Input                       |
| <b>Cadillac P1352</b> | Ignition Control Bypass Circuit High Input                    |
| <b>Cadillac P1359</b> | Ignition Coil Group 1 Control Circuit Malfunction             |
| <b>Cadillac P1360</b> | Ignition Coil Group 2 Control Circuit Malfunction             |
| <b>Cadillac P1361</b> | Ignition Control Module Low Input                             |
| <b>Cadillac P1370</b> | IC Module 4X Reference Circuit Too Many Pulses                |

| CODES                 | DEFINITION                                                    |
|-----------------------|---------------------------------------------------------------|
| <b>Cadillac P1371</b> | IC Module 4X Reference Circuit Too Few Pulses                 |
| <b>Cadillac P1372</b> | Crankshaft Position Sensor A-B Correlation                    |
| <b>Cadillac P1374</b> | IC Module 3X Reference Circuit Malfunction                    |
| <b>Cadillac P1375</b> | IC Module 24X Reference Circuit High Input                    |
| <b>Cadillac P1376</b> | IC Module Ignition Ground Circuit Malfunction                 |
| <b>Cadillac P1377</b> | ICM CMP Pulse To 4X Reference Pulse Comparison                |
| <b>Cadillac P1380</b> | Misfire Detected - Rough Road Data Not Available              |
| <b>Cadillac P1381</b> | Misfire Detected - No Communication with Brake Control Module |
| <b>Cadillac P1400</b> | Cold Start Emission Reduction Control System                  |
| <b>Cadillac P1404</b> | Exhaust Gas Recirculation (EGR) Closed Position Performance   |
| <b>Cadillac P1406</b> | EGR Valve Pintle Position Circuit Malfunction                 |
| <b>Cadillac P1415</b> | Secondary Air Injection System (Bank 1) Malfunction           |
| <b>Cadillac P1416</b> | Secondary Air Injection System (Bank 2) Malfunction           |
| <b>Cadillac P1431</b> | No Secondary Fuel Level Change Detected                       |
| <b>Cadillac P1432</b> | Secondary Fuel Level Signal Too Low                           |
| <b>Cadillac P1433</b> | Secondary Fuel Level Signal Too High                          |
| <b>Cadillac P1441</b> | EVAP System Flow During Non-Purge                             |
| <b>Cadillac P1460</b> | Misfire Detected With Low Fuel                                |
| <b>Cadillac P1483</b> | Engine Cooling System Performance                             |
| <b>Cadillac P1501</b> | Theft Deterrent System Malfunction                            |
| <b>Cadillac P1502</b> | Theft Deterrent System Signal Not Received                    |

| CODES                 | DEFINITION                                                                        |
|-----------------------|-----------------------------------------------------------------------------------|
| <b>Cadillac P1503</b> | Theft Deterrent System Password Incorrect                                         |
| <b>Cadillac P1508</b> | Idle Speed Low - IAC Control System Not Responding                                |
| <b>Cadillac P1509</b> | Idle Speed High - IAC System Not Responding                                       |
| <b>Cadillac P150C</b> | Transmission Control Module Engine Speed Request Signal Message Counter Incorrect |
| <b>Cadillac P1510</b> | Throttle Control System - Throttle Limitation Active                              |
| <b>Cadillac P1511</b> | Throttle Control System - Backup System Performance                               |
| <b>Cadillac P1514</b> | Throttle Body Performance                                                         |
| <b>Cadillac P1515</b> | Control Module Throttle Actuator Position Performance                             |
| <b>Cadillac P1516</b> | Throttle Actuator Control (TAC) Module Throttle Actuator Position Performance     |
| <b>Cadillac P1517</b> | Throttle Actuator Control Module Performance                                      |
| <b>Cadillac P1518</b> | Throttle Actuator Control Module Serial Data Malfunction                          |
| <b>Cadillac P1519</b> | Throttle Actuator Control Module Internal Circuit                                 |
| <b>Cadillac P1520</b> | Transmission Range Switch Circuit Malfunction                                     |
| <b>Cadillac P1523</b> | Throttle Closed Position Range/Performance                                        |
| <b>Cadillac P1524</b> | Throttle Closed Position Range/Performance                                        |
| <b>Cadillac P1526</b> | TP Sensor Learn Not Completed                                                     |
| <b>Cadillac P1527</b> | Transmission Range To Pressure Switch Correlation                                 |
| <b>Cadillac P1530</b> | Throttle Actuator Control Module Internal Circuit                                 |
| <b>Cadillac P1531</b> | A/C Temperature Sensor Circuit Malfunction                                        |
| <b>Cadillac P1532</b> | A/C Evaporative Temp Sensor Circuit Low Input                                     |
| <b>Cadillac P1533</b> | A/C Evaporative Temp Sensor Circuit High Input                                    |

| CODES                 | DEFINITION                                                                        |
|-----------------------|-----------------------------------------------------------------------------------|
| <b>Cadillac P1536</b> | Engine Coolant Over Temperature - Air Conditioning (A/C) Disabled                 |
| <b>Cadillac P1539</b> | Air Conditioning Clutch Status High Input                                         |
| <b>Cadillac P1540</b> | Air Conditioning (A/C) Refrigerant Overpressure - Air Conditioning (A/C) Disabled |
| <b>Cadillac P1543</b> | Air Conditioning System Range/Performance                                         |
| <b>Cadillac P1545</b> | Air Conditioning Clutch Relay Control Circuit Malfunction                         |
| <b>Cadillac P1546</b> | A/C Clutch Status Circuit Low Input                                               |
| <b>Cadillac P1551</b> | Secondary Or Primary Fuel Level Sensor Malfunction                                |
| <b>Cadillac P1553</b> | Adaptive Cruise Control Signal Circuit                                            |
| <b>Cadillac P1554</b> | Cruise Control Feedback Circuit Malfunction                                       |
| <b>Cadillac P1560</b> | Transaxle Not In Drive - Cruise Control Disabled                                  |
| <b>Cadillac P1564</b> | Vehicle Acceleration Too High - Cruise Control Disabled                           |
| <b>Cadillac P1566</b> | Engine Speed Too High - Cruise Control Disabled                                   |
| <b>Cadillac P1567</b> | Active Braking Control Active - Cruise Control Disabled                           |
| <b>Cadillac P1570</b> | Traction Control Active - Cruise Control Disabled                                 |
| <b>Cadillac P1571</b> | Traction Control System - PWM Circuit No Frequency                                |
| <b>Cadillac P1572</b> | TCS Active Circuit Low Voltage Too Long                                           |
| <b>Cadillac P1574</b> | Stoplamp Switch Circuit Malfunction                                               |
| <b>Cadillac P1575</b> | Extended Travel Brake Switch Circuit Malfunction                                  |
| <b>Cadillac P1576</b> | Brake Booster Vacuum Sensor Circuit High Input                                    |
| <b>Cadillac P1577</b> | Brake Booster Vacuum Sensor Circuit Low Input                                     |
| <b>Cadillac P1578</b> | Brake Booster Vacuum Sensor Circuit Low Vacuum                                    |

| CODES                 | DEFINITION                                                      |
|-----------------------|-----------------------------------------------------------------|
| <b>Cadillac P1579</b> | P/N to D/R at High Throttle Angle - Power Reduction Mode Active |
| <b>Cadillac P1585</b> | Cruise Control Inhibit Output Circuit Malfunction               |
| <b>Cadillac P1599</b> | Engine Stall Or Near Stall Detected                             |
| <b>Cadillac P15F0</b> | Engine Torque Delivered Circuit                                 |
| <b>Cadillac P15F1</b> | Axle Torque Request Circuit                                     |
| <b>Cadillac P15F2</b> | Engine Torque Command Circuit                                   |
| <b>Cadillac P1600</b> | TCM Internal Watchdog Operation (4L60-E)                        |
| <b>Cadillac P1601</b> | ECM (PCM) Over-Temperature Malfunction                          |
| <b>Cadillac P1602</b> | Loss Of EBTCM Serial Data                                       |
| <b>Cadillac P1603</b> | Loss Of Sensing Diagnostic Mode Data                            |
| <b>Cadillac P1604</b> | Loss Of IPC Serial Data                                         |
| <b>Cadillac P1605</b> | Loss of HVAC Serial Data                                        |
| <b>Cadillac P1610</b> | Loss of Platform Zone Module Serial Data                        |
| <b>Cadillac P1611</b> | Loss of CVRTD Serial Data                                       |
| <b>Cadillac P1612</b> | Loss of IPM Serial Data                                         |
| <b>Cadillac P1613</b> | Loss of DIM Serial Data                                         |
| <b>Cadillac P1614</b> | Loss of RIM Serial Data                                         |
| <b>Cadillac P1615</b> | Loss of VTD Serial Data                                         |
| <b>Cadillac P1617</b> | Engine Oil Level Switch Circuit Malfunction Code                |
| <b>Cadillac P1621</b> | Control Module Long Term Memory Performance                     |
| <b>Cadillac P1624</b> | Customer Snapshot - Data Available                              |
| <b>Cadillac P1625</b> | TCM System Reset (4L30-E)                                       |



| CODES                 | DEFINITION                                                     |
|-----------------------|----------------------------------------------------------------|
| <b>Cadillac P1626</b> | Theft Deterrent System Fuel Enable Circuit Malfunction         |
| <b>Cadillac P1627</b> | Control Module Long Term Memory Performance                    |
| <b>Cadillac P1629</b> | Theft Deterrent Fuel Enable Signal Not Received                |
| <b>Cadillac P162B</b> | Remote Vehicle Speed Limiting Signal Message Counter Incorrect |
| <b>Cadillac P1630</b> | Theft Deterrent System - Learn Mode Active                     |
| <b>Cadillac P1631</b> | Theft Deterrent System - Start Enable Signal Not Current       |
| <b>Cadillac P1632</b> | Theft Deterrent Fuel Disable Signal Received                   |
| <b>Cadillac P1633</b> | Ignition Supplement Power (0) Switch Circuit Malfunction       |
| <b>Cadillac P1634</b> | Ignition 1 Switch Circuit                                      |
| <b>Cadillac P1635</b> | 5-Volt Reference 1 Circuit Malfunction                         |
| <b>Cadillac P1637</b> | Generator L-Terminal Circuit                                   |
| <b>Cadillac P1638</b> | Generator F-Terminal Circuit                                   |
| <b>Cadillac P1639</b> | 5-Volt Reference 2 Circuit Malfunction                         |
| <b>Cadillac P1640</b> | Output Driver 2 Input Voltage High Input                       |
| <b>Cadillac P1641</b> | MIL Control Circuit Malfunction                                |
| <b>Cadillac P1642</b> | Vehicle Speed Output Signal Circuit Malfunction                |
| <b>Cadillac P1643</b> | Engine Speed (RPM) Output Circuit Malfunction                  |
| <b>Cadillac P1644</b> | Traction Control Delivered Torque Output Circuit Malfunction   |
| <b>Cadillac P1645</b> | EVAP Solenoid Control Circuit Malfunction                      |
| <b>Cadillac P1646</b> | EVAP Vent Solenoid Control Circuit Malfunction                 |
| <b>Cadillac P1650</b> | Output Driver 2 Input Voltage High Input                       |

| CODES                 | DEFINITION                                                                         |
|-----------------------|------------------------------------------------------------------------------------|
| <b>Cadillac P1652</b> | Powertrain Induced Chassis Pitch Output Circuit Malfunction                        |
| <b>Cadillac P1653</b> | Oil Level Lamp Control Circuit Malfunction                                         |
| <b>Cadillac P1654</b> | Cruise Inhibit Output Circuit Malfunction                                          |
| <b>Cadillac P1657</b> | Skip Shift 1-4 Upshift Solenoid Control Circuit Malfunction                        |
| <b>Cadillac P1660</b> | Cooling Fan Relay Control Circuit Malfunction                                      |
| <b>Cadillac P1661</b> | MIL Control Circuit Malfunction                                                    |
| <b>Cadillac P1662</b> | Cruise Lamp Control Circuit Malfunction                                            |
| <b>Cadillac P1663</b> | Change Oil Lamp Control Circuit Malfunction                                        |
| <b>Cadillac P1668</b> | Generator L-Terminal Control Circuit                                               |
| <b>Cadillac P1670</b> | Output Driver 4 Input Voltage High Input                                           |
| <b>Cadillac P1680</b> | Powertrain Control Module Internal Malfunction                                     |
| <b>Cadillac P1681</b> | Powertrain Control Module Internal Malfunction                                     |
| <b>Cadillac P1682</b> | Ignition 1 Switch Circuit 2                                                        |
| <b>Cadillac P1683</b> | Powertrain Control Module Internal Malfunction                                     |
| <b>Cadillac P1684</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Performance          |
| <b>Cadillac P1685</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Circuit Low Voltage  |
| <b>Cadillac P1686</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Circuit High Voltage |
| <b>Cadillac P1688</b> | Unmanaged Engine Torque Delivered to Transmission Control Module (TCM) Signal      |
| <b>Cadillac P1689</b> | Traction Control Delivered Torque Output Circuit                                   |
| <b>Cadillac P16F2</b> | Control Module Transmission Direction Range Switch                                 |

| CODES                 | DEFINITION                                            |
|-----------------------|-------------------------------------------------------|
| <b>Cadillac P16F3</b> | Control Module Redundant Memory Performance           |
| <b>Cadillac P16F4</b> | Control Module Transmission Range Control Performance |
| <b>Cadillac P16F5</b> | Control Module Programmable Logic Device              |
| <b>Cadillac P16F6</b> | Control Module Range State Command                    |
| <b>Cadillac P16F9</b> | Control Module Shutdown Performance                   |
| <b>Cadillac P1700</b> | TCM Requested Malfunction Indicator Lamp (4L30-E)     |
| <b>Cadillac P1701</b> | MIL Request Circuit Malfunction (4L30-E)              |
| <b>Cadillac P1705</b> | Park Neutral Output Circuit Malfunction (4L30-E)      |
| <b>Cadillac P1740</b> | Torque Control Circuit Malfunction (4L30-E)           |
| <b>Cadillac P1743</b> | Throttle Position Signal Invalid Data Received        |
| <b>Cadillac P1751</b> | Shift Valve 1 Performance                             |
| <b>Cadillac P1760</b> | TCM Supply Voltage Interrupted (4L30-E)               |
| <b>Cadillac P1762</b> | Transmission Mode Switch Signal Message               |
| <b>Cadillac P1779</b> | Incorrect or Invalid Torque Signal to the TCM         |
| <b>Cadillac P1780</b> | Engine Torque Signal Circuit Malfunction              |
| <b>Cadillac P1781</b> | Engine Torque Signal Circuit (4L30-E)                 |
| <b>Cadillac P1791</b> | Accelerator Pedal Position Information Not Received   |
| <b>Cadillac P1792</b> | ECM to TCM Engine Coolant Signal (4L30-E)             |
| <b>Cadillac P1793</b> | Wheel Speed Sensor Invalid Data Received              |
| <b>Cadillac P1795</b> | Throttle Plate Position Invalid Data Received         |
| <b>Cadillac P179B</b> | Range State Command Circuit                           |
| <b>Cadillac P1800</b> | Transmission Power Supply Relay Malfunction (4L30-E)  |

| CODES                 | DEFINITION                                                 |
|-----------------------|------------------------------------------------------------|
| <b>Cadillac P1810</b> | TFP Valve Position Switch Malfunction (4T80-E)             |
| <b>Cadillac P1811</b> | Maximum Adaptive and Long Term Shift (4T80-E)              |
| <b>Cadillac P1812</b> | Transmission Fluid Overtemperature                         |
| <b>Cadillac P1814</b> | Torque Converter Overstressed (4T65-E, 4T80-E)             |
| <b>Cadillac P1815</b> | A/T Manual Shaft Shift Switch Circuit Malfunction (5L40-E) |
| <b>Cadillac P1818</b> | A/T Manual Shaft Shift Switch Circuit Malfunction (5L40-E) |
| <b>Cadillac P1819</b> | Internal Mode Switch - No Start/Wrong Range                |
| <b>Cadillac P181C</b> | Internal Mode Switch 2 R1 Circuit Low Voltage              |
| <b>Cadillac P181D</b> | Internal Mode Switch 2 R1 Circuit High Voltage             |
| <b>Cadillac P181E</b> | Internal Mode Switch 2 R2 Circuit Low Voltage              |
| <b>Cadillac P181F</b> | Internal Mode Switch 2 R2 Circuit High Voltage             |
| <b>Cadillac P1820</b> | Internal Mode Switch 'A' Circuit Low Input (4T80-E)        |
| <b>Cadillac P1822</b> | Internal Mode Switch 'B' Circuit Low Input (4T80-E)        |
| <b>Cadillac P1823</b> | Internal Mode Switch Circuit P Low                         |
| <b>Cadillac P1824</b> | Internal Mode Switch P Circuit High Voltage                |
| <b>Cadillac P1825</b> | Internal Mode Switch 'P' Circuit Low Input (4T80-E)        |
| <b>Cadillac P1826</b> | A/T Manual Shaft Shift Switch Invalid Signal (5L40-E)      |
| <b>Cadillac P182A</b> | Internal Mode Switch A Circuit Low Voltage                 |
| <b>Cadillac P182B</b> | Internal Mode Switch B Circuit Low Voltage                 |
| <b>Cadillac P182C</b> | Internal Mode Switch B Circuit High Voltage                |
| <b>Cadillac P182D</b> | Internal Mode Switch P Circuit Low Voltage                 |

| CODES                 | DEFINITION                                             |
|-----------------------|--------------------------------------------------------|
| <b>Cadillac P182E</b> | Internal Mode Switch-Invalid Range                     |
| <b>Cadillac P182F</b> | Internal Mode Switch C Circuit High Voltage            |
| <b>Cadillac P1831</b> | Pressure Control Solenoid Circuit Low Input (5L40-E)   |
| <b>Cadillac P1832</b> | Pressure Control Solenoid Circuit High Input (5L40-E)  |
| <b>Cadillac P1833</b> | Pressure Control Solenoid Circuit Low Input (5L40-E)   |
| <b>Cadillac P1834</b> | Pressure Control Solenoid Circuit High Input (5L40-E)  |
| <b>Cadillac P1835</b> | Kickdown Switch Circuit Malfunction (4L30-E)           |
| <b>Cadillac P1838</b> | Internal Mode Switch A Circuit High Voltage            |
| <b>Cadillac P1839</b> | Internal Mode Switch C Circuit Low Voltage             |
| <b>Cadillac P183A</b> | Internal Mode Switch 2 D1 Circuit Low Voltage          |
| <b>Cadillac P183B</b> | Internal Mode Switch 2 D1 Circuit High Voltage         |
| <b>Cadillac P183C</b> | Internal Mode Switch 2 D2 Circuit Low Voltage          |
| <b>Cadillac P183D</b> | Internal Mode Switch 2 D2 Circuit High Voltage         |
| <b>Cadillac P183E</b> | Internal Mode Switch 2 - Invalid Range                 |
| <b>Cadillac P183F</b> | Internal Mode Switch 1-2 Correlation                   |
| <b>Cadillac P1842</b> | 1-2 Shift Solenoid Circuit Low Input (4T80-E)          |
| <b>Cadillac P1843</b> | 1-2 Shift Solenoid Circuit High Input (4T80-E)         |
| <b>Cadillac P1845</b> | Torque Limit Management Malfunction (4L30-E)           |
| <b>Cadillac P1847</b> | 2-3 Shift Solenoid Circuit High Input (4T80-E)         |
| <b>Cadillac P184A</b> | Internal Mode Switch 2 S Circuit Low Voltage           |
| <b>Cadillac P184B</b> | Internal Mode Switch 2 S Circuit High Voltage          |
| <b>Cadillac P1850</b> | Brake Band Apply Solenoid Circuit Malfunction (4L30-E) |

| CODES                 | DEFINITION                                                             |
|-----------------------|------------------------------------------------------------------------|
| <b>Cadillac P1860</b> | TCC PWM Solenoid Circuit Malfunction (4T80-E)                          |
| <b>Cadillac P1864</b> | TCC Solenoid Electrical                                                |
| <b>Cadillac P1865</b> | A/T 4-5 Shift Solenoid Circuit Malfunction (5L40-E) Code               |
| <b>Cadillac P1866</b> | TCC PWM Solenoid Circuit Low Voltage                                   |
| <b>Cadillac P1867</b> | A/T TCC Solenoid PWM Circuit High Input (5L40-E)                       |
| <b>Cadillac P1868</b> | Transmission Fluid Life (4T80-E)                                       |
| <b>Cadillac P1870</b> | Transmission Component Slipping                                        |
| <b>Cadillac P1873</b> | Torque Converter Stator Temp Switch CKT Low                            |
| <b>Cadillac P1874</b> | Torque Converter Stator Temp Switch CKT High                           |
| <b>Cadillac P1875</b> | 4WD Low Switch Circuit Electrical                                      |
| <b>Cadillac P1876</b> | Up and Down Shift Enable Switch Circuit Low Voltage                    |
| <b>Cadillac P1886</b> | 3-2 SS Valve Assembly CKT Electrical                                   |
| <b>Cadillac P1887</b> | TCC Release Switch Circuit Malfunction (4T65-E)                        |
| <b>Cadillac P1890</b> | ECM Data Input Circuit Malfunction (4L30-E)                            |
| <b>Cadillac P1895</b> | Engine Torque Delivered Circuit Malfunction (4L30-E)                   |
| <b>Cadillac P1915</b> | Internal Mode Switch Does Not Indicate Park/Neutral (P/N) During Start |
| <b>Cadillac P1A00</b> | Battery Energy Control Module Reset                                    |
| <b>Cadillac P1A01</b> | Battery Energy Control Module Long Term Memory Performance             |
| <b>Cadillac P1A02</b> | Battery Energy Control Module Loop Overrun                             |
| <b>Cadillac P1A03</b> | Battery Energy Control Module Options Incorrect                        |
| <b>Cadillac P1A04</b> | Battery Energy Control Module Programming Read Only Memory (ROM)       |

| CODES                 | DEFINITION                                                                    |
|-----------------------|-------------------------------------------------------------------------------|
| <b>Cadillac P1A05</b> | Battery Energy Control Module Random Access Memory (RAM)                      |
| <b>Cadillac P1A06</b> | Battery Energy Control Module Read Only Memory (ROM)                          |
| <b>Cadillac P1A07</b> | Battery Energy Control Module 5-Volt Reference Circuit                        |
| <b>Cadillac P1A08</b> | Battery Energy Control Module Stack Overrun                                   |
| <b>Cadillac P1A09</b> | Battery Energy Control Module Hybrid System Voltage                           |
| <b>Cadillac P1A0C</b> | Battery Energy Control Module System Voltage Low                              |
| <b>Cadillac P1A0D</b> | Battery Energy Control Module System Voltage High                             |
| <b>Cadillac P1A1F</b> | Battery Energy Control Module Hybrid Battery System Voltage Low               |
| <b>Cadillac P1A20</b> | Hybrid Battery System Precharge Time Too Long                                 |
| <b>Cadillac P1A21</b> | Hybrid Battery Contactor Control Sequence Incorrect                           |
| <b>Cadillac P1A4E</b> | Battery Energy Control Module Hybrid Battery System Voltage High              |
| <b>Cadillac P1A4F</b> | Drive Motor 1 Control Module Not Programmed                                   |
| <b>Cadillac P1A50</b> | Drive Motor 1 Control Module Random Access Memory (RAM)                       |
| <b>Cadillac P1A51</b> | Drive Motor 1 Control Module Read Only Memory (ROM)                           |
| <b>Cadillac P1A52</b> | Drive Motor 2 Control Module Not Programmed                                   |
| <b>Cadillac P1A53</b> | Drive Motor 2 Control Module Random Access Memory (RAM)                       |
| <b>Cadillac P1A54</b> | Drive Motor 2 Control Module Read Only Memory (ROM)                           |
| <b>Cadillac P1A6C</b> | SGCM Service Calibration Fault                                                |
| <b>Cadillac P1A7E</b> | Starter/Generator Control Module Overtemperature High Voltage System Disabled |

| CODES                 | DEFINITION                                                                      |
|-----------------------|---------------------------------------------------------------------------------|
| <b>Cadillac P1A7F</b> | Starter/Generator Control Module Coolant Level Sensor 1 Low Voltage             |
| <b>Cadillac P1A80</b> | Starter/Generator Control Module Coolant Level Sensor 1 High Voltage            |
| <b>Cadillac P1A81</b> | Starter/Generator Control Module Coolant Level Sensor 2 Low Voltage             |
| <b>Cadillac P1A82</b> | Starter/Generator Control Module Coolant Level Sensor 2 High Voltage            |
| <b>Cadillac P1A83</b> | Starter/Generator Control Module Coolant Level Sensor 3 Low Voltage             |
| <b>Cadillac P1A84</b> | Starter/Generator Control Module Coolant Level Sensor 3 High Voltage            |
| <b>Cadillac P1A85</b> | Starter/Generator Control Module Coolant Level Sensor 4 Low Voltage             |
| <b>Cadillac P1A86</b> | Starter/Generator Control Module Coolant Level Sensor 4 High Voltage            |
| <b>Cadillac P1A87</b> | Low Starter/Generator Control Module Coolant Level                              |
| <b>Cadillac P1A88</b> | 42 Volt System Performance                                                      |
| <b>Cadillac P1A89</b> | 42 Volt System Voltage Low                                                      |
| <b>Cadillac P1A8A</b> | 42 Volt System Voltage High                                                     |
| <b>Cadillac P1A8C</b> | 42 Volt Inverter Overtemperature                                                |
| <b>Cadillac P1ABE</b> | Battery Energy Control Module Hybrid Battery Pack Overtemperature               |
| <b>Cadillac P1AC1</b> | Starter/Generator Control Module Cooling Fan Relay Control Circuit Low Voltage  |
| <b>Cadillac P1AC2</b> | Starter/Generator Control Module Cooling Fan Relay Control Circuit High Voltage |
| <b>Cadillac P1AC6</b> | Drive Motor 1 Control Module Crankshaft Position Sensor Circuit                 |



| CODES                 | DEFINITION                                                                       |
|-----------------------|----------------------------------------------------------------------------------|
| <b>Cadillac P1AC7</b> | Drive Motor 1 Control Module Crankshaft Position Sensor Performance              |
| <b>Cadillac P1AC9</b> | HCM Service Calibration Fault                                                    |
| <b>Cadillac P1ADC</b> | Drive Motor 1 Control Module Long Term Memory Performance                        |
| <b>Cadillac P1ADD</b> | Drive Motor 2 Control Module Long Term Memory Performance                        |
| <b>Cadillac P1ADE</b> | Drive Motor 1 Control Module System Voltage Low                                  |
| <b>Cadillac P1AE0</b> | Drive Motor 2 Control Module System Voltage Low                                  |
| <b>Cadillac P1AE2</b> | Battery Energy Control Module High Voltage System Interlock Circuit              |
| <b>Cadillac P1AE3</b> | Battery Energy Control Module High Voltage System Interlock Circuit Low Voltage  |
| <b>Cadillac P1AE4</b> | Battery Energy Control Module High Voltage System Interlock Circuit High Voltage |
| <b>Cadillac P1AE5</b> | Battery Energy Control Module Hybrid Battery Power Off Control Circuit           |
| <b>Cadillac P1AE6</b> | Battery Energy Control Module Hybrid Battery Voltage Isolation Sensor Circuit    |
| <b>Cadillac P1AE7</b> | Battery Energy Control Module Hybrid Battery Voltage System Isolation Lost       |
| <b>Cadillac P1AE8</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Sense Circuit Low Voltage    |
| <b>Cadillac P1AE9</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Sense Circuit High Voltage   |
| <b>Cadillac P1AEA</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Sense Circuit Low Voltage    |
| <b>Cadillac P1AEB</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Sense Circuit High Voltage   |

| CODES                 | DEFINITION                                                                                |
|-----------------------|-------------------------------------------------------------------------------------------|
| <b>Cadillac P1AEC</b> | Drive Motor 1 Control Module Hybrid/EV Battery System Voltage                             |
| <b>Cadillac P1AED</b> | Drive Motor 2 Control Module Hybrid/EV Battery System Voltage                             |
| <b>Cadillac P1AEE</b> | Drive Motor 1 Control Module Hybrid/EV Battery System Voltage High                        |
| <b>Cadillac P1AEF</b> | Drive Motor 2 Control Module Hybrid/EV Battery System Voltage High                        |
| <b>Cadillac P1AF0</b> | Drive Motor 1 Control Module Hybrid Battery Voltage System Isolation Lost                 |
| <b>Cadillac P1AF2</b> | Drive Motor 2 Control Module Hybrid Battery Voltage System Isolation Lost                 |
| <b>Cadillac P1AF4</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Isolation Sensor Circuit Low Voltage  |
| <b>Cadillac P1AF5</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Isolation Sensor Circuit High Voltage |
| <b>Cadillac P1AF6</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Isolation Sensor Circuit Low Voltage  |
| <b>Cadillac P1AF7</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Isolation Sensor Circuit High Voltage |
| <b>Cadillac P1AF8</b> | Drive Motor 1 Control Module Shutdown Performance                                         |
| <b>Cadillac P1AFA</b> | Drive Motor 1 Control Module Programmable Logic Device Not Programmed                     |
| <b>Cadillac P1AFB</b> | Drive Motor 1 Control Module Programmable Logic Device Security Code                      |
| <b>Cadillac P1AFC</b> | Drive Motor 1 Control Module Serial Peripheral Interface (SPI) Bus                        |
| <b>Cadillac P1AFD</b> | Drive Motor 1 Control Module Serial Communications Interface (SCI) Bus                    |
| <b>Cadillac P1AFE</b> | Drive Motor 2 Control Module Shutdown Performance                                         |

| CODES                 | DEFINITION                                                           |
|-----------------------|----------------------------------------------------------------------|
| <b>Cadillac P1B01</b> | Drive Motor 2 Control Module Programmable Logic Device Security Code |
| <b>Cadillac P1B02</b> | Drive Motor 2 Control Module Serial Peripheral Interface (SPI) Bus   |
| <b>Cadillac P1B03</b> | Drive Motor 1 Position Sensor Circuit Loss of Tracking               |
| <b>Cadillac P1B04</b> | Drive Motor 2 Position Sensor Circuit Loss of Tracking               |
| <b>Cadillac P1B05</b> | Drive Motor 1 Control Module High Voltage System Interlock Circuit   |
| <b>Cadillac P1B06</b> | Drive Motor 2 Control Module High Voltage System Interlock Circuit   |
| <b>Cadillac P1B0D</b> | Drive Motor 1 Control Module Drive Motor 1 Overspeed                 |
| <b>Cadillac P1B0E</b> | Drive Motor 2 Control Module Drive Motor 2 Overspeed                 |
| <b>Cadillac P1B0F</b> | Drive Motor 1 Position Learn Incorrect                               |
| <b>Cadillac P1B10</b> | Drive Motor 2 Position Learn Incorrect                               |
| <b>Cadillac P1B15</b> | Regenerative Braking Torque Request Signal Message Counter Incorrect |
| <b>Cadillac U1000</b> | Class 2 Communication Malfunction                                    |
| <b>Cadillac U1001</b> | Lost Communication with XXX                                          |
| <b>Cadillac U1016</b> | Loss of Communications with PCM                                      |
| <b>Cadillac U1026</b> | Loss of ATC Class 2 Communication                                    |
| <b>Cadillac U1040</b> | Loss of Communications with ABS                                      |
| <b>Cadillac U1041</b> | Loss of Electronic Brake Controller Communication                    |
| <b>Cadillac U1048</b> | No Communication With Rear Wheel Steering Control Module             |
| <b>Cadillac U1056</b> | Lost Communications with CVRSS                                       |
| <b>Cadillac U1064</b> | Loss of Communications with PZM                                      |

| CODES                 | DEFINITION                                        |
|-----------------------|---------------------------------------------------|
| <b>Cadillac U1065</b> | Loss of Communications with IPM                   |
| <b>Cadillac U1066</b> | Loss of Communications with RIM                   |
| <b>Cadillac U1088</b> | Loss of Communications with SDM                   |
| <b>Cadillac U1096</b> | Loss of Communications with IPC                   |
| <b>Cadillac U1097</b> | No Communication With Driver Information Center   |
| <b>Cadillac U1128</b> | Loss of Communications with IRC                   |
| <b>Cadillac U1129</b> | Loss of Communications with AMP                   |
| <b>Cadillac U1144</b> | Loss of Communication with PHN                    |
| <b>Cadillac U1145</b> | Loss of Communication with NAV                    |
| <b>Cadillac U1151</b> | No Communication With Vehicle Interface Unit      |
| <b>Cadillac U1152</b> | Loss of Data HCM                                  |
| <b>Cadillac U1153</b> | Loss of Communications with HVAC                  |
| <b>Cadillac U1160</b> | Loss of Communications with DDM                   |
| <b>Cadillac U1161</b> | Loss of PASS Door Module SBI                      |
| <b>Cadillac U1162</b> | Loss of Rear Driver Door Module SBI               |
| <b>Cadillac U1163</b> | Loss of Rear PASS Door Module SBI                 |
| <b>Cadillac U1166</b> | Loss of Communications with SCM                   |
| <b>Cadillac U1169</b> | Loss of Communications with MMM                   |
| <b>Cadillac U1170</b> | Loss of Driver Door Switch SBI                    |
| <b>Cadillac U1176</b> | Loss of Communications with RFA                   |
| <b>Cadillac U1192</b> | Loss of Communications with VTD                   |
| <b>Cadillac U1193</b> | Loss of Vehicle Immobilizer Module Communications |

| CODES                 | DEFINITION                                                   |
|-----------------------|--------------------------------------------------------------|
| <b>Cadillac U1254</b> | Lost Communication with XXX                                  |
| <b>Cadillac U1255</b> | Serial Data Line Malfunction                                 |
| <b>Cadillac U1300</b> | Class 2 Short to Ground                                      |
| <b>Cadillac U1301</b> | Class 2 Short to Battery                                     |
| <b>Cadillac U1305</b> | Class 2 Data Link High or Low                                |
| <b>Cadillac U1500</b> | Inter-Device Dedicated Bus Malfunction                       |
| <b>Cadillac U1511</b> | Inter-device Dedicated Bus Lost Communication With Device 1  |
| <b>Cadillac U1512</b> | Inter-device Dedicated Bus Lost Communication With Device 2  |
| <b>Cadillac U1513</b> | Inter-device Dedicated Bus                                   |
| <b>Cadillac U1713</b> | DDM Communication Error                                      |
| <b>Cadillac U1714</b> | DDM Communication Error                                      |
| <b>Cadillac U1715</b> | DDM Communication Error                                      |
| <b>Cadillac U1716</b> | DDM Communication Error                                      |
| <b>Cadillac U1800</b> | Lost Communications With Fuel Injector Control Module (FICM) |
| <b>Cadillac U180F</b> | Control Module Communication Bus B Off                       |
| <b>Cadillac U1814</b> | Powertrain High Speed Communication Enable Circuit           |
| <b>Cadillac U1842</b> | Lost Communication With ECM/PCM                              |
| <b>Cadillac U1843</b> | Lost Communication With ECM/PCM                              |
| <b>Cadillac U186A</b> | Lost Communication With Transfer Case Control Module         |
| <b>Cadillac U186B</b> | Lost Communication With TCM                                  |

| CODES                 | DEFINITION                                                                                                  |
|-----------------------|-------------------------------------------------------------------------------------------------------------|
| <b>Cadillac U1881</b> | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Energy Storage Control Module (ESCM) |
| <b>Cadillac U1882</b> | Energy Storage Control Module (ESCM) Lost Communication With Electro-Hydraulic Power Steering (EHPS) Module |
| <b>Cadillac U1883</b> | Hybrid Control Module (HCM) Lost Communication With Driver Door Module (DDM)                                |
| <b>Cadillac U1884</b> | Hybrid Control Module (HCM) Lost Communication With Passenger Door Module (PDM)                             |
| <b>Cadillac U1885</b> | Energy Storage Control Module (ESCM) Lost Communication With Hybrid Control Module (HCM)                    |
| <b>Cadillac U1886</b> | Energy Storage Control Module (ESCM) Lost Communication With Powertrain Control Module (PCM)                |
| <b>Cadillac U1887</b> | Energy Storage Control Module (ESCM) Lost Communication With Starter/Generator Control Module (SGCM)        |
| <b>Cadillac U1888</b> | Hybrid Control Module (HCM) Lost Communication With Energy Storage Control Module (ESCM)                    |
| <b>Cadillac U1889</b> | Hybrid Control Module (HCM) Lost Communication With Body Control Module (BCM)                               |
| <b>Cadillac U1890</b> | Hybrid Control Module (HCM) Lost Communication With HVAC Control Module                                     |
| <b>Cadillac U1891</b> | Hybrid Control Module (HCM) Lost Communication With Instrument Panel Cluster (IPC)                          |
| <b>Cadillac U1892</b> | Hybrid Control Module (HCM) Lost Communication With Electro-Hydraulic Power Steering (EHPS) Module          |
| <b>Cadillac U1893</b> | Hybrid Control Module (HCM) Lost Communication With Powertrain Control Module (PCM)                         |
| <b>Cadillac U1894</b> | Hybrid Control Module (HCM) Lost Communication With Starter/Generator Control Module (SGCM)                 |

| CODES                  | DEFINITION                                                                                                     |
|------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Cadillac U1895</b>  | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Powertrain Control Module (PCM)         |
| <b>Cadillac U1896</b>  | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Starter/Generator Control Module (SGCM) |
| <b>Cadillac U1897</b>  | Starter/Generator Control Module (SGCM) Lost Communication With Energy Storage Control Module (ESCM)           |
| <b>Cadillac U1898</b>  | Starter/Generator Control Module (SGCM) Lost Communication With Hybrid Control Module (HCM)                    |
| <b>Cadillac U1899</b>  | Starter/Generator Control Module (SGCM) Lost Communication With Powertrain Control Module (PCM)                |
| <b>Cadillac U2099</b>  | High Speed Communication Enable Circuit                                                                        |
| <b>Cadillac U2100</b>  | CAN Bus Communication Malfunction                                                                              |
| <b>Cadillac U2102</b>  | More Controllers On BUS Than Programmed                                                                        |
| <b>Cadillac U2103</b>  | Fewer Controllers On The Bus Than Programmed                                                                   |
| <b>Cadillac U2104</b>  | CAN Bus Reset Counter Overrun                                                                                  |
| <b>Cadillac U2105</b>  | Lost Communication With The Engine Control System                                                              |
| <b>Cadillac U2106</b>  | Lost Communication With Transmission Control System                                                            |
| <b>Cadillac U2108</b>  | Lost Communication With Electronic Brake Control Module                                                        |
| <b>Cadillac U2150</b>  | Navigation ECU Gateway Communication Error                                                                     |
| <b>Cadillac U2151</b>  | Navigation ECU Communication Malfunction                                                                       |
| <b>Cadillac U2153</b>  | VICS ECU Communication Error                                                                                   |
| <b>Chevrolet B1001</b> | Option Configuration                                                                                           |
| <b>Chevrolet B1016</b> | XX: Vehicle Identification Number Information Not Programmed                                                   |

| CODES                  | DEFINITION                                                  |
|------------------------|-------------------------------------------------------------|
| <b>Chevrolet B101D</b> | XX: ECU Hardware                                            |
| <b>Chevrolet B1428</b> | Ignition Switched Power Run/Crank Relay Circuit             |
| <b>Chevrolet B2713</b> | Gearshift Lock Circuit High                                 |
| <b>Chevrolet B2722</b> | Trans Preference Switch Circuit Low                         |
| <b>Chevrolet C120A</b> | Brake Boost Regulation Pressure Sensor Plausibility Failure |
| <b>Chevrolet C120C</b> | Brake Pedal Position Sensor 4 Not Plausible                 |
| <b>Chevrolet C120D</b> | Traction Control Power Switch Circuit Open                  |
| <b>Chevrolet C120E</b> | Traction Control Power Switch Circuit Shorted               |
| <b>Chevrolet C121A</b> | ABS Regenerative Axle Pressure Sensor                       |
| <b>Chevrolet C121C</b> | EBCM Internal Communication Error                           |
| <b>Chevrolet C121D</b> | Improper Shutdown                                           |
| <b>Chevrolet C121E</b> | EBCM Malfunction                                            |
| <b>Chevrolet C121F</b> | EBCM Unexpected Exception                                   |
| <b>Chevrolet C122E</b> | Wheel Speed Sensor Frequency Error                          |
| <b>Chevrolet C123A</b> | EBCM High End Timer Watchdog                                |
| <b>Chevrolet C123B</b> | EBCM High End Timer Program Overflow                        |
| <b>Chevrolet C123C</b> | EBCM High End Timer RAM Fault                               |
| <b>Chevrolet C123D</b> | EBCM Solenoid Timeout                                       |
| <b>Chevrolet C123E</b> | EBCM High End Timer Periodic Interrupt                      |
| <b>Chevrolet C123F</b> | EBCM Serial Peripheral Interface Inoperative                |
| <b>Chevrolet C1255</b> | Electronic Control Unit Performance                         |
| <b>Chevrolet C1256</b> | Program ROM Checksum Error                                  |



| CODES                  | DEFINITION                                                                        |
|------------------------|-----------------------------------------------------------------------------------|
| <b>Chevrolet C126D</b> | EBCM communication Bus B RAM Error                                                |
| <b>Chevrolet C126E</b> | EBCM Stack Overrun                                                                |
| <b>Chevrolet C126F</b> | EBCM Serial Peripheral Interface Performance                                      |
| <b>Chevrolet C1276</b> | Delivered Torque Signal Circuit Malfunction                                       |
| <b>Chevrolet C1277</b> | Requested Torque Signal Circuit Malfunction                                       |
| <b>Chevrolet C127C</b> | EBCM Self Test Failed                                                             |
| <b>Chevrolet C127D</b> | Antilock Brake System (ABS) Brake Switch Circuit                                  |
| <b>Chevrolet C127E</b> | EBCM Module High Temperature                                                      |
| <b>Chevrolet C128A</b> | Brake Boost Regulation Pressure Sensor Above Maximum Threshold                    |
| <b>Chevrolet C128B</b> | Master Cylinder Pressure Sensor Above Maximum Threshold                           |
| <b>Chevrolet C128C</b> | ABS Regenerative Axle Pressure Sensor Offset Error                                |
| <b>Chevrolet C128D</b> | Brake Boost Regulation Pressure Sensor                                            |
| <b>Chevrolet C128E</b> | Master Cylinder Pressure Sensor                                                   |
| <b>Chevrolet C128F</b> | ABS Regenerative Axle Pressure Sensor Raw Offset Error                            |
| <b>Chevrolet C129A</b> | Brake Pedal Position Sensor 3 Circuit Low                                         |
| <b>Chevrolet C129B</b> | Brake Pedal Position Sensor 3 Circuit High                                        |
| <b>Chevrolet C129D</b> | Brake Pedal Position Sensor 4 Circuit Low                                         |
| <b>Chevrolet C129E</b> | Brake Pedal Position Sensor 4 Circuit High                                        |
| <b>Chevrolet C12A7</b> | Brake Boost Solenoid Valve Circuit Performance                                    |
| <b>Chevrolet C12B1</b> | ABS Master Cylinder Pressure Sensor and Brake Pedal Position Sensor Not Plausible |

| CODES                  | DEFINITION                                                            |
|------------------------|-----------------------------------------------------------------------|
| <b>Chevrolet C12B2</b> | Master Cylinder Pressure Sensor Short to Ground or Open               |
| <b>Chevrolet C12B3</b> | Master Cylinder Pressure Sensor Short to Battery                      |
| <b>Chevrolet C12B4</b> | Master Cylinder Pressure Sensor Erratic                               |
| <b>Chevrolet C12B6</b> | High Pressure Accumulator Pressure Sensor Short to Ground or Open     |
| <b>Chevrolet C12B7</b> | High Pressure Accumulator Pressure Sensor Short to Battery            |
| <b>Chevrolet C12B8</b> | High Pressure Accumulator Pressure Sensor Erratic                     |
| <b>Chevrolet C12B9</b> | ABS Regenerative Axle Pressure Sensor Circuit Open or Short To Ground |
| <b>Chevrolet C12BA</b> | ABS Regenerative Axle Pressure Sensor Circuit Short To Battery        |
| <b>Chevrolet C12BB</b> | ABS Regenerative Axle Pressure Sensor Erratic                         |
| <b>Chevrolet C12BC</b> | Brake Boost Regulation Pressure Sensor Short to Ground or Open        |
| <b>Chevrolet C12BD</b> | Brake Boost Regulation Pressure Sensor Short to Battery               |
| <b>Chevrolet C12BE</b> | Brake Boost Regulation Pressure Sensor Erratic                        |
| <b>Chevrolet C12C2</b> | ABS Left Front Isolation Solenoid Valve Driver Shorted                |
| <b>Chevrolet C12C5</b> | ABS Right Front Isolation Solenoid Valve Diver Shorted                |
| <b>Chevrolet C12C6</b> | ABS Left Rear Isolation Solenoid Valve Circuit Failure                |
| <b>Chevrolet C12C8</b> | ABS Right Rear Isolation Solenoid Valve Circuit Failure               |
| <b>Chevrolet C12CC</b> | ABS Left Front Dump Solenoid Valve Driver Shorted                     |
| <b>Chevrolet C12CF</b> | ABS Right Front Dump Solenoid Valve Driver Shorted                    |
| <b>Chevrolet C12D0</b> | ABS Left Rear Dump Solenoid valve Circuit Open                        |
| <b>Chevrolet C12D1</b> | ABS Left Rear Dump Solenoid Valve Circuit Shorted                     |

| CODES                  | DEFINITION                                             |
|------------------------|--------------------------------------------------------|
| <b>Chevrolet C12D2</b> | ABS Left Rear Dump Solenoid Valve Driver Shorted       |
| <b>Chevrolet C12D3</b> | ABS Right Rear Dump Solenoid Valve Circuit Open        |
| <b>Chevrolet C12D4</b> | ABS Right Rear Dump Solenoid Valve Circuit Shorted     |
| <b>Chevrolet C12D5</b> | ABS Right Rear Dump Solenoid Driver Shorted            |
| <b>Chevrolet C12D6</b> | ABS Base Brake Open Solenoid Circuit Open              |
| <b>Chevrolet C12D7</b> | ABS Base Brake Open Solenoid Circuit Shorted           |
| <b>Chevrolet C12D8</b> | ABS Base Brake Open Solenoid Driver Shorted            |
| <b>Chevrolet C12D9</b> | ABS Base Brake Closed Solenoid Circuit Open            |
| <b>Chevrolet C12DA</b> | ABS Base Brake Closed Solenoid Circuit Shorted         |
| <b>Chevrolet C12DB</b> | ABS Base Brake Closed Solenoid Driver Shorted          |
| <b>Chevrolet C12DC</b> | Brake Boost Solenoid Valve Circuit Malfunction         |
| <b>Chevrolet C12DD</b> | Brake Boost Solenoid Valve Circuit Shorted             |
| <b>Chevrolet C12DE</b> | ABS Proportioning Valve Solenoid Circuit Open          |
| <b>Chevrolet C12DF</b> | ABS Proportioning Valve Solenoid Driver Shorted        |
| <b>Chevrolet C12E1</b> | Device Voltage Low                                     |
| <b>Chevrolet C12E2</b> | Device Voltage High                                    |
| <b>Chevrolet C12E4</b> | Device Voltage Reference Output Circuit                |
| <b>Chevrolet C12E6</b> | Valve Relay Contact Circuit Open                       |
| <b>Chevrolet C12E7</b> | Valve Relay Contact Circuit Resistance Below Threshold |
| <b>Chevrolet C12F2</b> | ABS Left Rear Isolation Solenoid Valve Circuit Shorted |
| <b>Chevrolet C12F3</b> | ABS Left Rear Isolation Solenoid Circuit Performance   |
| <b>Chevrolet C12F4</b> | ABS Proportioning Valve Solenoid Performance           |

| CODES                  | DEFINITION                                                                    |
|------------------------|-------------------------------------------------------------------------------|
| <b>Chevrolet C12F5</b> | ABS Right Rear Isolation Solenoid Circuit Shorted                             |
| <b>Chevrolet C12F6</b> | ABS Right Rear Isolation Solenoid Performance                                 |
| <b>Chevrolet C12F7</b> | ABS Boost Pressure Sensor and Regenerative Axle Pressure Sensor Not Plausible |
| <b>Chevrolet C12F8</b> | Brake Pedal Position Sensor 3 Not Plausible                                   |
| <b>Chevrolet P1020</b> | Camshaft Phasing System Malfunction                                           |
| <b>Chevrolet P1021</b> | CNG Fuel Injector 1 Circuit Malfunction                                       |
| <b>Chevrolet P1022</b> | CNG Fuel Injector 2 Circuit Malfunction                                       |
| <b>Chevrolet P1023</b> | CNG Fuel Injector 3 Circuit Malfunction                                       |
| <b>Chevrolet P1024</b> | CNG Fuel Injector 4 Circuit Malfunction                                       |
| <b>Chevrolet P1025</b> | CNG Fuel Injector 5 Circuit Malfunction                                       |
| <b>Chevrolet P1026</b> | CNG Fuel Injector 6 Circuit Malfunction                                       |
| <b>Chevrolet P1027</b> | CNG Fuel Injector 7 Circuit Malfunction                                       |
| <b>Chevrolet P1028</b> | CNG Fuel Injector 8 Circuit Malfunction                                       |
| <b>Chevrolet P1043</b> | Reductant Pump High Control Circuit Low Voltage                               |
| <b>Chevrolet P1044</b> | Reductant Pump High Control Circuit High Voltage                              |
| <b>Chevrolet P1045</b> | Reductant Purge Valve High Control Circuit Low Voltage                        |
| <b>Chevrolet P1048</b> | Reductant Injector High Control Circuit Low Voltage                           |
| <b>Chevrolet P1049</b> | Reductant Injector High Control Circuit High Voltage                          |
| <b>Chevrolet P1082</b> | Fuel Filter Pressure Switch Performance                                       |
| <b>Chevrolet P1093</b> | Fuel Rail Pressure Range/Performance                                          |
| <b>Chevrolet P1094</b> | Fuel Rail Pressure Solenoid Circuit Malfunction                               |

| CODES                  | DEFINITION                                                                                        |
|------------------------|---------------------------------------------------------------------------------------------------|
| <b>Chevrolet P10CC</b> | Exhaust Aftertreatment Fuel Injector Control Circuit Shorted                                      |
| <b>Chevrolet P10CD</b> | Exhaust Aftertreatment Fuel Injector High Control Circuit Low Voltage                             |
| <b>Chevrolet P10CE</b> | Exhaust Aftertreatment Fuel Injector High Control Circuit High Voltage                            |
| <b>Chevrolet P10FD</b> | Electric A/C Compressor Control Module A/C Compressor Motor Current Feedback Circuit High Voltage |
| <b>Chevrolet P1101</b> | Intake Air Flow System Performance                                                                |
| <b>Chevrolet P1106</b> | MAP Sensor Circuit Intermittent High Input                                                        |
| <b>Chevrolet P1107</b> | MAP Sensor Circuit Intermittent Low Input                                                         |
| <b>Chevrolet P1108</b> | BARO to MAP Sensor Comparison Too High                                                            |
| <b>Chevrolet P1111</b> | IAT Sensor Circuit Intermittent High Input                                                        |
| <b>Chevrolet P1112</b> | IAT Sensor Circuit Intermittent Low Input                                                         |
| <b>Chevrolet P1114</b> | ECT Sensor Circuit Intermittent Low Input                                                         |
| <b>Chevrolet P1115</b> | ECT Sensor Circuit Intermittent High Input                                                        |
| <b>Chevrolet P1116</b> | Engine Coolant Temperature (ECT) Sensor Performance                                               |
| <b>Chevrolet P111C</b> | Charge Air Cooler (CAC) Temperature - Intake Air Temperature (IAT) Sensor 2 Correlation           |
| <b>Chevrolet P111D</b> | Intake Air Temperature (IAT) Sensor 1-Fuel Temperature Sensor 2 Correlation                       |
| <b>Chevrolet P1120</b> | TP Sensor 1 Circuit Malfunction                                                                   |
| <b>Chevrolet P1121</b> | TP Sensor Circuit High Input (Intermittent)                                                       |
| <b>Chevrolet P1122</b> | TP Sensor Circuit Intermittent Low Input                                                          |
| <b>Chevrolet P1125</b> | Accelerator Pedal Position System Malfunction                                                     |
| <b>Chevrolet P1132</b> | HO2S-11 (Bank 1 Sensor 1) Heater Circuit Malfunction                                              |

| CODES                  | DEFINITION                                                          |
|------------------------|---------------------------------------------------------------------|
| <b>Chevrolet P1133</b> | HO2S Insufficient Switching Bank 1 Sensor 1                         |
| <b>Chevrolet P1134</b> | HO2S-11 (Bank 1 Sensor 1) Transition Time Ratio                     |
| <b>Chevrolet P1137</b> | HO2S-12 Low Voltage During Power Enrichment                         |
| <b>Chevrolet P1138</b> | HO2S (Sensor 2) Voltage Too High                                    |
| <b>Chevrolet P113A</b> | Exhaust Gas Temperature Sensors 3-4 Not Plausible                   |
| <b>Chevrolet P1152</b> | HO2S-21 (Bank 2 Sensor 1) Heater Circuit Malfunction                |
| <b>Chevrolet P1153</b> | HO2S Insufficient Switching Bank 2 Sensor 1                         |
| <b>Chevrolet P1154</b> | HO2S-21 (Bank 2 Sensor 1) Transition Time Ratio                     |
| <b>Chevrolet P1166</b> | HO2S Circuit Low Voltage During Power Enrichment Sensor 2           |
| <b>Chevrolet P1167</b> | HO2S Circuit High Voltage During Decel Fuel Cut-Off (DFCO) Sensor 1 |
| <b>Chevrolet P1171</b> | Fuel System Lean During Acceleration                                |
| <b>Chevrolet P1172</b> | Secondary Fuel Pump Insufficient/No Fuel Flow                       |
| <b>Chevrolet P1174</b> | Fuel Trim Cylinder Balance                                          |
| <b>Chevrolet P1175</b> | Fuel Trim Cylinder Balance Bank 2                                   |
| <b>Chevrolet P1182</b> | Supercharger Inlet Pressure (SCIP) Sensor Performance               |
| <b>Chevrolet P1183</b> | Supercharger Inlet Pressure (SCIP) Sensor Circuit Low Voltage       |
| <b>Chevrolet P1184</b> | Supercharger Inlet Pressure (SCIP) Sensor Circuit High Voltage      |
| <b>Chevrolet P1187</b> | Engine Oil Temperature Sensor Low Input                             |
| <b>Chevrolet P1188</b> | Engine Oil Pressure Sensor High Input                               |
| <b>Chevrolet P1189</b> | Engine Oil Pressure Switch Circuit Malfunction                      |

| CODES                  | DEFINITION                                                          |
|------------------------|---------------------------------------------------------------------|
| <b>Chevrolet P1191</b> | Intake Air Duct Leak                                                |
| <b>Chevrolet P11AF</b> | HO2S Performance - Signal High During Moderate Load Sensor 2        |
| <b>Chevrolet P11B2</b> | HO2S Performance - Signal Low During Moderate Load Sensor 2         |
| <b>Chevrolet P11B5</b> | HO2S Current Performance Sensor 2                                   |
| <b>Chevrolet P11CB</b> | NOx Sensor 1 Performance - Signal High                              |
| <b>Chevrolet P11CC</b> | NOx Sensor 1 Performance - Signal Low                               |
| <b>Chevrolet P11DB</b> | NOx Sensor 1 Current Performance                                    |
| <b>Chevrolet P11DC</b> | NOx Sensor 2 Current Performance                                    |
| <b>Chevrolet P1200</b> | Fuel Injector Circuit Malfunction                                   |
| <b>Chevrolet P1201</b> | Gas Mass Sensor Range/Performance                                   |
| <b>Chevrolet P1202</b> | Gas Mass Flow Sensor Low Frequency                                  |
| <b>Chevrolet P1203</b> | Gas Mass Flow Sensor High Frequency                                 |
| <b>Chevrolet P1207</b> | FICM PWM Signal To PCM Circuit Malfunction                          |
| <b>Chevrolet P1208</b> | Fuel Rail Pressure Signal To PCM Circuit Malfunction                |
| <b>Chevrolet P1214</b> | Injection Pump Timing Offset                                        |
| <b>Chevrolet P1215</b> | High Pressure Or Low Pressure Lockout, MIL, NGO Circuit Malfunction |
| <b>Chevrolet P1216</b> | Fuel Solenoid Response Time Too Short                               |
| <b>Chevrolet P1217</b> | Fuel Solenoid Response Time Too Long                                |
| <b>Chevrolet P1218</b> | Injection Pump Calibration Circuit Malfunction                      |
| <b>Chevrolet P121B</b> | Mass Air Flow (MAF) Sensor Supply Voltage Control Circuit Low       |

| CODES                  | DEFINITION                                                         |
|------------------------|--------------------------------------------------------------------|
| <b>Chevrolet P121C</b> | Mass Air Flow (MAF) Sensor Supply Voltage Control Circuit High     |
| <b>Chevrolet P1220</b> | TP Sensor 2 Circuit Malfunction                                    |
| <b>Chevrolet P1221</b> | Fuel Pump Secondary System Circuit Low Input                       |
| <b>Chevrolet P1222</b> | Injector Control Circuit Malfunction (Intermittent)                |
| <b>Chevrolet P1223</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>Chevrolet P1224</b> | Fuel Injector 1 Control Circuit Shorted                            |
| <b>Chevrolet P1226</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>Chevrolet P1227</b> | Fuel Injector 2 Control Circuit Shorted                            |
| <b>Chevrolet P1229</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>Chevrolet P122A</b> | Fuel Injector 3 Control Circuit Shorted                            |
| <b>Chevrolet P122C</b> | Intake Air (IA) Flow Valve Control Circuit Shorted                 |
| <b>Chevrolet P122D</b> | Intake Air (IA) Flow Position Sensor Exceeded Learning Limit       |
| <b>Chevrolet P122E</b> | Intake Air (IA) Flow Valve Control Circuit 2 Low Voltage           |
| <b>Chevrolet P122F</b> | Intake Air (IA) Flow Valve Control Circuit 2 High Voltage          |
| <b>Chevrolet P1230</b> | Fuel Pump Relay Control Circuit Low Voltage                        |
| <b>Chevrolet P1231</b> | Fuel Pump Relay Control Circuit High Voltage                       |
| <b>Chevrolet P1232</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>Chevrolet P1233</b> | Fuel Injector 4 Control Circuit Shorted                            |
| <b>Chevrolet P1235</b> | Injection Control Circuit Commanded State to Actual State Mismatch |



| CODES                  | DEFINITION                                                         |
|------------------------|--------------------------------------------------------------------|
| <b>Chevrolet P1236</b> | Fuel Injector 5 Control Circuit Shorted                            |
| <b>Chevrolet P1238</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>Chevrolet P1239</b> | Fuel Injector 6 Control Circuit Shorted                            |
| <b>Chevrolet P1241</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>Chevrolet P1242</b> | Fuel Injector 7 Control Circuit Shorted                            |
| <b>Chevrolet P1244</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>Chevrolet P1247</b> | Fuel Injector 8 Control Circuit Shorted                            |
| <b>Chevrolet P1250</b> | Early Fuel Evaporation Heater Circuit Malfunction                  |
| <b>Chevrolet P1255</b> | Fuel Pump Control Module Driver Over-temperature                   |
| <b>Chevrolet P1258</b> | Engine Coolant Over temperature - Protection Mode Active           |
| <b>Chevrolet P125A</b> | Fuel Pressure Regulator 2 High Control Circuit Low Voltage         |
| <b>Chevrolet P125B</b> | Fuel Pressure Regulator 2 High Control Circuit High Voltage        |
| <b>Chevrolet P1261</b> | High Voltage Circuit Fault – Cylinders 1, 4, 6, and 7              |
| <b>Chevrolet P1262</b> | High Voltage Circuit Fault – Cylinders 2, 3, 5, and 8              |
| <b>Chevrolet P1270</b> | ECM Cannot Process APP Analog Data into Digital Data               |
| <b>Chevrolet P1271</b> | Accelerator Pedal Position Sensor 1-2 Correlation                  |
| <b>Chevrolet P1272</b> | Accelerator Pedal Position Sensor 2-3 Correlation                  |
| <b>Chevrolet P1273</b> | Accelerator Pedal Position Sensor 1-3 Correlation                  |
| <b>Chevrolet P1275</b> | Accelerator Pedal Position Sensor 1 Circuit Malfunction            |
| <b>Chevrolet P1276</b> | Accelerator Pedal Position Sensor 1 Range/Performance              |

| CODES                  | DEFINITION                                                  |
|------------------------|-------------------------------------------------------------|
| <b>Chevrolet P1277</b> | APP Sensor 1 Low Voltage                                    |
| <b>Chevrolet P1278</b> | APP Sensor 1 High Voltage                                   |
| <b>Chevrolet P1280</b> | Accelerator Pedal Position Sensor 2 Circuit Malfunction     |
| <b>Chevrolet P1281</b> | Accelerator Pedal Position Sensor 2 Range/Performance       |
| <b>Chevrolet P1282</b> | APP Sensor 2 Low Voltage                                    |
| <b>Chevrolet P1283</b> | APP Sensor 2 High Voltage                                   |
| <b>Chevrolet P1285</b> | Accelerator Pedal Position Sensor 3 Circuit Malfunction     |
| <b>Chevrolet P1286</b> | Accelerator Pedal Position Sensor 3 Range/Performance       |
| <b>Chevrolet P1287</b> | APP Sensor 3 Low Voltage                                    |
| <b>Chevrolet P1288</b> | APP Sensor 3 High Voltage                                   |
| <b>Chevrolet P128E</b> | Fuel Rail Pressure Performance                              |
| <b>Chevrolet P1293</b> | Injector Circuit Low to High Current Transition Time Bank 1 |
| <b>Chevrolet P1294</b> | Injector Circuit Low to High Current Transition Time Bank 2 |
| <b>Chevrolet P1295</b> | Injector Circuit High to Low Current Transition Time Bank 1 |
| <b>Chevrolet P1296</b> | Injector Circuit High to Low Current Transition Time Bank 2 |
| <b>Chevrolet P12B3</b> | Cylinder 1 Injection Timing Retarded                        |
| <b>Chevrolet P12B4</b> | Cylinder 1 Injection Timing Advanced                        |
| <b>Chevrolet P12B5</b> | Cylinder 2 Injection Timing Retarded                        |
| <b>Chevrolet P12B6</b> | Cylinder 2 Injection Timing Advanced                        |
| <b>Chevrolet P12B7</b> | Cylinder 3 Injection Timing Retarded                        |

| CODES                  | DEFINITION                                             |
|------------------------|--------------------------------------------------------|
| <b>Chevrolet P12B8</b> | Cylinder 3 Injection Timing Advanced                   |
| <b>Chevrolet P12B9</b> | Cylinder 4 Injection Timing Retarded                   |
| <b>Chevrolet P12BA</b> | Cylinder 4 Injection Timing Advanced                   |
| <b>Chevrolet P12BB</b> | Cylinder 5 Injection Timing Retarded                   |
| <b>Chevrolet P12BC</b> | Cylinder 5 Injection Timing Advanced                   |
| <b>Chevrolet P12BD</b> | Cylinder 6 Injection Timing Retarded                   |
| <b>Chevrolet P12BE</b> | Cylinder 6 Injection Timing Advanced                   |
| <b>Chevrolet P12BF</b> | Cylinder 7 Injection Timing Retarded                   |
| <b>Chevrolet P12C0</b> | Cylinder 7 Injection Timing Advanced                   |
| <b>Chevrolet P12C1</b> | Cylinder 8 Injection Timing Retarded                   |
| <b>Chevrolet P12C2</b> | Cylinder 8 Injection Timing Advanced                   |
| <b>Chevrolet P1300</b> | Ignition Coil 1 Primary Feedback Circuit Malfunction   |
| <b>Chevrolet P1305</b> | Ignition Coil 2 Primary Feedback Circuit Malfunction   |
| <b>Chevrolet P1310</b> | Ignition Coil 3 Primary Feedback Circuit Malfunction   |
| <b>Chevrolet P1315</b> | Ignition Coil 4 Primary Feedback Circuit Malfunction   |
| <b>Chevrolet P1320</b> | Crankshaft Position (CKP) System Variation Not Learned |
| <b>Chevrolet P1321</b> | Crankshaft Position (CKP) Reluctor Wheel Performance.  |
| <b>Chevrolet P1335</b> | Crankshaft Position Sensor Circuit Malfunction         |
| <b>Chevrolet P1336</b> | CKP Sensor System Variation Not Learned                |
| <b>Chevrolet P1345</b> | Camshaft To Crankshaft Position Correlation            |
| <b>Chevrolet P1346</b> | Intake Camshaft Position System Performance            |
| <b>Chevrolet P1349</b> | Intake Camshaft Position System Performance            |

| CODES                  | DEFINITION                                                    |
|------------------------|---------------------------------------------------------------|
| <b>Chevrolet P1350</b> | Bypass Line Monitor Circuit Malfunction                       |
| <b>Chevrolet P1351</b> | ICM Control Circuit High Or Pulses Detected When Open         |
| <b>Chevrolet P1352</b> | ICM Signal Circuit High Input                                 |
| <b>Chevrolet P1361</b> | ICM Ignition Control Circuit Low Input                        |
| <b>Chevrolet P1362</b> | Ignition Bypass Circuit Low Voltage                           |
| <b>Chevrolet P1371</b> | DI Ignition Low-resolution Circuit Malfunction                |
| <b>Chevrolet P1374</b> | IC Module 3X Reference Circuit Malfunction                    |
| <b>Chevrolet P1380</b> | Misfire Detected - Rough Road Data Not Available              |
| <b>Chevrolet P1381</b> | Misfire Detected - No Communication with Brake Control Module |
| <b>Chevrolet P1382</b> | Wheel Speed Sensor Circuit                                    |
| <b>Chevrolet P1385</b> | Wheel Speed Sensor Circuit                                    |
| <b>Chevrolet P1390</b> | Wheel Speed Sensor Circuit                                    |
| <b>Chevrolet P1391</b> | Rough Road Sensor Performance                                 |
| <b>Chevrolet P1392</b> | Rough Road Sensor Circuit Low Voltage                         |
| <b>Chevrolet P1393</b> | Rough Road Sensor Circuit High Voltage                        |
| <b>Chevrolet P1396</b> | Wheel Speed Sensor Circuit w/o ABS                            |
| <b>Chevrolet P1397</b> | Wheel Speed Sensor Circuit w/ABS                              |
| <b>Chevrolet P1400</b> | Cold Start Injection Monitoring                               |
| <b>Chevrolet P1402</b> | Exhaust Gas Recirculation (EGR) Flow Insufficient             |
| <b>Chevrolet P1403</b> | Exhaust Gas Recirculation Error (EGR Solenoid 1)              |
| <b>Chevrolet P1404</b> | Exhaust Gas Recirculation Error (EGR Solenoid 2)              |
| <b>Chevrolet P1405</b> | Exhaust Gas Recirculation Error (EGR Solenoid 3)              |

| CODES                  | DEFINITION                                                                            |
|------------------------|---------------------------------------------------------------------------------------|
| <b>Chevrolet P1406</b> | EGR Valve Pintle Position Circuit Malfunction                                         |
| <b>Chevrolet P1407</b> | Exhaust Gas Recirculation (EGR) Motor Control Circuit Shorted                         |
| <b>Chevrolet P1408</b> | MAP Sensor Circuit Malfunction                                                        |
| <b>Chevrolet P1409</b> | Exhaust Gas Recirculation (EGR) System Performance                                    |
| <b>Chevrolet P140A</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Position Sensor Exceeded Learning Limit |
| <b>Chevrolet P140B</b> | Exhaust Gas Recirculation (EGR) Flow Insufficient                                     |
| <b>Chevrolet P140C</b> | Exhaust Gas Recirculation (EGR) Flow Excessive                                        |
| <b>Chevrolet P140D</b> | Exhaust Gas Recirculation (EGR) Motor Control Circuit 2 Low Voltage                   |
| <b>Chevrolet P140E</b> | Exhaust Gas Recirculation (EGR) Motor Control Circuit 2 High Voltage                  |
| <b>Chevrolet P140F</b> | Exhaust Gas Recirculation (EGR) Motor Current Performance                             |
| <b>Chevrolet P1410</b> | Fuel Tank Pressure System Range/Performance                                           |
| <b>Chevrolet P1411</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Valve Control Circuit 2 Low Voltage     |
| <b>Chevrolet P1412</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Valve Control Circuit 2 High Voltage    |
| <b>Chevrolet P1413</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Valve Control Circuit Shorted           |
| <b>Chevrolet P1414</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Valve Current Performance               |
| <b>Chevrolet P1415</b> | Secondary Air Injection System (Bank 1) Malfunction                                   |
| <b>Chevrolet P1416</b> | Secondary Air Injection System (Bank 2) Malfunction                                   |
| <b>Chevrolet P1431</b> | Fuel Level Sensor 2 Signal Range/Performance                                          |

| CODES                  | DEFINITION                                                                                               |
|------------------------|----------------------------------------------------------------------------------------------------------|
| <b>Chevrolet P1432</b> | Fuel Level Sensor 2 Circuit Low Input                                                                    |
| <b>Chevrolet P1433</b> | Fuel Level Sensor (Right Side) Circuit High Input                                                        |
| <b>Chevrolet P1441</b> | EVAP System Flow During Non-Purge                                                                        |
| <b>Chevrolet P1442</b> | EVAP Purge Solenoid Switch Static Test Malfunction                                                       |
| <b>Chevrolet P1448</b> | Diesel Particulate Filter Regeneration Frequency Too Low                                                 |
| <b>Chevrolet P144B</b> | Closed Loop Diesel Particulate Filter (DPF) Regeneration Control At Limit - Stage 1 Temperature Too Low  |
| <b>Chevrolet P144C</b> | Closed Loop Diesel Particulate Filter (DPF) Regeneration Control At Limit - Stage 1 Temperature Too High |
| <b>Chevrolet P144E</b> | Closed Loop Diesel Particulate Filter (DPF) Regeneration Control At Limit - Stage 2 Temperature Too Low  |
| <b>Chevrolet P144F</b> | Closed Loop Diesel Particulate Filter (DPF) Regeneration Control At Limit - Stage 2 Temperature Too High |
| <b>Chevrolet P1450</b> | Barometric Pressure Sensor Circuit Malfunction                                                           |
| <b>Chevrolet P1451</b> | Barometric Pressure Sensor Range/Performance                                                             |
| <b>Chevrolet P1458</b> | Evaporative Emission (EVAP) System Leak Detection Pump Pressure Sensor Performance                       |
| <b>Chevrolet P1459</b> | Evaporative Emission (EVAP) System Leak Detection Pump Pressure Sensor Circuit Low Voltage               |
| <b>Chevrolet P145A</b> | Evaporative Emission (EVAP) System Leak Detection Pump Pressure Sensor Circuit High Voltage              |
| <b>Chevrolet P145C</b> | Evaporative Emission (EVAP) System Leak Detection Pump Stuck Off                                         |
| <b>Chevrolet P145D</b> | Evaporative Emission (EVAP) System Leak Detection Pump Stuck On                                          |
| <b>Chevrolet P145E</b> | Evaporative Emission (EVAP) System Leak Detection Pump to Vent Solenoid Valve Leak Detected              |

| CODES                  | DEFINITION                                                                               |
|------------------------|------------------------------------------------------------------------------------------|
| <b>Chevrolet P145F</b> | Evaporative Emission (EVAP) System Reference Orifice Performance                         |
| <b>Chevrolet P1460</b> | Cooling Fan Control System Malfunction                                                   |
| <b>Chevrolet P1461</b> | Evaporative Emission (EVAP) System Pressure Incorrect During Fuel Fill Door Open Request |
| <b>Chevrolet P1481</b> | Cooling Fan Speed Signal Lost                                                            |
| <b>Chevrolet P1482</b> | Cooling Fan Control Circuit Improper Voltage                                             |
| <b>Chevrolet P1483</b> | Engine Cooling System Range/Performance                                                  |
| <b>Chevrolet P1484</b> | Cooling Fan Speed Excessive RPM                                                          |
| <b>Chevrolet P1485</b> | Cooling Fan Output Circuit                                                               |
| <b>Chevrolet P1486</b> | Cooling Fan Output Circuit Low Voltage                                                   |
| <b>Chevrolet P1487</b> | Cooling Fan Output Circuit High Voltage                                                  |
| <b>Chevrolet P148A</b> | Cooling Fan Signal Circuit Performance                                                   |
| <b>Chevrolet P148B</b> | Cooling Fan Signal Circuit Low Voltage                                                   |
| <b>Chevrolet P148C</b> | Cooling Fan Signal Circuit High Voltage                                                  |
| <b>Chevrolet P1500</b> | Starter Signal Circuit Malfunction                                                       |
| <b>Chevrolet P1504</b> | VSS Circuit Voltage Too Low                                                              |
| <b>Chevrolet P1508</b> | Idle Speed Low RPM                                                                       |
| <b>Chevrolet P1509</b> | Idle Speed High RPM                                                                      |
| <b>Chevrolet P150A</b> | Transmission Output Speed Signal Circuit                                                 |
| <b>Chevrolet P150B</b> | Transmission Output Speed Sensor Circuit Intermittent                                    |
| <b>Chevrolet P150C</b> | Transmission Control Module Engine Speed Request Signal Message Counter Incorrect        |
| <b>Chevrolet P150D</b> | Supply Voltage Circuit 2 Low Voltage                                                     |

| CODES                  | DEFINITION                                                                    |
|------------------------|-------------------------------------------------------------------------------|
| <b>Chevrolet P150E</b> | Supply Voltage Circuit 1 Low Voltage                                          |
| <b>Chevrolet P1510</b> | Backup Power Supply Malfunction                                               |
| <b>Chevrolet P1511</b> | Idle Speed Control (ISC) Motor Control Circuit                                |
| <b>Chevrolet P1512</b> | Control Module Throttle Actuator Position Performance                         |
| <b>Chevrolet P1513</b> | Idle Speed Control (ISC) System Performance                                   |
| <b>Chevrolet P1514</b> | Throttle Body Performance                                                     |
| <b>Chevrolet P1515</b> | Control Module Throttle Actuator Position Performance                         |
| <b>Chevrolet P1516</b> | Throttle Actuator Control (TAC) Module Throttle Actuator Position Performance |
| <b>Chevrolet P1517</b> | Throttle Actuator Control Module Performance                                  |
| <b>Chevrolet P1518</b> | Throttle Actuator Control Module Serial Data Malfunction                      |
| <b>Chevrolet P1519</b> | Throttle Actuator Control Module Range/Performance                            |
| <b>Chevrolet P151C</b> | Air Conditioning (A/C) Low Side Refrigerant Pressure Sensor Not Plausible     |
| <b>Chevrolet P1520</b> | Park Neutral Position Switch Circuit Malfunction                              |
| <b>Chevrolet P1523</b> | TAC Module Return Range/Performance                                           |
| <b>Chevrolet P1530</b> | Air Conditioning Head Pressure Switch Circuit Malfunction                     |
| <b>Chevrolet P1532</b> | A/C Evaporative Temp Sensor Circuit Low Input                                 |
| <b>Chevrolet P1533</b> | A/C Evaporative Temp Sensor Circuit High Input                                |
| <b>Chevrolet P1537</b> | Air Conditioning (A/C) Clutch Relay Control Circuit High Voltage              |
| <b>Chevrolet P1538</b> | Air Conditioning (A/C) Clutch Relay Control Circuit Low Voltage               |
| <b>Chevrolet P1539</b> | Air Conditioning Clutch Status High Input                                     |



| CODES                  | DEFINITION                                                           |
|------------------------|----------------------------------------------------------------------|
| <b>Chevrolet P153B</b> | Air Conditioning (A/C) Evaporator Temperature Sensor 2 Not Plausible |
| <b>Chevrolet P1543</b> | Air Conditioning System Range/Performance                            |
| <b>Chevrolet P1545</b> | Air Conditioning Clutch Relay Control Circuit Malfunction            |
| <b>Chevrolet P1546</b> | A/C Clutch Status Circuit Low Input                                  |
| <b>Chevrolet P154A</b> | Intake Air (IA) Heater Feedback Circuit                              |
| <b>Chevrolet P154B</b> | Intake Air (IA) Heater Voltage Signal Circuit                        |
| <b>Chevrolet P154C</b> | Intake Air (IA) Heater Current Signal Circuit                        |
| <b>Chevrolet P154D</b> | Intake Air (IA) Heater Temperature Signal Circuit                    |
| <b>Chevrolet P1550</b> | Stepper Motor Cruise Control Circuit Malfunction                     |
| <b>Chevrolet P1551</b> | Throttle Valve Rest Position Not Reached During Learn                |
| <b>Chevrolet P1554</b> | Cruise Control Status Circuit Malfunction                            |
| <b>Chevrolet P1558</b> | Cruise Control System, SPS Circuit Indicated Low                     |
| <b>Chevrolet P1561</b> | Cruise Vent Solenoid Circuit Malfunction                             |
| <b>Chevrolet P1562</b> | Cruise Vacuum Solenoid Circuit Malfunction                           |
| <b>Chevrolet P1565</b> | Cruise Servo Position Sensor Circuit Malfunction                     |
| <b>Chevrolet P1567</b> | Cruise Switches Circuit Malfunction                                  |
| <b>Chevrolet P1568</b> | Cruise Control System - SPS Circuit Indicated High                   |
| <b>Chevrolet P1571</b> | Traction Control System Desired Torque Out-Of-Range                  |
| <b>Chevrolet P1572</b> | Traction Control System - Circuit Low Too Long                       |
| <b>Chevrolet P1573</b> | Traction Control System, Loss Of ABS/TCS Serial Data                 |
| <b>Chevrolet P1574</b> | Stoplamp Switch Circuit Malfunction                                  |
| <b>Chevrolet P1575</b> | Extended Travel Brake Switch Circuit Malfunction                     |

| CODES                  | DEFINITION                                                                                    |
|------------------------|-----------------------------------------------------------------------------------------------|
| <b>Chevrolet P1585</b> | Cruise Control Brake Switch 2 Circuit Malfunction                                             |
| <b>Chevrolet P1599</b> | Cruise Power Management Mode Enabled                                                          |
| <b>Chevrolet P159C</b> | Power Take-Off (PTO) Remote Engine Shutdown Switch Circuit                                    |
| <b>Chevrolet P15B9</b> | Electric A/C Compressor Control Module Ignition On/Start Switch Circuit Low Voltage           |
| <b>Chevrolet P15BA</b> | Electric A/C Compressor Control Module Ignition On/Start Switch Circuit High Voltage          |
| <b>Chevrolet P15F0</b> | Engine Torque Delivered Circuit                                                               |
| <b>Chevrolet P15F1</b> | Axle Torque Request Circuit                                                                   |
| <b>Chevrolet P15F2</b> | Engine Torque Command Circuit                                                                 |
| <b>Chevrolet P15F9</b> | Hybrid System Engine Speed Control Intervention Request Type Signal Message Counter Incorrect |
| <b>Chevrolet P15FB</b> | Brake Pedal Position Sensor Signal Message Counter Incorrect                                  |
| <b>Chevrolet P1600</b> | PCM Battery Circuit                                                                           |
| <b>Chevrolet P1601</b> | PCM Serial Communications Malfunction                                                         |
| <b>Chevrolet P1602</b> | Lost Communications with Brake/Traction Control (EBTCM) System                                |
| <b>Chevrolet P1604</b> | Lost Communications with Driver Information and Displays Control (IPC) System                 |
| <b>Chevrolet P1605</b> | Lost Communications with HVAC Control System                                                  |
| <b>Chevrolet P1607</b> | Control Module Ignition Off Timer Performance                                                 |
| <b>Chevrolet P160C</b> | Engine Calibration Information Not Programmed - GPCM                                          |
| <b>Chevrolet P1610</b> | Lost Communications with Body Multiple Control (BCM) System                                   |

| CODES                  | DEFINITION                                                         |
|------------------------|--------------------------------------------------------------------|
| <b>Chevrolet P1611</b> | Engine Controls Ignition Relay Control Circuit Low Voltage         |
| <b>Chevrolet P1619</b> | Engine Oil Reset Monitor Circuit Malfunction                       |
| <b>Chevrolet P161A</b> | Glow Plug Control Module Not Programmed                            |
| <b>Chevrolet P161B</b> | Control Module Torque Performance                                  |
| <b>Chevrolet P1621</b> | Control Module Long Term Memory Performance                        |
| <b>Chevrolet P1623</b> | PCM PROM Error                                                     |
| <b>Chevrolet P1626</b> | Theft Deterrent System Fuel Enable Circuit Malfunction             |
| <b>Chevrolet P1627</b> | Control Module Analog to Digital Performance                       |
| <b>Chevrolet P1628</b> | Theft Deterrent Fuel Enable Signal Not Received                    |
| <b>Chevrolet P1629</b> | Theft Deterrent Fuel Enable Signal Not Received                    |
| <b>Chevrolet P162B</b> | Remote Vehicle Speed Limiting Signal Message Counter Incorrect     |
| <b>Chevrolet P162D</b> | Evaporative Emission (EVAP) System Alarm Clock Signal Not Received |
| <b>Chevrolet P1630</b> | System Voltage Error                                               |
| <b>Chevrolet P1631</b> | Theft Deterrent Start Enable Signal Not Correct                    |
| <b>Chevrolet P1632</b> | Theft Deterrent Fuel Disable Signal Received                       |
| <b>Chevrolet P1633</b> | Ignition Supplement Power (0) Switch Circuit Malfunction           |
| <b>Chevrolet P1634</b> | Improper Ignition 1 Signal Voltage                                 |
| <b>Chevrolet P1635</b> | 5-Volt Reference 1 Circuit Malfunction                             |
| <b>Chevrolet P1637</b> | Generator 'L' Terminal Circuit Malfunction                         |
| <b>Chevrolet P1638</b> | Generator 'F' Terminal Circuit Malfunction                         |
| <b>Chevrolet P1639</b> | 5-Volt Reference 2 Circuit Malfunction                             |

| CODES                  | DEFINITION                                                  |
|------------------------|-------------------------------------------------------------|
| <b>Chevrolet P163C</b> | Glow Plug Module Primary Circuit                            |
| <b>Chevrolet P163D</b> | Glow Plug Control Module Secondary Circuit                  |
| <b>Chevrolet P163E</b> | Glow Plug Control Module Overtemperature                    |
| <b>Chevrolet P1640</b> | Output Driver Module 'A' Circuit Malfunction                |
| <b>Chevrolet P1641</b> | MIL Control Circuit Malfunction                             |
| <b>Chevrolet P1642</b> | Fan Control Relay 2/3 Control Circuit Malfunction           |
| <b>Chevrolet P1643</b> | Wait To Start Lamp Control Circuit Malfunction              |
| <b>Chevrolet P1644</b> | Traction Control Delivered Torque Output Circuit            |
| <b>Chevrolet P1649</b> | Immobilizer Security Code Not Programmed                    |
| <b>Chevrolet P1650</b> | Output Driver Module 'B' Circuit Malfunction                |
| <b>Chevrolet P1651</b> | Cooling Fan 1 Relay Control Circuit Malfunctions            |
| <b>Chevrolet P1652</b> | Cooling Fan 2 Relay Control Circuit Malfunctions            |
| <b>Chevrolet P1653</b> | EGR Vent Solenoid Control Circuit Malfunction               |
| <b>Chevrolet P1654</b> | A/C Relay Control Circuit Malfunction                       |
| <b>Chevrolet P1655</b> | EVAP Purge Solenoid Control Circuit Malfunction             |
| <b>Chevrolet P1656</b> | Wastegate Solenoid Control Circuit Malfunction              |
| <b>Chevrolet P1657</b> | Skip Shift 1-4 Upshift Solenoid Control Circuit Malfunction |
| <b>Chevrolet P1658</b> | FICM Detects Current Through Driver With Driver Off         |
| <b>Chevrolet P1660</b> | Output Driver 3 Input Voltage High Input                    |
| <b>Chevrolet P1661</b> | MIL Control Circuit Malfunction                             |
| <b>Chevrolet P1662</b> | Cruise Control Inhibit Control Circuit Malfunction          |
| <b>Chevrolet P1663</b> | Change Engine Oil Lamp Control Circuit                      |

| CODES                  | DEFINITION                                                                         |
|------------------------|------------------------------------------------------------------------------------|
| <b>Chevrolet P1664</b> | Skip Shift 1-4 Upshift Lamp Control Circuit Malfunction                            |
| <b>Chevrolet P1665</b> | EVAP Vent Solenoid Control Circuit Malfunction                                     |
| <b>Chevrolet P1667</b> | Reverse Inhibit Solenoid Control Circuit Malfunction                               |
| <b>Chevrolet P1668</b> | Generator L-Terminal Control Circuit                                               |
| <b>Chevrolet P166B</b> | Intake Air (IA) Heater Over Temperature                                            |
| <b>Chevrolet P166C</b> | Intake Air (IA) Heater Resistance                                                  |
| <b>Chevrolet P1670</b> | Output Driver Module 4 Circuit Malfunction                                         |
| <b>Chevrolet P1671</b> | Change Engine Oil Lamp Control Circuit                                             |
| <b>Chevrolet P1672</b> | Low Oil Level Lamp Control Circuit Malfunction                                     |
| <b>Chevrolet P1673</b> | Engine Hot Lamp Control Circuit Malfunction                                        |
| <b>Chevrolet P1674</b> | Engine Speed Output Circuit                                                        |
| <b>Chevrolet P1675</b> | Evaporative Emission (EVAP) Vent Solenoid Control Circuit                          |
| <b>Chevrolet P1676</b> | Evaporative Emission (EVAP) Purge Solenoid Control Circuit                         |
| <b>Chevrolet P1680</b> | Control Module Long Term Memory Performance                                        |
| <b>Chevrolet P1681</b> | Control Module Long Term Memory Performance                                        |
| <b>Chevrolet P1682</b> | Ignition 1 Switch Circuit 2                                                        |
| <b>Chevrolet P1683</b> | Control Module Long Term Memory Performance                                        |
| <b>Chevrolet P1684</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Performance          |
| <b>Chevrolet P1685</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Circuit Low Voltage  |
| <b>Chevrolet P1686</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Circuit High Voltage |

| CODES                  | DEFINITION                                                              |
|------------------------|-------------------------------------------------------------------------|
| <b>Chevrolet P1687</b> | Fuel Injector Control Module Driver Stuck On                            |
| <b>Chevrolet P1688</b> | Engine Torque Data Performance                                          |
| <b>Chevrolet P1689</b> | Traction Control Delivered Torque Output Circuit                        |
| <b>Chevrolet P168C</b> | Turbocharger Boost Control Position Slow Response - Increasing Position |
| <b>Chevrolet P168D</b> | Turbocharger Boost Control Position Slow Response - Decreasing Position |
| <b>Chevrolet P16A0</b> | Sensor Communication Circuit Low Voltage                                |
| <b>Chevrolet P16A1</b> | Sensor Communication Circuit High Voltage                               |
| <b>Chevrolet P16A2</b> | Sensor Communication Circuit Performance                                |
| <b>Chevrolet P16E0</b> | Engine Performance - No Torque Detected                                 |
| <b>Chevrolet P16F2</b> | Control Module Transmission Direction Range Switch                      |
| <b>Chevrolet P16F3</b> | Control Module Redundant Memory Performance                             |
| <b>Chevrolet P16F4</b> | Control Module Transmission Range Control Performance                   |
| <b>Chevrolet P16F5</b> | Control Module Programmable Logic Device                                |
| <b>Chevrolet P16F6</b> | Control Module Range State Command                                      |
| <b>Chevrolet P16F7</b> | Control Module Pressure Control Solenoid Command Incorrect              |
| <b>Chevrolet P16F8</b> | Control Module Clutch Command Incorrect                                 |
| <b>Chevrolet P16F9</b> | Control Module Shutdown Performance                                     |
| <b>Chevrolet P1700</b> | Transmission Control Module (TCM) Requested MIL Illumination            |
| <b>Chevrolet P1709</b> | Park/Neutral Position Switch Out Of Self-Test Range                     |
| <b>Chevrolet P1710</b> | Pressure Switch Solenoid "E" Stuck Open                                 |

| CODES                  | DEFINITION                                               |
|------------------------|----------------------------------------------------------|
| <b>Chevrolet P1711</b> | Pressure Switch Solenoid "E" Stuck Closed                |
| <b>Chevrolet P1712</b> | Pressure Switch Solenoid "E" Circuit High                |
| <b>Chevrolet P1713</b> | Pressure Switch Reverse Circuit                          |
| <b>Chevrolet P1714</b> | Pressure Switch Reverse Stuck Open                       |
| <b>Chevrolet P1715</b> | Park/Neutral Position Switch Circuit                     |
| <b>Chevrolet P1719</b> | Incorrect Shifting Detected                              |
| <b>Chevrolet P1720</b> | Solenoid "A" Control Clutch Stuck Of                     |
| <b>Chevrolet P1721</b> | Solenoid "B" Control Clutch Stuck Off                    |
| <b>Chevrolet P1723</b> | Solenoid "A" Control Clutch Stuck On                     |
| <b>Chevrolet P1724</b> | Solenoid "B" Control Clutch Stuck On                     |
| <b>Chevrolet P1740</b> | Cruise Control Overdrive Cut Control Circuit Malfunction |
| <b>Chevrolet P1751</b> | Shift Valve 1 Performance                                |
| <b>Chevrolet P1760</b> | Transmission Position Sensor Signal                      |
| <b>Chevrolet P1761</b> | Up and Down Shift Switch Signal Circuit                  |
| <b>Chevrolet P1762</b> | Transmission Mode Switch Signal Circuit                  |
| <b>Chevrolet P1779</b> | Engine Torque Data Performance                           |
| <b>Chevrolet P1780</b> | Park Neutral Position Switch Circuit Malfunction         |
| <b>Chevrolet P1781</b> | TCM MIL Request Circuit Low Voltage                      |
| <b>Chevrolet P1791</b> | Throttle/Pedal Position Signal                           |
| <b>Chevrolet P1792</b> | Engine Coolant Signal                                    |
| <b>Chevrolet P179A</b> | Auxiliary Transmission Fluid Pump Overspeed              |
| <b>Chevrolet P179B</b> | Range State Command Circuit                              |

| CODES                  | DEFINITION                                                                                  |
|------------------------|---------------------------------------------------------------------------------------------|
| <b>Chevrolet P1810</b> | Transmission Pressure Switch Malfunction (4L60-E)                                           |
| <b>Chevrolet P1811</b> | Maximum Adapt and Long Shift (6.5L Diesel only)                                             |
| <b>Chevrolet P1812</b> | Transmission Fluid Over-Temperature                                                         |
| <b>Chevrolet P1814</b> | Torque Converter Overstressed (4T65-E, 4T80-E)                                              |
| <b>Chevrolet P1815</b> | A/T Range Sensor Circuit Malfunction (4T40-E/4T45-E)                                        |
| <b>Chevrolet P1816</b> | A/T Input Shaft Speed Sensor Malfunction (4T40-E/4T45-E)                                    |
| <b>Chevrolet P1817</b> | A/T Input Shaft Speed Sensor Malfunction (4T40-E/4T45-E)                                    |
| <b>Chevrolet P1818</b> | Transmission Fluid Pressure (TFP) Valve Position Switch Indicates Drive without Drive Ratio |
| <b>Chevrolet P1819</b> | Internal Mode Switch - No Start (4T65-E)                                                    |
| <b>Chevrolet P181C</b> | Internal Mode Switch 2 R1 Circuit Low Voltage                                               |
| <b>Chevrolet P181D</b> | Internal Mode Switch 2 R1 Circuit High Voltage                                              |
| <b>Chevrolet P181E</b> | Internal Mode Switch 2 R2 Circuit Low Voltage                                               |
| <b>Chevrolet P181F</b> | Internal Mode Switch 2 R2 Circuit High Voltage                                              |
| <b>Chevrolet P1820</b> | Internal Mode Switch Circuit A Low (Except 3.8L Monte Carlo)                                |
| <b>Chevrolet P1822</b> | Internal Mode Switch 'B' Circuit Low Input (4T65-E)                                         |
| <b>Chevrolet P1823</b> | Internal Mode Switch 'P' Circuit Low Input (4T65-E)                                         |
| <b>Chevrolet P1824</b> | Internal Mode Switch P Circuit High Voltage                                                 |
| <b>Chevrolet P1825</b> | Internal Mode Switch - Invalid Range (4T65-E)                                               |
| <b>Chevrolet P1826</b> | Internal Mode Switch - Invalid Range (4T65-E)                                               |
| <b>Chevrolet P182A</b> | Internal Mode Switch A Circuit Low Voltage                                                  |



| CODES                  | DEFINITION                                                             |
|------------------------|------------------------------------------------------------------------|
| <b>Chevrolet P182B</b> | Internal Mode Switch B Circuit Low Voltage                             |
| <b>Chevrolet P182C</b> | Internal Mode Switch B Circuit High Voltage                            |
| <b>Chevrolet P182D</b> | Internal Mode Switch P Circuit Low Voltage                             |
| <b>Chevrolet P182E</b> | Internal Mode Switch-Invalid Range                                     |
| <b>Chevrolet P182F</b> | Internal Mode Switch C Circuit High Voltage                            |
| <b>Chevrolet P1831</b> | Pressure Control (PC)/Shift Lock Solenoid Control Circuit Low Voltage  |
| <b>Chevrolet P1832</b> | Pressure Control (PC)/Shift Lock Solenoid Control Circuit High Voltage |
| <b>Chevrolet P1838</b> | Internal Mode Switch A Circuit High Voltage                            |
| <b>Chevrolet P1839</b> | Internal Mode Switch C Circuit Low Voltage                             |
| <b>Chevrolet P183A</b> | Internal Mode Switch 2 D1 Circuit Low Voltage                          |
| <b>Chevrolet P183B</b> | Internal Mode Switch 2 D1 Circuit High Voltage                         |
| <b>Chevrolet P183C</b> | Internal Mode Switch 2 D2 Circuit Low Voltage                          |
| <b>Chevrolet P183D</b> | Internal Mode Switch 2 D2 Circuit High Voltage                         |
| <b>Chevrolet P183E</b> | Internal Mode Switch 2 - Invalid Range                                 |
| <b>Chevrolet P183F</b> | Internal Mode Switch 1-2 Correlation                                   |
| <b>Chevrolet P184A</b> | Internal Mode Switch 2 S Circuit Low Voltage                           |
| <b>Chevrolet P184B</b> | Internal Mode Switch 2 S Circuit High Voltage                          |
| <b>Chevrolet P1860</b> | TCC PWM Solenoid Circuit Malfunction (4L60-E)                          |
| <b>Chevrolet P1862</b> | TCC Solenoid Circuit Malfunction                                       |
| <b>Chevrolet P1863</b> | TCC Solenoid Circuit Short to Voltage                                  |
| <b>Chevrolet P1864</b> | TCC Enable Solenoid Circuit Malfunction (4T60-E)                       |

| CODES                  | DEFINITION                                                             |
|------------------------|------------------------------------------------------------------------|
| <b>Chevrolet P1868</b> | Transmission Fluid Life                                                |
| <b>Chevrolet P1870</b> | Transaxle Component Slipping (4T60-E)                                  |
| <b>Chevrolet P1871</b> | Undefined Gear Ratio (5.7L and 7.4L Gas)                               |
| <b>Chevrolet P1873</b> | Torque Converter Stator Temp Switch CKT Low                            |
| <b>Chevrolet P1874</b> | Torque Converter Stator Temp Switch CKT High                           |
| <b>Chevrolet P1875</b> | 4WD Low Switch Circuit Electrical (Electric Shift, 4.3L only)          |
| <b>Chevrolet P1876</b> | Up and Down Shift Enable Switch Circuit Low Voltage                    |
| <b>Chevrolet P1886</b> | A/T3-2 Shift Solenoid Circuit Malfunction (4T60-E)                     |
| <b>Chevrolet P1887</b> | TCC Release Switch Circuit Malfunction (4T40/4T45-E)                   |
| <b>Chevrolet P1915</b> | Internal Mode Switch Does Not Indicate Park/Neutral (P/N) During Start |
| <b>Chevrolet P1A00</b> | Battery Energy Control Module Reset                                    |
| <b>Chevrolet P1A01</b> | Battery Energy Control Module Long Term Memory Performance             |
| <b>Chevrolet P1A02</b> | Battery Energy Control Module Loop Overrun                             |
| <b>Chevrolet P1A03</b> | Battery Energy Control Module Options Incorrect                        |
| <b>Chevrolet P1A04</b> | Battery Energy Control Module Programming Read Only Memory (ROM)       |
| <b>Chevrolet P1A05</b> | Battery Energy Control Module Random Access Memory (RAM)               |
| <b>Chevrolet P1A06</b> | Battery Energy Control Module Read Only Memory (ROM)                   |
| <b>Chevrolet P1A07</b> | Battery Energy Control Module 5-Volt Reference Circuit                 |
| <b>Chevrolet P1A08</b> | Battery Energy Control Module Stack Overrun                            |
| <b>Chevrolet P1A09</b> | Battery Energy Control Module Hybrid System Voltage                    |

| CODES                  | DEFINITION                                                                  |
|------------------------|-----------------------------------------------------------------------------|
| <b>Chevrolet P1A0C</b> | Battery Energy Control Module System Voltage Low                            |
| <b>Chevrolet P1A0D</b> | Battery Energy Control Module System Voltage High                           |
| <b>Chevrolet P1A1F</b> | Battery Energy Control Module Hybrid Battery System Voltage Low             |
| <b>Chevrolet P1A20</b> | Hybrid Battery System Precharge Time Too Long                               |
| <b>Chevrolet P1A21</b> | Hybrid Battery Contactor Control Sequence Incorrect                         |
| <b>Chevrolet P1A24</b> | Hybrid Battery 1 Voltage                                                    |
| <b>Chevrolet P1A2B</b> | Hybrid Battery 2 Voltage                                                    |
| <b>Chevrolet P1A32</b> | Hybrid Battery 3 Voltage                                                    |
| <b>Chevrolet P1A4E</b> | Battery Energy Control Module Hybrid Battery System Voltage High            |
| <b>Chevrolet P1A4F</b> | Drive Motor 1 Control Module Not Programmed                                 |
| <b>Chevrolet P1A50</b> | Drive Motor 1 Control Module Random Access Memory (RAM)                     |
| <b>Chevrolet P1A51</b> | Drive Motor 1 Control Module Read Only Memory (ROM)                         |
| <b>Chevrolet P1A52</b> | Drive Motor 2 Control Module Not Programmed                                 |
| <b>Chevrolet P1A53</b> | Drive Motor 2 Control Module Random Access Memory (RAM)                     |
| <b>Chevrolet P1A54</b> | Drive Motor 2 Control Module Read Only Memory (ROM)                         |
| <b>Chevrolet P1A56</b> | Hybrid/EV System Voltage Discharge Circuit                                  |
| <b>Chevrolet P1A58</b> | Hybrid Battery Pack Relay Open                                              |
| <b>Chevrolet P1A5E</b> | Battery Energy Control Module Ignition On/Start Switch Circuit Low Voltage  |
| <b>Chevrolet P1A5F</b> | Battery Energy Control Module Ignition On/Start Switch Circuit High Voltage |

| CODES                  | DEFINITION                                                                         |
|------------------------|------------------------------------------------------------------------------------|
| <b>Chevrolet P1A60</b> | Battery Energy Control Module Ignition Accessory Switch Circuit Low Voltage        |
| <b>Chevrolet P1A64</b> | Starter/Generator Control Module Reset                                             |
| <b>Chevrolet P1A65</b> | Starter/Generator Control Module Long Term Memory Performance                      |
| <b>Chevrolet P1A66</b> | Starter/Generator Control Module Loop Overrun                                      |
| <b>Chevrolet P1A67</b> | Starter/Generator Control Module Options Incorrect                                 |
| <b>Chevrolet P1A68</b> | Starter/Generator Control Module Programming Read Only Memory (ROM)                |
| <b>Chevrolet P1A69</b> | Starter/Generator Control Module Random Access Memory (RAM)                        |
| <b>Chevrolet P1A6A</b> | Starter/Generator Control Module Read Only Memory (ROM)                            |
| <b>Chevrolet P1A6B</b> | Starter/Generator Control Module 5-Volt Reference Circuit                          |
| <b>Chevrolet P1A6C</b> | SGCM Service Calibration Fault                                                     |
| <b>Chevrolet P1A71</b> | 14 Volt Power Module Temperature Sensor 2 Performance                              |
| <b>Chevrolet P1A72</b> | 14 Volt Power Module Temperature Sensor 2 Circuit Low Voltage                      |
| <b>Chevrolet P1A73</b> | 14 Volt Power Module Temperature Sensor 2 Circuit High Voltage                     |
| <b>Chevrolet P1A75</b> | Starter/Generator Control Module Coolant Temperature Sensor 2 Performance          |
| <b>Chevrolet P1A76</b> | Starter/Generator Control Module Coolant Temperature Sensor 2 Circuit Low Voltage  |
| <b>Chevrolet P1A77</b> | Starter/Generator Control Module Coolant Temperature Sensor 2 Circuit High Voltage |

| CODES                  | DEFINITION                                                                         |
|------------------------|------------------------------------------------------------------------------------|
| <b>Chevrolet P1A78</b> | Starter/Generator Control Module Coolant Temperature Sensor 3 Performance          |
| <b>Chevrolet P1A79</b> | Starter/Generator Control Module Coolant Temperature Sensor 3 Circuit Low Voltage  |
| <b>Chevrolet P1A7A</b> | Starter/Generator Control Module Coolant Temperature Sensor 3 Circuit High Voltage |
| <b>Chevrolet P1A7E</b> | Starter/Generator Control Module Overtemperature High Voltage System Disabled      |
| <b>Chevrolet P1A7F</b> | Starter/Generator Control Module Coolant Level Sensor 1 Low Voltage                |
| <b>Chevrolet P1A80</b> | Starter/Generator Control Module Coolant Level Sensor 1 High Voltage               |
| <b>Chevrolet P1A81</b> | Starter/Generator Control Module Coolant Level Sensor 2 Low Voltage                |
| <b>Chevrolet P1A82</b> | Starter/Generator Control Module Coolant Level Sensor 2 High Voltage               |
| <b>Chevrolet P1A83</b> | Starter/Generator Control Module Coolant Level Sensor 3 Low Voltage                |
| <b>Chevrolet P1A84</b> | Starter/Generator Control Module Coolant Level Sensor 3 High Voltage               |
| <b>Chevrolet P1A85</b> | Starter/Generator Control Module Coolant Level Sensor 4 Low Voltage                |
| <b>Chevrolet P1A86</b> | Starter/Generator Control Module Coolant Level Sensor 4 High Voltage               |
| <b>Chevrolet P1A87</b> | Low Starter/Generator Control Module Coolant Level                                 |
| <b>Chevrolet P1A88</b> | 42 Volt System Performance                                                         |
| <b>Chevrolet P1A89</b> | 42 Volt System Voltage Low                                                         |
| <b>Chevrolet P1A8A</b> | 42 Volt System Voltage High                                                        |
| <b>Chevrolet P1A8C</b> | 42 Volt Inverter Overtemperature                                                   |

| CODES                  | DEFINITION                                                                          |
|------------------------|-------------------------------------------------------------------------------------|
| <b>Chevrolet P1A90</b> | 14 Volt Power Module Temperature Sensor 1 Performance                               |
| <b>Chevrolet P1A91</b> | 14 Volt Power Module Temperature Sensor 1 Circuit Low Voltage                       |
| <b>Chevrolet P1A92</b> | 14 Volt Power Module Temperature Sensor 1 Circuit High Voltage                      |
| <b>Chevrolet P1A93</b> | 14-Volt Power Module Stuck OFF                                                      |
| <b>Chevrolet P1A94</b> | 14-Volt Power Module Stuck ON                                                       |
| <b>Chevrolet P1A95</b> | DC/DC Converter Stuck in 14-42 Volt Direction                                       |
| <b>Chevrolet P1A96</b> | DC/DC Converter Stuck in 42-14 Volt Direction                                       |
| <b>Chevrolet P1A97</b> | Starter/Generator Control Module Hybrid Battery Voltage Sensor Circuit Low Voltage  |
| <b>Chevrolet P1A98</b> | Starter/Generator Control Module Hybrid Battery Voltage Sensor Circuit High Voltage |
| <b>Chevrolet P1A99</b> | Starter/Generator Control Module Hybrid Battery Current Sensor Circuit Low Current  |
| <b>Chevrolet P1A9A</b> | Starter/Generator Control Module Hybrid Battery Current Sensor Circuit Low Current  |
| <b>Chevrolet P1AA9</b> | Starter/Generator Phase U Current Sensor Performance                                |
| <b>Chevrolet P1AAA</b> | Starter/Generator Phase W Current Sensor Performance                                |
| <b>Chevrolet P1AAB</b> | Starter/Generator Phase U Circuit                                                   |
| <b>Chevrolet P1AAC</b> | Starter/Generator Phase V Circuit                                                   |
| <b>Chevrolet P1AAD</b> | Starter/Generator Phase W Circuit                                                   |
| <b>Chevrolet P1AAE</b> | Starter/Generator Phase U-V-W Correlation                                           |
| <b>Chevrolet P1AB2</b> | Hybrid System Voltage                                                               |
| <b>Chevrolet P1ABC</b> | 14 Volt Power Module Hybrid/EV Battery System Voltage Low Voltage                   |

| CODES                  | DEFINITION                                                                      |
|------------------------|---------------------------------------------------------------------------------|
| <b>Chevrolet P1ABD</b> | 14 Volt Power Module Hybrid/EV Battery System Voltage High Voltage              |
| <b>Chevrolet P1ABE</b> | Battery Energy Control Module Hybrid Battery Pack Overtemperature               |
| <b>Chevrolet P1AC0</b> | Starter/Generator Control Module Output Circuit                                 |
| <b>Chevrolet P1AC1</b> | Starter/Generator Control Module Cooling Fan Relay Control Circuit Low Voltage  |
| <b>Chevrolet P1AC2</b> | Starter/Generator Control Module Cooling Fan Relay Control Circuit High Voltage |
| <b>Chevrolet P1AC6</b> | Drive Motor 1 Control Module Crankshaft Position Sensor Circuit                 |
| <b>Chevrolet P1AC7</b> | Drive Motor 1 Control Module Crankshaft Position Sensor Performance             |
| <b>Chevrolet P1AC8</b> | HCM 5-Volt Reference Circuit                                                    |
| <b>Chevrolet P1AC9</b> | HCM Service Calibration Fault                                                   |
| <b>Chevrolet P1ADC</b> | Drive Motor 1 Control Module Long Term Memory Performance                       |
| <b>Chevrolet P1ADD</b> | Drive Motor 2 Control Module Long Term Memory Performance                       |
| <b>Chevrolet P1ADE</b> | Drive Motor 1 Control Module System Voltage Low                                 |
| <b>Chevrolet P1ADF</b> | Drive Motor 1 Control Module System Voltage High Voltage                        |
| <b>Chevrolet P1AE0</b> | Drive Motor 2 Control Module System Voltage Low                                 |
| <b>Chevrolet P1AE1</b> | Drive Motor 2 Control Module System Voltage High Voltage                        |
| <b>Chevrolet P1AE2</b> | Battery Energy Control Module High Voltage System Interlock Circuit             |
| <b>Chevrolet P1AE3</b> | Battery Energy Control Module High Voltage System Interlock Circuit Low Voltage |

| CODES                  | DEFINITION                                                                               |
|------------------------|------------------------------------------------------------------------------------------|
| <b>Chevrolet P1AE4</b> | Battery Energy Control Module High Voltage System Interlock Circuit High Voltage         |
| <b>Chevrolet P1AE5</b> | Battery Energy Control Module Hybrid Battery Power Off Control Circuit                   |
| <b>Chevrolet P1AE6</b> | Battery Energy Control Module Hybrid Battery Voltage Isolation Sensor Circuit            |
| <b>Chevrolet P1AE7</b> | Battery Energy Control Module Hybrid Battery Voltage System Isolation Lost               |
| <b>Chevrolet P1AE8</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Sense Circuit Low Voltage            |
| <b>Chevrolet P1AE9</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Sense Circuit High Voltage           |
| <b>Chevrolet P1AEA</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Sense Circuit Low Voltage            |
| <b>Chevrolet P1AEB</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Sense Circuit High Voltage           |
| <b>Chevrolet P1AEC</b> | Drive Motor 1 Control Module Hybrid/EV Battery System Voltage                            |
| <b>Chevrolet P1AED</b> | Drive Motor 2 Control Module Hybrid/EV Battery System Voltage                            |
| <b>Chevrolet P1AEE</b> | Drive Motor 1 Control Module Hybrid/EV Battery System Voltage High                       |
| <b>Chevrolet P1AEF</b> | Drive Motor 2 Control Module Hybrid/EV Battery System Voltage High                       |
| <b>Chevrolet P1AF0</b> | Drive Motor 1 Control Module Hybrid Battery Voltage System Isolation Lost                |
| <b>Chevrolet P1AF2</b> | Drive Motor 2 Control Module Hybrid Battery Voltage System Isolation Lost                |
| <b>Chevrolet P1AF4</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Isolation Sensor Circuit Low Voltage |



| CODES                  | DEFINITION                                                                                     |
|------------------------|------------------------------------------------------------------------------------------------|
| <b>Chevrolet P1AF5</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Isolation Sensor Circuit High Voltage      |
| <b>Chevrolet P1AF6</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Isolation Sensor Circuit Low Voltage       |
| <b>Chevrolet P1AF7</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Isolation Sensor Circuit High Voltage      |
| <b>Chevrolet P1AF8</b> | Drive Motor 1 Control Module Shutdown Performance                                              |
| <b>Chevrolet P1AFA</b> | Drive Motor 1 Control Module Programmable Logic Device Not Programmed                          |
| <b>Chevrolet P1AFB</b> | Drive Motor 1 Control Module Programmable Logic Device Security Code                           |
| <b>Chevrolet P1AFC</b> | Drive Motor 1 Control Module Serial Peripheral Interface (SPI) Bus                             |
| <b>Chevrolet P1AFD</b> | Drive Motor 1 Control Module Serial Communications Interface (SCI) Bus                         |
| <b>Chevrolet P1AFE</b> | Drive Motor 2 Control Module Shutdown Performance                                              |
| <b>Chevrolet P1B01</b> | Drive Motor 2 Control Module Programmable Logic Device Security Code                           |
| <b>Chevrolet P1B02</b> | Drive Motor 2 Control Module Serial Peripheral Interface (SPI) Bus                             |
| <b>Chevrolet P1B03</b> | Drive Motor 1 Position Sensor Circuit Loss of Tracking                                         |
| <b>Chevrolet P1B04</b> | Drive Motor 2 Position Sensor Circuit Loss of Tracking                                         |
| <b>Chevrolet P1B05</b> | Drive Motor 1 Control Module High Voltage System Interlock Circuit                             |
| <b>Chevrolet P1B06</b> | Drive Motor 2 Control Module High Voltage System Interlock Circuit                             |
| <b>Chevrolet P1B0B</b> | Drive Motor 1 Control Module Hybrid/EV Battery Voltage Isolation Sensing Circuit 2 Low Voltage |

| CODES                  | DEFINITION                                                                                   |
|------------------------|----------------------------------------------------------------------------------------------|
| <b>Chevrolet P1B0C</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Isolation Sensing Circuit 2 High Voltage |
| <b>Chevrolet P1B0D</b> | Drive Motor 1 Control Module Drive Motor 1 Overspeed                                         |
| <b>Chevrolet P1B0E</b> | Drive Motor 2 Control Module Drive Motor 2 Overspeed                                         |
| <b>Chevrolet P1B0F</b> | Drive Motor 1 Position Learn Incorrect                                                       |
| <b>Chevrolet P1B10</b> | Drive Motor 2 Position Learn Incorrect                                                       |
| <b>Chevrolet P1B12</b> | Driver Intended Brake Torque Fault                                                           |
| <b>Chevrolet P1B15</b> | Regenerative Braking Torque Request Signal Message Counter Incorrect                         |
| <b>Chevrolet P1B16</b> | Hybrid/EV Battery 27 Circuit Performance                                                     |
| <b>Chevrolet P1B17</b> | Hybrid/EV Battery 27 Circuit Low Voltage                                                     |
| <b>Chevrolet P1B18</b> | Hybrid/EV Battery 27 Circuit High Voltage                                                    |
| <b>Chevrolet P1B19</b> | Hybrid/EV Battery 28 Circuit Performance                                                     |
| <b>Chevrolet P1B1A</b> | Hybrid/EV Battery 28 Circuit Low Voltage                                                     |
| <b>Chevrolet P1B1B</b> | Hybrid/EV Battery 28 Circuit High Voltage                                                    |
| <b>Chevrolet P1B1C</b> | Hybrid/EV Battery 29 Circuit Performance                                                     |
| <b>Chevrolet P1B1D</b> | Hybrid/EV Battery 29 Circuit Low Voltage                                                     |
| <b>Chevrolet P1B1E</b> | Hybrid/EV Battery 29 Circuit High Voltage                                                    |
| <b>Chevrolet P1B1F</b> | Hybrid/EV Battery 30 Circuit Performance                                                     |
| <b>Chevrolet P1B20</b> | Hybrid/EV Battery 30 Circuit Low Voltage                                                     |
| <b>Chevrolet P1B21</b> | Hybrid/EV Battery 30 Circuit High Voltage                                                    |
| <b>Chevrolet P1B22</b> | Hybrid/EV Battery 31 Circuit Performance                                                     |
| <b>Chevrolet P1B23</b> | Hybrid/EV Battery 31 Circuit Low Voltage                                                     |

| CODES                  | DEFINITION                                                                                     |
|------------------------|------------------------------------------------------------------------------------------------|
| <b>Chevrolet P1B24</b> | Hybrid/EV Battery 31 Circuit High Voltage                                                      |
| <b>Chevrolet P1B25</b> | Hybrid/EV Battery 32 Circuit Performance                                                       |
| <b>Chevrolet P1B26</b> | Hybrid/EV Battery 32 Circuit Low Voltage                                                       |
| <b>Chevrolet P1B27</b> | Hybrid/EV Battery 32 Circuit High Voltage                                                      |
| <b>Chevrolet P1B28</b> | Hybrid/EV Battery 27 Circuit                                                                   |
| <b>Chevrolet P1B29</b> | Hybrid/EV Battery 28 Circuit                                                                   |
| <b>Chevrolet P1B2B</b> | Hybrid/EV Battery 30 Circuit                                                                   |
| <b>Chevrolet P1B2C</b> | Hybrid/EV Battery 31 Circuit                                                                   |
| <b>Chevrolet P1B2D</b> | Hybrid/EV Battery 32 Circuit                                                                   |
| <b>Chevrolet P1B41</b> | Drive Motor 1 Control Module Hybrid/EV Battery Voltage Isolation Sensing Performance           |
| <b>Chevrolet P1B42</b> | Drive Motor 2 Control Module Hybrid/EV Battery Voltage Isolation Sensing Performance           |
| <b>Chevrolet P1B43</b> | Drive Motor 2 Control Module Hybrid/EV Battery Voltage Isolation Sensor Circuit 2 Low Voltage  |
| <b>Chevrolet P1B44</b> | Drive Motor 2 Control Module Hybrid/EV Battery Voltage Isolation Sensor Circuit 2 High Voltage |
| <b>Chevrolet P1B45</b> | Hybrid/EV Battery 33 Circuit Performance                                                       |
| <b>Chevrolet P1B46</b> | Hybrid/EV Battery 33 Circuit Low Voltage                                                       |
| <b>Chevrolet P1B47</b> | Hybrid/EV Battery 33 Circuit High Voltage                                                      |
| <b>Chevrolet P1B48</b> | Hybrid/EV Battery 34 Circuit Performance                                                       |
| <b>Chevrolet P1B49</b> | Hybrid/EV Battery 34 Circuit Low Voltage                                                       |
| <b>Chevrolet P1B4A</b> | Hybrid/EV Battery 34 Circuit High Voltage                                                      |
| <b>Chevrolet P1B4B</b> | Hybrid/EV Battery 35 Circuit Performance                                                       |

| CODES                  | DEFINITION                                |
|------------------------|-------------------------------------------|
| <b>Chevrolet P1B4C</b> | Hybrid/EV Battery 35 Circuit Low Voltage  |
| <b>Chevrolet P1B4D</b> | Hybrid/EV Battery 35 Circuit High Voltage |
| <b>Chevrolet P1B4E</b> | Hybrid/EV Battery 36 Circuit Performance  |
| <b>Chevrolet P1B4F</b> | Hybrid/EV Battery 36 Circuit Low Voltage  |
| <b>Chevrolet P1B50</b> | Hybrid/EV Battery 36 Circuit High Voltage |
| <b>Chevrolet P1B51</b> | Hybrid/EV Battery 37 Circuit Low Voltage  |
| <b>Chevrolet P1B52</b> | Hybrid/EV Battery 37 Circuit High Voltage |
| <b>Chevrolet P1B53</b> | Hybrid/EV Battery 37 Circuit High Voltage |
| <b>Chevrolet P1B54</b> | Hybrid/EV Battery 38 Circuit Performance  |
| <b>Chevrolet P1B55</b> | Hybrid/EV Battery 38 Circuit Low Voltage  |
| <b>Chevrolet P1B56</b> | Hybrid/EV Battery 38 Circuit High Voltage |
| <b>Chevrolet P1B57</b> | Hybrid/EV Battery 39 Circuit Performance  |
| <b>Chevrolet P1B58</b> | Hybrid/EV Battery 39 Circuit Low Voltage  |
| <b>Chevrolet P1B59</b> | Hybrid/EV Battery 39 Circuit High Voltage |
| <b>Chevrolet P1B5A</b> | Hybrid/EV Battery 40 Circuit Performance  |
| <b>Chevrolet P1B5B</b> | Hybrid/EV Battery 40 Circuit Low Voltage  |
| <b>Chevrolet P1B5C</b> | Hybrid/EV Battery 40 Circuit High Voltage |
| <b>Chevrolet P1B5D</b> | Hybrid/EV Battery 41 Circuit Performance  |
| <b>Chevrolet P1B5E</b> | Hybrid/EV Battery 41 Circuit Low Voltage  |
| <b>Chevrolet P1B5F</b> | Hybrid/EV Battery 41 Circuit High Voltage |
| <b>Chevrolet P1B60</b> | Hybrid/EV Battery 42 Circuit Performance  |
| <b>Chevrolet P1B61</b> | Hybrid/EV Battery 42 Circuit Low Voltage  |

| CODES                  | DEFINITION                                |
|------------------------|-------------------------------------------|
| <b>Chevrolet P1B62</b> | Hybrid/EV Battery 42 Circuit High Voltage |
| <b>Chevrolet P1B63</b> | Hybrid/EV Battery 43 Circuit Performance  |
| <b>Chevrolet P1B64</b> | Hybrid/EV Battery 43 Circuit Low Voltage  |
| <b>Chevrolet P1B65</b> | Hybrid/EV Battery 43 Circuit High Voltage |
| <b>Chevrolet P1B66</b> | Hybrid/EV Battery 44 Circuit Performance  |
| <b>Chevrolet P1B67</b> | Hybrid/EV Battery 44 Circuit Low Voltage  |
| <b>Chevrolet P1B68</b> | Hybrid/EV Battery 44 Circuit High Voltage |
| <b>Chevrolet P1B69</b> | Hybrid/EV Battery 45 Circuit Performance  |
| <b>Chevrolet P1B6A</b> | Hybrid/EV Battery 45 Circuit Low Voltage  |
| <b>Chevrolet P1B6B</b> | Hybrid/EV Battery 45 Circuit High Voltage |
| <b>Chevrolet P1B6C</b> | Hybrid/EV Battery 46 Circuit Performance  |
| <b>Chevrolet P1B6D</b> | Hybrid/EV Battery 46 Circuit Low Voltage  |
| <b>Chevrolet P1B6E</b> | Hybrid/EV Battery 46 Circuit High Voltage |
| <b>Chevrolet P1B6F</b> | Hybrid/EV Battery 47 Circuit Performance  |
| <b>Chevrolet P1B70</b> | Hybrid/EV Battery 47 Circuit Low Voltage  |
| <b>Chevrolet P1B71</b> | Hybrid/EV Battery 47 Circuit High Voltage |
| <b>Chevrolet P1B72</b> | Hybrid/EV Battery 48 Circuit Performance  |
| <b>Chevrolet P1B73</b> | Hybrid/EV Battery 48 Circuit Low Voltage  |
| <b>Chevrolet P1B74</b> | Hybrid/EV Battery 48 Circuit High Voltage |
| <b>Chevrolet P1B75</b> | Hybrid/EV Battery 49 Circuit Performance  |
| <b>Chevrolet P1B76</b> | Hybrid/EV Battery 49 Circuit Low Voltage  |
| <b>Chevrolet P1B77</b> | Hybrid/EV Battery 49 Circuit High Voltage |

| CODES                  | DEFINITION                                |
|------------------------|-------------------------------------------|
| <b>Chevrolet P1B78</b> | Hybrid/EV Battery 50 Circuit Performance  |
| <b>Chevrolet P1B79</b> | Hybrid/EV Battery 50 Circuit Low Voltage  |
| <b>Chevrolet P1B7A</b> | Hybrid/EV Battery 50 Circuit High Voltage |
| <b>Chevrolet P1B7B</b> | Hybrid/EV Battery 51 Circuit Performance  |
| <b>Chevrolet P1B7C</b> | Hybrid/EV Battery 51 Circuit Low Voltage  |
| <b>Chevrolet P1B7D</b> | Hybrid/EV Battery 51 Circuit High Voltage |
| <b>Chevrolet P1B7E</b> | Hybrid/EV Battery 52 Circuit Performance  |
| <b>Chevrolet P1B7F</b> | Hybrid/EV Battery 52 Circuit Low Voltage  |
| <b>Chevrolet P1B80</b> | Hybrid/EV Battery 52 Circuit High Voltage |
| <b>Chevrolet P1B81</b> | Hybrid/EV Battery 53 Circuit Performance  |
| <b>Chevrolet P1B82</b> | Hybrid/EV Battery 53 Circuit Low Voltage  |
| <b>Chevrolet P1B83</b> | Hybrid/EV Battery 53 Circuit High Voltage |
| <b>Chevrolet P1B84</b> | Hybrid/EV Battery 54 Circuit Performance  |
| <b>Chevrolet P1B85</b> | Hybrid/EV Battery 54 Circuit Low Voltage  |
| <b>Chevrolet P1B86</b> | Hybrid/EV Battery 54 Circuit High Voltage |
| <b>Chevrolet P1B87</b> | Hybrid/EV Battery 55 Circuit Performance  |
| <b>Chevrolet P1B88</b> | Hybrid/EV Battery 55 Circuit Low Voltage  |
| <b>Chevrolet P1B89</b> | Hybrid/EV Battery 55 Circuit High Voltage |
| <b>Chevrolet P1B8A</b> | Hybrid/EV Battery 56 Circuit Performance  |
| <b>Chevrolet P1B8B</b> | Hybrid/EV Battery 56 Circuit Low Voltage  |
| <b>Chevrolet P1B8C</b> | Hybrid/EV Battery 56 Circuit High Voltage |
| <b>Chevrolet P1B8D</b> | Hybrid/EV Battery 57 Circuit Performance  |

| CODES                  | DEFINITION                                |
|------------------------|-------------------------------------------|
| <b>Chevrolet P1B8E</b> | Hybrid/EV Battery 57 Circuit Low Voltage  |
| <b>Chevrolet P1B8F</b> | Hybrid/EV Battery 57 Circuit High Voltage |
| <b>Chevrolet P1B90</b> | Hybrid/EV Battery 58 Circuit Performance  |
| <b>Chevrolet P1B91</b> | Hybrid/EV Battery 58 Circuit Low Voltage  |
| <b>Chevrolet P1B92</b> | Hybrid/EV Battery 58 Circuit High Voltage |
| <b>Chevrolet P1B93</b> | Hybrid/EV Battery 59 Circuit Performance  |
| <b>Chevrolet P1B94</b> | Hybrid/EV Battery 59 Circuit Low Voltage  |
| <b>Chevrolet P1B95</b> | Hybrid/EV Battery 59 Circuit High Voltage |
| <b>Chevrolet P1B96</b> | Hybrid/EV Battery 60 Circuit Performance  |
| <b>Chevrolet P1B97</b> | Hybrid/EV Battery 60 Circuit Low Voltage  |
| <b>Chevrolet P1B98</b> | Hybrid/EV Battery 60 Circuit High Voltage |
| <b>Chevrolet P1B99</b> | Hybrid/EV Battery 61 Circuit Performance  |
| <b>Chevrolet P1B9A</b> | Hybrid/EV Battery 61 Circuit Low Voltage  |
| <b>Chevrolet P1B9B</b> | Hybrid/EV Battery 61 Circuit High Voltage |
| <b>Chevrolet P1B9C</b> | Hybrid/EV Battery 62 Circuit Performance  |
| <b>Chevrolet P1B9D</b> | Hybrid/EV Battery 62 Circuit Low Voltage  |
| <b>Chevrolet P1B9E</b> | Hybrid/EV Battery 62 Circuit High Voltage |
| <b>Chevrolet P1B9F</b> | Hybrid/EV Battery 63 Circuit Performance  |
| <b>Chevrolet P1BA0</b> | Hybrid/EV Battery 63 Circuit Low Voltage  |
| <b>Chevrolet P1BA1</b> | Hybrid/EV Battery 63 Circuit High Voltage |
| <b>Chevrolet P1BA2</b> | Hybrid/EV Battery 64 Circuit Performance  |
| <b>Chevrolet P1BA3</b> | Hybrid/EV Battery 64 Circuit Low Voltage  |

| CODES                  | DEFINITION                                |
|------------------------|-------------------------------------------|
| <b>Chevrolet P1BA4</b> | Hybrid/EV Battery 64 Circuit High Voltage |
| <b>Chevrolet P1BA5</b> | Hybrid/EV Battery 65 Circuit Performance  |
| <b>Chevrolet P1BA6</b> | Hybrid/EV Battery 65 Circuit Low Voltage  |
| <b>Chevrolet P1BA7</b> | Hybrid/EV Battery 65 Circuit High Voltage |
| <b>Chevrolet P1BA8</b> | Hybrid/EV Battery 66 Circuit Performance  |
| <b>Chevrolet P1BA9</b> | Hybrid/EV Battery 66 Circuit Low Voltage  |
| <b>Chevrolet P1BAA</b> | Hybrid/EV Battery 66 Circuit High Voltage |
| <b>Chevrolet P1BAB</b> | Hybrid/EV Battery 67 Circuit Performance  |
| <b>Chevrolet P1BAC</b> | Hybrid/EV Battery 67 Circuit Low Voltage  |
| <b>Chevrolet P1BAD</b> | Hybrid/EV Battery 67 Circuit High Voltage |
| <b>Chevrolet P1BAE</b> | Hybrid/EV Battery 68 Circuit Performance  |
| <b>Chevrolet P1BAF</b> | Hybrid/EV Battery 68 Circuit Low Voltage  |
| <b>Chevrolet P1BB0</b> | Hybrid/EV Battery 68 Circuit High Voltage |
| <b>Chevrolet P1BB1</b> | Hybrid/EV Battery 69 Circuit Performance  |
| <b>Chevrolet P1BB2</b> | Hybrid/EV Battery 69 Circuit Low Voltage  |
| <b>Chevrolet P1BB3</b> | Hybrid/EV Battery 69 Circuit High Voltage |
| <b>Chevrolet P1BB4</b> | Hybrid/EV Battery 70 Circuit Performance  |
| <b>Chevrolet P1BB5</b> | Hybrid/EV Battery 70 Circuit Low Voltage  |
| <b>Chevrolet P1BB6</b> | Hybrid/EV Battery 70 Circuit High Voltage |
| <b>Chevrolet P1BB7</b> | Hybrid/EV Battery 71 Circuit Performance  |
| <b>Chevrolet P1BB8</b> | Hybrid/EV Battery 71 Circuit Low Voltage  |
| <b>Chevrolet P1BB9</b> | Hybrid/EV Battery 71 Circuit High Voltage |



| CODES                  | DEFINITION                                |
|------------------------|-------------------------------------------|
| <b>Chevrolet P1BBA</b> | Hybrid/EV Battery 72 Circuit Performance  |
| <b>Chevrolet P1BBB</b> | Hybrid/EV Battery 72 Circuit Low Voltage  |
| <b>Chevrolet P1BBC</b> | Hybrid/EV Battery 72 Circuit High Voltage |
| <b>Chevrolet P1BBD</b> | Hybrid/EV Battery 73 Circuit Performance  |
| <b>Chevrolet P1BBE</b> | Hybrid/EV Battery 73 Circuit Low Voltage  |
| <b>Chevrolet P1BBF</b> | Hybrid/EV Battery 73 Circuit High Voltage |
| <b>Chevrolet P1BC0</b> | Hybrid/EV Battery 74 Circuit Performance  |
| <b>Chevrolet P1BC1</b> | Hybrid/EV Battery 74 Circuit Low Voltage  |
| <b>Chevrolet P1BC2</b> | Hybrid/EV Battery 74 Circuit High Voltage |
| <b>Chevrolet P1BC3</b> | Hybrid/EV Battery 75 Circuit Performance  |
| <b>Chevrolet P1BC4</b> | Hybrid/EV Battery 75 Circuit Low Voltage  |
| <b>Chevrolet P1BC5</b> | Hybrid/EV Battery 75 Circuit High Voltage |
| <b>Chevrolet P1BC6</b> | Hybrid/EV Battery 76 Circuit Performance  |
| <b>Chevrolet P1BC7</b> | Hybrid/EV Battery 76 Circuit Low Voltage  |
| <b>Chevrolet P1BC8</b> | Hybrid/EV Battery 76 Circuit High Voltage |
| <b>Chevrolet P1BC9</b> | Hybrid/EV Battery 77 Circuit Performance  |
| <b>Chevrolet P1BCA</b> | Hybrid/EV Battery 77 Circuit Low Voltage  |
| <b>Chevrolet P1BCB</b> | Hybrid/EV Battery 77 Circuit High Voltage |
| <b>Chevrolet P1BCC</b> | Hybrid/EV Battery 78 Circuit Performance  |
| <b>Chevrolet P1BCD</b> | Hybrid/EV Battery 78 Circuit Low Voltage  |
| <b>Chevrolet P1BCE</b> | Hybrid/EV Battery 78 Circuit High Voltage |
| <b>Chevrolet P1BCF</b> | Hybrid/EV Battery 79 Circuit Performance  |

| CODES                  | DEFINITION                                |
|------------------------|-------------------------------------------|
| <b>Chevrolet P1BD0</b> | Hybrid/EV Battery 79 Circuit Low Voltage  |
| <b>Chevrolet P1BD1</b> | Hybrid/EV Battery 79 Circuit High Voltage |
| <b>Chevrolet P1BD2</b> | Hybrid/EV Battery 80 Circuit Performance  |
| <b>Chevrolet P1BD3</b> | Hybrid/EV Battery 80 Circuit Low Voltage  |
| <b>Chevrolet P1BD4</b> | Hybrid/EV Battery 80 Circuit High Voltage |
| <b>Chevrolet P1BD5</b> | Hybrid/EV Battery 81 Circuit Performance  |
| <b>Chevrolet P1BD6</b> | Hybrid/EV Battery 81 Circuit Low Voltage  |
| <b>Chevrolet P1BD7</b> | Hybrid/EV Battery 81 Circuit High Voltage |
| <b>Chevrolet P1BD8</b> | Hybrid/EV Battery 82 Circuit Performance  |
| <b>Chevrolet P1BD9</b> | Hybrid/EV Battery 82 Circuit Low Voltage  |
| <b>Chevrolet P1BDA</b> | Hybrid/EV Battery 82 Circuit High Voltage |
| <b>Chevrolet P1BDB</b> | Hybrid/EV Battery 83 Circuit Performance  |
| <b>Chevrolet P1BDC</b> | Hybrid/EV Battery 83 Circuit Low Voltage  |
| <b>Chevrolet P1BDD</b> | Hybrid/EV Battery 83 Circuit High Voltage |
| <b>Chevrolet P1BDE</b> | Hybrid/EV Battery 84 Circuit Performance  |
| <b>Chevrolet P1BDF</b> | Hybrid/EV Battery 84 Circuit Low Voltage  |
| <b>Chevrolet P1BE0</b> | Hybrid/EV Battery 84 Circuit High Voltage |
| <b>Chevrolet P1BE1</b> | Hybrid/EV Battery 85 Circuit Performance  |
| <b>Chevrolet P1BE2</b> | Hybrid/EV Battery 85 Circuit Low Voltage  |
| <b>Chevrolet P1BE3</b> | Hybrid/EV Battery 85 Circuit High Voltage |
| <b>Chevrolet P1BE4</b> | Hybrid/EV Battery 86 Circuit Performance  |
| <b>Chevrolet P1BE5</b> | Hybrid/EV Battery 86 Circuit Low Voltage  |

| CODES                  | DEFINITION                                |
|------------------------|-------------------------------------------|
| <b>Chevrolet P1BE6</b> | Hybrid/EV Battery 86 Circuit High Voltage |
| <b>Chevrolet P1BE7</b> | Hybrid/EV Battery 87 Circuit Performance  |
| <b>Chevrolet P1BE8</b> | Hybrid/EV Battery 87 Circuit Low Voltage  |
| <b>Chevrolet P1BE9</b> | Hybrid/EV Battery 87 Circuit High Voltage |
| <b>Chevrolet P1BEA</b> | Hybrid/EV Battery 88 Circuit Performance  |
| <b>Chevrolet P1BEB</b> | Hybrid/EV Battery 88 Circuit Low Voltage  |
| <b>Chevrolet P1BEC</b> | Hybrid/EV Battery 88 Circuit High Voltage |
| <b>Chevrolet P1BED</b> | Hybrid/EV Battery 89 Circuit Performance  |
| <b>Chevrolet P1BEE</b> | Hybrid/EV Battery 89 Circuit Low Voltage  |
| <b>Chevrolet P1BEF</b> | Hybrid/EV Battery 89 Circuit High Voltage |
| <b>Chevrolet P1BF0</b> | Hybrid/EV Battery 90 Circuit Performance  |
| <b>Chevrolet P1BF1</b> | Hybrid/EV Battery 90 Circuit Low Voltage  |
| <b>Chevrolet P1BF2</b> | Hybrid/EV Battery 90 Circuit High Voltage |
| <b>Chevrolet P1BF3</b> | Hybrid/EV Battery 91 Circuit Performance  |
| <b>Chevrolet P1BF4</b> | Hybrid/EV Battery 91 Circuit Low Voltage  |
| <b>Chevrolet P1BF5</b> | Hybrid/EV Battery 91 Circuit High Voltage |
| <b>Chevrolet P1BF6</b> | Hybrid/EV Battery 92 Circuit Performance  |
| <b>Chevrolet P1BF7</b> | Hybrid/EV Battery 92 Circuit Low Voltage  |
| <b>Chevrolet P1BF8</b> | Hybrid/EV Battery 92 Circuit High Voltage |
| <b>Chevrolet P1BF9</b> | Hybrid/EV Battery 93 Circuit Performance  |
| <b>Chevrolet P1BFA</b> | Hybrid/EV Battery 93 Circuit Low Voltage  |
| <b>Chevrolet P1BFB</b> | Hybrid/EV Battery 93 Circuit High Voltage |

| CODES                  | DEFINITION                                                                |
|------------------------|---------------------------------------------------------------------------|
| <b>Chevrolet P1BFC</b> | Hybrid/EV Battery 94 Circuit Performance                                  |
| <b>Chevrolet P1BFD</b> | Hybrid/EV Battery 94 Circuit Low Voltage                                  |
| <b>Chevrolet P1BFE</b> | Hybrid/EV Battery 94 Circuit High Voltage                                 |
| <b>Chevrolet P1BFF</b> | Auxiliary Transmission Fluid Pump Motor Control Module Not Programmed     |
| <b>Chevrolet P1E00</b> | Hybrid Powertrain Control Module 2 Requested MIL Illumination             |
| <b>Chevrolet P1E01</b> | Hybrid/EV Battery 95 Circuit Performance                                  |
| <b>Chevrolet P1E02</b> | Hybrid/EV Battery 95 Circuit Low Voltage                                  |
| <b>Chevrolet P1E03</b> | Hybrid/EV Battery 95 Circuit High Voltage                                 |
| <b>Chevrolet P1E04</b> | Hybrid/EV Battery 96 Circuit Performance                                  |
| <b>Chevrolet P1E05</b> | Hybrid/EV Battery 96 Circuit Low Voltage                                  |
| <b>Chevrolet P1E06</b> | Hybrid/EV Battery 96 Circuit High Voltage                                 |
| <b>Chevrolet P1E08</b> | Hybrid Battery Contactor Status Circuit Low Voltage                       |
| <b>Chevrolet P1E09</b> | Hybrid Battery Contactor Status Circuit High Voltage                      |
| <b>Chevrolet P1E0A</b> | Drive Motor 1 Control Module Module Torque Calculation Performance        |
| <b>Chevrolet P1E0B</b> | Drive Motor 2 Control Module Module Torque Calculation Performance        |
| <b>Chevrolet P1E0E</b> | 14 V Power Module Not Programmed                                          |
| <b>Chevrolet P1E15</b> | Drive Motor 1 Control Module 5 Volt Reference 1 Circuit                   |
| <b>Chevrolet P1E16</b> | Drive Motor 1 Control Module 5 Volt Reference 2 Circuit                   |
| <b>Chevrolet P1E17</b> | Drive Motor 2 Control Module 5 Volt Reference 1 Circuit                   |
| <b>Chevrolet P1E18</b> | Auxiliary Transmission Fluid Pump Control Module 5 Volt Reference Circuit |

| CODES                  | DEFINITION                                                                                                      |
|------------------------|-----------------------------------------------------------------------------------------------------------------|
| <b>Chevrolet P1E19</b> | Auxiliary Transmission Fluid Pump Control Module System Voltage Low                                             |
| <b>Chevrolet P1E1A</b> | Auxiliary Transmission Fluid Pump Control Module System Voltage High                                            |
| <b>Chevrolet P1E1B</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid Battery Voltage Isolation Sensing Performance           |
| <b>Chevrolet P1E1C</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid Battery Voltage Isolation Sensor Circuit 1 Low Voltage  |
| <b>Chevrolet P1E1D</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid Battery Voltage Isolation Sensor Circuit 1 High Voltage |
| <b>Chevrolet P1E1E</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid Battery Voltage Isolation Sensor Circuit 2 Low Voltage  |
| <b>Chevrolet P1E1F</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid Battery Voltage Isolation Sensor Circuit 2 High Voltage |
| <b>Chevrolet P1E20</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid/EV Battery Voltage Sense Circuit Low Voltage            |
| <b>Chevrolet P1E21</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid/EV Battery Voltage Sense Circuit High Voltage           |
| <b>Chevrolet P1E22</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid Battery Voltage System Isolation Lost                   |
| <b>Chevrolet P1E23</b> | Auxiliary Transmission Fluid Pump Control Module Random Access Memory                                           |
| <b>Chevrolet P1E24</b> | Auxiliary Transmission Fluid Pump Control Module Long Term Memory Performance                                   |
| <b>Chevrolet P1E25</b> | Auxiliary Transmission Fluid Pump Control Module Read Only Memory                                               |
| <b>Chevrolet P1E27</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid/EV Battery System Voltage High Voltage                  |

| CODES                  | DEFINITION                                                                             |
|------------------------|----------------------------------------------------------------------------------------|
| <b>Chevrolet P1E28</b> | Auxiliary Transmission Fluid Pump Control Module Hybrid/EV Battery System Voltage      |
| <b>Chevrolet P1E29</b> | Auxiliary Transmission Fluid Pump Control Module Calculated Motor Position Performance |
| <b>Chevrolet P1E2A</b> | Auxiliary Transmission Fluid Pump Phase U Current Sensor Circuit Low Voltage           |
| <b>Chevrolet P1E2B</b> | Auxiliary Transmission Fluid Pump Phase U Current Sensor Circuit High Voltage          |
| <b>Chevrolet P1E2C</b> | Auxiliary Transmission Fluid Pump Phase U Current Sensor Performance                   |
| <b>Chevrolet P1E2D</b> | Auxiliary Transmission Fluid Pump Phase V Current Sensor Circuit Low Voltage           |
| <b>Chevrolet P1E2E</b> | Auxiliary Transmission Fluid Pump Phase V Current Sensor Circuit High Voltage          |
| <b>Chevrolet P1E2F</b> | Auxiliary Transmission Fluid Pump Phase V Current Sensor Performance                   |
| <b>Chevrolet P1E30</b> | Auxiliary Transmission Fluid Pump Phase W Current Sensor Circuit Low Voltage           |
| <b>Chevrolet P1E31</b> | Auxiliary Transmission Fluid Pump Phase W Current Sensor Circuit High Voltage          |
| <b>Chevrolet P1E32</b> | Transmission Fluid Pump Phase W Current Sensor Performance                             |
| <b>Chevrolet P1E33</b> | Auxiliary Transmission Fluid Pump Phase U-V-W Current Sensors Not Plausible            |
| <b>Chevrolet P1E34</b> | Auxiliary Transmission Fluid Pump Inverter Temperature Sensor Circuit High Voltage     |
| <b>Chevrolet P1E35</b> | Auxiliary Transmission Fluid Pump Inverter Temperature Sensor Circuit Low Voltage      |
| <b>Chevrolet P1E36</b> | Auxiliary Transmission Fluid Pump Inverter Temperature Sensor Performance              |

| CODES                  | DEFINITION                                                                 |
|------------------------|----------------------------------------------------------------------------|
| <b>Chevrolet P1E37</b> | Auxiliary Transmission Fluid Pump Inverter High Temperature                |
| <b>Chevrolet P1E38</b> | Auxiliary Transmission Fluid Pump Inverter Supply Voltage Circuit          |
| <b>Chevrolet P1E39</b> | Auxiliary Transmission Fluid Pump Inverter Performance                     |
| <b>Chevrolet P1E3A</b> | Auxiliary Transmission Fluid Pump Motor Torque Delivered Performance       |
| <b>Chevrolet P1E3D</b> | Control Module Calculated Hybrid/EV Battery Performance                    |
| <b>Chevrolet P1E3E</b> | 14V Power Module Random Access Memory                                      |
| <b>Chevrolet P1E3F</b> | 14V Power Module Read Only Memory                                          |
| <b>Chevrolet P1E40</b> | 14 Volt Power Module Hybrid/EV Battery System Voltage Performance          |
| <b>Chevrolet P1E41</b> | 14 Volt Power Module Hybrid/EV Battery System Overvoltage Sensing Circuit  |
| <b>Chevrolet P1E42</b> | 14 Volt Power Module Hybrid/EV Battery System High Voltage                 |
| <b>Chevrolet P1E43</b> | 14 Volt Power Module System Overvoltage Sensing Circuit                    |
| <b>Chevrolet P1E44</b> | 14 Volt Power Module System High Voltage                                   |
| <b>Chevrolet P1E45</b> | 14 Volt Power Module Temperature Sensors 1-2 Not Plausible                 |
| <b>Chevrolet P1E46</b> | 14 Volt Power Module Temperature Sensor 1 High Temperature Sensing Circuit |
| <b>Chevrolet P1E47</b> | 14 Volt Power Module Temperature Sensor 1 Circuit High Temperature         |
| <b>Chevrolet P1E48</b> | 14 Volt Power Module Temperature Sensor 2 High Temperature Sensing Circuit |

| CODES                  | DEFINITION                                                         |
|------------------------|--------------------------------------------------------------------|
| <b>Chevrolet P1E49</b> | 14 Volt Power Module Temperature Sensor 2 Circuit High Temperature |
| <b>Chevrolet P1E4A</b> | Control Module Redundant Drive Motor 1 Speed Sensing Circuit       |
| <b>Chevrolet P1E4B</b> | Control Module Redundant Drive Motor 2 Speed Sensing Circuit       |
| <b>Chevrolet P1E4C</b> | Hybrid/EV Battery 33 Circuit                                       |
| <b>Chevrolet P1E4D</b> | Hybrid/EV Battery 34 Circuit                                       |
| <b>Chevrolet P1E4E</b> | Hybrid/EV Battery 35 Circuit                                       |
| <b>Chevrolet P1E4F</b> | Hybrid/EV Battery 36 Circuit                                       |
| <b>Chevrolet P1E50</b> | Hybrid/EV Battery 37 Circuit                                       |
| <b>Chevrolet P1E51</b> | Hybrid/EV Battery 38 Circuit                                       |
| <b>Chevrolet P1E52</b> | Hybrid/EV Battery 39 Circuit                                       |
| <b>Chevrolet P1E53</b> | Hybrid/EV Battery 40 Circuit                                       |
| <b>Chevrolet P1E54</b> | Hybrid/EV Battery 41 Circuit                                       |
| <b>Chevrolet P1E55</b> | Hybrid/EV Battery 42 Circuit                                       |
| <b>Chevrolet P1E56</b> | Hybrid/EV Battery 43 Circuit                                       |
| <b>Chevrolet P1E57</b> | Hybrid/EV Battery 44 Circuit                                       |
| <b>Chevrolet P1E58</b> | Hybrid/EV Battery 45 Circuit                                       |
| <b>Chevrolet P1E59</b> | Hybrid/EV Battery 46 Circuit                                       |
| <b>Chevrolet P1E5A</b> | Hybrid/EV Battery 47 Circuit                                       |
| <b>Chevrolet P1E5B</b> | Hybrid/EV Battery 48 Circuit                                       |
| <b>Chevrolet P1E5C</b> | Hybrid/EV Battery 49 Circuit                                       |
| <b>Chevrolet P1E5D</b> | Hybrid/EV Battery 50 Circuit                                       |



| CODES                  | DEFINITION                   |
|------------------------|------------------------------|
| <b>Chevrolet P1E5E</b> | Hybrid/EV Battery 51 Circuit |
| <b>Chevrolet P1E5F</b> | Hybrid/EV Battery 52 Circuit |
| <b>Chevrolet P1E60</b> | Hybrid/EV Battery 53 Circuit |
| <b>Chevrolet P1E61</b> | Hybrid/EV Battery 54 Circuit |
| <b>Chevrolet P1E62</b> | Hybrid/EV Battery 55 Circuit |
| <b>Chevrolet P1E63</b> | Hybrid/EV Battery 56 Circuit |
| <b>Chevrolet P1E64</b> | Hybrid/EV Battery 57 Circuit |
| <b>Chevrolet P1E65</b> | Hybrid/EV Battery 58 Circuit |
| <b>Chevrolet P1E66</b> | Hybrid/EV Battery 59 Circuit |
| <b>Chevrolet P1E67</b> | Hybrid/EV Battery 60 Circuit |
| <b>Chevrolet P1E68</b> | Hybrid/EV Battery 61 Circuit |
| <b>Chevrolet P1E69</b> | Hybrid/EV Battery 62 Circuit |
| <b>Chevrolet P1E6A</b> | Hybrid/EV Battery 63 Circuit |
| <b>Chevrolet P1E6B</b> | Hybrid/EV Battery 64 Circuit |
| <b>Chevrolet P1E6C</b> | Hybrid/EV Battery 65 Circuit |
| <b>Chevrolet P1E6D</b> | Hybrid/EV Battery 66 Circuit |
| <b>Chevrolet P1E6E</b> | Hybrid/EV Battery 67 Circuit |
| <b>Chevrolet P1E6F</b> | Hybrid/EV Battery 68 Circuit |
| <b>Chevrolet P1E70</b> | Hybrid/EV Battery 69 Circuit |
| <b>Chevrolet P1E71</b> | Hybrid/EV Battery 70 Circuit |
| <b>Chevrolet P1E72</b> | Hybrid/EV Battery 71 Circuit |
| <b>Chevrolet P1E73</b> | Hybrid/EV Battery 72 Circuit |

| CODES                  | DEFINITION                   |
|------------------------|------------------------------|
| <b>Chevrolet P1E74</b> | Hybrid/EV Battery 73 Circuit |
| <b>Chevrolet P1E75</b> | Hybrid/EV Battery 74 Circuit |
| <b>Chevrolet P1E76</b> | Hybrid/EV Battery 75 Circuit |
| <b>Chevrolet P1E77</b> | Hybrid/EV Battery 76 Circuit |
| <b>Chevrolet P1E78</b> | Hybrid/EV Battery 77 Circuit |
| <b>Chevrolet P1E79</b> | Hybrid/EV Battery 78 Circuit |
| <b>Chevrolet P1E7A</b> | Hybrid/EV Battery 79 Circuit |
| <b>Chevrolet P1E7B</b> | Hybrid/EV Battery 80 Circuit |
| <b>Chevrolet P1E7C</b> | Hybrid/EV Battery 81 Circuit |
| <b>Chevrolet P1E7D</b> | Hybrid/EV Battery 82 Circuit |
| <b>Chevrolet P1E7E</b> | Hybrid/EV Battery 83 Circuit |
| <b>Chevrolet P1E7F</b> | Hybrid/EV Battery 84 Circuit |
| <b>Chevrolet P1E80</b> | Hybrid/EV Battery 85 Circuit |
| <b>Chevrolet P1E81</b> | Hybrid/EV Battery 86 Circuit |
| <b>Chevrolet P1E82</b> | Hybrid/EV Battery 87 Circuit |
| <b>Chevrolet P1E83</b> | Hybrid/EV Battery 88 Circuit |
| <b>Chevrolet P1E84</b> | Hybrid/EV Battery 89 Circuit |
| <b>Chevrolet P1E85</b> | Hybrid/EV Battery 90 Circuit |
| <b>Chevrolet P1E86</b> | Hybrid/EV Battery 91 Circuit |
| <b>Chevrolet P1E87</b> | Hybrid/EV Battery 92 Circuit |
| <b>Chevrolet P1E88</b> | Hybrid/EV Battery 93 Circuit |
| <b>Chevrolet P1E89</b> | Hybrid/EV Battery 94 Circuit |

| CODES                  | DEFINITION                                                          |
|------------------------|---------------------------------------------------------------------|
| <b>Chevrolet P1E8A</b> | Hybrid/EV Battery 95 Circuit                                        |
| <b>Chevrolet P1E92</b> | Hybrid/EV Battery Interface Control Module 1 Cell Balancing Circuit |
| <b>Chevrolet P1E93</b> | Hybrid/EV Battery Interface Control Module 1 5 V Reference Circuit  |
| <b>Chevrolet P1E98</b> | Hybrid/EV Battery Interface Control Module 2 Cell Balancing Circuit |
| <b>Chevrolet P1E99</b> | Hybrid/EV Battery Interface Control Module 2 5 V Reference Circuit  |
| <b>Chevrolet P1E9E</b> | Hybrid/EV Battery Interface Control Module 3 Cell Balancing Circuit |
| <b>Chevrolet P1E9F</b> | Hybrid/EV Battery Interface Control Module 3 5 V Reference Circuit  |
| <b>Chevrolet P1EA4</b> | Hybrid/EV Battery Interface Control Module 4 Cell Balancing Circuit |
| <b>Chevrolet P1EA5</b> | Hybrid/EV Battery Interface Control Module 4 5 V Reference Circuit  |
| <b>Chevrolet P1EA6</b> | 14 Volt Power Module Cooling Fan Control Circuit                    |
| <b>Chevrolet P1EA7</b> | 14 Volt Power Module Cooling Fan Enable Circuit                     |
| <b>Chevrolet P1EA8</b> | 14 Volt Power Module Hybrid/EV Battery System Voltage Low Voltage   |
| <b>Chevrolet P1EA9</b> | 14 V Power Module System Low Voltage                                |
| <b>Chevrolet P1EAB</b> | Battery Energy Control Module Hybrid/EV Battery Cell High Voltage   |
| <b>Chevrolet P1EAC</b> | Hybrid/EV Battery Cell Overvoltage Signal Circuit Performance       |
| <b>Chevrolet P1EB6</b> | Drive Motor 1 Control Module Long Term Memory Reset                 |
| <b>Chevrolet P1EB7</b> | Drive Motor 2 Control Module Long Term Memory Reset                 |

| CODES                  | DEFINITION                                                                       |
|------------------------|----------------------------------------------------------------------------------|
| <b>Chevrolet P1EB8</b> | Auxiliary Transmission Fluid Pump Control Module Long Term Memory Reset          |
| <b>Chevrolet P1EBA</b> | Hybrid/EV Battery Low Resolution Current Sensor Exceeded Learning Limit          |
| <b>Chevrolet P1EBB</b> | Hybrid/EV Battery High Resolution Current Sensor Exceeded Learning Limit         |
| <b>Chevrolet P1EBC</b> | Hybrid/EV Battery Multifunction Contactor Control Circuit                        |
| <b>Chevrolet P1EBD</b> | Battery Charging System Contactors Stuck Open                                    |
| <b>Chevrolet P1EBE</b> | Hybrid/EV Battery Multifunction Contactor Stuck Open                             |
| <b>Chevrolet P1EBF</b> | Hybrid/EV Battery Multifunction Contactor Stuck Closed                           |
| <b>Chevrolet P1EC0</b> | Hybrid/EV Battery System Contactors Stuck Open                                   |
| <b>Chevrolet P1EC3</b> | Hybrid/EV Battery Pack Heater Transistor Control Circuit                         |
| <b>Chevrolet P1EC4</b> | Hybrid/EV Battery Pack Heater Transistor Stuck Off                               |
| <b>Chevrolet P1EC5</b> | Hybrid/EV Battery Pack Heater Transistor Stuck On                                |
| <b>Chevrolet P1EC6</b> | Hybrid/EV Battery Pack Heater Performance                                        |
| <b>Chevrolet P1EC7</b> | Hybrid/EV Battery Pack Coolant Control Valve Control Circuit 2 Low Voltage       |
| <b>Chevrolet P1EC8</b> | Hybrid/EV Battery Pack Coolant Control Valve Control Circuit 2 High Voltage      |
| <b>Chevrolet P1EC9</b> | A/C Compressor Motor Instantaneous High Current                                  |
| <b>Chevrolet P1ECA</b> | A/C Compressor Motor Instantaneous High Voltage                                  |
| <b>Chevrolet P1ECB</b> | Battery Charger High Voltage Converter 1 Temperature Sensor Circuit Low Voltage  |
| <b>Chevrolet P1ECC</b> | Battery Charger High Voltage Converter 1 Temperature Sensor Circuit High Voltage |

| CODES                  | DEFINITION                                                                       |
|------------------------|----------------------------------------------------------------------------------|
| <b>Chevrolet P1ECD</b> | Battery Charger High Voltage Converter 1 Temperature Sensor Circuit Performance  |
| <b>Chevrolet P1ECE</b> | Battery Charger Total Output Power Performance                                   |
| <b>Chevrolet P1ED0</b> | Battery Charger High Voltage Converter 2 Temperature Sensor Circuit Low Voltage  |
| <b>Chevrolet P1ED1</b> | Battery Charger High Voltage Converter 2 Temperature Sensor Circuit High Voltage |
| <b>Chevrolet P1ED2</b> | Battery Charger High Voltage Converter 2 Temperature Sensor Circuit Performance  |
| <b>Chevrolet P1ED6</b> | Battery Charger Cold Plate Temperature Sensor Circuit Low Voltage                |
| <b>Chevrolet P1ED7</b> | Battery Charger Cold Plate Temperature Sensor Circuit High Voltage               |
| <b>Chevrolet P1ED8</b> | Battery Charger Cold Plate Temperature Sensor Performance                        |
| <b>Chevrolet P1ED9</b> | Battery Charger Converter Input Voltage Sensor 1 Circuit Low Voltage             |
| <b>Chevrolet P1EDA</b> | Battery Charger Converter Input Voltage Sensor 1 Circuit High Voltage            |
| <b>Chevrolet P1EDB</b> | Battery Charger Converter Input Voltage Sensor 1 Performance                     |
| <b>Chevrolet P1EDC</b> | Battery Charger Converter Input Voltage Sensor 2 Circuit Low Voltage             |
| <b>Chevrolet P1EDD</b> | Battery Charger Converter Input Voltage Sensor 2 Circuit High Voltage            |
| <b>Chevrolet P1EDE</b> | Battery Charger Converter Input Voltage Sensor 2 Performance                     |
| <b>Chevrolet P1EDF</b> | Battery Charger Input Voltage Conditioner Temperature Sensor Circuit Low Voltage |

| CODES                  | DEFINITION                                                                         |
|------------------------|------------------------------------------------------------------------------------|
| <b>Chevrolet P1EE0</b> | Battery Charger Input Voltage Conditioner Temperature Sensor Circuit High Voltage  |
| <b>Chevrolet P1EE1</b> | Battery Charger Input Voltage Conditioner Temperature Sensor Performance           |
| <b>Chevrolet P1EE2</b> | Battery Charger High Voltage Converter 1 Input Current Sensor Circuit Low Voltage  |
| <b>Chevrolet P1EE3</b> | Battery Charger High Voltage Converter 1 Input Current Sensor Circuit High Voltage |
| <b>Chevrolet P1EE4</b> | Battery Charger High Voltage Converter 2 Input Current Sensor Circuit Low Voltage  |
| <b>Chevrolet P1EE5</b> | Battery Charger High Voltage Converter 2 Input Current Sensor Circuit High Voltage |
| <b>Chevrolet P1EE6</b> | Battery Charger AC Not Present                                                     |
| <b>Chevrolet P1EE7</b> | Battery Charger Control Module Reference Voltage 1 Circuit Low Voltage             |
| <b>Chevrolet P1EE8</b> | Battery Charger Control Module Reference Voltage 1 Circuit High Voltage            |
| <b>Chevrolet P1EE9</b> | Battery Charger Control Module Reference Voltage 2 Circuit Low Voltage             |
| <b>Chevrolet P1EEA</b> | Battery Charger Control Module Reference Voltage 2 Circuit High Voltage            |
| <b>Chevrolet P1EEB</b> | Battery Charger Control Module Reference Voltage 3 Circuit Low Voltage             |
| <b>Chevrolet P1EEC</b> | Battery Charger Control Module Reference Voltage 3 Circuit High Voltage            |
| <b>Chevrolet P1EED</b> | Battery Charger 14V Output Voltage Sensing Circuit                                 |
| <b>Chevrolet P1EEF</b> | Battery Charger 14 V Converter Output Power Regulation Performance                 |
| <b>Chevrolet P1EF0</b> | Battery Charger High Voltage Converter 1 Output Power Regulation Performance       |

| CODES                  | DEFINITION                                                                   |
|------------------------|------------------------------------------------------------------------------|
| <b>Chevrolet P1EF1</b> | Battery Charger High Voltage Converter 2 Output Power Regulation Performance |
| <b>Chevrolet P1EF3</b> | Battery Charger High Voltage Converter 1 Temperature Too High                |
| <b>Chevrolet P1EF4</b> | Battery Charger High Voltage Converter 2 Temperature Too High                |
| <b>Chevrolet P1EF5</b> | Battery Charger Input Voltage Conditioner Temperature Too High               |
| <b>Chevrolet P1EF6</b> | Battery Charger Control Module Ignition On/Start Switch Circuit Low Voltage  |
| <b>Chevrolet P1EF7</b> | Battery Charger Control Module Ignition On/Start Switch Circuit High Voltage |
| <b>Chevrolet P1EFA</b> | Battery Charger High Voltage Converter 1 Input Current Too High              |
| <b>Chevrolet P1EFB</b> | Battery Charger High Voltage Converter 2 Input Current Too High              |
| <b>Chevrolet P1EFC</b> | Battery Charger Control Module System Voltage Low Voltage                    |
| <b>Chevrolet P1EFD</b> | Battery Charger Power Efficiency                                             |
| <b>Chevrolet P1EFE</b> | Battery Charger Reverse Polarity Protection Circuit Performance              |
| <b>Chevrolet P1EFF</b> | Battery Charger Input Power Up Protection Circuit Performance                |
| <b>Chevrolet P1F01</b> | Battery Charger Control Module Supply Voltage Sensor Circuit Low Voltage     |
| <b>Chevrolet P1F02</b> | Battery Charger Control Module Supply Voltage Sensor Circuit High Voltage    |
| <b>Chevrolet P1F03</b> | Battery Charger Control Module Supply Voltage Performance                    |

| CODES                  | DEFINITION                                                                                       |
|------------------------|--------------------------------------------------------------------------------------------------|
| <b>Chevrolet P1F04</b> | Battery Charger Input Voltage Conditioner Enable Circuit Performance                             |
| <b>Chevrolet P1F05</b> | Battery Charger Converter Input Voltage Performance                                              |
| <b>Chevrolet P1F0A</b> | A/C Compressor Motor Speed Performance                                                           |
| <b>Chevrolet P1F0B</b> | A/C Compressor Motor Start-Up Current Performance                                                |
| <b>Chevrolet P1F0C</b> | Electric A/C Compressor Control Module A/C Compressor Motor Current Feedback Circuit Low Voltage |
| <b>Chevrolet P1F0E</b> | Battery Charging Voltage System Isolation Lost                                                   |
| <b>Chevrolet P1F14</b> | Battery Charger Input Current Sensor Exceeded Learning Limit                                     |
| <b>Chevrolet P1F15</b> | Battery Charger 14V Output Current Sensor Exceeded Learning Limit                                |
| <b>Chevrolet P1F16</b> | Battery Charger Hybrid/EV Battery Output Current Sensor Exceeded Learning Limit                  |
| <b>Chevrolet P1F17</b> | System Isolation / Impact Sensor Fault - Hybrid/EV Battery System Contactors Open                |
| <b>Chevrolet P1F18</b> | Hybrid/EV Battery Pack Coolant Pump Enable Circuit                                               |
| <b>Chevrolet P3400</b> | Cylinder Deactivation System Performance                                                         |
| <b>Chevrolet P3401</b> | Cylinder 1 Deactivation Solenoid Control Circuit                                                 |
| <b>Chevrolet P3425</b> | Cylinder 4 Deactivation Solenoid Control Circuit                                                 |
| <b>Chevrolet P3441</b> | Cylinder 6 Deactivation Solenoid Control Circuit                                                 |
| <b>Chevrolet P3449</b> | Cylinder 7 Deactivation Solenoid Control Circuit                                                 |
| <b>Chevrolet U1000</b> | Class 2 Communication Malfunction                                                                |
| <b>Chevrolet U1001</b> | Lost Communication with XXX                                                                      |
| <b>Chevrolet U1016</b> | Loss of Communications with PCM                                                                  |
| <b>Chevrolet U1017</b> | Lost Communication With Engine Control Module                                                    |



| CODES                  | DEFINITION                                               |
|------------------------|----------------------------------------------------------|
| <b>Chevrolet U1024</b> | Lost Communication With Transmission Control Module      |
| <b>Chevrolet U1026</b> | No Communication With Transfer Case Shift Control Module |
| <b>Chevrolet U1040</b> | Loss of EBCM/EBTCM Communication                         |
| <b>Chevrolet U1041</b> | No Communication With Electronic Brake Control Module    |
| <b>Chevrolet U1048</b> | No Communication With Rear Wheel Steering Control Module |
| <b>Chevrolet U1064</b> | Lost Communications with BCM                             |
| <b>Chevrolet U1088</b> | No Communication With SDM (Restraint Module)             |
| <b>Chevrolet U1092</b> | Loss of VTD (Pass Lock) Communication                    |
| <b>Chevrolet U1096</b> | No Communication With Instrument Panel Cluster           |
| <b>Chevrolet U1097</b> | No Communication With Driver Information Center          |
| <b>Chevrolet U1098</b> | Loss of HUD Communications                               |
| <b>Chevrolet U1099</b> | Loss of HUD Communications                               |
| <b>Chevrolet U1111</b> | Lost Communication With Chime Module                     |
| <b>Chevrolet U1128</b> | Lost Communications With Radio                           |
| <b>Chevrolet U1129</b> | Loss of AMP Communications                               |
| <b>Chevrolet U1133</b> | Lost Communication With DVD Player                       |
| <b>Chevrolet U1136</b> | Lost Communications With Digital Audio Broadcast         |
| <b>Chevrolet U1137</b> | Lost Communication With Digital Radio Receiver           |
| <b>Chevrolet U1144</b> | Loss of PHN Communications                               |
| <b>Chevrolet U1147</b> | Lost Communication With Onstar                           |
| <b>Chevrolet U1151</b> | No Communication With Vehicle Interface Unit             |

| CODES                  | DEFINITION                                                 |
|------------------------|------------------------------------------------------------|
| <b>Chevrolet U1152</b> | No Communication With HVAC Control Module                  |
| <b>Chevrolet U1153</b> | Lost Communication With Climate Control Panel              |
| <b>Chevrolet U1160</b> | Loss of DDM Communications                                 |
| <b>Chevrolet U1161</b> | Loss of PDM Serial Data                                    |
| <b>Chevrolet U1162</b> | Lost Communications With Convenience Control System        |
| <b>Chevrolet U1166</b> | Lost Communications With Memory Seat Module                |
| <b>Chevrolet U1167</b> | Lost Communications With Rear Seat Audio/Rear HVAC         |
| <b>Chevrolet U1173</b> | Lost Communications With Moveable Roof Module              |
| <b>Chevrolet U1176</b> | Lost Communications With Remote Function Actuation (RCDLR) |
| <b>Chevrolet U1177</b> | Lost Communications With Folding Top Controller (RDM)      |
| <b>Chevrolet U1192</b> | Loss of Communications with VTD                            |
| <b>Chevrolet U1193</b> | Loss of Vehicle Immobilizer Module Communications          |
| <b>Chevrolet U1241</b> | Lost Communication With Scan Tool                          |
| <b>Chevrolet U1254</b> | Lost Communication with XXX                                |
| <b>Chevrolet U1255</b> | Class 2 Communications Malfunction                         |
| <b>Chevrolet U1300</b> | Class 2 Data Link Low                                      |
| <b>Chevrolet U1301</b> | Class 2 Data Link High                                     |
| <b>Chevrolet U1305</b> | Class 2 Data Link High or Low                              |
| <b>Chevrolet U1500</b> | Communication (Front to Rear) State of Health              |
| <b>Chevrolet U1800</b> | CAN Message Not Received FICM                              |
| <b>Chevrolet U180F</b> | Control Module Communication Bus B Off                     |
| <b>Chevrolet U1814</b> | Powertrain High Speed Communication Enable Circuit         |

| CODES                  | DEFINITION                                                                                                  |
|------------------------|-------------------------------------------------------------------------------------------------------------|
| <b>Chevrolet U1842</b> | Lost Communication With ECM/PCM                                                                             |
| <b>Chevrolet U1843</b> | Lost Communication With ECM/PCM                                                                             |
| <b>Chevrolet U186A</b> | Lost Communication With Transfer Case Control Module                                                        |
| <b>Chevrolet U186B</b> | Lost Communication With TCM                                                                                 |
| <b>Chevrolet U1881</b> | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Energy Storage Control Module (ESCM) |
| <b>Chevrolet U1882</b> | Energy Storage Control Module (ESCM) Lost Communication With Electro-Hydraulic Power Steering (EHPS) Module |
| <b>Chevrolet U1883</b> | Hybrid Control Module (HCM) Lost Communication With Driver Door Module (DDM)                                |
| <b>Chevrolet U1884</b> | Hybrid Control Module (HCM) Lost Communication With Passenger Door Module (PDM)                             |
| <b>Chevrolet U1885</b> | Energy Storage Control Module (ESCM) Lost Communication With Hybrid Control Module (HCM)                    |
| <b>Chevrolet U1886</b> | Energy Storage Control Module (ESCM) Lost Communication With Powertrain Control Module (PCM)                |
| <b>Chevrolet U1887</b> | Energy Storage Control Module (ESCM) Lost Communication With Starter/Generator Control Module (SGCM)        |
| <b>Chevrolet U1888</b> | Hybrid Control Module (HCM) Lost Communication With Energy Storage Control Module (ESCM)                    |
| <b>Chevrolet U1889</b> | Hybrid Control Module (HCM) Lost Communication With Body Control Module (BCM)                               |
| <b>Chevrolet U1890</b> | Hybrid Control Module (HCM) Lost Communication With HVAC Control Module                                     |
| <b>Chevrolet U1891</b> | Hybrid Control Module (HCM) Lost Communication With Instrument Panel Cluster (IPC)                          |

| CODES                  | DEFINITION                                                                                                     |
|------------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Chevrolet U1892</b> | Hybrid Control Module (HCM) Lost Communication With Electro-Hydraulic Power Steering (EHPS) Module             |
| <b>Chevrolet U1893</b> | Hybrid Control Module (HCM) Lost Communication With Powertrain Control Module (PCM)                            |
| <b>Chevrolet U1894</b> | Hybrid Control Module (HCM) Lost Communication With Starter/Generator Control Module (SGCM)                    |
| <b>Chevrolet U1895</b> | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Powertrain Control Module (PCM)         |
| <b>Chevrolet U1896</b> | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Starter/Generator Control Module (SGCM) |
| <b>Chevrolet U1897</b> | Starter/Generator Control Module (SGCM) Lost Communication With Energy Storage Control Module (ESCM)           |
| <b>Chevrolet U1898</b> | Starter/Generator Control Module (SGCM) Lost Communication With Hybrid Control Module (HCM)                    |
| <b>Chevrolet U1899</b> | Starter/Generator Control Module (SGCM) Lost Communication With Powertrain Control Module (PCM)                |
| <b>Chevrolet U18B9</b> | Primary High Speed CAN Bus Subnet Configuration List                                                           |
| <b>Chevrolet U18BF</b> | Secondary High Speed CAN Bus Subnet Configuration List                                                         |
| <b>Chevrolet U2000</b> | Invalid BFC Transmitted SPI Data                                                                               |
| <b>Chevrolet U2001</b> | Invalid IPC Transmitted SPI Data                                                                               |
| <b>Chevrolet U2007</b> | Audio Navigation Unit is Not Responding                                                                        |
| <b>Chevrolet U2099</b> | High Speed Communication Enable Circuit                                                                        |
| <b>Chevrolet U2100</b> | Controller Area Network (CAN) Bus Communication                                                                |
| <b>Chevrolet U2101</b> | CAN Bus Maximum Configuration List                                                                             |
| <b>Chevrolet U2103</b> | Fewer Controllers On Than Programmed                                                                           |

| CODES                  | DEFINITION                                                     |
|------------------------|----------------------------------------------------------------|
| <b>Chevrolet U2104</b> | CAN Message Not Received FICM and TCM                          |
| <b>Chevrolet U2105</b> | TCM Detects Error on CAN Link                                  |
| <b>Chevrolet U2106</b> | CAN Message Not Received from TCM                              |
| <b>Chevrolet U2107</b> | Lost Communications With Body Control System                   |
| <b>Chevrolet U2108</b> | Lost Communication With Electronic Brake Control Module (EBCM) |
| <b>Chevrolet U2109</b> | Lost Communications With Powertrain Multiple Control System    |
| <b>Chevrolet U2111</b> | Lost Communications With Steering Control System               |
| <b>Chevrolet U2113</b> | Lost Communications With Sensing Diagnostic Module (SDM)       |
| <b>Chevrolet U2116</b> | Lost Communications With Instrument Panel Cluster (IPC)        |
| <b>Chevrolet U2122</b> | Lost Communications With Radio                                 |
| <b>Chevrolet U2125</b> | Lost Communication With Mobile Communications Control Systems  |
| <b>Chevrolet U2127</b> | Lost Communications With Front HVAC                            |
| <b>Chevrolet U2137</b> | Lost Communications With Vehicle Theft Deterrent (VTD)         |
| <b>Chevrolet U2142</b> | Loss Communication with UART System                            |
| <b>Chevrolet U2143</b> | Lost Communications With Steering Angle Sensor (SAS)           |
| <b>Chevrolet U2171</b> | Lost Communications With DVD Player                            |
| <b>Chevrolet U2172</b> | Lost Communications With Digital Radio Receiver                |
| <b>Chevrolet U2199</b> | Unassigned                                                     |
| <b>Chrysler B1000</b>  | A/C Switch Request Input Circuit/Performance                   |
| <b>Chrysler B1001</b>  | A/C Switch Request Input Circuit Low                           |

| CODES                 | DEFINITION                                                 |
|-----------------------|------------------------------------------------------------|
| <b>Chrysler B1002</b> | A/C Switch Request Input Circuit High                      |
| <b>Chrysler B1003</b> | Panel Mode Switch Request Input Circuit/Performance        |
| <b>Chrysler B1006</b> | BI-Level Mode Switch Request Input Circuit/Performance     |
| <b>Chrysler B1009</b> | Recirculation Switch Request Input Circuit/Performance     |
| <b>Chrysler B100C</b> | Floor Mode Switch Request Input Circuit/Performance        |
| <b>Chrysler B100F</b> | Mix Switch Request Input Circuit Performance               |
| <b>Chrysler B1012</b> | Defrost Switch Request Input Circuit/Performance           |
| <b>Chrysler B1015</b> | Rear Defrost Switch Request Input Circuit/Performance      |
| <b>Chrysler B101E</b> | Power On/Off Switch Request Input Circuit/Performance      |
| <b>Chrysler B1021</b> | Blower Speed Up Switch Request Input Circuit/Performance   |
| <b>Chrysler B1024</b> | Blower Speed Down Switch Request Input Circuit/Performance |
| <b>Chrysler B1028</b> | Rear Blower Control Request Input Circuit Low              |
| <b>Chrysler B1029</b> | Rear Blower Control Request Input High                     |
| <b>Chrysler B102E</b> | Rear Blend Request Input Circuit Low                       |
| <b>Chrysler B102F</b> | Rear Blend Request Input Circuit High                      |
| <b>Chrysler B1031</b> | Evaporator Temperature Sensor Circuit Low                  |
| <b>Chrysler B1032</b> | Evaporator Temperature Sensor Circuit High                 |
| <b>Chrysler B1034</b> | Infrared Temperature Sensor Input Circuit Low              |
| <b>Chrysler B1035</b> | Infrared Temperature Sensor Input Circuit High             |
| <b>Chrysler B1037</b> | Auto Switch Request Input Circuit Performance              |
| <b>Chrysler B103A</b> | Rear Mode Door Control Circuit/Performance                 |

| CODES                 | DEFINITION                                         |
|-----------------------|----------------------------------------------------|
| <b>Chrysler B103D</b> | Rear Mode Door Control Circuit Open                |
| <b>Chrysler B103E</b> | Rear Mode Door Travel Range Too Small              |
| <b>Chrysler B103F</b> | Rear Mode Door Travel Range Too Large              |
| <b>Chrysler B1040</b> | Panel Mode Door 1 Control Circuit/Performance      |
| <b>Chrysler B1043</b> | Panel Mode Door 1 Control Circuit Open             |
| <b>Chrysler B1044</b> | Panel Mode Door 1 Travel Range Too Small           |
| <b>Chrysler B1045</b> | Panel Mode Door 1 Travel Range Too Large           |
| <b>Chrysler B1052</b> | Rear Blend Door Control Circuit/Performance        |
| <b>Chrysler B1055</b> | Rear Blend Door Control Circuit Open               |
| <b>Chrysler B1056</b> | Rear Blend Door Travel Range Too Small             |
| <b>Chrysler B1057</b> | Rear Blend Door Travel Range Too Large             |
| <b>Chrysler B1058</b> | Recirculation Door Control Circuit/Performance     |
| <b>Chrysler B105B</b> | Recirculation Door Control Circuit Open            |
| <b>Chrysler B105C</b> | Recirculation Door Travel Range Too Small          |
| <b>Chrysler B105D</b> | Recirculation Door Travel Range Too Large          |
| <b>Chrysler B106B</b> | Rear Defrost Control Circuit Low                   |
| <b>Chrysler B106C</b> | Rear Defrost Control Circuit High                  |
| <b>Chrysler B106D</b> | Rear Defrost Control Circuit Open                  |
| <b>Chrysler B106F</b> | Blower Motor Control Circuit Low (TIPM)            |
| <b>Chrysler B1070</b> | Blower Motor Control Circuit High (TIPM)           |
| <b>Chrysler B1084</b> | Left Heated Seat Switch Input Circuit Performance  |
| <b>Chrysler B1087</b> | Right Heated Seat Switch Input Circuit Performance |

| CODES                 | DEFINITION                                    |
|-----------------------|-----------------------------------------------|
| <b>Chrysler B1092</b> | Front Left Seat Heater Control Circuit Low    |
| <b>Chrysler B1094</b> | Front Left Seat Heater Control Circuit Open   |
| <b>Chrysler B1096</b> | Front Right Seat Heater Control Circuit Low   |
| <b>Chrysler B1098</b> | Front Right Seat Heater Control Circuit Open  |
| <b>Chrysler B10A2</b> | Left Blend Door 1 Control Circuit/Performance |
| <b>Chrysler B10A5</b> | Left Blend Door Control Circuit Open          |
| <b>Chrysler B10A6</b> | Left Blend Door Travel Too Small              |
| <b>Chrysler B10A7</b> | Left Blend Door Travel Too Large              |
| <b>Chrysler B10A8</b> | Left Blend Door Actuator Performance          |
| <b>Chrysler B10A9</b> | Right Blend Door Control Circuit/Performance  |
| <b>Chrysler B10AC</b> | Right Blend Door Control Circuit Open         |
| <b>Chrysler B10AD</b> | Right Blend Door Travel Too Small             |
| <b>Chrysler B10AE</b> | Right Blend Door Travel Too Large             |
| <b>Chrysler B10AF</b> | Right Blend Door Actuator Performance         |
| <b>Chrysler B10B2</b> | A/C Cool Down Test Performance                |
| <b>Chrysler B10B3</b> | Cabin Heater 1 Control Circuit                |
| <b>Chrysler B10B4</b> | Cabin Heater 1 Control Circuit Low            |
| <b>Chrysler B10B5</b> | Cabin Heater 1 Control Circuit High           |
| <b>Chrysler B10B6</b> | Cabin Heater 1 Control Circuit Open           |
| <b>Chrysler B10B7</b> | Cabin Heater 2 Control Circuit                |
| <b>Chrysler B10B8</b> | Cabin Heater 2 Control Circuit Low            |
| <b>Chrysler B10B9</b> | Cabin Heater 2 Control Circuit High           |



| CODES                 | DEFINITION                                   |
|-----------------------|----------------------------------------------|
| <b>Chrysler B10BA</b> | Cabin Heater 2 Control Circuit Open          |
| <b>Chrysler B10BB</b> | Left Heated Seat Switch Input Circuit Stuck  |
| <b>Chrysler B10BC</b> | Right Heated Seat Switch Input Circuit Stuck |
| <b>Chrysler B10C1</b> | A/C Select Switch Stuck (CCN)                |
| <b>Chrysler B10C2</b> | Rear Defrost Switch Stuck                    |
| <b>Chrysler B10E9</b> | Blower Motor Control Circuit Low             |
| <b>Chrysler B10EC</b> | Blower Motor Control Circuit Overcurrent     |
| <b>Chrysler B10ED</b> | Rear Defrost Control Circuit Overcurrent     |
| <b>Chrysler B1137</b> | Cabin Heater 3 Control Circuit               |
| <b>Chrysler B1138</b> | Cabin Heater 3 Control Circuit Low           |
| <b>Chrysler B1139</b> | Cabin Heater 3 Control Circuit High          |
| <b>Chrysler B113D</b> | Rear Mode Request Low                        |
| <b>Chrysler B113E</b> | Rear Mode Request High                       |
| <b>Chrysler B113F</b> | Rear Power On/Off Switch Performance         |
| <b>Chrysler B1140</b> | Rear Power Lock Out Switch Performance       |
| <b>Chrysler B1141</b> | Climate Sync Switch Performance              |
| <b>Chrysler B1142</b> | Mode Up Switch Performance                   |
| <b>Chrysler B1143</b> | Mode Down Switch Performance                 |
| <b>Chrysler B1144</b> | Rear Mode Up Switch Performance              |
| <b>Chrysler B1145</b> | Rear Mode Down Switch Performance            |
| <b>Chrysler B1146</b> | Rear Blower Up Switch Performance            |
| <b>Chrysler B1147</b> | Rear Blower Down Switch Performance          |

| CODES                 | DEFINITION                                                |
|-----------------------|-----------------------------------------------------------|
| <b>Chrysler B114C</b> | Left Rear Heated Seat Switch Stuck                        |
| <b>Chrysler B1151</b> | Right Rear Heated Seat Switch Stuck                       |
| <b>Chrysler B1153</b> | Left Rear Heated Seat Switch Supply Voltage Circuit Low   |
| <b>Chrysler B1154</b> | Left Rear Heated Seat Switch Supply Voltage Circuit High  |
| <b>Chrysler B1156</b> | Right Rear Heated Seat Switch Supply Voltage Circuit Low  |
| <b>Chrysler B1157</b> | Right Rear Heated Seat Switch Supply Voltage Circuit High |
| <b>Chrysler B117D</b> | Rear Left Seat Heater Control Circuit Low                 |
| <b>Chrysler B117F</b> | Rear Left Seat Heater Control Circuit Open                |
| <b>Chrysler B1181</b> | Rear Right Seat Heater Control Circuit Low                |
| <b>Chrysler B1183</b> | Rear Right Seat Heater Control Circuit Open               |
| <b>Chrysler B11C3</b> | Front Mode Door 1 Travel Range Too Small                  |
| <b>Chrysler B11C4</b> | Front Mode Door 1 Travel Range Too Large                  |
| <b>Chrysler B11C9</b> | Right Temperature Door Travel Too Small                   |
| <b>Chrysler B11CA</b> | Right Temperature Door Travel Too Large                   |
| <b>Chrysler B11CC</b> | Main/Left Temperature Door Travel Too Small               |
| <b>Chrysler B11CD</b> | Main/Left Temperature Door Travel Too Large               |
| <b>Chrysler B11CF</b> | Rear Temperature Door Travel Range Too Small              |
| <b>Chrysler B11D0</b> | Rear Temperature Door Travel Range Too Large              |
| <b>Chrysler B11D3</b> | A/C Cooldown Test Performance - Compressor Not Engaged    |
| <b>Chrysler B11D5</b> | A/C Cool Down Test Performance - EVAP Temp Sensor Error   |
| <b>Chrysler B11E7</b> | HVAC Switch Bank Disconnected                             |

| CODES                 | DEFINITION                                               |
|-----------------------|----------------------------------------------------------|
| <b>Chrysler B1203</b> | SRS Warning Indicator Circuit/Performance                |
| <b>Chrysler B123F</b> | Menu Switch Stuck                                        |
| <b>Chrysler B1265</b> | Trip/Toggle Switch Stuck                                 |
| <b>Chrysler B1267</b> | Left Rear Heated Seat Lo Indicator Control Circuit Low   |
| <b>Chrysler B1268</b> | Left Rear Heated Seat Lo Indicator Control Circuit High  |
| <b>Chrysler B126B</b> | Right Rear Heated Seat Lo Indicator Control Circuit Low  |
| <b>Chrysler B126C</b> | Right Rear Heated Seat Lo Indicator Control Circuit High |
| <b>Chrysler B126F</b> | Left Heated Seat Hi Indicator Control Circuit Low        |
| <b>Chrysler B1270</b> | Left Rear Heated Seat Hi Indicator Control Circuit High  |
| <b>Chrysler B1273</b> | Right Rear Heated Seat Hi Indicator Control Circuit Low  |
| <b>Chrysler B1274</b> | Right Rear Heated Seat Hi Indicator Control Circuit High |
| <b>Chrysler B127A</b> | Compass Performance                                      |
| <b>Chrysler B1286</b> | Compass / Temp Button Performance                        |
| <b>Chrysler B1287</b> | Reset Switch Performance                                 |
| <b>Chrysler B1288</b> | Trip / Toggle Switch Performance                         |
| <b>Chrysler B129A</b> | Driver Blind Spot Sensor-Incompatible Version            |
| <b>Chrysler B129B</b> | Passenger Blind Spot Sensor-Incompatible Version         |
| <b>Chrysler B129C</b> | Economy Mode Switch Stuck                                |
| <b>Chrysler B1401</b> | Front Left Audio Speaker Output Circuit Low              |
| <b>Chrysler B1402</b> | Front Left Audio Speaker Output Circuit High             |
| <b>Chrysler B1403</b> | Front Left Audio Speaker Output Circuit Open             |
| <b>Chrysler B1405</b> | Front Right Audio Speaker Output Circuit Low             |

| CODES                 | DEFINITION                                          |
|-----------------------|-----------------------------------------------------|
| <b>Chrysler B1406</b> | Front Right Audio Speaker Output Circuit High       |
| <b>Chrysler B1407</b> | Front Right Audio Speaker Output Circuit Open       |
| <b>Chrysler B1409</b> | Rear Left Audio Speaker Output Circuit Low - Base   |
| <b>Chrysler B140A</b> | Rear Left Audio Speaker Output Circuit High - Base  |
| <b>Chrysler B140B</b> | Rear Left Audio Speaker Output Circuit Open - Base  |
| <b>Chrysler B140D</b> | Rear Right Audio Speaker Output Circuit Low - Base  |
| <b>Chrysler B140E</b> | Rear Right Audio Speaker Output Circuit High - Base |
| <b>Chrysler B140F</b> | Rear Right Audio Speaker Output Circuit Open - Base |
| <b>Chrysler B1411</b> | HFM Left Audio Output Circuit Low                   |
| <b>Chrysler B1412</b> | HFM Left Audio Output Circuit High                  |
| <b>Chrysler B1415</b> | HFM Right Audio Output Circuit Low                  |
| <b>Chrysler B1416</b> | HFM Right Audio Output Circuit High                 |
| <b>Chrysler B1421</b> | Audio CD Read Error/Inoperable Disc                 |
| <b>Chrysler B1422</b> | Audio DVD Read Error/Inoperable Disc                |
| <b>Chrysler B1423</b> | VES DVD Read Error/Inoperable Disc                  |
| <b>Chrysler B1424</b> | Improper DVD-Wrong Region                           |
| <b>Chrysler B1427</b> | Remote Radio Switch Input Circuit High              |
| <b>Chrysler B1428</b> | Remote Radio Switch Input Circuit Stuck             |
| <b>Chrysler B1429</b> | Radio Display High Temperature                      |
| <b>Chrysler B142A</b> | Radio Unit High Temperature                         |
| <b>Chrysler B142B</b> | VES Unit High Temperature                           |
| <b>Chrysler B142D</b> | Audio Antenna Not Connected                         |

| CODES                 | DEFINITION                                               |
|-----------------------|----------------------------------------------------------|
| <b>Chrysler B142E</b> | GPS Antenna Not Connected                                |
| <b>Chrysler B142F</b> | Satellite Radio Antenna Not Connected                    |
| <b>Chrysler B1430</b> | (2.5)-Satellite Radio Antenna Internal Performance       |
| <b>Chrysler B1431</b> | Bluetooth Antenna Internal Performance                   |
| <b>Chrysler B1435</b> | Voice Recognition/Phone Switch Input Circuit Performance |
| <b>Chrysler B1436</b> | Voice Recognition/Phone Switch Input Circuit Low         |
| <b>Chrysler B1437</b> | Voice Recognition/Phone Switch Input Circuit High        |
| <b>Chrysler B1438</b> | Voice Recognition Switch Stuck                           |
| <b>Chrysler B1439</b> | Phone Switch Stuck                                       |
| <b>Chrysler B143B</b> | Microphone 1 Circuit Low                                 |
| <b>Chrysler B143C</b> | Microphone 1 Circuit High                                |
| <b>Chrysler B143E</b> | Microphone 2 Circuit Low                                 |
| <b>Chrysler B143F</b> | Microphone 2 Circuit High                                |
| <b>Chrysler B1440</b> | VES Power Input Button Stuck                             |
| <b>Chrysler B1441</b> | VES Eject Input Button Stuck                             |
| <b>Chrysler B1442</b> | VES Menu Input Button Stuck                              |
| <b>Chrysler B1446</b> | VES Stop Input Button Stuck                              |
| <b>Chrysler B1448</b> | VES Enter Input Button Stuck                             |
| <b>Chrysler B1459</b> | Telematics Mirror Control Circuit Low                    |
| <b>Chrysler B145A</b> | Telematics Mirror Control Circuit High                   |
| <b>Chrysler B145B</b> | Telematics Mirror Control Circuit Open                   |
| <b>Chrysler B1460</b> | Channel 1 Audio Speaker Output Circuit Performance       |

| CODES                 | DEFINITION                                              |
|-----------------------|---------------------------------------------------------|
| <b>Chrysler B1461</b> | Channel 1 Audio Speaker Output Circuit Low              |
| <b>Chrysler B1462</b> | Channel 1 Audio Speaker Output Circuit High             |
| <b>Chrysler B1463</b> | Channel 1 Audio Speaker Output Circuit Open             |
| <b>Chrysler B1464</b> | Channel 1 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B1465</b> | Channel 2 Audio Speaker Output Circuit Performance      |
| <b>Chrysler B1466</b> | Channel 2 Audio Speaker Output Circuit Low              |
| <b>Chrysler B1467</b> | Channel 2 Audio Speaker Output Circuit High             |
| <b>Chrysler B1468</b> | Channel 2 Audio Speaker Output Circuit Open             |
| <b>Chrysler B1469</b> | Channel 2 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B146A</b> | Channel 3 Audio Speaker Output Circuit Performance      |
| <b>Chrysler B146B</b> | Channel 3 Audio Speaker Output Circuit Low              |
| <b>Chrysler B146C</b> | Channel 3 Audio Speaker Output Circuit High             |
| <b>Chrysler B146D</b> | Channel 3 Audio Speaker Output Circuit Open             |
| <b>Chrysler B146E</b> | Channel 3 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B146F</b> | Channel 4 Audio Speaker Output Circuit Performance      |
| <b>Chrysler B1470</b> | Channel 4 Audio Speaker Output Circuit Low              |
| <b>Chrysler B1471</b> | Channel 4 Audio Speaker Output Circuit High             |
| <b>Chrysler B1472</b> | Channel 4 Audio Speaker Output Circuit Open             |
| <b>Chrysler B1473</b> | Channel 4 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B1474</b> | Channel 5 Audio Speaker Output Circuit Performance      |

| CODES                 | DEFINITION                                              |
|-----------------------|---------------------------------------------------------|
| <b>Chrysler B1475</b> | Channel 5 Audio Speaker Output Circuit Low              |
| <b>Chrysler B1476</b> | Channel 5 Audio Speaker Output Circuit High             |
| <b>Chrysler B1477</b> | Channel 5 Audio Speaker Output Circuit Open             |
| <b>Chrysler B1478</b> | Channel 5 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B1479</b> | Channel 6 Audio Speaker Output Circuit Performance      |
| <b>Chrysler B147A</b> | Channel 6 Audio Speaker Output Circuit Low              |
| <b>Chrysler B147B</b> | Channel 6 Audio Speaker Output Circuit High             |
| <b>Chrysler B147C</b> | Channel 6 Audio Speaker Output Circuit Open             |
| <b>Chrysler B147D</b> | Channel 6 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B147E</b> | Channel 7 Audio Speaker Output Circuit Performance      |
| <b>Chrysler B147F</b> | Channel 7 Audio Speaker Output Circuit Low              |
| <b>Chrysler B1480</b> | Channel 7 Audio Speaker Output Circuit High             |
| <b>Chrysler B1481</b> | Channel 7 Audio Speaker Output Circuit Open             |
| <b>Chrysler B1482</b> | Channel 7 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B1483</b> | Channel 8 Audio Speaker Output Circuit Performance      |
| <b>Chrysler B1484</b> | Channel 8 Audio Speaker Output Circuit Low              |
| <b>Chrysler B1485</b> | Channel 8 Audio Speaker Output Circuit High             |
| <b>Chrysler B1486</b> | Channel 8 Audio Speaker Output Circuit Open             |
| <b>Chrysler B1487</b> | Channel 8 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B1488</b> | Cabin EQ Mismatch Performance                           |

| CODES                 | DEFINITION                                               |
|-----------------------|----------------------------------------------------------|
| <b>Chrysler B1492</b> | General Microphone Performance                           |
| <b>Chrysler B14B7</b> | Microphone 1 Circuit Open                                |
| <b>Chrysler B14B8</b> | Microphone 2 Circuit Open                                |
| <b>Chrysler B14B9</b> | Channel 9 Audio Speaker Output Circuit Performance       |
| <b>Chrysler B14BA</b> | Channel 9 Audio Speaker Output Circuit Low               |
| <b>Chrysler B14BB</b> | Channel 9 Audio Speaker Output Circuit High              |
| <b>Chrysler B14BC</b> | Channel 9 Audio Speaker Output Circuit Open              |
| <b>Chrysler B14BD</b> | Channel 9 Audio Speaker Output Circuit Shorted Together  |
| <b>Chrysler B14BE</b> | Channel 10 Audio Speaker Output Circuit Performance      |
| <b>Chrysler B14BF</b> | Channel 10 Audio Speaker Output Circuit Low              |
| <b>Chrysler B14C0</b> | Channel 10 Audio Speaker Output Circuit High             |
| <b>Chrysler B14C1</b> | Channel 10 Audio Speaker Output Circuit Open             |
| <b>Chrysler B14C2</b> | Channel 10 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B14C3</b> | Channel 11 Audio Speaker Output Circuit Performance      |
| <b>Chrysler B14C4</b> | Channel 11 Audio Speaker Output Circuit Low              |
| <b>Chrysler B14C5</b> | Channel 11 Audio Speaker Output Circuit High             |
| <b>Chrysler B14C6</b> | Channel 11 Audio Speaker Output Circuit Open             |
| <b>Chrysler B14C7</b> | Channel 11 Audio Speaker Output Circuit Shorted Together |
| <b>Chrysler B14CE</b> | VES Brightness Up Input Button Stuck                     |
| <b>Chrysler B14CF</b> | VES Brightness Down Input Button Stuck                   |
| <b>Chrysler B14DF</b> | DVD Player Region Configure Mismatch                     |



| CODES                 | DEFINITION                                                     |
|-----------------------|----------------------------------------------------------------|
| <b>Chrysler B14E0</b> | Channel 1 Video Continuity                                     |
| <b>Chrysler B1502</b> | Steering Wheel Control Down Switch Performance                 |
| <b>Chrysler B1503</b> | Steering Wheel Control Right Switch Performance                |
| <b>Chrysler B1504</b> | Left Steering Wheel Control Switch Circuit                     |
| <b>Chrysler B1539</b> | Satellite Video Antenna Performance (Not Connected)            |
| <b>Chrysler B153F</b> | VES/DVD Play Input Button Stuck                                |
| <b>Chrysler B1540</b> | VES/DVD Pause Input Button Stuck                               |
| <b>Chrysler B1541</b> | VES/DVD Rewind Input Button Stuck                              |
| <b>Chrysler B1542</b> | VES/DVD FFW Input Button Stuck                                 |
| <b>Chrysler B1543</b> | VES/DVD Next Input Button Stuck                                |
| <b>Chrysler B1544</b> | VES/DVD Prev Input Button Stuck                                |
| <b>Chrysler B1545</b> | VES/DVD Remote Lock Input Button Stuck                         |
| <b>Chrysler B1546</b> | VES/DVD Headphone Mute Input Button Stuck                      |
| <b>Chrysler B156B</b> | Satellite Radio Antenna Circuit                                |
| <b>Chrysler B156D</b> | Low Voltage Differential Signal LVDS Video Cable               |
| <b>Chrysler B156F</b> | WiFi Antenna                                                   |
| <b>Chrysler B1570</b> | USB Communication                                              |
| <b>Chrysler B1571</b> | Low Voltage Differential Signal (LVDS) Video Cable - Passenger |
| <b>Chrysler B1572</b> | CD/DVD Read Error - Inoperable Disc                            |
| <b>Chrysler B157B</b> | Satellite Region Mismatch - Us/Canada                          |
| <b>Chrysler B157C</b> | Satellite Region Mismatch - Rest Of World                      |
| <b>Chrysler B157E</b> | Touch Screen Locked                                            |

| CODES                 | DEFINITION                                                |
|-----------------------|-----------------------------------------------------------|
| <b>Chrysler B1601</b> | Left Solar Sensor Circuit Low                             |
| <b>Chrysler B1602</b> | Left Solar Sensor Circuit High                            |
| <b>Chrysler B1604</b> | Right Solar Sensor Circuit Low                            |
| <b>Chrysler B1605</b> | Right Solar Sensor Circuit High                           |
| <b>Chrysler B1607</b> | Headlamp Switch Input Circuit Low                         |
| <b>Chrysler B1608</b> | Headlamp Switch Input Circuit High                        |
| <b>Chrysler B160A</b> | Panel Dimmer Input Circuit Low                            |
| <b>Chrysler B160B</b> | Panel Dimmer Input Circuit High                           |
| <b>Chrysler B160F</b> | Twilight/Ambient Light Sensor 1 Input Circuit/Performance |
| <b>Chrysler B1610</b> | Ambient Light Sensor 1 Input Circuit Low                  |
| <b>Chrysler B1611</b> | Ambient Light Sensor 1 Input Circuit High                 |
| <b>Chrysler B1612</b> | Panel Illumination Control                                |
| <b>Chrysler B1613</b> | Panel Illumination Control Circuit Low                    |
| <b>Chrysler B1614</b> | Panel Illumination Control Circuit High                   |
| <b>Chrysler B161A</b> | Courtesy/Dome Lamp Control Circuit                        |
| <b>Chrysler B161E</b> | Reading Lamp Control Circuit                              |
| <b>Chrysler B162B</b> | Left Low Beam Control Circuit Low                         |
| <b>Chrysler B162C</b> | Left Low Beam Control Circuit High                        |
| <b>Chrysler B162F</b> | Right Low Beam Control Circuit Low                        |
| <b>Chrysler B1630</b> | Right Low Beam Control Circuit High                       |
| <b>Chrysler B1633</b> | Left High Beam Control Circuit Low                        |
| <b>Chrysler B1634</b> | Left High Beam Control Circuit High                       |

| CODES                 | DEFINITION                                       |
|-----------------------|--------------------------------------------------|
| <b>Chrysler B1637</b> | Right High Beam Control Circuit Low              |
| <b>Chrysler B1638</b> | Right High Beam Control Circuit High             |
| <b>Chrysler B163B</b> | Front Left Turn Lamp Control Circuit Low         |
| <b>Chrysler B163C</b> | Front Left Turn Lamp Control Circuit High        |
| <b>Chrysler B163F</b> | Front Right Turn Lamp Control Circuit Low        |
| <b>Chrysler B1640</b> | Front Right Turn Lamp Control Circuit High       |
| <b>Chrysler B1643</b> | Rear Left Turn Lamp Control Circuit Low          |
| <b>Chrysler B1644</b> | Rear Left Turn Lamp Control Circuit High         |
| <b>Chrysler B1647</b> | Rear Right Turn Lamp Control Circuit Low         |
| <b>Chrysler B1648</b> | Rear Right Turn Lamp Control Circuit High        |
| <b>Chrysler B164B</b> | Driver Mirror Signal Lamp Control Circuit Low    |
| <b>Chrysler B164F</b> | Passenger Mirror Signal Lamp Control Circuit Low |
| <b>Chrysler B1659</b> | Front Fog Lamp Control Circuit Low               |
| <b>Chrysler B165C</b> | Park Lamp Control Circuit Low                    |
| <b>Chrysler B165D</b> | Left Park Lamp Control Circuit High              |
| <b>Chrysler B1660</b> | Front Fog Lamp Control Circuit High              |
| <b>Chrysler B1661</b> | Front Fog Lamp Control Circuit Open              |
| <b>Chrysler B1663</b> | Rear Fog Lamp Control Circuit Low                |
| <b>Chrysler B1664</b> | Rear Fog Lamp Control Circuit High               |
| <b>Chrysler B1673</b> | Driver Courtesy Lamp Control Circuit Low         |
| <b>Chrysler B1674</b> | Driver Courtesy Lamp Control Circuit High        |
| <b>Chrysler B1677</b> | Passenger Courtesy Lamp Control Circuit Low      |

| CODES                 | DEFINITION                                                |
|-----------------------|-----------------------------------------------------------|
| <b>Chrysler B1678</b> | Passenger Courtesy Lamp Control Circuit High              |
| <b>Chrysler B167D</b> | Front Headlamp Leveling Sensor Circuit Performance        |
| <b>Chrysler B1681</b> | Rear Headlamp Leveling Sensor Circuit Performance         |
| <b>Chrysler B1684</b> | Left Headlamp Leveling Motor Control                      |
| <b>Chrysler B1685</b> | Left Headlamp Leveling Motor Control Circuit Performance  |
| <b>Chrysler B1689</b> | Right Headlamp Leveling Motor Control                     |
| <b>Chrysler B168A</b> | Right Headlamp Leveling Motor Control Circuit Performance |
| <b>Chrysler B168F</b> | Front Fog Lamp Switch Circuit Stuck                       |
| <b>Chrysler B16A4</b> | Passenger Window Switch Backlighting Circuit Low          |
| <b>Chrysler B16A5</b> | Passenger Window Switch Backlighting Circuit High         |
| <b>Chrysler B16A7</b> | High Beam Camera Alignment Performance - Left             |
| <b>Chrysler B16A8</b> | High Beam Camera Alignment Performance - Right            |
| <b>Chrysler B16A9</b> | High Beam Camera Alignment Performance - Top              |
| <b>Chrysler B16AA</b> | High Beam Camera Alignment Performance - Bottom           |
| <b>Chrysler B16B1</b> | Left Stop Lamp Control Circuit High                       |
| <b>Chrysler B16B5</b> | Right Stop Lamp Control Circuit High                      |
| <b>Chrysler B16F8</b> | Front Left Fog Lamp Control Circuit Low                   |
| <b>Chrysler B16F9</b> | Front Left Fog Lamp Control Circuit High                  |
| <b>Chrysler B16FC</b> | Front Right Fog Lamp Control Circuit Low                  |
| <b>Chrysler B16FD</b> | Front Right Fog Lamp Control Circuit High                 |
| <b>Chrysler B1788</b> | Headlamp Leveling Motor Control Circuit Low               |

| CODES                 | DEFINITION                                           |
|-----------------------|------------------------------------------------------|
| <b>Chrysler B1789</b> | Headlamp Leveling Motor Control Circuit High         |
| <b>Chrysler B17A4</b> | Halo Lamp Switch Circuit Stuck                       |
| <b>Chrysler B17B8</b> | Left Stop Lamp Control Circuit Overcurrent           |
| <b>Chrysler B17B9</b> | Right Stop Lamp Control Circuit Overcurrent          |
| <b>Chrysler B17BF</b> | Left Sidemarker Lamp Control Circuit Overcurrent     |
| <b>Chrysler B17C4</b> | Right Sidemarker Lamp Control Circuit Overcurrent    |
| <b>Chrysler B17E3</b> | Turn Signal Switch Performance                       |
| <b>Chrysler B17E5</b> | Right Rear Window Lockout Indicator Circuit Low      |
| <b>Chrysler B17E6</b> | Right Rear Window Lockout Indicator Circuit High     |
| <b>Chrysler B17E9</b> | Left Rear Window Lockout Indicator Circuit Low       |
| <b>Chrysler B17EA</b> | Left Rear Window Lockout Indicator Circuit High      |
| <b>Chrysler B17F3</b> | Auto High Beam System Aim                            |
| <b>Chrysler B17FB</b> | Auto High Beam Camera View Blocked                   |
| <b>Chrysler B1801</b> | Driver (Left) Door Lock/Unlock Switch Circuit Low    |
| <b>Chrysler B1803</b> | Driver Door Lock/Unlock Switch Circuit Stuck Lock    |
| <b>Chrysler B1806</b> | Passenger Door Lock/Unlock Switch Circuit Stuck Low  |
| <b>Chrysler B1808</b> | Passenger Door Lock/Unlock Switch Circuit Stuck Lock |
| <b>Chrysler B1820</b> | Hood Ajar Input Circuit High                         |
| <b>Chrysler B1828</b> | Trunk/Gate Release Control Circuit                   |
| <b>Chrysler B182C</b> | All Door Lock Control Circuit Performance            |
| <b>Chrysler B1830</b> | All Doors Unlock Control Circuit Performance         |
| <b>Chrysler B1834</b> | Driver Door Unlock Control Circuit Performance       |

| CODES                 | DEFINITION                                           |
|-----------------------|------------------------------------------------------|
| <b>Chrysler B1840</b> | Sunroof Open Switch Input Circuit/Performance        |
| <b>Chrysler B1843</b> | Sunroof Close Switch Circuit/Performance             |
| <b>Chrysler B1846</b> | Sunroof Vent Switch Circuit/Performance              |
| <b>Chrysler B1849</b> | Sunroof Motor Control Circuit/Performance (Stalled)  |
| <b>Chrysler B1852</b> | Driver Window Switch Stuck                           |
| <b>Chrysler B1854</b> | Driver Window Control Circuit Low                    |
| <b>Chrysler B1856</b> | Driver Window Control Circuit Open                   |
| <b>Chrysler B1858</b> | Driver Window Position Sensor Power Supply Low       |
| <b>Chrysler B1859</b> | Driver Window Position Sensor Power Supply High      |
| <b>Chrysler B185D</b> | Passenger Window Switch Stuck                        |
| <b>Chrysler B185F</b> | Passenger Window Control Circuit Low                 |
| <b>Chrysler B1861</b> | Passenger Window Control Circuit Open                |
| <b>Chrysler B1863</b> | Passenger Window Position Sensor Power Supply Low    |
| <b>Chrysler B1864</b> | Passenger Window Position Sensor Power Supply High   |
| <b>Chrysler B186D</b> | Trunk Release Switch Stuck                           |
| <b>Chrysler B186F</b> | All Door Secondary Lock Control Circuit Low          |
| <b>Chrysler B1870</b> | All Door Secondary Lock Control Circuit High         |
| <b>Chrysler B1883</b> | Power Liftgate Position Sensor 1 Circuit Performance |
| <b>Chrysler B1888</b> | Power Liftgate Pinch Sensor 1 Circuit Low            |
| <b>Chrysler B1889</b> | Power Liftgate Pinch Sensor 1 Circuit High           |
| <b>Chrysler B188D</b> | Power Liftgate Control Circuit 1 Low                 |
| <b>Chrysler B188E</b> | Power Liftgate Control Circuit 1 High                |

| CODES                 | DEFINITION                                      |
|-----------------------|-------------------------------------------------|
| <b>Chrysler B188F</b> | Power Liftgate Control Circuit 1 Open           |
| <b>Chrysler B1891</b> | Power Liftgate Control Circuit 2 Low            |
| <b>Chrysler B1892</b> | Power Liftgate Control Circuit 2 High           |
| <b>Chrysler B1893</b> | Power Liftgate Control Circuit 2 Open           |
| <b>Chrysler B18B5</b> | Master Switch - Front Left Window Switch Stuck  |
| <b>Chrysler B18B6</b> | Master Switch - Front Right Window Switch Stuck |
| <b>Chrysler B18B7</b> | Master Switch - Rear Left Window Switch Stuck   |
| <b>Chrysler B18B8</b> | Master Switch - Rear Right Window Switch Stuck  |
| <b>Chrysler B18BB</b> | Window Control Circuit Low                      |
| <b>Chrysler B18BC</b> | Window Control Circuit High                     |
| <b>Chrysler B18DE</b> | Power Liftgate Handle Switch Circuit Low        |
| <b>Chrysler B18E0</b> | Power Liftgate Handle Switch Stuck              |
| <b>Chrysler B18E3</b> | Power Liftgate Front Zone Switch Circuit Low    |
| <b>Chrysler B18E4</b> | Power Liftgate Front Zone Switch Circuit High   |
| <b>Chrysler B18E5</b> | Power Liftgate Front Zone Switch Stuck          |
| <b>Chrysler B191D</b> | Window Control Circuit Overcurrent              |
| <b>Chrysler B1927</b> | Left Rear Window Control Circuit Low            |
| <b>Chrysler B1928</b> | Left Rear Window Control Circuit High           |
| <b>Chrysler B1929</b> | Left Rear Window Control Circuit Open           |
| <b>Chrysler B192B</b> | Right Rear Window Control Circuit Low           |
| <b>Chrysler B192C</b> | Right Rear Window Control Circuit High          |
| <b>Chrysler B192D</b> | Right Rear Window Control Circuit Open          |

| CODES                 | DEFINITION                                            |
|-----------------------|-------------------------------------------------------|
| <b>Chrysler B1934</b> | Driver Door Lock/Unlock Switch Circuit Stuck          |
| <b>Chrysler B1935</b> | Passenger Door Lock/Unlock Switch Circuit Stuck       |
| <b>Chrysler B193B</b> | Left Power Sliding Door Switch Circuit Low            |
| <b>Chrysler B193C</b> | Left Power Sliding Door Switch Circuit High           |
| <b>Chrysler B193F</b> | Right Power Sliding Door Switch Circuit Low           |
| <b>Chrysler B1940</b> | Right Power Sliding Door Switch Circuit High          |
| <b>Chrysler B1942</b> | Power Liftgate Position Sensor 2 Circuit Performance  |
| <b>Chrysler B1947</b> | Power Liftgate Pinch Sensor 2 Circuit Low             |
| <b>Chrysler B1948</b> | Power Liftgate Pinch Sensor 2 Circuit High            |
| <b>Chrysler B194B</b> | Power Liftgate Rear Zone Switch Circuit Low           |
| <b>Chrysler B194C</b> | Power Liftgate Rear Zone Switch Circuit High          |
| <b>Chrysler B194D</b> | Power Liftgate Rear Zone Switch Stuck                 |
| <b>Chrysler B194F</b> | Power Liftgate Temperature Sensor Circuit Performance |
| <b>Chrysler B1952</b> | Power Liftgate Drive Motor - Incorrect Direction      |
| <b>Chrysler B1953</b> | Power Liftgate Latch Cinch Overcurrent                |
| <b>Chrysler B1954</b> | Power Liftgate Latch Cinch - Excessive Time           |
| <b>Chrysler B1955</b> | Power Liftgate Latch Release Overcurrent              |
| <b>Chrysler B1956</b> | Power Liftgate Latch Release - Excessive Time         |
| <b>Chrysler B1958</b> | Power Liftgate Drive Clutch Control Circuit Low       |
| <b>Chrysler B1959</b> | Power Liftgate Drive Clutch Control Circuit High      |
| <b>Chrysler B1961</b> | Power Liftgate Chime Control Circuit High             |
| <b>Chrysler B1963</b> | Power Liftgate Strut Performance                      |



| CODES                 | DEFINITION                                                            |
|-----------------------|-----------------------------------------------------------------------|
| <b>Chrysler B1965</b> | Power Liftgate Sensor Supply Circuit Low                              |
| <b>Chrysler B1966</b> | Power Liftgate Sensor Supply High                                     |
| <b>Chrysler B1967</b> | Power Liftgate Open Direction Overcurrent                             |
| <b>Chrysler B1968</b> | Power Liftgate Open Direction - Excessive Time                        |
| <b>Chrysler B1969</b> | Power Liftgate Open Direction Excessive Position Sensor Counts        |
| <b>Chrysler B196A</b> | Power Liftgate Close Direction Overcurrent                            |
| <b>Chrysler B196B</b> | Power Liftgate Close Direction - Excessive Time                       |
| <b>Chrysler B196C</b> | Power Liftgate Close Direction Excessive Position Sensor Counts       |
| <b>Chrysler B196D</b> | Power Liftgate Open Direction - Full Open Switch Performance          |
| <b>Chrysler B196E</b> | Power Liftgate Close Direction - Full Open Switch Performance         |
| <b>Chrysler B196F</b> | Power Liftgate Open Direction - Ratchet Primary Switch Performance    |
| <b>Chrysler B1970</b> | Power Liftgate Close Direction - Ratchet Primary Switch Performance   |
| <b>Chrysler B1971</b> | Power Liftgate Latch Cinch - Ratchet Primary Switch Performance       |
| <b>Chrysler B1972</b> | Power Liftgate Latch Release - Ratchet Primary Switch Performance     |
| <b>Chrysler B1973</b> | Power Liftgate Open Direction - Ratchet Secondary Switch Performance  |
| <b>Chrysler B1974</b> | Power Liftgate Close Direction - Ratchet Secondary Switch Performance |
| <b>Chrysler B1975</b> | Power Liftgate Latch Cinch - Ratchet Secondary Switch Performance     |

| CODES                 | DEFINITION                                                          |
|-----------------------|---------------------------------------------------------------------|
| <b>Chrysler B1976</b> | Power Liftgate Latch Release - Ratchet Secondary Switch Performance |
| <b>Chrysler B1977</b> | Power Liftgate Open Direction - Sector Switch Performance           |
| <b>Chrysler B1978</b> | Power Liftgate Close Direction - Sector Switch Performance          |
| <b>Chrysler B1979</b> | Power Liftgate Latch Cinch - Sector Switch Performance              |
| <b>Chrysler B197A</b> | Power Liftgate Latch Release - Sector Switch Performance            |
| <b>Chrysler B1980</b> | Power Liftgate Latch Control 1 Circuit Low                          |
| <b>Chrysler B1981</b> | Power Liftgate Latch Control 1 Circuit High                         |
| <b>Chrysler B1982</b> | Power Liftgate Latch Control 1 Circuit Open                         |
| <b>Chrysler B1984</b> | Power Liftgate Latch Control 2 Circuit Low                          |
| <b>Chrysler B1985</b> | Power Liftgate Latch Control 2 Circuit High                         |
| <b>Chrysler B1986</b> | Power Liftgate Latch Control 2 Circuit Open                         |
| <b>Chrysler B1987</b> | Left Power Sliding Door Switch Stuck                                |
| <b>Chrysler B1988</b> | Right Power Sliding Door Switch Stuck                               |
| <b>Chrysler B198A</b> | All Door Secondary Unlock Control Circuit Low                       |
| <b>Chrysler B198B</b> | All Door Secondary Unlock Control Circuit High                      |
| <b>Chrysler B198E</b> | Left Power Sliding Door Sensor Supply Circuit Low                   |
| <b>Chrysler B198F</b> | Left Power Sliding Door Sensor Supply Circuit High                  |
| <b>Chrysler B1991</b> | Right Power Sliding Door Sensor Supply Circuit Low                  |
| <b>Chrysler B1992</b> | Right Power Sliding Door Sensor Supply Circuit High                 |
| <b>Chrysler B1994</b> | Left Power Sliding Door Position Sensor 1 Circuit Performance       |

| CODES                 | DEFINITION                                                     |
|-----------------------|----------------------------------------------------------------|
| <b>Chrysler B1998</b> | Left Power Sliding Door Position Sensor 2 Circuit Performance  |
| <b>Chrysler B199C</b> | Right Power Sliding Door Position Sensor 1 Circuit Performance |
| <b>Chrysler B19A0</b> | Right Power Sliding Door Position Sensor 2 Circuit Performance |
| <b>Chrysler B19A4</b> | Left Power Sliding Door Control Circuit 1 Low                  |
| <b>Chrysler B19A5</b> | Left Power Sliding Door Control Circuit 1 High                 |
| <b>Chrysler B19A6</b> | Left Power Sliding Door Control Circuit 1 Open                 |
| <b>Chrysler B19A8</b> | Left Power Sliding Door Control Circuit 2 Low                  |
| <b>Chrysler B19A9</b> | Left Power Sliding Door Control Circuit 2 High                 |
| <b>Chrysler B19AA</b> | Left Power Sliding Door Control Circuit 2 Open                 |
| <b>Chrysler B19AC</b> | Right Power Sliding Door Control Circuit 1 Low                 |
| <b>Chrysler B19AD</b> | Right Power Sliding Door Control Circuit 1 High                |
| <b>Chrysler B19AE</b> | Right Power Sliding Door Control Circuit 1 Open                |
| <b>Chrysler B19B0</b> | Right Power Sliding Door Control Circuit 2 Low                 |
| <b>Chrysler B19B1</b> | Right Power Sliding Door Control Circuit 2 High                |
| <b>Chrysler B19B2</b> | Right Power Sliding Door Control Circuit 2 Open                |
| <b>Chrysler B19B7</b> | Left Power Sliding Door Drive Clutch Control Circuit Low       |
| <b>Chrysler B19B8</b> | Left Power Sliding Door Drive Clutch Control Circuit High      |
| <b>Chrysler B19BA</b> | Left Power Sliding Door Drive Motor - Incorrect Direction      |
| <b>Chrysler B19BC</b> | Right Power Sliding Door Drive Clutch Control Circuit Low      |
| <b>Chrysler B19BD</b> | Right Power Sliding Door Drive Clutch Control Circuit High     |

| CODES                 | DEFINITION                                                                |
|-----------------------|---------------------------------------------------------------------------|
| <b>Chrysler B19BF</b> | Right Power Sliding Door Drive Motor - Incorrect Direction                |
| <b>Chrysler B19C0</b> | Left Power Sliding Door Open Direction Overcurrent                        |
| <b>Chrysler B19C1</b> | Left Power Sliding Door Drive Open Direction - Excessive Time             |
| <b>Chrysler B19C2</b> | Left Power Sliding Door Drive Open Direction - Excessive Position Count   |
| <b>Chrysler B19C3</b> | Left Power Sliding Door Close Direction Overcurrent                       |
| <b>Chrysler B19C4</b> | Left Power Sliding Door Drive Close Direction - Excessive Time            |
| <b>Chrysler B19C5</b> | Left Power Sliding Door Drive Close Direction - Excessive Position Count  |
| <b>Chrysler B19CD</b> | Left Power Sliding Door Close Direction - Pawl Switch Performance         |
| <b>Chrysler B19CE</b> | Right Power Sliding Door Open Direction Overcurrent                       |
| <b>Chrysler B19CF</b> | Right Power Sliding Door Drive Open Direction Excessive Time              |
| <b>Chrysler B19D0</b> | Right Power Sliding Door Drive Open Direction - Excessive Position Count  |
| <b>Chrysler B19D1</b> | Right Power Sliding Door Close Direction Overcurrent                      |
| <b>Chrysler B19D2</b> | Right Power Sliding Door Drive Close Direction - Excessive Time           |
| <b>Chrysler B19D3</b> | Right Power Sliding Door Drive Close Direction - Excessive Position Count |
| <b>Chrysler B19DB</b> | Right Power Sliding Door Close Direction - Pawl Switch Performance        |
| <b>Chrysler B19DE</b> | Left Sliding Door Handle Switch Circuit Low                               |
| <b>Chrysler B19E0</b> | Left Sliding Door Handle Switch Circuit Stuck                             |

| CODES                 | DEFINITION                                            |
|-----------------------|-------------------------------------------------------|
| <b>Chrysler B19E3</b> | Right Sliding Door Handle Switch Circuit Low          |
| <b>Chrysler B19E5</b> | Right Sliding Door Handle Switch Circuit Stuck        |
| <b>Chrysler B19E7</b> | Left Power Sliding Door Latch Control 1 Circuit Low   |
| <b>Chrysler B19E8</b> | Left Power Sliding Door Latch Control 1 Circuit High  |
| <b>Chrysler B19E9</b> | Left Power Sliding Door Latch Control 1 Circuit Open  |
| <b>Chrysler B19EB</b> | Left Power Sliding Door Latch Control 2 Circuit Low   |
| <b>Chrysler B19EC</b> | Left Power Sliding Door Latch Control 2 Circuit High  |
| <b>Chrysler B19ED</b> | Left Power Sliding Door Latch Control 2 Circuit Open  |
| <b>Chrysler B19EF</b> | Right Power Sliding Door Latch Control 1 Circuit Low  |
| <b>Chrysler B19F0</b> | Right Power Sliding Door Latch Control 1 Circuit High |
| <b>Chrysler B19F1</b> | Right Power Sliding Door Latch Control 1 Circuit Open |
| <b>Chrysler B19F3</b> | Right Power Sliding Door Latch Control 2 Circuit Low  |
| <b>Chrysler B19F4</b> | Right Power Sliding Door Latch Control 2 Circuit High |
| <b>Chrysler B19F5</b> | Right Power Sliding Door Latch Control 2 Circuit Open |
| <b>Chrysler B19F7</b> | Left Rear Window Switch Circuit Low                   |
| <b>Chrysler B19F9</b> | Left Rear Window Switch Circuit Stuck                 |
| <b>Chrysler B19FB</b> | Right Rear Window Switch Circuit Low                  |
| <b>Chrysler B19FD</b> | Right Rear Window Switch Circuit Stuck                |
| <b>Chrysler B1A08</b> | RKE Fob 1 Performance                                 |
| <b>Chrysler B1A09</b> | RKE Fob 2 Performance                                 |
| <b>Chrysler B1A0A</b> | RKE Fob 3 Performance                                 |
| <b>Chrysler B1A0B</b> | RKE Fob 4 Performance                                 |

| CODES                 | DEFINITION                        |
|-----------------------|-----------------------------------|
| <b>Chrysler B1A0C</b> | RKE Fob 5 Performance             |
| <b>Chrysler B1A0D</b> | RKE Fob 6 Performance             |
| <b>Chrysler B1A0E</b> | RKE Fob 7 Performance             |
| <b>Chrysler B1A0F</b> | RKE Fob 8 Performance             |
| <b>Chrysler B1A10</b> | RKE Fob 1 Battery Low             |
| <b>Chrysler B1A11</b> | RKE Fob 2 Battery Low             |
| <b>Chrysler B1A12</b> | RKE Fob 3 Battery Low             |
| <b>Chrysler B1A13</b> | RKE Fob 4 Battery Low             |
| <b>Chrysler B1A14</b> | RKE Fob 5 Battery Low             |
| <b>Chrysler B1A15</b> | RKE Fob 6 Battery Low             |
| <b>Chrysler B1A16</b> | RKE Fob 7 Battery Low             |
| <b>Chrysler B1A17</b> | RKE Fob 8 Battery Low             |
| <b>Chrysler B1A20</b> | Pre-Arm Timeout                   |
| <b>Chrysler B1A24</b> | Key Not Programmed                |
| <b>Chrysler B1A25</b> | Invalid Key                       |
| <b>Chrysler B1A26</b> | Maximum Number Of Keys Programmed |
| <b>Chrysler B1A27</b> | Skreem Programming Performance    |
| <b>Chrysler B1A28</b> | ECM Mismatch With Skim            |
| <b>Chrysler B1A29</b> | Skim Basestation Mismatch         |
| <b>Chrysler B1A2A</b> | Key 1 Communication Error         |
| <b>Chrysler B1A2B</b> | Key 2 Communication Error         |
| <b>Chrysler B1A2C</b> | Key 3 Communication Error         |

| CODES                 | DEFINITION                                               |
|-----------------------|----------------------------------------------------------|
| <b>Chrysler B1A2D</b> | Key 4 Communication Error                                |
| <b>Chrysler B1A2E</b> | Key 5 Communication Error                                |
| <b>Chrysler B1A2F</b> | Key 6 Communication Error                                |
| <b>Chrysler B1A30</b> | Key 7 Communication Error                                |
| <b>Chrysler B1A31</b> | Key 8 Communication Error                                |
| <b>Chrysler B1A35</b> | Unidentified Key Communication Error                     |
| <b>Chrysler B1A37</b> | Security Transmitter Sensor Circuit Low                  |
| <b>Chrysler B1A38</b> | Security Transmitter Sensor Circuit High                 |
| <b>Chrysler B1A3A</b> | Security Receiver Sensor Circuit Low                     |
| <b>Chrysler B1A3B</b> | Security Receiver Sensor Circuit High                    |
| <b>Chrysler B1A3C</b> | Internal Siren Battery                                   |
| <b>Chrysler B1A3D</b> | Siren Battery Tamper / Loss Of Power Supply              |
| <b>Chrysler B1A3E</b> | Siren / ITM Mismatch                                     |
| <b>Chrysler B1A3F</b> | ITM Arming Sequence Performance                          |
| <b>Chrysler B1A41</b> | Security Transmitter Sensor Circuit Open                 |
| <b>Chrysler B1A42</b> | Security Transmitter Sensor Circuit Shorted Together     |
| <b>Chrysler B1A43</b> | Security Transmitter Sensor Return Circuit Low           |
| <b>Chrysler B1A44</b> | Security Receiver Sensor Circuit Open                    |
| <b>Chrysler B1A45</b> | Security Receiver Sensor Circuit Shorted Together        |
| <b>Chrysler B1A46</b> | Security Receiver Sensor Return Circuit Low              |
| <b>Chrysler B1A47</b> | Security Transmitter/Receiver Sensor Return Circuit High |
| <b>Chrysler B1A48</b> | Intrusion Sensor 1 Internal                              |

| CODES                 | DEFINITION                                                         |
|-----------------------|--------------------------------------------------------------------|
| <b>Chrysler B1A68</b> | Steering Column Lock Module Bolt Control Low                       |
| <b>Chrysler B1A6B</b> | Steering Column Lock Module Not Initialized                        |
| <b>Chrysler B1A6C</b> | Secret-Key-Mismatch                                                |
| <b>Chrysler B1A77</b> | Remote Start Antenna Circuit Low                                   |
| <b>Chrysler B1A79</b> | Remote Start Antenna Circuit Open Or Not Connected                 |
| <b>Chrysler B1A7F</b> | Electronic Steering Column Lock Communication Performance (Type 1) |
| <b>Chrysler B1A80</b> | Electronic Steering Column Lock Communication Performance          |
| <b>Chrysler B1A81</b> | Electronic Steering Column Lock Not Personalized                   |
| <b>Chrysler B1A89</b> | ELV/ESCL Configuration Mismatch                                    |
| <b>Chrysler B1A8A</b> | Multi-Module VIN Handshake Failure                                 |
| <b>Chrysler B1B00</b> | Driver Airbag Squib 1 Circuit Low                                  |
| <b>Chrysler B1B01</b> | Driver Airbag Squib 1 Circuit High                                 |
| <b>Chrysler B1B02</b> | Driver Airbag Squib 1 Circuit Open                                 |
| <b>Chrysler B1B03</b> | Driver Airbag Squib 1 Circuit Shorted Together                     |
| <b>Chrysler B1B04</b> | Driver Airbag Squib 2 Circuit Low                                  |
| <b>Chrysler B1B05</b> | Driver Airbag Squib 2 Circuit High                                 |
| <b>Chrysler B1B06</b> | Driver Airbag Squib 2 Circuit Open                                 |
| <b>Chrysler B1B07</b> | Driver Airbag Squib 2 Circuit Shorted Together                     |
| <b>Chrysler B1B08</b> | Passenger Airbag Squib 1 Circuit Low                               |
| <b>Chrysler B1B09</b> | Passenger Airbag Squib 1 Circuit High                              |
| <b>Chrysler B1B0A</b> | Passenger Airbag Squib 1 Circuit Open                              |



| CODES                 | DEFINITION                                                     |
|-----------------------|----------------------------------------------------------------|
| <b>Chrysler B1B0B</b> | Passenger Airbag Squib 1 Circuit Shorted Together              |
| <b>Chrysler B1B0C</b> | Passenger Airbag Squib 2 Circuit Low                           |
| <b>Chrysler B1B0D</b> | Passenger Airbag Squib 2 Circuit High                          |
| <b>Chrysler B1B0E</b> | Passenger Airbag Squib 2 Circuit Open                          |
| <b>Chrysler B1B0F</b> | Passenger Airbag Squib 2 Circuit Shorted Together              |
| <b>Chrysler B1B10</b> | Driver Knee Bolster Squib Circuit Low                          |
| <b>Chrysler B1B11</b> | Driver Knee Bolster Squib Circuit High                         |
| <b>Chrysler B1B12</b> | Driver Knee Bolster Squib Circuit Open                         |
| <b>Chrysler B1B13</b> | Driver Knee Bolster Squib Circuit Shorted Together             |
| <b>Chrysler B1B18</b> | Left Side Curtain Squib 1 Circuit Low                          |
| <b>Chrysler B1B19</b> | Left Side Curtain Squib 1 Circuit High                         |
| <b>Chrysler B1B1A</b> | Left Side Curtain Squib 1 Circuit Open                         |
| <b>Chrysler B1B1B</b> | Left Side Curtain Squib 1 Circuit Shorted Together             |
| <b>Chrysler B1B20</b> | Right Side Curtain Squib 1 Circuit Low                         |
| <b>Chrysler B1B21</b> | Right Side Curtain Squib 1 Circuit High                        |
| <b>Chrysler B1B22</b> | Right Side Curtain Squib 1 Circuit Open                        |
| <b>Chrysler B1B23</b> | Right Side Curtain Squib 1 Circuit Shorted Together            |
| <b>Chrysler B1B28</b> | 1st Row Driver Seat Belt Pretensioner Circuit Low              |
| <b>Chrysler B1B29</b> | 1st Row Driver Seat Belt Pretensioner Circuit High             |
| <b>Chrysler B1B2A</b> | 1st Row Driver Seat Belt Pretensioner Circuit Open             |
| <b>Chrysler B1B2B</b> | 1st Row Driver Seat Belt Pretensioner Circuit Shorted Together |
| <b>Chrysler B1B2C</b> | 1st Row Passenger Seat Belt Pretensioner Circuit Low           |

| CODES                 | DEFINITION                                                        |
|-----------------------|-------------------------------------------------------------------|
| <b>Chrysler B1B2D</b> | 1st Row Passenger Seat Belt Pretensioner Circuit High             |
| <b>Chrysler B1B2E</b> | 1st Row Passenger Seat Belt Pretensioner Circuit Open             |
| <b>Chrysler B1B2F</b> | 1st Row Passenger Seat Belt Pretensioner Circuit Shorted Together |
| <b>Chrysler B1B54</b> | 1st Row Passenger Seat Belt Sensor                                |
| <b>Chrysler B1B55</b> | 1st Row Passenger Seat Belt Sensor Circuit High                   |
| <b>Chrysler B1B56</b> | 1st Row Passenger Seat Belt Sensor Circuit Open                   |
| <b>Chrysler B1B57</b> | 1st Row Passenger Seat Belt Sensor Circuit Shorted Together       |
| <b>Chrysler B1B70</b> | Up-Front Left Satellite Acceleration Sensor Internal              |
| <b>Chrysler B1B71</b> | Up-Front Right Satellite Acceleration Sensor Internal             |
| <b>Chrysler B1B72</b> | Left Side Satellite Acceleration Sensor 1 Internal                |
| <b>Chrysler B1B73</b> | Left Side Satellite Acceleration Sensor 2 Internal                |
| <b>Chrysler B1B74</b> | Left Side Satellite Acceleration Sensor 3 Internal                |
| <b>Chrysler B1B75</b> | Right Side Satellite Acceleration Sensor 1 Internal               |
| <b>Chrysler B1B76</b> | Right Side Satellite Acceleration Sensor 2 Internal               |
| <b>Chrysler B1B77</b> | Right Side Satellite Acceleration Sensor 3 Internal               |
| <b>Chrysler B1B78</b> | Passenger Seat Weight Sensor 3 - Left Front Performance           |
| <b>Chrysler B1B79</b> | Passenger Seat Weight Sensor 3 - Left Front Input Circuit Low     |
| <b>Chrysler B1B7A</b> | Passenger Seat Weight Sensor 3 - Left Front Input Circuit High    |
| <b>Chrysler B1B7D</b> | Passenger Seat Weight Sensor 2 - Right Front Performance          |
| <b>Chrysler B1B7E</b> | Passenger Seat Weight Sensor 2 - Right Front Input Circuit Low    |

| CODES                 | DEFINITION                                                      |
|-----------------------|-----------------------------------------------------------------|
| <b>Chrysler B1B7F</b> | Passenger Seat Weight Sensor 2 - Right Front Input Circuit High |
| <b>Chrysler B1B82</b> | Passenger Seat Weight Sensor 4 - Left Rear Performance          |
| <b>Chrysler B1B83</b> | Passenger Seat Weight Sensor 4 - Left Rear Input Circuit Low    |
| <b>Chrysler B1B84</b> | Passenger Seat Weight Sensor 4 - Left Rear Input Circuit High   |
| <b>Chrysler B1B87</b> | Passenger Seat Weight Sensor 1 - Right Rear Performance         |
| <b>Chrysler B1B88</b> | Passenger Seat Weight Sensor 1 - Right Rear Input Circuit Low   |
| <b>Chrysler B1B89</b> | Passenger Seat Weight Sensor 1 - Right Rear Input Circuit High  |
| <b>Chrysler B1B8C</b> | Driver Seat Track Position Sensor Circuit Performance           |
| <b>Chrysler B1B8D</b> | Driver Seat Track Position Sensor Circuit Low                   |
| <b>Chrysler B1B8E</b> | Driver Seat Track Position Sensor Circuit High                  |
| <b>Chrysler B1B90</b> | Driver Seat Track Position Sensor Circuit Shorted Together      |
| <b>Chrysler B1B91</b> | Driver Seat Track Position Sensor Configuration Mismatch        |
| <b>Chrysler B1B92</b> | Passenger Seat Track Position Sensor Circuit Performance        |
| <b>Chrysler B1B93</b> | Passenger Seat Track Position Sensor Circuit Low                |
| <b>Chrysler B1B94</b> | Passenger Seat Track Position Sensor Circuit High               |
| <b>Chrysler B1B96</b> | Passenger Seat Track Position Sensor Circuit Shorted Together   |
| <b>Chrysler B1B97</b> | Passenger Seat Track Position Sensor Configuration Mismatch     |

| CODES                 | DEFINITION                                            |
|-----------------------|-------------------------------------------------------|
| <b>Chrysler B1BA5</b> | Airbag Squib Configuration Mismatch                   |
| <b>Chrysler B1BA7</b> | Occupant Classification System Verification Required  |
| <b>Chrysler B1BAA</b> | Occupant Classification Module Configuration Mismatch |
| <b>Chrysler B1BB8</b> | SRS Warning Indicator Status Mismatch                 |
| <b>Chrysler B1BB9</b> | Airbag Squib Circuit Coupling                         |
| <b>Chrysler B1BBA</b> | Passenger Seat Weight Sensor Supply Circuit           |
| <b>Chrysler B1BBB</b> | Passenger Seat Weight Sensor Inputs Shorted Together  |
| <b>Chrysler B1BBC</b> | OCS Negative System Weight                            |
| <b>Chrysler B1BBD</b> | OCM Current Configuration Table Unprogrammed          |
| <b>Chrysler B1BC7</b> | Deployment Data Record Full                           |
| <b>Chrysler B1BC8</b> | Passenger Seat Weight Sensors Performance             |
| <b>Chrysler B1BD0</b> | Roll Over Internal                                    |
| <b>Chrysler B1BD3</b> | Non Regular Operation Flag                            |
| <b>Chrysler B1C12</b> | Driver Active Headrest Control Circuit Low            |
| <b>Chrysler B1C13</b> | Driver Active Headrest Control Circuit High           |
| <b>Chrysler B1C18</b> | Passenger Active Headrest Control Circuit Low         |
| <b>Chrysler B1C19</b> | Passenger Active Headrest Control Circuit High        |
| <b>Chrysler B1C27</b> | Left Side Seat Thorax Squib 1 Low                     |
| <b>Chrysler B1C28</b> | Left Side Seat Thorax Squib 1 High                    |
| <b>Chrysler B1C29</b> | Left Side Seat Thorax Squib 1 Open                    |
| <b>Chrysler B1C2A</b> | Left Side Seat Thorax Squib 1 Shorted Together        |
| <b>Chrysler B1C2B</b> | Right Side Seat Thorax Squib 1 Low                    |

| CODES                 | DEFINITION                                                         |
|-----------------------|--------------------------------------------------------------------|
| <b>Chrysler B1C2C</b> | Right Side Seat Thorax Squib 1 High                                |
| <b>Chrysler B1C2D</b> | Right Side Seat Thorax Squib 1 Open                                |
| <b>Chrysler B1C2E</b> | Right Side Seat Thorax Squib 1 Shorted Together                    |
| <b>Chrysler B1C2F</b> | Passenger Airbag Indicator Status Mismatch                         |
| <b>Chrysler B1C38</b> | 1st Row Driver Retractor Tensioner Circuit Low                     |
| <b>Chrysler B1C39</b> | 1st Row Driver Retractor Tensioner Circuit High                    |
| <b>Chrysler B1C3A</b> | 1st Row Driver Retractor Tensioner Circuit Open                    |
| <b>Chrysler B1C3B</b> | 1st Row Driver Retractor Tensioner Circuit Shorted Together        |
| <b>Chrysler B1C3D</b> | 1st Row Driver Seat Belt Buckle Tensioner Circuit Low              |
| <b>Chrysler B1C3E</b> | 1st Row Driver Seat Belt Buckle Tensioner Circuit High             |
| <b>Chrysler B1C3F</b> | 1st Row Driver Seat Belt Buckle Tensioner Circuit Open             |
| <b>Chrysler B1C40</b> | 1st Row Driver Seat Belt Buckle Tensioner Circuit Shorted Together |
| <b>Chrysler B1C47</b> | 1st Row Passenger Retractor Tensioner Circuit Low                  |
| <b>Chrysler B1C48</b> | 1st Row Passenger Retractor Tensioner Circuit High                 |
| <b>Chrysler B1C49</b> | 1st Row Passenger Retractor Tensioner Circuit Open                 |
| <b>Chrysler B1C4A</b> | 1st Row Passenger Retractor Tensioner Circuit Shorted Together     |
| <b>Chrysler B1C4C</b> | 1st Row Passenger Seat Belt Buckle Tensioner Circuit Low           |
| <b>Chrysler B1C4D</b> | 1st Row Passenger Seat Belt Buckle Tensioner Circuit High          |
| <b>Chrysler B1C4E</b> | 1st Row Passenger Seat Belt Buckle Tensioner Circuit Open          |

| CODES                 | DEFINITION                                                            |
|-----------------------|-----------------------------------------------------------------------|
| <b>Chrysler B1C4F</b> | 1st Row Passenger Seat Belt Buckle Tensioner Circuit Shorted Together |
| <b>Chrysler B1CDC</b> | Passenger Occupant Detector Circuit High                              |
| <b>Chrysler B1CFB</b> | Seat Belt Sensors Configuration Fault                                 |
| <b>Chrysler B1D04</b> | Mirror Adjust Switch Input - Stuck                                    |
| <b>Chrysler B1D07</b> | Mirror Adjust Switch Input Circuit Stuck                              |
| <b>Chrysler B1D09</b> | Driver Mirror Position Sensor Power Supply Circuit Low                |
| <b>Chrysler B1D0C</b> | Driver Mirror Vertical Position Sensor Input Circuit Low              |
| <b>Chrysler B1D0D</b> | Driver Mirror Vertical Position Sensor Input Circuit High             |
| <b>Chrysler B1D0F</b> | Driver Mirror Horizontal Position Sensor Input Circuit Low            |
| <b>Chrysler B1D10</b> | Driver Mirror Horizontal Position Sensor Input Circuit High           |
| <b>Chrysler B1D12</b> | Passenger Mirror Position Sensor Power Supply Circuit Low             |
| <b>Chrysler B1D15</b> | Passenger Mirror Vertical Position Sensor Input Circuit Low           |
| <b>Chrysler B1D16</b> | Passenger Mirror Vertical Position Sensor Input Circuit High          |
| <b>Chrysler B1D18</b> | Passenger Mirror Horizontal Position Sensor Input Circuit Low         |
| <b>Chrysler B1D19</b> | Passenger Mirror Horizontal Position Sensor Input Circuit High        |
| <b>Chrysler B1D1F</b> | Driver Mirror Vertical Motor Control Circuit Low                      |
| <b>Chrysler B1D23</b> | Driver Mirror Horizontal Motor Control Circuit Low                    |
| <b>Chrysler B1D2B</b> | Passenger Mirror Vertical Motor Control Circuit Low                   |
| <b>Chrysler B1D2F</b> | Passenger Mirror Horizontal Motor Control Circuit Low                 |

| CODES                 | DEFINITION                                        |
|-----------------------|---------------------------------------------------|
| <b>Chrysler B1D33</b> | Driver Mirror Heater Control Circuit Low          |
| <b>Chrysler B1D34</b> | Driver Mirror Heater Control Circuit High         |
| <b>Chrysler B1D37</b> | Passenger Mirror Heater Control Circuit Low       |
| <b>Chrysler B1D38</b> | Passenger Mirror Heater Control Circuit High      |
| <b>Chrysler B1D4D</b> | Memory Switch Input Circuit Stuck                 |
| <b>Chrysler B1D4F</b> | Adjustable Pedal Inhibit Circuit Low              |
| <b>Chrysler B1D56</b> | Adjustable Pedal Sensor Circuit Low               |
| <b>Chrysler B1D57</b> | Adjustable Pedal Sensor Circuit High              |
| <b>Chrysler B1D5B</b> | Adjustable Pedal Switch Circuit Performance       |
| <b>Chrysler B1D5C</b> | Adjustable Pedal Switch Circuit Stuck Forward     |
| <b>Chrysler B1D5D</b> | Adjustable Pedal Switch Circuit Stuck Rearward    |
| <b>Chrysler B1D63</b> | Power Seat Switch Open                            |
| <b>Chrysler B1D67</b> | Adjustable Pedal Control Circuit Performance      |
| <b>Chrysler B1D6D</b> | Seat Horizontal Position Sensor Circuit Low       |
| <b>Chrysler B1D6E</b> | Seat Horizontal Position Sensor Circuit High      |
| <b>Chrysler B1D71</b> | Seat Front Vertical Position Sensor Circuit Low   |
| <b>Chrysler B1D72</b> | Seat Front Vertical Position Sensor Circuit High  |
| <b>Chrysler B1D75</b> | Seat Rear Vertical Position Sensor Circuit Low    |
| <b>Chrysler B1D76</b> | Seat Rear Vertical Position Sensor Circuit High   |
| <b>Chrysler B1D79</b> | Seat Recliner Position Sensor Circuit Low         |
| <b>Chrysler B1D7A</b> | Seat Recliner Position Sensor Circuit High        |
| <b>Chrysler B1D7B</b> | Seat Horizontal Motor Control Circuit Performance |

| CODES                 | DEFINITION                                                    |
|-----------------------|---------------------------------------------------------------|
| <b>Chrysler B1D7F</b> | Seat Front Vertical Motor Control Circuit Performance         |
| <b>Chrysler B1D83</b> | Seat Rear Vertical Motor Control Circuit Performance          |
| <b>Chrysler B1D87</b> | Seat Backrest Motor Control Circuit Performance               |
| <b>Chrysler B1D93</b> | Steering Column Telescope Motor Control - Circuit Performance |
| <b>Chrysler B1D97</b> | Steering Column Tilt Motor Control - Circuit Performance      |
| <b>Chrysler B1D9B</b> | Seat Horizontal Front Stop Not Learned                        |
| <b>Chrysler B1D9C</b> | Steering Column Tilt Switch                                   |
| <b>Chrysler B1DF2</b> | Mirror Fold Switch Stuck                                      |
| <b>Chrysler B1E24</b> | 3rd Row Seat Mode Select Switch Circuit Low                   |
| <b>Chrysler B1E25</b> | 3rd Row Seat Mode Select Switch Circuit High                  |
| <b>Chrysler B1E28</b> | 3rd Row Seat Normal/Stow Switch Circuit Low                   |
| <b>Chrysler B1E29</b> | 3rd Row Seat Normal/Stow Switch Circuit High                  |
| <b>Chrysler B1E2A</b> | 3rd Row Seat Normal Switch Stuck                              |
| <b>Chrysler B1E2B</b> | 3rd Row Seat Stow Switch Stuck                                |
| <b>Chrysler B1E2E</b> | 3rd Row Seat Left Backrest Switch Circuit Low                 |
| <b>Chrysler B1E2F</b> | 3rd Row Seat Left Backrest Switch Circuit High                |
| <b>Chrysler B1E30</b> | 3rd Row Seat Left Backrest Switch Stuck Forward               |
| <b>Chrysler B1E31</b> | 3rd Row Seat Left Backrest Switch Stuck Rearward              |
| <b>Chrysler B1E34</b> | 3rd Row Seat Right Backrest Switch Circuit Low                |
| <b>Chrysler B1E35</b> | 3rd Row Seat Right Backrest Switch Circuit High               |
| <b>Chrysler B1E36</b> | 3rd Row Seat Right Backrest Switch Stuck Forward              |
| <b>Chrysler B1E37</b> | 3rd Row Seat Right Backrest Switch Stuck Rearward             |



| CODES                 | DEFINITION                                                    |
|-----------------------|---------------------------------------------------------------|
| <b>Chrysler B1E3D</b> | 3rd Row Seat Fold/Tailgate Switch Circuit Low                 |
| <b>Chrysler B1E3E</b> | 3rd Row Seat Fold/Tailgate Switch Circuit High                |
| <b>Chrysler B1E3F</b> | 3rd Row Seat Fold Switch Stuck                                |
| <b>Chrysler B1E40</b> | 3rd Row Seat Tailgate Switch Stuck                            |
| <b>Chrysler B1E41</b> | 3rd Row Seat Left Backrest Control Circuit Performance        |
| <b>Chrysler B1E44</b> | 3rd Row Seat Left Backrest Position Sensor Circuit Low        |
| <b>Chrysler B1E45</b> | 3rd Row Seat Left Backrest Position Sensor Circuit High       |
| <b>Chrysler B1E46</b> | 3rd Row Seat Right Backrest Control Circuit Performance       |
| <b>Chrysler B1E49</b> | 3rd Row Seat Right Backrest Position Sensor Circuit Low       |
| <b>Chrysler B1E4A</b> | 3rd Row Seat Right Backrest Position Sensor Circuit High      |
| <b>Chrysler B1E4B</b> | 3rd Row Seat Left Stow/Tailgate Control Circuit Performance   |
| <b>Chrysler B1E4D</b> | 3rd Row Seat Left Stow/Tailgate Position Sensor Performance   |
| <b>Chrysler B1E4E</b> | 3rd Row Seat Left Stow/Tailgate Position Sensor Circuit Low   |
| <b>Chrysler B1E4F</b> | 3rd Row Seat Left Stow/Tailgate Position Sensor Circuit High  |
| <b>Chrysler B1E50</b> | 3rd Row Seat Right Stow/Tailgate Control Circuit Performance  |
| <b>Chrysler B1E52</b> | 3rd Row Seat Right Stow/Tailgate Position Sensor Performance  |
| <b>Chrysler B1E53</b> | 3rd Row Seat Right Stow/Tailgate Position Sensor Circuit Low  |
| <b>Chrysler B1E54</b> | 3rd Row Seat Right Stow/Tailgate Position Sensor Circuit High |
| <b>Chrysler B1E5F</b> | 3rd Row Seat Left Latch Switch Circuit Performance            |

| CODES                 | DEFINITION                                          |
|-----------------------|-----------------------------------------------------|
| <b>Chrysler B1E60</b> | 3rd Row Seat Right Latch Switch Circuit Performance |
| <b>Chrysler B1E61</b> | 3rd Row Seat Folded Position Stop Not Learned       |
| <b>Chrysler B1E62</b> | 3rd Row Seat Stowed Position Stop Not Learned       |
| <b>Chrysler B1E63</b> | 3rd Row Seat Latched Position Stop Not Learned      |
| <b>Chrysler B1E64</b> | Left Mirror Select Switch Stuck                     |
| <b>Chrysler B1E65</b> | Right Mirror Select Switch Stuck                    |
| <b>Chrysler B1E67</b> | Mirror Fold Control Circuit Low                     |
| <b>Chrysler B1E68</b> | Mirror Fold Control Circuit High                    |
| <b>Chrysler B1E6B</b> | Passenger Mirror Fold Control Circuit Low           |
| <b>Chrysler B1E6C</b> | Passenger Mirror Fold Control Circuit High          |
| <b>Chrysler B1E95</b> | Right Folding Seat Not Latched                      |
| <b>Chrysler B1E96</b> | Left Folding Seat Not Latched                       |
| <b>Chrysler B1EB6</b> | Left Seat Recliner Calibration Incomplete           |
| <b>Chrysler B1EB7</b> | Right Seat Recliner Calibration Incomplete          |
| <b>Chrysler B2101</b> | Ignition Run/Start Input Low                        |
| <b>Chrysler B2102</b> | Ignition Run/Start Input High                       |
| <b>Chrysler B2104</b> | Ignition Run/Start Control Circuit Low              |
| <b>Chrysler B2105</b> | Ignition Run/Start Control Circuit High             |
| <b>Chrysler B2106</b> | Ignition Run/Start Control Circuit Open             |
| <b>Chrysler B210A</b> | System Voltage Low                                  |
| <b>Chrysler B210B</b> | System Voltage High                                 |
| <b>Chrysler B210C</b> | Battery Voltage Input                               |

| CODES                 | DEFINITION                                            |
|-----------------------|-------------------------------------------------------|
| <b>Chrysler B210D</b> | Battery Voltage Low                                   |
| <b>Chrysler B210E</b> | Battery Voltage High                                  |
| <b>Chrysler B2122</b> | Ignition Run Control 1 Circuit Low                    |
| <b>Chrysler B2123</b> | Ignition Run Control 1 Circuit High                   |
| <b>Chrysler B2124</b> | Ignition Run Control 1 Circuit Open                   |
| <b>Chrysler B2125</b> | Sensor Supply Voltage Performance                     |
| <b>Chrysler B2126</b> | Sensor Supply Voltage Low                             |
| <b>Chrysler B212C</b> | Ignition Run/Start Input Circuit Open                 |
| <b>Chrysler B212D</b> | Ignition Run Only Input Circuit Open                  |
| <b>Chrysler B212F</b> | Ignition Run/ACC Control Circuit Low                  |
| <b>Chrysler B2142</b> | Ignition Off Draw (IOD) Fuse Not Present              |
| <b>Chrysler B2143</b> | UGDO Enable Control Circuit                           |
| <b>Chrysler B2181</b> | Heated Seat Module Power Supply Low                   |
| <b>Chrysler B2182</b> | Heated Seat Module Power Supply High                  |
| <b>Chrysler B2184</b> | Ignition Unlock Run/Start Control Circuit Low         |
| <b>Chrysler B2185</b> | Ignition Unlock Run/Start Control Circuit High        |
| <b>Chrysler B2188</b> | Ignition Start Control Circuit Low                    |
| <b>Chrysler B218B</b> | Ignition Run/Start 1 Control Circuit Overcurrent      |
| <b>Chrysler B218C</b> | Ignition Run Control 2 Circuit Overcurrent            |
| <b>Chrysler B2193</b> | Intelligent Battery Sensor Internal                   |
| <b>Chrysler B219A</b> | Ignition Unlock Run/Start Control Circuit Overcurrent |
| <b>Chrysler B219F</b> | Ignition Off Draw (IOD) Fuse Blown                    |

| CODES                 | DEFINITION                                             |
|-----------------------|--------------------------------------------------------|
| <b>Chrysler B21A1</b> | ECU Reset/Recovery Occurred                            |
| <b>Chrysler B21FB</b> | Ignition Fobik Removal Inhibit Unlock                  |
| <b>Chrysler B21FC</b> | Ignition Fobik Removal Inhibit Lock                    |
| <b>Chrysler B2201</b> | Calibration Mismatch                                   |
| <b>Chrysler B2203</b> | ROM Checksum Performance                               |
| <b>Chrysler B2204</b> | ECU Configuration Mismatch                             |
| <b>Chrysler B2205</b> | Original VIN Missing/Mismatch                          |
| <b>Chrysler B2206</b> | Current VIN Missing/Mismatch                           |
| <b>Chrysler B2207</b> | Occupant Restraint Controller Internal 1               |
| <b>Chrysler B2208</b> | Occupant Restraint Controller Internal 2               |
| <b>Chrysler B2209</b> | Occupant Restraint Controller Internal 3               |
| <b>Chrysler B220A</b> | Occupant Restraint Controller Internal 4               |
| <b>Chrysler B220B</b> | Occupant Restraint Controller Firing Stored Energy     |
| <b>Chrysler B220C</b> | Occupant Restraint Controller Accelerometer 1 Internal |
| <b>Chrysler B220D</b> | Occupant Restraint Controller Accelerometer 2 Internal |
| <b>Chrysler B220F</b> | Occupant Restraint Controller Control Driver 1         |
| <b>Chrysler B2210</b> | Occupant Restraint Controller Control Driver 2         |
| <b>Chrysler B2211</b> | Rain Sensor Module Initialization Performance          |
| <b>Chrysler B2212</b> | Occupant Classification Module Internal                |
| <b>Chrysler B2213</b> | Cabin Compartment Node/Cluster Internal                |
| <b>Chrysler B2214</b> | (HVAC) Climate Control Internal                        |
| <b>Chrysler B2215</b> | FCM Internal (Totally Integrated Power Module)         |

| CODES                 | DEFINITION                                        |
|-----------------------|---------------------------------------------------|
| <b>Chrysler B2216</b> | Central Gateway Internal                          |
| <b>Chrysler B221A</b> | (HSM) Heated Seat Module Internal                 |
| <b>Chrysler B221D</b> | Rain Sensor Module (RSM) Internal                 |
| <b>Chrysler B221E</b> | Radio Internal                                    |
| <b>Chrysler B221F</b> | Amplifier Internal                                |
| <b>Chrysler B2222</b> | Satellite Radio Receiver Internal                 |
| <b>Chrysler B2223</b> | (HFM) Hands Free Phone Internal                   |
| <b>Chrysler B2224</b> | Skreem Internal                                   |
| <b>Chrysler B2225</b> | (SCM) Steering Column Module Internal             |
| <b>Chrysler B2227</b> | Sunroof ECU Internal                              |
| <b>Chrysler B2228</b> | WCM Internal - RKE Receiver                       |
| <b>Chrysler B2229</b> | WCM Internal - Skim Immobilizer                   |
| <b>Chrysler B222A</b> | Vehicle Line Mismatch                             |
| <b>Chrysler B222B</b> | Vehicle Entertainment System Internal             |
| <b>Chrysler B222C</b> | Vehicle Configuration Not Programmed              |
| <b>Chrysler B222D</b> | ECU Unable To Configure/Configuration Not Learned |
| <b>Chrysler B222E</b> | Flash Checksum Performance                        |
| <b>Chrysler B222F</b> | Flash Write Performance                           |
| <b>Chrysler B2230</b> | RAM Write Performance                             |
| <b>Chrysler B2232</b> | (PTS) Parktronics Internal                        |
| <b>Chrysler B223A</b> | Auto High Beam ECU Internal                       |
| <b>Chrysler B223B</b> | Vehicle Configuration Mismatch                    |

| CODES                 | DEFINITION                                              |
|-----------------------|---------------------------------------------------------|
| <b>Chrysler B223C</b> | Intrusion Transceiver Module Internal                   |
| <b>Chrysler B223D</b> | Occupant Classification Module DTC Present              |
| <b>Chrysler B224E</b> | Power Liftgate Module Internal                          |
| <b>Chrysler B2254</b> | Column Lock Module Internal                             |
| <b>Chrysler B2255</b> | Occupant Restraint Controller Rollover Feature Disabled |
| <b>Chrysler B225C</b> | Compass Module Internal                                 |
| <b>Chrysler B225D</b> | Door Module Front Left Internal                         |
| <b>Chrysler B225E</b> | Door Module Front Right Internal                        |
| <b>Chrysler B2260</b> | Folding Seat Module Internal                            |
| <b>Chrysler B2267</b> | Interior Rear View Mirror Module Internal               |
| <b>Chrysler B226F</b> | Left Power Sliding Door Module Internal                 |
| <b>Chrysler B2271</b> | Left Rear Door Module Internal                          |
| <b>Chrysler B2272</b> | Right Rear Door Module Internal                         |
| <b>Chrysler B2273</b> | Power Sliding Door Module Identification Circuit        |
| <b>Chrysler B2274</b> | Left Rear Door Module Identification Circuit            |
| <b>Chrysler B2283</b> | Auto Headlamp Leveling Module (AHLM) Internal           |
| <b>Chrysler B2286</b> | Calibration Not Learned/Lost Calibration                |
| <b>Chrysler B2287</b> | Satellite Video Receiver Internal                       |
| <b>Chrysler B2290</b> | Adaptive Front Lighting System Internal                 |
| <b>Chrysler B2298</b> | Rain Sensor Over Temperature                            |
| <b>Chrysler B2299</b> | Rear Camera Module Internal                             |
| <b>Chrysler B229B</b> | Passive Entry Module (PEM) Internal                     |

| CODES                 | DEFINITION                                                   |
|-----------------------|--------------------------------------------------------------|
| <b>Chrysler B22A2</b> | Adaptive Front Lighting System Not Programmed                |
| <b>Chrysler B22A3</b> | Adaptive Front Lighting System Not Initialized               |
| <b>Chrysler B22A4</b> | Adaptive Front Lighting System Not Calibrated                |
| <b>Chrysler B22A5</b> | Electronic Pedestrian Protection Module (EPPM) DTC Present   |
| <b>Chrysler B22A6</b> | Electronic Pedestrian Protection Module (EPPM) Internal 1    |
| <b>Chrysler B22A7</b> | Electronic Pedestrian Protection Module (EPPM) Internal 2    |
| <b>Chrysler B22A8</b> | Electronic Pedestrian Protection Module Firing Stored Energy |
| <b>Chrysler B22A9</b> | ECU Internal Performance                                     |
| <b>Chrysler B2301</b> | Wiper Mode Switch Input Circuit Low                          |
| <b>Chrysler B2304</b> | Wiper Park Switch Input Circuit Low (Stuck Low)              |
| <b>Chrysler B2305</b> | Wiper Park Switch Input Circuit High (Stuck High)            |
| <b>Chrysler B2307</b> | Washer Switch Input Circuit Low                              |
| <b>Chrysler B230D</b> | Rear Wiper Park Switch Input Circuit Low (Stuck Low)         |
| <b>Chrysler B230E</b> | Rear Wiper Park Switch Input Circuit High (Stuck High)       |
| <b>Chrysler B231B</b> | Rear Wiper Motor Control Circuit Low                         |
| <b>Chrysler B231C</b> | Rear Wiper Motor Control Circuit High                        |
| <b>Chrysler B231F</b> | Front/Rear Washer Motor Control Circuit Low                  |
| <b>Chrysler B2320</b> | Front/Rear Washer Motor Control Circuit High                 |
| <b>Chrysler B2323</b> | Headlamp Washer Motor Control Circuit Low                    |
| <b>Chrysler B2324</b> | Headlamp Washer Motor Control Circuit High                   |

| CODES                 | DEFINITION                                        |
|-----------------------|---------------------------------------------------|
| <b>Chrysler B2325</b> | Headlamp Washer Motor Control Circuit Open        |
| <b>Chrysler B2329</b> | Rain Sensor Optical Path 1 Performance            |
| <b>Chrysler B232A</b> | Rain Sensor Optical Path 2 Performance            |
| <b>Chrysler B232B</b> | Rain Sensor Optical Path 3 Performance            |
| <b>Chrysler B232C</b> | Rain Sensor Optical Path 4 Performance            |
| <b>Chrysler B232E</b> | Rear Washer Switch Stuck                          |
| <b>Chrysler B2336</b> | Horn Control Circuit Low                          |
| <b>Chrysler B2337</b> | Horn Control Circuit High                         |
| <b>Chrysler B2338</b> | Horn Control Circuit Open                         |
| <b>Chrysler B2339</b> | Horn Switch Stuck                                 |
| <b>Chrysler B2346</b> | Wiper Motor Low Speed Control Circuit Low         |
| <b>Chrysler B235A</b> | ECU In Plant Mode Active                          |
| <b>Chrysler B2371</b> | Horn Control Circuit Overcurrent                  |
| <b>Chrysler B2374</b> | Washer Switch Input Circuit                       |
| <b>Chrysler B2375</b> | Mist Switch Input Circuit                         |
| <b>Chrysler B2377</b> | Rear Washer Switch Input Circuit                  |
| <b>Chrysler B2378</b> | Flash To Pass Switch Circuit                      |
| <b>Chrysler B238E</b> | HI Beam Switch Circuit Low                        |
| <b>Chrysler B2390</b> | Mist Switch Circuit Low                           |
| <b>Chrysler B2394</b> | Flash To Pass / Optical Horn Switch Circuit Stuck |
| <b>Chrysler B23AA</b> | Implausible Data Received From Rain Sensor        |
| <b>Chrysler B2500</b> | Left Power Sliding Door Latch Cinch Overcurrent   |



| CODES                 | DEFINITION                                                                |
|-----------------------|---------------------------------------------------------------------------|
| <b>Chrysler B2501</b> | Left Power Sliding Door Latch Cinch Excessive Time                        |
| <b>Chrysler B2502</b> | Left Power Sliding Door Latch Release Overcurrent                         |
| <b>Chrysler B2503</b> | Left Power Sliding Door Latch Release Excessive Time - DMLR               |
| <b>Chrysler B2504</b> | Left Power Sliding Door Latch Cinch Ratchet Primary Switch Performance    |
| <b>Chrysler B2505</b> | Left Power Sliding Door Latch Release Ratchet Primary Switch Performance  |
| <b>Chrysler B2506</b> | Left Power Sliding Door Latch Cinch Sector Switch Performance             |
| <b>Chrysler B2507</b> | Left Power Sliding Door Latch Release Sector Switch Performance           |
| <b>Chrysler B2508</b> | Left Power Sliding Door Latch Cinch Pawl Switch Performance               |
| <b>Chrysler B2509</b> | Left Power Sliding Door Latch Release Pawl Switch Performance             |
| <b>Chrysler B250A</b> | Right Power Sliding Door Latch Cinch Overcurrent                          |
| <b>Chrysler B250B</b> | Right Power Sliding Door Latch Cinch Excessive Time                       |
| <b>Chrysler B250C</b> | Right Power Sliding Door Latch Release Overcurrent                        |
| <b>Chrysler B250D</b> | Right Power Sliding Door Latch Release Excessive Time                     |
| <b>Chrysler B250E</b> | Right Power Sliding Door Latch Cinch Ratchet Primary Switch Performance   |
| <b>Chrysler B250F</b> | Right Power Sliding Door Latch Release Ratchet Primary Switch Performance |
| <b>Chrysler B2510</b> | Right Power Sliding Door Latch Cinch Sector Switch Performance            |
| <b>Chrysler B2511</b> | Right Power Sliding Door Latch Release Sector Switch Performance          |

| CODES                 | DEFINITION                                                       |
|-----------------------|------------------------------------------------------------------|
| <b>Chrysler B2512</b> | Right Power Sliding Door Latch Cinch Pawl Switch Performance     |
| <b>Chrysler B2513</b> | Right Power Sliding Door Latch Release Pawl Switch Performance   |
| <b>Chrysler B2562</b> | Power Sliding Door Switch Circuit Low                            |
| <b>Chrysler B2563</b> | Power Sliding Door Switch Circuit High                           |
| <b>Chrysler B2577</b> | Passenger Window Not Calibrated / Lost Calibration               |
| <b>Chrysler B2578</b> | Driver Window Not Calibrated / Lost Calibration                  |
| <b>Chrysler B257D</b> | B Pillar Power Sliding Door Lockout Switch Circuit Low           |
| <b>Chrysler B257E</b> | B Pillar Power Sliding Door Lockout Switch Circuit High          |
| <b>Chrysler B2580</b> | Driver Window Position Sensor(S) No Signal                       |
| <b>Chrysler B2581</b> | Passenger Window Position Sensor(s) No Signal                    |
| <b>Chrysler B2598</b> | Door Module Front Left                                           |
| <b>Chrysler B2599</b> | Door Module Front Right                                          |
| <b>Chrysler B259A</b> | Front Left Door Handle Sense                                     |
| <b>Chrysler B259B</b> | Front Right Door Handle Sense                                    |
| <b>Chrysler B25A3</b> | Front Left Door Handle Sensor                                    |
| <b>Chrysler B25A4</b> | Front Right Door Handle Sensor                                   |
| <b>Chrysler B25A9</b> | Front Driver Door Handle Sense                                   |
| <b>Chrysler B25AA</b> | Front Passenger Door Handle Sense                                |
| <b>Chrysler B25AC</b> | Door Module Front Left - Window Not Calibrated/Lost Calibration  |
| <b>Chrysler B25AD</b> | Door Module Front Right - Window Not Calibrated/Lost Calibration |

| CODES                 | DEFINITION                                                  |
|-----------------------|-------------------------------------------------------------|
| <b>Chrysler B2722</b> | ORC Unlocked All Deployment Disabled                        |
| <b>Chrysler B273F</b> | Airbag Signal Test Failed                                   |
| <b>Chrysler B2746</b> | Left Side Satellite Acceleration Sensor 4 Internal          |
| <b>Chrysler B2749</b> | Right Side Satellite Acceleration Sensor 4 Internal         |
| <b>Chrysler B275B</b> | Airbag Telltale                                             |
| <b>Chrysler B2760</b> | Impact Pressure Sensor Left-Right Correlation               |
| <b>Chrysler B2761</b> | Left B Pillar Impact Acceleration Sensor                    |
| <b>Chrysler B2762</b> | Left C Pillar Impact Acceleration Sensor                    |
| <b>Chrysler B2764</b> | Right B Pillar Impact Acceleration Sensor                   |
| <b>Chrysler B2765</b> | Right C Pillar Impact Acceleration Sensor                   |
| <b>Chrysler B2767</b> | Left Impact Pressure Sensor                                 |
| <b>Chrysler B2768</b> | Right Impact Pressure Sensor                                |
| <b>Chrysler B276A</b> | EPPM Squib Configuration Mismatch                           |
| <b>Chrysler B2776</b> | Left Door Track Impact Acceleration Sensor                  |
| <b>Chrysler B2777</b> | Right Door Track Impact Acceleration Sensor                 |
| <b>Chrysler B280B</b> | Ntsc Video Input                                            |
| <b>Chrysler B2817</b> | Headlamp Leveling Sensor Supply Circuit Low                 |
| <b>Chrysler B2818</b> | Headlamp Leveling Sensor Supply Circuit High                |
| <b>Chrysler B2846</b> | Driver Blind Spot Warning Light Control Circuit Low         |
| <b>Chrysler B2847</b> | Driver Blind Spot Warning Indicator Control Circuit High    |
| <b>Chrysler B2849</b> | Passenger Blind Spot Warning Light Control Circuit Low      |
| <b>Chrysler B284A</b> | Passenger Blind Spot Warning Indicator Control Circuit High |

| CODES                 | DEFINITION                                   |
|-----------------------|----------------------------------------------|
| <b>Chrysler B2854</b> | Implausible Data Received From AHBM          |
| <b>Chrysler B285C</b> | Left Rear Led Turn Lamp Control Circuit Low  |
| <b>Chrysler B285D</b> | Right Rear Led Turn Lamp Control Circuit Low |
| <b>Chrysler C1002</b> | BRAKE SWITCH STUCK HIGH                      |
| <b>Chrysler C1008</b> | Brake Fluid Level Circuit High               |
| <b>Chrysler C100A</b> | Left Front Wheel Speed Sensor Circuit        |
| <b>Chrysler C1015</b> | Right Front Wheel Speed Sensor Circuit       |
| <b>Chrysler C1020</b> | Left Rear Wheel Speed Sensor Circuit         |
| <b>Chrysler C102B</b> | Right Rear Wheel Speed Sensor Circuit        |
| <b>Chrysler C1038</b> | Rear Wheel Speed Sensor Circuit Low          |
| <b>Chrysler C1073</b> | ABS Pump Motor Control Circuit               |
| <b>Chrysler C1078</b> | Tire Revolutions Range Performance           |
| <b>Chrysler C1082</b> | Vacuum Pressure Sensor Circuit               |
| <b>Chrysler C1083</b> | Vacuum Pressure Sensor Circuit Performance   |
| <b>Chrysler C1219</b> | Steering Angle Sensor Erratic Performance    |
| <b>Chrysler C121A</b> | Steering Angle Sensor Not Initialized        |
| <b>Chrysler C121C</b> | Torque Request Signal Denied                 |
| <b>Chrysler C1231</b> | Drive Test: Steering Angle Sensor            |
| <b>Chrysler C1232</b> | Drive Test: Pressure Sensor                  |
| <b>Chrysler C1238</b> | Drive Test: Unsuccessful                     |
| <b>Chrysler C1239</b> | Emission Rolls Test Active                   |
| <b>Chrysler C123A</b> | ESP System Sensors Calibration               |

| CODES                 | DEFINITION                                                |
|-----------------------|-----------------------------------------------------------|
| <b>Chrysler C123C</b> | Dynamics Sensor Mounting/Installation Performance         |
| <b>Chrysler C123F</b> | Steering Angle Sensor Comparative Performance             |
| <b>Chrysler C1240</b> | Steering Angle Sensor Angle Overtravel Performance        |
| <b>Chrysler C1241</b> | Steering Angle Sensor Velocity Performance                |
| <b>Chrysler C124B</b> | XBW Rule Violation                                        |
| <b>Chrysler C124C</b> | ACC Disabled Due To ESP                                   |
| <b>Chrysler C124F</b> | ESP Request Denied From ACC                               |
| <b>Chrysler C127A</b> | ESP Did Not Respond To Deceleration Request               |
| <b>Chrysler C140A</b> | Transfer Case Motor - Performance                         |
| <b>Chrysler C1456</b> | AWD-Clutch-Power-Control-Circuit-LO                       |
| <b>Chrysler C1457</b> | AWD-Clutch-Power-Control-Circuit-HI                       |
| <b>Chrysler C145D</b> | AWD-Clutch-Power-Return-Control-Circuit Open              |
| <b>Chrysler C1464</b> | Front Axle Disconnect Control Circuit Low                 |
| <b>Chrysler C1465</b> | Front Axle Disconnect Control Circuit High                |
| <b>Chrysler C1477</b> | Transfer-Case-Clutch-Over-Temperature                     |
| <b>Chrysler C147A</b> | Transfer Case Temperature Sensor - High                   |
| <b>Chrysler C147B</b> | Front Axle Disconnect Sensor Circuit Performance          |
| <b>Chrysler C147C</b> | Front Axle Disconnect Power Circuit - Low                 |
| <b>Chrysler C147D</b> | Front Axle Disconnect Power Supply Circuit High           |
| <b>Chrysler C1480</b> | Transfer Case Range Digital Position Sensor - Performance |
| <b>Chrysler C14A3</b> | XBW Rule Violation                                        |
| <b>Chrysler C14A4</b> | Sensor Adjustment Required                                |

| CODES                 | DEFINITION                                                 |
|-----------------------|------------------------------------------------------------|
| <b>Chrysler C14A5</b> | Sensor Blinded                                             |
| <b>Chrysler C1501</b> | Tire Pressure Sensor 1 Internal                            |
| <b>Chrysler C1502</b> | Tire Pressure Sensor 2 Internal                            |
| <b>Chrysler C1503</b> | Tire Pressure Sensor 3 Internal                            |
| <b>Chrysler C1504</b> | Tire Pressure Sensor 4 Internal                            |
| <b>Chrysler C1506</b> | Left Front Tire Pressure Trigger Module Performance        |
| <b>Chrysler C1507</b> | Left Rear Tire Pressure Trigger Module Performance         |
| <b>Chrysler C1508</b> | Left Rear Tire Pressure Trigger Module Performance         |
| <b>Chrysler C150A</b> | Left Front Tire Pressure Trigger Module Voltage High       |
| <b>Chrysler C150B</b> | Right Front Tire Pressure Trigger Module Voltage High      |
| <b>Chrysler C150C</b> | Left Rear Tire Pressure Trigger Module Voltage High        |
| <b>Chrysler C151C</b> | Tire Pressure Sensors Missing                              |
| <b>Chrysler C151D</b> | Tire Pressure Sensor Location Undetermined                 |
| <b>Chrysler C1570</b> | Duplicate Tire Pressure Sensor Ids                         |
| <b>Chrysler C157A</b> | Front Axle Level Sensor Circuit Performance                |
| <b>Chrysler C157B</b> | Front Axle Level Sensor Circuit Low                        |
| <b>Chrysler C157C</b> | Front Axle Level Sensor Circuit High                       |
| <b>Chrysler C157D</b> | Front Axle Level Sensor Circuit Performance                |
| <b>Chrysler C157E</b> | Rear Axle Level Sensor Circuit Low                         |
| <b>Chrysler C157F</b> | Rear Axle Level Sensor Circuit High                        |
| <b>Chrysler C1580</b> | Left/Right Side Tire Pressure Sensor Location Undetermined |
| <b>Chrysler C1581</b> | Front/Rear Tire Pressure Sensor Location Undetermined      |

| CODES                 | DEFINITION                                               |
|-----------------------|----------------------------------------------------------|
| <b>Chrysler C1597</b> | TPM System Deactivated-Winter Mode                       |
| <b>Chrysler C15A4</b> | Power Steering Assist Inhibited - Vehicle Speed Too High |
| <b>Chrysler C15C1</b> | EPS Mechanical Performance                               |
| <b>Chrysler C15D6</b> | Run Flat Tire Pressure Below Threshold                   |
| <b>Chrysler C15D8</b> | Mismatch Tire Size                                       |
| <b>Chrysler C15DB</b> | EPS Disabled                                             |
| <b>Chrysler C2100</b> | Battery-Voltage-Low                                      |
| <b>Chrysler C2101</b> | Battery Voltage-High                                     |
| <b>Chrysler C2102</b> | System Voltage Low                                       |
| <b>Chrysler C2103</b> | System Voltage High                                      |
| <b>Chrysler C2111</b> | Sensor Supply 1 Voltage Circuit - Low                    |
| <b>Chrysler C2112</b> | Sensor Supply 1 Voltage Circuit-High                     |
| <b>Chrysler C2114</b> | Dynamics Sensor Supply Voltage Low                       |
| <b>Chrysler C2115</b> | Dynamics Sensor Supply Voltage High                      |
| <b>Chrysler C2116</b> | ABS Pump Motor Supply Low Voltage                        |
| <b>Chrysler C211B</b> | Ignition Run/Start Input                                 |
| <b>Chrysler C2128</b> | ECU Reset/Recovery Occured                               |
| <b>Chrysler C2200</b> | Anti-Lock Brake Module Internal                          |
| <b>Chrysler C2201</b> | FDCM-DTCM-Internal                                       |
| <b>Chrysler C2202</b> | Original VIN Mismatch / Missing                          |
| <b>Chrysler C2205</b> | Steering Angle Sensor Internal                           |
| <b>Chrysler C2206</b> | Vehicle Configuration Mismatch                           |

| CODES                 | DEFINITION                                                  |
|-----------------------|-------------------------------------------------------------|
| <b>Chrysler C2209</b> | Tire Pressure Monitor Internal                              |
| <b>Chrysler C220B</b> | ABS ACC Not Calibrated                                      |
| <b>Chrysler C220C</b> | Active Suspension Module Internal                           |
| <b>Chrysler C220D</b> | Electrical Powered Hydraulic Steering Module Internal       |
| <b>Chrysler C2210</b> | ECU Overtemperature                                         |
| <b>Chrysler C2212</b> | ECU In - Plant Mode Active                                  |
| <b>Chrysler C2217</b> | Electric Power Steering Module Internal                     |
| <b>Chrysler C2219</b> | ECU Unable To Configure/Configuration Not Learned           |
| <b>Chrysler C221C</b> | ECU Flash Required                                          |
| <b>Chrysler C221F</b> | ECU Not Initialized                                         |
| <b>Chrysler C2223</b> | ECU Configuration Mismatch                                  |
| <b>Chrysler C2225</b> | PCM Disabled ECU                                            |
| <b>Chrysler C2226</b> | TCM Disabled ECU                                            |
| <b>Chrysler C2227</b> | ABS Disabled ECU                                            |
| <b>Chrysler C2312</b> | TRAC/ESP Off Switch Stuck                                   |
| <b>Chrysler C2315</b> | ACC Disable Due To PCM Fault                                |
| <b>Chrysler P1004</b> | Short Runner Valve Control Performance                      |
| <b>Chrysler P1005</b> | Manifold Tuning Valve Control Performance                   |
| <b>Chrysler P1009</b> | Humidity Sensor Module                                      |
| <b>Chrysler P1105</b> | Throttle Inlet Pressure Sensor Solenoid Circuit Malfunction |
| <b>Chrysler P1106</b> | Throttle Inlet Pressure Sensor Solenoid Circuit Malfunction |



| CODES                 | DEFINITION                                              |
|-----------------------|---------------------------------------------------------|
| <b>Chrysler P1115</b> | General Temperature Rationality                         |
| <b>Chrysler P1128</b> | Closed Loop Fueling Not Achieved - Bank 1 Upstream      |
| <b>Chrysler P1129</b> | Closed Loop Fueling Not Achieved - Bank 2 Upstream      |
| <b>Chrysler P1135</b> | 1/1 O2 Heater Element Resistance Out Of Range           |
| <b>Chrysler P1136</b> | 1/2 Heater Element Resistance Out Of Range              |
| <b>Chrysler P113D</b> | O2 Sensor 1/1 Slow Response (High Frequency)            |
| <b>Chrysler P113E</b> | O2 Sensor 2/1 Slow Response (High Frequency)            |
| <b>Chrysler P1187</b> | Throttle Inlet Pressure/Map Correlation                 |
| <b>Chrysler P1188</b> | Throttle Inlet Pressure Sensor Signal Range/Performance |
| <b>Chrysler P1189</b> | Throttle Inlet Pressure Sensor Circuit Low Input        |
| <b>Chrysler P1190</b> | Throttle Inlet Pressure Sensor Circuit High Input       |
| <b>Chrysler P1192</b> | Intake Air Temperature Sensor Circuit Low Input         |
| <b>Chrysler P1193</b> | Intake Air Temperature Sensor Circuit High Input        |
| <b>Chrysler P1194</b> | O2 (B1 S1) Heater Performance                           |
| <b>Chrysler P1195</b> | O2 (B1 S1) Circuit Insufficient Activity                |
| <b>Chrysler P1196</b> | O2 (B2 S1) Circuit Insufficient Activity                |
| <b>Chrysler P1217</b> | Active Exhaust Valve 1 Performance                      |
| <b>Chrysler P121B</b> | Active Exhaust Valve 2 Performance                      |
| <b>Chrysler P1239</b> | Engine Oil Temperature Too Low                          |
| <b>Chrysler P1270</b> | Intake Manifold Runner (SWIRL) Performance              |
| <b>Chrysler P1272</b> | A/C Clutch Control Circuit 2 Low                        |
| <b>Chrysler P1273</b> | A/C Clutch Control Circuit 2 High                       |

| CODES                 | DEFINITION                                           |
|-----------------------|------------------------------------------------------|
| <b>Chrysler P1274</b> | A/C Clutch Control Circuit 2 Open                    |
| <b>Chrysler P1275</b> | A/C Clutch Control Circuit 2 Overcurrent             |
| <b>Chrysler P1277</b> | Starter Control Circuit 2 Low                        |
| <b>Chrysler P1278</b> | Starter Control Circuit 2 High                       |
| <b>Chrysler P1279</b> | Starter Control Circuit 2 Open                       |
| <b>Chrysler P127A</b> | Starter Control Circuit 2 Overcurrent                |
| <b>Chrysler P127C</b> | Fuel Pump Control Circuit 2 Low                      |
| <b>Chrysler P127D</b> | Fuel Pump Control Circuit 2 High                     |
| <b>Chrysler P127E</b> | Fuel Pump Control Circuit 2 Open                     |
| <b>Chrysler P127F</b> | Fuel Pump Control Circuit 2 Overcurrent              |
| <b>Chrysler P1281</b> | Engine Is Cold Too Long                              |
| <b>Chrysler P1282</b> | Fuel Pump Relay Control Circuit Malfunction          |
| <b>Chrysler P1288</b> | Short Runner Valve Control Circuit Malfunction       |
| <b>Chrysler P1289</b> | Manifold Tuning Valve Control Circuit Malfunction    |
| <b>Chrysler P128B</b> | TCM Power Control Circuit 2 Low                      |
| <b>Chrysler P128C</b> | TCM Power Control Circuit 2 High - 41TE NGC          |
| <b>Chrysler P128D</b> | TCM Power Control Circuit 2 Open - 41TE NGC          |
| <b>Chrysler P128E</b> | TCM Power Control Circuit 2 Overcurrent - 41TE NGC   |
| <b>Chrysler P1294</b> | Target Idle Speed Not Reached                        |
| <b>Chrysler P1295</b> | 5-Volt VREF Missing To Position Sensor               |
| <b>Chrysler P1296</b> | 5-Volt VREF Supply Not Present                       |
| <b>Chrysler P1297</b> | No Change In MAP Signal From Start To Run Transition |

| CODES                 | DEFINITION                                                               |
|-----------------------|--------------------------------------------------------------------------|
| <b>Chrysler P1299</b> | Vacuum Leak Present With IAC Valve Fully Seated                          |
| <b>Chrysler P129C</b> | Inverter Control Circuit High                                            |
| <b>Chrysler P129E</b> | Inverter Control Circuit Overcurrent                                     |
| <b>Chrysler P1300</b> | Crankshaft Position Learn Out Of Range                                   |
| <b>Chrysler P1386</b> | Knock Sensor System Failure                                              |
| <b>Chrysler P1388</b> | Auto Shutdown Relay Control Circuit Malfunction                          |
| <b>Chrysler P1389</b> | No Auto Shutdown Relay Output Voltage To PCM                             |
| <b>Chrysler P1390</b> | Timing Belt Skipped One Tooth Or More                                    |
| <b>Chrysler P1391</b> | CKP Or CMP Sensor Signal Intermittent                                    |
| <b>Chrysler P1398</b> | Misfire Adaptive Numerator At Limit                                      |
| <b>Chrysler P1400</b> | Aftermarket Calibration Detected/Warranty Coverage Confirmation Required |
| <b>Chrysler P1404</b> | EGR Position Sensor Rationality Closed                                   |
| <b>Chrysler P1411</b> | Cylinder 1 Reactivation Control Performance                              |
| <b>Chrysler P1414</b> | Cylinder 4 Reactivation Control Performance                              |
| <b>Chrysler P1416</b> | Cylinder 6 Reactivation Control Performance                              |
| <b>Chrysler P1417</b> | Cylinder 7 Reactivation Control Performance                              |
| <b>Chrysler P1456</b> | Fuel Tank Pressure Sensor Circuit Low                                    |
| <b>Chrysler P1457</b> | Fuel Tank Pressure Sensor Circuit High                                   |
| <b>Chrysler P1478</b> | Battery Temperature Sensor Circuit Out-Of-Limits                         |
| <b>Chrysler P1479</b> | A/T Fan Relay Circuit Malfunction                                        |
| <b>Chrysler P1486</b> | EVAP Leak Detection Monitor Pinched Hose Detected                        |
| <b>Chrysler P1487</b> | High Speed Radiator Fan Relay Circuit Failure                            |

| CODES                 | DEFINITION                                                   |
|-----------------------|--------------------------------------------------------------|
| <b>Chrysler P1489</b> | High Speed Radiator Fan Relay Circuit Malfunction            |
| <b>Chrysler P1490</b> | Low Speed Radiator Fan Relay Circuit Malfunction             |
| <b>Chrysler P1491</b> | Radiator Fan Control Relay Circuit Malfunction               |
| <b>Chrysler P1492</b> | Battery Temperature Sensor Circuit High Input                |
| <b>Chrysler P1493</b> | Battery Temperature Sensor Circuit Low Input                 |
| <b>Chrysler P1494</b> | EVAP Leak Detection Pump Switch Or Mechanical Fault          |
| <b>Chrysler P1495</b> | Leak Detection Pump Solenoid Circuit Malfunction             |
| <b>Chrysler P1496</b> | 5-Volt VREF Supply Voltage Too Low                           |
| <b>Chrysler P1497</b> | PCM Failure (SRI Mileage Not Stored)                         |
| <b>Chrysler P1498</b> | No CCD Messages Received From The TCM                        |
| <b>Chrysler P1500</b> | Generator 'FR' Terminal Circuit Failure                      |
| <b>Chrysler P1501</b> | Vehicle Speed Sensor No. 1/2 Drive Wheel Correlation         |
| <b>Chrysler P1502</b> | Vehicle Speed Sensor No. 1/2 Non-Drive Wheel Correlation     |
| <b>Chrysler P150D</b> | Cold Start Rough Idle - Open Throttle Start                  |
| <b>Chrysler P1519</b> | Cruise Control Front Distance Sensor Lens Cracked Missing    |
| <b>Chrysler P1521</b> | Incorrect Engine Oil Type                                    |
| <b>Chrysler P1524</b> | Oil Pressure Out Of Range - Camshaft Advance/Retard Disabled |
| <b>Chrysler P1530</b> | A/C1 Switch Circuit Intermittent                             |
| <b>Chrysler P1572</b> | Brake Pedal Stuck On                                         |
| <b>Chrysler P1573</b> | Brake Pedal Stuck Off                                        |
| <b>Chrysler P1593</b> | Speed Control Switch 1/2 Stuck                               |

| CODES                 | DEFINITION                                                     |
|-----------------------|----------------------------------------------------------------|
| <b>Chrysler P1594</b> | Charging System Voltage Too High                               |
| <b>Chrysler P1595</b> | Speed Control Solenoid Circuit Failure                         |
| <b>Chrysler P1596</b> | Speed Control Switch Continuous High Input                     |
| <b>Chrysler P1597</b> | Speed Control Switch Continuous Low Input                      |
| <b>Chrysler P1598</b> | A/C Pressure Sensor Circuit High Input                         |
| <b>Chrysler P1599</b> | A/C Pressure Sensor Circuit Low Input                          |
| <b>Chrysler P1600</b> | Rough Road Detected                                            |
| <b>Chrysler P1601</b> | Internal TCM Computer Error                                    |
| <b>Chrysler P1602</b> | PCM Not Programmed                                             |
| <b>Chrysler P1603</b> | Powertrain Control Module Internal Dual-Port Ram Communication |
| <b>Chrysler P1604</b> | PCM Internal Dual-Port Ram Read/Write Integrity Failure        |
| <b>Chrysler P1607</b> | PCM Internal Shutdown Timer Rationality                        |
| <b>Chrysler P160A</b> | ECU Overtemperature                                            |
| <b>Chrysler P1610</b> | PCM Signal Line To Immobilizer Circuit Malfunction             |
| <b>Chrysler P1612</b> | Maximum Governor Speed Deviation - Fuel Limiting               |
| <b>Chrysler P1614</b> | ECU Reset-Recovery Occurred                                    |
| <b>Chrysler P1616</b> | 5V Output Reference Voltage #1 Low                             |
| <b>Chrysler P1617</b> | 5V Output Reference Voltage #1 High                            |
| <b>Chrysler P1618</b> | Sensor Reference Voltage 1 Erratic                             |
| <b>Chrysler P161A</b> | ECU In-Plant Mode Active                                       |
| <b>Chrysler P1621</b> | O2 Sensor Reference Voltage Circuit Low                        |
| <b>Chrysler P1622</b> | O2 Sensor Reference Voltage Circuit High                       |

| CODES                 | DEFINITION                                        |
|-----------------------|---------------------------------------------------|
| <b>Chrysler P1626</b> | 5V Output Reference Voltage #2 Low                |
| <b>Chrysler P1627</b> | 5V Output Reference Voltage #2 High               |
| <b>Chrysler P1628</b> | Sensor Reference Voltage 2 Circuit Erratic        |
| <b>Chrysler P1634</b> | TCM Internal Internal Watchdog Performance        |
| <b>Chrysler P1644</b> | Incorrect Variant/Configuration                   |
| <b>Chrysler P1648</b> | Glow Plug Module Internal                         |
| <b>Chrysler P1652</b> | Serial Communication Link Malfunction             |
| <b>Chrysler P1653</b> | PCI Bus Shorted To Ground                         |
| <b>Chrysler P1654</b> | PCI Bus Shorted To Voltage                        |
| <b>Chrysler P1656</b> | PCI Bus Not Available                             |
| <b>Chrysler P1666</b> | Cruise Control Module Internal                    |
| <b>Chrysler P1678</b> | ECU Sensor Adjustment Required                    |
| <b>Chrysler P167A</b> | Calibration Mismatch                              |
| <b>Chrysler P1681</b> | No Fuel Level Bus Messages                        |
| <b>Chrysler P1682</b> | Charging System Voltage Too Low                   |
| <b>Chrysler P1683</b> | Speed Control Relay Or Driver Circuit Malfunction |
| <b>Chrysler P1684</b> | Battery Has Been Disconnected                     |
| <b>Chrysler P1685</b> | Smart Key Immobilizer Module Invalid Key          |
| <b>Chrysler P1686</b> | No SKIM Bus Messages Received                     |
| <b>Chrysler P1687</b> | No Cluster Bus Messages                           |
| <b>Chrysler P1694</b> | No PCM Bus Messages                               |
| <b>Chrysler P1695</b> | No BCM Bus Messages                               |

| CODES                 | DEFINITION                                          |
|-----------------------|-----------------------------------------------------|
| <b>Chrysler P1696</b> | EEPROM Memory Write Denied/Invalid                  |
| <b>Chrysler P1697</b> | EMR (SRI) Mileage Not Stored                        |
| <b>Chrysler P1698</b> | No CCD Messages Received From The TCM               |
| <b>Chrysler P1713</b> | Restricted Manual Valve In T2 Range                 |
| <b>Chrysler P1714</b> | A/T Transmission Control Relay Low Battery Voltage  |
| <b>Chrysler P1715</b> | Restricted Manual Valve In T3 Range                 |
| <b>Chrysler P1716</b> | Bus Communication Failure With The PCM              |
| <b>Chrysler P1717</b> | Bus Communication Failure With The MIC              |
| <b>Chrysler P1718</b> | EEPROM Integrity Failure                            |
| <b>Chrysler P1719</b> | A/T Skip Shift Solenoid Control Circuit Malfunction |
| <b>Chrysler P172A</b> | Gear Selector Switch                                |
| <b>Chrysler P1731</b> | Incorrect Gear Engaged                              |
| <b>Chrysler P1736</b> | Gear Ratio Error In 2nd Prime                       |
| <b>Chrysler P1738</b> | A/T High Temperature Operation Activated            |
| <b>Chrysler P1739</b> | A/T Power Up Circuit At Speed                       |
| <b>Chrysler P1741</b> | Gear Ratio Error In 4 Prime                         |
| <b>Chrysler P1745</b> | Transmission Line Pressure Too High For Too Long    |
| <b>Chrysler P1751</b> | A/T Control Relay Circuit Malfunction               |
| <b>Chrysler P1767</b> | A/T Transmission Relay Circuit Malfunction          |
| <b>Chrysler P1768</b> | A/T Transmission Relay Output Always Off            |
| <b>Chrysler P1770</b> | Inadequate Element Volume LR                        |
| <b>Chrysler P1771</b> | Inadequate Element Volume 2/4                       |

| CODES                 | DEFINITION                                             |
|-----------------------|--------------------------------------------------------|
| <b>Chrysler P1772</b> | Inadequate Element Volume OD                           |
| <b>Chrysler P1775</b> | Solenoid Switch Valve Latched In TCC Position          |
| <b>Chrysler P1776</b> | A/T Solenoid Switch Latched In Low/Reverse Position    |
| <b>Chrysler P1781</b> | A/T Overdrive Pressure Switch Circuit Malfunction      |
| <b>Chrysler P1782</b> | A/T Overdrive Pressure Switch Circuit Malfunction      |
| <b>Chrysler P1784</b> | A/T Additional L/R Pressure Switch Circuit Malfunction |
| <b>Chrysler P1787</b> | A/T Additional O/D Pressure Switch Circuit Malfunction |
| <b>Chrysler P1788</b> | A/T Additional 2/4 Pressure Switch Circuit Malfunction |
| <b>Chrysler P1789</b> | A/T Overdrive/2/4 Pressure Switch Circuit Malfunction  |
| <b>Chrysler P1790</b> | Fault Immediately After Shift                          |
| <b>Chrysler P1791</b> | A/T Loss Of Prime Malfunction                          |
| <b>Chrysler P1792</b> | Battery Was Disconnected                               |
| <b>Chrysler P1793</b> | Torque Management Request Circuit Malfunction          |
| <b>Chrysler P1794</b> | Speed Sensor Ground Error                              |
| <b>Chrysler P1795</b> | Transmission Control Module Internal Malfunction       |
| <b>Chrysler P1796</b> | A/T Additional AutoStick Input Circuit Malfunction     |
| <b>Chrysler P1797</b> | Manual Shift Overheat                                  |
| <b>Chrysler P1798</b> | A/T Transmission Fluid Is Burnt Or Contaminated        |
| <b>Chrysler P1799</b> | A/T Calculated Oil Temperature In Use Malfunction      |
| <b>Chrysler P1854</b> | Throttle Inlet Pressure BARO Reading Out Of Range      |
| <b>Chrysler P1861</b> | Siphon Line Disconnected                               |
| <b>Chrysler P1897</b> | PCM PROCESSOR                                          |



| CODES                 | DEFINITION                                                |
|-----------------------|-----------------------------------------------------------|
| <b>Chrysler P1899</b> | A/T Park Neutral Switch Stuck in Park Position or In Gear |
| <b>Chrysler P1915</b> | Transmission Inhibited Remote Start                       |
| <b>Chrysler P1B13</b> | Parkbywire Unintended Out Of Park Position                |
| <b>Chrysler P1B14</b> | Parkbywire Unintended Park Position                       |
| <b>Chrysler P1C4E</b> | Fault In ABS/ESP Module                                   |
| <b>Chrysler P1CF3</b> | Battery Temperature Sensor Out Of Range Low               |
| <b>Chrysler P1CF4</b> | Battery Temperature Sensor Out Of Range High              |
| <b>Chrysler P1D20</b> | Multi Module Handshake Failure                            |
| <b>Chrysler P1D25</b> | Shift Control Rationality                                 |
| <b>Chrysler P1D77</b> | Park Solenoid Range-Performance                           |
| <b>Chrysler P1D78</b> | Park Solenoid Circuit Low                                 |
| <b>Chrysler P1D79</b> | Park Solenoid Circuit High                                |
| <b>Chrysler P1D8A</b> | Park Pawl Solenoid Circuit Low                            |
| <b>Chrysler P1D8B</b> | Park Pawl Solenoid Circuit High                           |
| <b>Chrysler P1D8C</b> | Park Pawl Solenoid Circuit Open                           |
| <b>Chrysler P1D8D</b> | Park Sense Circuit Low                                    |
| <b>Chrysler P1D8E</b> | Park Sense Circuit High                                   |
| <b>Chrysler P1D8F</b> | Incorrect Gear Ratio Clutch 1 Defective                   |
| <b>Chrysler P1D90</b> | Incorrect Gear Ratio Clutch 2 Defective                   |
| <b>Chrysler P1D91</b> | Incorrect Gear Ratio Clutch 3 Defective                   |
| <b>Chrysler P1D92</b> | Incorrect Gear Ratio Clutch 4 Defective                   |
| <b>Chrysler P1D93</b> | Incorrect Gear Ratio Clutch 5 Defective                   |

| CODES                 | DEFINITION                                     |
|-----------------------|------------------------------------------------|
| <b>Chrysler P1D94</b> | TCM Internal SBW Calibration Mismatch          |
| <b>Chrysler P1D95</b> | TCM Clutch Failure Undetermined                |
| <b>Chrysler P1D96</b> | Incorrect Gear Ratio Clutch A Or B Defective   |
| <b>Chrysler P1D97</b> | Incorrect Gear Ratio Clutch A Or D Defective   |
| <b>Chrysler P1D98</b> | Incorrect Gear Ratio Clutch B Or D Defective   |
| <b>Chrysler P1D99</b> | Incorrect Gear Ratio Clutch B Or E Defective   |
| <b>Chrysler P1D9A</b> | Incorrect Gear Ratio Clutch C Or D Defective   |
| <b>Chrysler P1D9B</b> | Incorrect Gear Ratio: Clutch A Or E Defective  |
| <b>Chrysler P1D9C</b> | Incorrect Gear Ratio Clutch A Or C Defective   |
| <b>Chrysler P1D9D</b> | Incorrect Gear Ratio Clutch B Or C Defective   |
| <b>Chrysler P1D9E</b> | Incorrect Gear Ratio Clutch C Or E Defective   |
| <b>Chrysler P1D9F</b> | Incorrect Gear Ratio Clutch D Or E Defective   |
| <b>Chrysler P1DA0</b> | Incorrect Gear Ratio Clutch A B Or C Defective |
| <b>Chrysler P1DA1</b> | Incorrect Gear Ratio Clutch A B Or E Defective |
| <b>Chrysler P1DA2</b> | Incorrect Gear Ratio Clutch B C Or E Defective |
| <b>Chrysler P1DA3</b> | Incorrect Gear Ratio Clutch B D Or E Defective |
| <b>Chrysler P1DA4</b> | Incorrect Gear Ratio Clutch B C Or D Defective |
| <b>Chrysler P1DA5</b> | Incorrect Gear Ratio Clutch C D Or E Defective |
| <b>Chrysler P1DA6</b> | Incorrect Gear Ratio Clutch A C Or D Defective |
| <b>Chrysler P1DA7</b> | Incorrect Gear Ratio Clutch A D Or E Defective |
| <b>Chrysler P1DA8</b> | Incorrect Gear Ratio Clutch A B Or D Defective |
| <b>Chrysler P1DA9</b> | Transmission Fluid Temperature Rationality     |

| CODES                 | DEFINITION                                                       |
|-----------------------|------------------------------------------------------------------|
| <b>Chrysler P1DAA</b> | Trans Temp Undetermined                                          |
| <b>Chrysler P1DAB</b> | Vehicle Speed Undetermined                                       |
| <b>Chrysler P1DAC</b> | Engine Speed Undetermined                                        |
| <b>Chrysler P1DAD</b> | Input Shaft-Output Shaft Direction Correlation                   |
| <b>Chrysler P1DAE</b> | Position Valve Stuck 2nd Gear Trans Limp In                      |
| <b>Chrysler P1DAF</b> | Incompatible Limp In Action Requested                            |
| <b>Chrysler P1DB0</b> | Implausible Torque Request Signal Sent                           |
| <b>Chrysler P1DB1</b> | TCM System Voltage Excessively Low                               |
| <b>Chrysler P1DB2</b> | Actuator Supply Voltage A Circuit                                |
| <b>Chrysler P1DB3</b> | TCM ECU Reset-Recovery Occurred                                  |
| <b>Chrysler P1DB4</b> | Incorrect Gear Ratio During Gear Engagement Or In Gear           |
| <b>Chrysler P1DB5</b> | Incorrect Gear Ratio During Shift                                |
| <b>Chrysler P1DB6</b> | Vehicle Speed Signal Performance                                 |
| <b>Chrysler P1DB7</b> | Torque Converter Clutch Performance                              |
| <b>Chrysler P1DB8</b> | Unintended Torque Applied While In Neutral                       |
| <b>Chrysler P1DB9</b> | TCM ECU Reset Extended Low Voltage                               |
| <b>Chrysler P1DC6</b> | TCM Not Programmed                                               |
| <b>Chrysler P1DC7</b> | Clutch Temp Threshold Achieved Shift Time Reduction              |
| <b>Chrysler P1DC8</b> | Clutch Temp Threshold Achieved Autostick Inhibit                 |
| <b>Chrysler P1DC9</b> | Clutch Temp Threshold Achieved Skip Shift Down Inhibit           |
| <b>Chrysler P1DCA</b> | Park Sense Circuit Open                                          |
| <b>Chrysler P1DCD</b> | TCM Monitoring Processor Performance Multiple Clutches Locked Up |

| CODES                 | DEFINITION                                                                        |
|-----------------------|-----------------------------------------------------------------------------------|
| <b>Chrysler P1DCE</b> | TCM Monitoring Processor Performance Incorrect Driving Direction                  |
| <b>Chrysler P1DCF</b> | TCM Monitoring Processor Performance Unallowed Park Engagement Due To ABS Failure |
| <b>Chrysler P1DD0</b> | TCM Monitoring Processor Performance Unallowed Park Engagement                    |
| <b>Chrysler P1DD1</b> | Input-Turbine Speed Sensor 1 Gradient Fault                                       |
| <b>Chrysler P1DD2</b> | Torque Request Signal From TCM Denied                                             |
| <b>Chrysler P1DDC</b> | TCM Monitoring Processor Performance Unallowed Reverse Engagement                 |
| <b>Chrysler P1DDD</b> | TCM Monitoring Performance Unable To Disengage Drive Or Reverse                   |
| <b>Chrysler P1DDE</b> | Ignition Run-Start Input 1-2 Correlation                                          |
| <b>Chrysler P1DEB</b> | Incorrect Gear Displayed Due To Incorrect Gear Ratio                              |
| <b>Chrysler P1DF3</b> | ECU Not Initialized                                                               |
| <b>Chrysler P1DF7</b> | Actual Decrease Of Engine Torque Low                                              |
| <b>Chrysler P1DF8</b> | Actual Decrease Of Engine Torque High                                             |
| <b>Chrysler P1DF9</b> | Actual Increase Of Engine Torque Low                                              |
| <b>Chrysler P1DFA</b> | Actual Increase Of Engine Torque High                                             |
| <b>Chrysler P1E09</b> | Closed Loop Fueling Not Achieved - Bank 1 Downstream                              |
| <b>Chrysler P1E0A</b> | Closed Loop Fueling Not Achieved - Bank 2 Downstream                              |
| <b>Chrysler U1015</b> | Internal CAN A Communication Bus Off                                              |
| <b>Chrysler U103A</b> | CAN-At (Audio And Telematics) Bus                                                 |
| <b>Chrysler U103C</b> | KIN Communication                                                                 |
| <b>Chrysler U1045</b> | Lin 3 Bus                                                                         |

| CODES                 | DEFINITION                                                       |
|-----------------------|------------------------------------------------------------------|
| <b>Chrysler U1101</b> | Lost Communication With PTS Display - Rear 1                     |
| <b>Chrysler U1104</b> | CAN C Bus CRC Performance                                        |
| <b>Chrysler U1108</b> | Additional CAN B ECU Detected                                    |
| <b>Chrysler U1109</b> | Lost Communication With LIN Steering Wheel Controls              |
| <b>Chrysler U110A</b> | Lost Communication With SCM (SAS)                                |
| <b>Chrysler U110B</b> | Lost Engine Coolant Message                                      |
| <b>Chrysler U110C</b> | Lost Fuel Level Message                                          |
| <b>Chrysler U110D</b> | Lost Communication With Security Siren                           |
| <b>Chrysler U110E</b> | Lost Ambient Temperature Message                                 |
| <b>Chrysler U110F</b> | Lost Fuel Volume Message                                         |
| <b>Chrysler U1110</b> | Lost Vehicle Speed Message                                       |
| <b>Chrysler U1113</b> | Lost A/C Pressure Message                                        |
| <b>Chrysler U1114</b> | Lost Communication With Left Front Tire Pressure Trigger Module  |
| <b>Chrysler U1115</b> | Lost Communication With Right Front Tire Pressure Trigger Module |
| <b>Chrysler U1116</b> | Lost Communication With Left Rear Tire Pressure Trigger Module   |
| <b>Chrysler U1118</b> | Lost Engine Message                                              |
| <b>Chrysler U1119</b> | Lost FCM Message                                                 |
| <b>Chrysler U1120</b> | Lost Wheel Distance Message                                      |
| <b>Chrysler U112B</b> | Lost Communication With PTS Display - Front 1                    |
| <b>Chrysler U112D</b> | Lost Communication With EVIC Steering Wheel Switches             |
| <b>Chrysler U1132</b> | Lost Communication With Generator                                |

| CODES                 | DEFINITION                                               |
|-----------------------|----------------------------------------------------------|
| <b>Chrysler U113B</b> | Lost Communication With Switch Bank Module               |
| <b>Chrysler U113D</b> | Lost Communication With Master Power Window Switch       |
| <b>Chrysler U113E</b> | Lost Communication With Intelligent Battery Sensor       |
| <b>Chrysler U113F</b> | Lost Communication With Active Exhaust Valve 1           |
| <b>Chrysler U1140</b> | Lost Communication With Active Exhaust Valve 2           |
| <b>Chrysler U1141</b> | Lost ESP Torque Request Message                          |
| <b>Chrysler U1143</b> | Lost Communication With Power Sliding Door Module-Left   |
| <b>Chrysler U1144</b> | Lost Communication With Power Sliding Door Module-Right  |
| <b>Chrysler U1145</b> | Lost Communication With Keyless Go Security Module       |
| <b>Chrysler U1147</b> | Additional CAN Interior Bus ECU Detected                 |
| <b>Chrysler U1148</b> | Additional CAN C Bus ECU Detected                        |
| <b>Chrysler U1149</b> | Lost Communication With Multifunction Switch             |
| <b>Chrysler U1158</b> | Lost Communication With Satellite Video Receiver (SDARV) |
| <b>Chrysler U1169</b> | Lost Communication With Intrusion Sensor 1               |
| <b>Chrysler U1175</b> | Lost Ignition Status Message                             |
| <b>Chrysler U1176</b> | Lost Communication With Emergency Alert Module           |
| <b>Chrysler U1186</b> | Lost Communication With Adaptive Cruise Control Module   |
| <b>Chrysler U1190</b> | Lost Communication With Humidity Sensor                  |
| <b>Chrysler U1193</b> | Lost Communication With Driver Side Blind Spot Sensor    |
| <b>Chrysler U1194</b> | Lost Communication With Passenger Side Blind Spot Sensor |

| CODES                 | DEFINITION                                                                      |
|-----------------------|---------------------------------------------------------------------------------|
| <b>Chrysler U1197</b> | Security Seed Response Not Received From ECM/PCM                                |
| <b>Chrysler U119E</b> | Lost Communication W/Left-Pedestrian Protection Satellite Acceleration Sensor   |
| <b>Chrysler U119F</b> | Lost Communication W/Right Pedestrian Protection Satellite Acceleration Sensor  |
| <b>Chrysler U11A0</b> | Lost Communication W/Center-Pedestrian Protection Satellite Acceleration Sensor |
| <b>Chrysler U11A2</b> | Lost Communication With Passive Entry Module (PEM)                              |
| <b>Chrysler U11AD</b> | Lost Communication W/Left Side Satellite Impact Sensor 4                        |
| <b>Chrysler U11B0</b> | Lost Communication W/Right Side Satellite Impact Sensor 4                       |
| <b>Chrysler U11B8</b> | Lost Communication With Integrated Center Stack (ICS)                           |
| <b>Chrysler U11B9</b> | Lost Communication With RF Hub                                                  |
| <b>Chrysler U11BB</b> | Lost Communication With Video Routing Module                                    |
| <b>Chrysler U11BC</b> | Lost Brake Switch Message                                                       |
| <b>Chrysler U11C2</b> | Lost Transmission Message                                                       |
| <b>Chrysler U11C3</b> | ESM Lost Communication With TCM On D-PT CAN                                     |
| <b>Chrysler U11DE</b> | Lost Speed Control Message                                                      |
| <b>Chrysler U11E3</b> | TCM Lost Communication With ESM On DPT CAN                                      |
| <b>Chrysler U11E4</b> | CAN Communication Messages Missing                                              |
| <b>Chrysler U11E8</b> | Lost Communication With EPS Steering Torque Message                             |
| <b>Chrysler U11EA</b> | Lost Communication With Left B Pillar Impact Acceleration Sensor                |
| <b>Chrysler U11EB</b> | Lost Communication With Left C Pillar Impact Acceleration Sensor                |

| CODES                 | DEFINITION                                                          |
|-----------------------|---------------------------------------------------------------------|
| <b>Chrysler U11ED</b> | Lost Communication With Right B Pillar Impact Acceleration Sensor   |
| <b>Chrysler U11EE</b> | Lost Communication With Right C Pillar Impact Acceleration Sensor   |
| <b>Chrysler U11F0</b> | Lost Communication With Left Impact Pressure Sensor                 |
| <b>Chrysler U11F1</b> | Lost Communication With Right Impact Pressure Sensor                |
| <b>Chrysler U11F9</b> | Engine Did Not Respond To ACC Torque Request                        |
| <b>Chrysler U11FA</b> | Lost Communication With Right Blind Spot Sensor                     |
| <b>Chrysler U11FB</b> | Lost Communication With Left Blind Spot Sensor                      |
| <b>Chrysler U120C</b> | Lost Brake Booster Signal                                           |
| <b>Chrysler U120E</b> | Lost Communication With Comfort Seat And Wheel Module               |
| <b>Chrysler U1213</b> | Lost Communication With Left Door Track Impact Acceleration Sensor  |
| <b>Chrysler U1214</b> | Lost Communication With Right Door Track Impact Acceleration Sensor |
| <b>Chrysler U1215</b> | Lost Communication With Forward Facing Camera                       |
| <b>Chrysler U1216</b> | Lost Communication With DASM                                        |
| <b>Chrysler U121E</b> | Lost Communication With Steering Wheel Cruise Control Switch        |
| <b>Chrysler U1267</b> | No Valid Data From ESM On CAN-C Or CAN-DPT                          |
| <b>Chrysler U12A7</b> | Lost Communication With Display Screen Module                       |
| <b>Chrysler U12AE</b> | Lost Communication With Central Vision Processing Module            |
| <b>Chrysler U1400</b> | Implausible TPS Signal Received                                     |
| <b>Chrysler U1401</b> | Implausible Engine Speed Signal Received                            |



| CODES                 | DEFINITION                                          |
|-----------------------|-----------------------------------------------------|
| <b>Chrysler U1402</b> | Implausible Engine Temperature Signal Received      |
| <b>Chrysler U1403</b> | Implausible Fuel Level Signal Received              |
| <b>Chrysler U1404</b> | Implausible Static Engine Torque Signal Received    |
| <b>Chrysler U1405</b> | Implausible Minimum Engine Torque Signal Received   |
| <b>Chrysler U1406</b> | Implausible Maximum Engine Torque Signal Received   |
| <b>Chrysler U1407</b> | Implausible Engine Torque Request Signal Received   |
| <b>Chrysler U1408</b> | Implausible Brake Signal Received                   |
| <b>Chrysler U1409</b> | Implausible Left Front Wheel Speed Signal Received  |
| <b>Chrysler U140A</b> | Implausible Right Front Wheel Speed Signal Received |
| <b>Chrysler U140B</b> | Implausible Left Rear Wheel Speed Signal Received   |
| <b>Chrysler U140C</b> | Implausible Right Rear Wheel Speed Signal Received  |
| <b>Chrysler U140D</b> | Implausible Wheel Speed Signals Received            |
| <b>Chrysler U140E</b> | Implausible Vehicle Configuration Data Received     |
| <b>Chrysler U140F</b> | Implausible Engine Variant Data                     |
| <b>Chrysler U1410</b> | Implausible/Missing FCM Variant Data                |
| <b>Chrysler U1411</b> | Implausible Fuel Volume Signal Received             |
| <b>Chrysler U1412</b> | Implausible Vehicle Speed Signal Received           |
| <b>Chrysler U1414</b> | Implausible/Missing ECU Network Configuration Data  |
| <b>Chrysler U1415</b> | Implausible/Missing Vehicle Configuration Data      |
| <b>Chrysler U1416</b> | Implausible Security Siren Signal Received          |
| <b>Chrysler U1417</b> | Implausible Left Wheel Distance Signal Received     |
| <b>Chrysler U1418</b> | Implausible Right Wheel Distance Signal Received    |

| CODES                 | DEFINITION                                                           |
|-----------------------|----------------------------------------------------------------------|
| <b>Chrysler U1419</b> | Implausible Data Received From OCS Sensor 3 - Left Front             |
| <b>Chrysler U141A</b> | Implausible Data Received From OCS Sensor 2 - Right Front            |
| <b>Chrysler U141B</b> | Implausible Data Received From OCS Sensor 4 - Left Rear              |
| <b>Chrysler U141C</b> | Implausible Data Received From OCS Sensor 1 - Right Rear             |
| <b>Chrysler U141E</b> | Implausible Data Received From Cruise Control Switch                 |
| <b>Chrysler U1421</b> | Implausible Ignition Key Off Time Received                           |
| <b>Chrysler U1424</b> | Implausible Engine Torque Signal Received                            |
| <b>Chrysler U1427</b> | Implausible Data Received From Telematics Gateway                    |
| <b>Chrysler U142A</b> | Implausible PRNDL Signal Received                                    |
| <b>Chrysler U1430</b> | Implausible Data Received From Comfort Seat And Wheel Module         |
| <b>Chrysler U1431</b> | Implausible ACC Torque Message Received                              |
| <b>Chrysler U1438</b> | ABS Module-Implausible Vehicle Configuration Received                |
| <b>Chrysler U1445</b> | Implausible Data Received From Display Screen Module                 |
| <b>Chrysler U1446</b> | Implausible Heated Steering Wheel Temperature Message Received (CCN) |
| <b>Chrysler U1447</b> | Implausible Data Received From SCM                                   |
| <b>Chrysler U1450</b> | Implausible DTCM Torque Message Received                             |
| <b>Chrysler U1454</b> | Implausible Data Received From The Gated Park Switch                 |
| <b>Chrysler U145D</b> | Implausible Data Received From TCM On D-PT                           |
| <b>Chrysler U145E</b> | Implausible Police Configuration                                     |
| <b>Chrysler U1461</b> | Implausible Data Received From ESM On DPT                            |

| CODES                 | DEFINITION                                                  |
|-----------------------|-------------------------------------------------------------|
| <b>Chrysler U1464</b> | Implausible Data Received From EPS Steering Torque          |
| <b>Chrysler U1465</b> | Implausible Driver Shift Request Signal Received            |
| <b>Chrysler U1466</b> | Implausible Driver Shift Request Signal Received On DPT CAN |
| <b>Chrysler U1467</b> | Implausible Driver Shift Request Signal Received On CAN And |
| <b>Chrysler U1469</b> | Implausible Gear Shift Position Signal Sent DPT CAN-CAN     |
| <b>Chrysler U1477</b> | Implausible Paddle Shifter Data Received                    |
| <b>Chrysler U1479</b> | Implausible Data Received From Shifter Mechanical Failure   |
| <b>Chrysler U147D</b> | Implausible Data Received From Right Blind Spot Sensor      |
| <b>Chrysler U147E</b> | Implausible Data Received From Left Blind Spot Sensor       |
| <b>Chrysler U1480</b> | Implausible Data Received From Integrated Center Stack      |
| <b>Chrysler U1489</b> | Implausible Data Received From RF Hub                       |
| <b>Chrysler U148D</b> | Implausible Data Received From Forward Facing Camera        |
| <b>Chrysler U1501</b> | Implausible Message Data Length Received From PCM           |
| <b>Chrysler U1502</b> | Implausible Message Data Length Received From TCM           |
| <b>Chrysler U1505</b> | Implausible Message Data Length Received From FDCM          |
| <b>Chrysler U1507</b> | Implausible Engine Temperature Message Data Length Received |
| <b>Chrysler U1508</b> | Implausible Message Data Length Received From ESM           |
| <b>Chrysler U1509</b> | Implausible Engine Variant Message Data Length Received     |
| <b>Chrysler U150A</b> | Implausible FCM Variant Message Data Length Received        |
| <b>Chrysler U1600</b> | ECU Application Software Mismatch                           |

| CODES                 | DEFINITION                                                 |
|-----------------------|------------------------------------------------------------|
| <b>Chrysler U1601</b> | ECU Application Software Code 1 Missing Or Corrupted       |
| <b>Chrysler U1606</b> | ECU Application Software Data 1 Missing Or Corrupted       |
| <b>Chrysler U1607</b> | ECU Application Software Data 2 Missing Or Corrupted       |
| <b>Chrysler U1608</b> | ECU Application Software Data 3 Missing Or Corrupted       |
| <b>Chrysler U160B</b> | ECU Boot Software 1 Missing Or Corrupted                   |
| <b>Dodge B1000</b>    | A/C Switch Request Input Circuit/Performance               |
| <b>Dodge B1001</b>    | A/C Switch Request Input Circuit Low                       |
| <b>Dodge B1003</b>    | Panel Mode Switch Request Input Circuit/Performance        |
| <b>Dodge B1006</b>    | BI-Level Mode Switch Request Input Circuit/Performance     |
| <b>Dodge B1009</b>    | Recirculation Switch Request Input Circuit/Performance     |
| <b>Dodge B100C</b>    | Floor Mode Switch Request Input Circuit/Performance        |
| <b>Dodge B100F</b>    | Mix Switch Request Input Circuit/Performance               |
| <b>Dodge B1012</b>    | Defrost Switch Request Input Circuit/Performance           |
| <b>Dodge B1015</b>    | Rear Defrost Switch Request Input Circuit/Performance      |
| <b>Dodge B1016</b>    | Rear Defrost Switch Request Input Circuit Low              |
| <b>Dodge B101E</b>    | Power On/Off Switch Request Input Circuit/Performance      |
| <b>Dodge B1021</b>    | Blower Speed Up Switch Request Input Circuit/Performance   |
| <b>Dodge B1024</b>    | Blower Speed Down Switch Request Input Circuit/Performance |
| <b>Dodge B1028</b>    | Rear Blower Control Request Input Circuit Low              |
| <b>Dodge B1029</b>    | Rear Blower Control Request Input High                     |
| <b>Dodge B102E</b>    | Rear Blend Request Input Circuit Low                       |

| CODES              | DEFINITION                                     |
|--------------------|------------------------------------------------|
| <b>Dodge B102F</b> | Rear Blend Request Input Circuit High          |
| <b>Dodge B1031</b> | Evaporator Temperature Sensor Circuit Low      |
| <b>Dodge B1032</b> | Evaporator Temperature Sensor Circuit High     |
| <b>Dodge B1034</b> | Infrared Temperature Sensor Input Circuit Low  |
| <b>Dodge B1035</b> | Infrared Temperature Sensor Input Circuit High |
| <b>Dodge B1037</b> | Auto Switch Request Input Circuit Performance  |
| <b>Dodge B103A</b> | Rear Mode Door Control Circuit/Performance     |
| <b>Dodge B103D</b> | Rear Mode Door Control Circuit Open            |
| <b>Dodge B103E</b> | Rear Mode Door Travel Range Too Small          |
| <b>Dodge B103F</b> | Rear Mode Door Travel Range Too Large          |
| <b>Dodge B1040</b> | Panel Mode Door 1 Control Circuit/Performance  |
| <b>Dodge B1041</b> | Panel Mode Door 1 Control Circuit Low          |
| <b>Dodge B1042</b> | Panel Mode Door 1 Control Circuit High         |
| <b>Dodge B1043</b> | Panel Mode Door 1 Control Circuit Open         |
| <b>Dodge B1044</b> | Panel Mode Door 1 Travel Range Too Small       |
| <b>Dodge B1045</b> | Panel Mode Door 1 Travel Range Too Large       |
| <b>Dodge B1047</b> | Floor/Defrost Mode Door Control Circuit Low    |
| <b>Dodge B1048</b> | Floor/Defrost Mode Door Control Circuit High   |
| <b>Dodge B1049</b> | Floor/Defrost Mode Door Control Circuit Open   |
| <b>Dodge B104A</b> | Floor/Defrost Mode Door Travel Range Too Small |
| <b>Dodge B104B</b> | Floor/Defrost Mode Door Travel Range Too Large |
| <b>Dodge B104C</b> | Blend Door Control Circuit/Performance         |

| CODES              | DEFINITION                                             |
|--------------------|--------------------------------------------------------|
| <b>Dodge B104D</b> | Blend Door Control Circuit Low                         |
| <b>Dodge B104E</b> | Blend Door Control Circuit High                        |
| <b>Dodge B104F</b> | Blend Door Control Circuit Open                        |
| <b>Dodge B1050</b> | Blend Door Travel Range Too Small                      |
| <b>Dodge B1051</b> | Blend Door Travel Range Too Large                      |
| <b>Dodge B1052</b> | Rear Blend Door Control Circuit/Performance            |
| <b>Dodge B1055</b> | Rear Blend Door Control Circuit Open                   |
| <b>Dodge B1056</b> | Rear Blend Door Travel Range Too Small                 |
| <b>Dodge B1057</b> | Rear Blend Door Travel Range Too Large                 |
| <b>Dodge B1058</b> | Recirculation Door Control Circuit/Performance         |
| <b>Dodge B1059</b> | Recirculation Door Control Circuit Low                 |
| <b>Dodge B105A</b> | Recirculation Door Control Circuit High                |
| <b>Dodge B105B</b> | Recirculation Door Control Circuit Open                |
| <b>Dodge B105C</b> | Recirculation Door Travel Range Too Small              |
| <b>Dodge B105D</b> | Recirculation Door Travel Range Too Large              |
| <b>Dodge B105F</b> | Climate Control Motor(s) Common 1 Control Circuit Low  |
| <b>Dodge B1060</b> | Climate Control Motor(s) Common 1 Control Circuit High |
| <b>Dodge B1061</b> | Climate Control Motor(s) Common 1 Control Circuit Open |
| <b>Dodge B106B</b> | Rear Defrost Control Circuit Low                       |
| <b>Dodge B106C</b> | Rear Defrost Control Circuit High                      |
| <b>Dodge B106D</b> | Rear Defrost Control Circuit Open                      |
| <b>Dodge B1078</b> | Rear Blower Control Circuit Open                       |

| CODES              | DEFINITION                                         |
|--------------------|----------------------------------------------------|
| <b>Dodge B1079</b> | Climate Control Cool Down Test Excessive Time      |
| <b>Dodge B1084</b> | Left Heated Seat Switch Input Circuit Performance  |
| <b>Dodge B1087</b> | Right Heated Seat Switch Input Circuit Performance |
| <b>Dodge B1092</b> | Front Left Seat Heater Control Circuit Low         |
| <b>Dodge B1094</b> | Front Left Seat Heater Control Circuit Open        |
| <b>Dodge B1096</b> | Front Right Seat Heater Control Circuit Low        |
| <b>Dodge B1098</b> | Front Right Seat Heater Control Circuit Open       |
| <b>Dodge B10A2</b> | Left Blend Door 1 Control Circuit/Performance      |
| <b>Dodge B10A5</b> | Left Blend Door Control Circuit Open               |
| <b>Dodge B10A6</b> | Left Blend Door Travel Too Small                   |
| <b>Dodge B10A7</b> | Left Blend Door Travel Too Large                   |
| <b>Dodge B10A8</b> | Left Blend Door Actuator Performance               |
| <b>Dodge B10AC</b> | Right Blend Door Control Circuit Open              |
| <b>Dodge B10AD</b> | Right Blend Door Travel Too Small                  |
| <b>Dodge B10AE</b> | Right Blend Door Travel Too Large                  |
| <b>Dodge B10AF</b> | Right Blend Door Actuator Performance              |
| <b>Dodge B10B2</b> | A/C Cool Down Test Performance                     |
| <b>Dodge B10B4</b> | Cabin Heater 1 Control Circuit Low                 |
| <b>Dodge B10B5</b> | Cabin Heater 1 Control Circuit High                |
| <b>Dodge B10B6</b> | Cabin Heater 1 Control Circuit Open                |
| <b>Dodge B10B8</b> | Cabin Heater 2 Control Circuit Low                 |
| <b>Dodge B10B9</b> | Cabin Heater 2 Control Circuit High                |

| CODES              | DEFINITION                                   |
|--------------------|----------------------------------------------|
| <b>Dodge B10BA</b> | Cabin Heater 2 Control Circuit Open          |
| <b>Dodge B10BB</b> | Left Heated Seat Switch Input Circuit Stuck  |
| <b>Dodge B10BC</b> | Right Heated Seat Switch Input Circuit Stuck |
| <b>Dodge B10BE</b> | Condenser Fan Control Circuit Low            |
| <b>Dodge B10BF</b> | Condenser Fan Control Circuit High           |
| <b>Dodge B10C0</b> | Condenser Fan Control Circuit Open           |
| <b>Dodge B10E9</b> | Blower Motor Control Circuit Low             |
| <b>Dodge B10EA</b> | Blower Motor Control Circuit High            |
| <b>Dodge B10EC</b> | Blower Motor Control Circuit Overcurrent     |
| <b>Dodge B10ED</b> | Rear Defrost Control Circuit Overcurrent     |
| <b>Dodge B10EE</b> | Condenser Fan Control Circuit Overcurrent    |
| <b>Dodge B1138</b> | Cabin Heater 3 Control Circuit Low           |
| <b>Dodge B1139</b> | Cabin Heater 3 Control Circuit High          |
| <b>Dodge B113D</b> | Rear Mode Request Low                        |
| <b>Dodge B113E</b> | Rear Mode Request High                       |
| <b>Dodge B113F</b> | Rear Power On/Off Switch Performance         |
| <b>Dodge B1140</b> | Rear Power Lock Out Switch Performance       |
| <b>Dodge B1141</b> | Climate Sync Switch Performance              |
| <b>Dodge B1142</b> | Mode Up Switch Performance                   |
| <b>Dodge B1143</b> | Mode Down Switch Performance                 |
| <b>Dodge B1144</b> | Rear Mode Up Switch Performance              |
| <b>Dodge B1145</b> | Rear Mode Down Switch Performance            |



| CODES              | DEFINITION                                                |
|--------------------|-----------------------------------------------------------|
| <b>Dodge B1146</b> | Rear Blower Up Switch Performance                         |
| <b>Dodge B1147</b> | Rear Blower Down Switch Performance                       |
| <b>Dodge B114C</b> | Left Rear Heated Seat Switch Stuck                        |
| <b>Dodge B1151</b> | Right Rear Heated Seat Switch Stuck                       |
| <b>Dodge B1153</b> | Left Rear Heated Seat Switch Supply Voltage Circuit Low   |
| <b>Dodge B1154</b> | Left Rear Heated Seat Switch Supply Voltage Circuit High  |
| <b>Dodge B1156</b> | Right Rear Heated Seat Switch Supply Voltage Circuit Low  |
| <b>Dodge B1157</b> | Right Rear Heated Seat Switch Supply Voltage Circuit High |
| <b>Dodge B11C3</b> | Front Mode Door 1 Travel Range Too Small                  |
| <b>Dodge B11C4</b> | Front Mode Door 1 Travel Range Too Large                  |
| <b>Dodge B11C9</b> | Right Temperature Door Travel Too Small                   |
| <b>Dodge B11CA</b> | Right Temperature Door Travel Too Large                   |
| <b>Dodge B11CC</b> | Main/Left Temperature Door Travel Too Small               |
| <b>Dodge B11CD</b> | Main/Left Temperature Door Travel Too Large               |
| <b>Dodge B11CF</b> | Rear Temperature Door Travel Range Too Small              |
| <b>Dodge B11D0</b> | Rear Temperature Door Travel Range Too Large              |
| <b>Dodge B11D3</b> | A/C Cooldown Test Performance - Compressor Not Engaged    |
| <b>Dodge B11D5</b> | A/C Cool Down Test Performance - EVAP Temp Sensor Error   |
| <b>Dodge B11E7</b> | HVAC Switch Bank Disconnected                             |
| <b>Dodge B11ED</b> | Rear Blower Control Circuit Overcurrent                   |
| <b>Dodge B1200</b> | Airbag Warning Indicator Circuit Low                      |

| CODES              | DEFINITION                                               |
|--------------------|----------------------------------------------------------|
| <b>Dodge B1201</b> | Airbag Warning Indicator Circuit High                    |
| <b>Dodge B1204</b> | Passenger Airbag Indicator Circuit Low                   |
| <b>Dodge B1205</b> | Passenger Airbag Indicator Circuit High                  |
| <b>Dodge B1206</b> | Passenger Airbag Indicator Circuit Open                  |
| <b>Dodge B123F</b> | Menu Switch Stuck                                        |
| <b>Dodge B1263</b> | Compass Magnetic Field Performance                       |
| <b>Dodge B1267</b> | Left Rear Heated Seat Lo Indicator Control Circuit Low   |
| <b>Dodge B1268</b> | Left Rear Heated Seat Lo Indicator Control Circuit High  |
| <b>Dodge B126B</b> | Right Rear Heated Seat Lo Indicator Control Circuit Low  |
| <b>Dodge B126C</b> | Right Rear Heated Seat Lo Indicator Control Circuit High |
| <b>Dodge B126F</b> | Left Heated Seat Hi Indicator Control Circuit Low        |
| <b>Dodge B1270</b> | Left Rear Heated Seat Hi Indicator Control Circuit High  |
| <b>Dodge B1273</b> | Right Rear Heated Seat Hi Indicator Control Circuit Low  |
| <b>Dodge B1274</b> | Right Rear Heated Seat Hi Indicator Control Circuit High |
| <b>Dodge B127A</b> | Compass Performace                                       |
| <b>Dodge B1285</b> | Park Assist Disable Switch Performance                   |
| <b>Dodge B1286</b> | Compass / Temp Button Performance                        |
| <b>Dodge B1287</b> | Reset Switch Performance                                 |
| <b>Dodge B1288</b> | Trip / Toggle Switch Performance                         |
| <b>Dodge B129A</b> | Driver Blind Spot Sensor - Incompatible Version          |
| <b>Dodge B129B</b> | Passenger Blind Spot Sensor - Incompatible Version       |
| <b>Dodge B129C</b> | Economy Mode Switch Stuck                                |

| CODES              | DEFINITION                                          |
|--------------------|-----------------------------------------------------|
| <b>Dodge B1401</b> | Front Left Audio Speaker Output Circuit Low         |
| <b>Dodge B1402</b> | Front Left Audio Speaker Output Circuit High        |
| <b>Dodge B1403</b> | Front Left Audio Speaker Output Circuit Open        |
| <b>Dodge B1405</b> | Front Right Audio Speaker Output Circuit Low        |
| <b>Dodge B1406</b> | Front Right Audio Speaker Output Circuit High       |
| <b>Dodge B1407</b> | Front Right Audio Speaker Output Circuit Open       |
| <b>Dodge B1409</b> | Rear Left Audio Speaker Output Circuit Low - Base   |
| <b>Dodge B140A</b> | Rear Left Audio Speaker Output Circuit High - Base  |
| <b>Dodge B140B</b> | Rear Left Audio Speaker Output Circuit Open - Base  |
| <b>Dodge B140D</b> | Rear Right Audio Speaker Output Circuit Low - Base  |
| <b>Dodge B140E</b> | Rear Right Audio Speaker Output Circuit High - Base |
| <b>Dodge B140F</b> | Rear Right Audio Speaker Output Circuit Open - Base |
| <b>Dodge B1421</b> | Audio CD Read Error/Inoperable Disc                 |
| <b>Dodge B1422</b> | Audio DVD Read Error/Inoperable Disc                |
| <b>Dodge B1423</b> | VES DVD Read Error/Inoperable Disc                  |
| <b>Dodge B1424</b> | Improper DVD-Wrong Region                           |
| <b>Dodge B1427</b> | Remote Radio Switch Input Circuit High              |
| <b>Dodge B1428</b> | Remote Radio Switch Input Circuit Stuck             |
| <b>Dodge B1429</b> | Radio Display High Temperature                      |
| <b>Dodge B142A</b> | Radio Unit High Temperature                         |
| <b>Dodge B142B</b> | VES Unit High Temperature                           |
| <b>Dodge B142D</b> | Audio Antenna Not Connected                         |

| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Dodge B142E</b> | GPS Antenna Not Connected                               |
| <b>Dodge B142F</b> | Satellite Radio Antenna Not Connected                   |
| <b>Dodge B1430</b> | (2.5)-Satellite Radio Antenna Internal Performance      |
| <b>Dodge B1431</b> | Bluetooth Antenna Internal Performance                  |
| <b>Dodge B143A</b> | Microphone 1 Circuit Performance                        |
| <b>Dodge B143B</b> | Microphone 1 Circuit Low                                |
| <b>Dodge B143C</b> | Microphone 1 Circuit High                               |
| <b>Dodge B143D</b> | Microphone 2 Circuit Performance                        |
| <b>Dodge B143E</b> | Microphone 2 Circuit Low                                |
| <b>Dodge B143F</b> | Microphone 2 Circuit High                               |
| <b>Dodge B1440</b> | VES Power Input Button Stuck                            |
| <b>Dodge B1441</b> | VES Eject Input Button Stuck                            |
| <b>Dodge B1442</b> | VES Menu Input Button Stuck                             |
| <b>Dodge B1446</b> | VES Stop Input Button Stuck                             |
| <b>Dodge B1448</b> | VES Enter Input Button Stuck                            |
| <b>Dodge B1460</b> | Channel 1 Audio Speaker Output Circuit Performance      |
| <b>Dodge B1461</b> | Channel 1 Audio Speaker Output Circuit Low              |
| <b>Dodge B1462</b> | Channel 1 Audio Speaker Output Circuit High             |
| <b>Dodge B1463</b> | Channel 1 Audio Speaker Output Circuit Open             |
| <b>Dodge B1464</b> | Channel 1 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B1465</b> | Channel 2 Audio Speaker Output Circuit Performance      |
| <b>Dodge B1466</b> | Channel 2 Audio Speaker Output Circuit Low              |

| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Dodge B1467</b> | Channel 2 Audio Speaker Output Circuit High             |
| <b>Dodge B1468</b> | Channel 2 Audio Speaker Output Circuit Open             |
| <b>Dodge B1469</b> | Channel 2 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B146A</b> | Channel 3 Audio Speaker Output Circuit Performance      |
| <b>Dodge B146B</b> | Channel 3 Audio Speaker Output Circuit Low              |
| <b>Dodge B146C</b> | Channel 3 Audio Speaker Output Circuit High             |
| <b>Dodge B146D</b> | Channel 3 Audio Speaker Output Circuit Open             |
| <b>Dodge B146E</b> | Channel 3 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B146F</b> | Channel 4 Audio Speaker Output Circuit Performance      |
| <b>Dodge B1470</b> | Channel 4 Audio Speaker Output Circuit Low              |
| <b>Dodge B1471</b> | Channel 4 Audio Speaker Output Circuit High             |
| <b>Dodge B1472</b> | Channel 4 Audio Speaker Output Circuit Open             |
| <b>Dodge B1473</b> | Channel 4 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B1474</b> | Channel 5 Audio Speaker Output Circuit Performance      |
| <b>Dodge B1475</b> | Channel 5 Audio Speaker Output Circuit Low              |
| <b>Dodge B1476</b> | Channel 5 Audio Speaker Output Circuit High             |
| <b>Dodge B1477</b> | Channel 5 Audio Speaker Output Circuit Open             |
| <b>Dodge B1478</b> | Channel 5 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B1479</b> | Channel 6 Audio Speaker Output Circuit Performance      |
| <b>Dodge B147A</b> | Channel 6 Audio Speaker Output Circuit Low              |

| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Dodge B147B</b> | Channel 6 Audio Speaker Output Circuit High             |
| <b>Dodge B147C</b> | Channel 6 Audio Speaker Output Circuit Open             |
| <b>Dodge B147D</b> | Channel 6 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B147E</b> | Channel 7 Audio Speaker Output Circuit Performance      |
| <b>Dodge B147F</b> | Channel 7 Audio Speaker Output Circuit Low              |
| <b>Dodge B1480</b> | Channel 7 Audio Speaker Output Circuit High             |
| <b>Dodge B1481</b> | Channel 7 Audio Speaker Output Circuit Open             |
| <b>Dodge B1482</b> | Channel 7 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B1483</b> | Channel 8 Audio Speaker Output Circuit Performance      |
| <b>Dodge B1484</b> | Channel 8 Audio Speaker Output Circuit Low              |
| <b>Dodge B1485</b> | Channel 8 Audio Speaker Output Circuit High             |
| <b>Dodge B1486</b> | Channel 8 Audio Speaker Output Circuit Open             |
| <b>Dodge B1487</b> | Channel 8 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B1488</b> | Cabin EQ Mismatch Performance                           |
| <b>Dodge B1492</b> | General Microphone Performance                          |
| <b>Dodge B14B7</b> | Microphone 1 Circuit Open                               |
| <b>Dodge B14B8</b> | Microphone 2 Circuit Open                               |
| <b>Dodge B14B9</b> | Channel 9 Audio Speaker Output Circuit Performance      |
| <b>Dodge B14BA</b> | Channel 9 Audio Speaker Output Circuit Low              |
| <b>Dodge B14BB</b> | Channel 9 Audio Speaker Output Circuit High             |
| <b>Dodge B14BC</b> | Channel 9 Audio Speaker Output Circuit Open             |

| CODES              | DEFINITION                                               |
|--------------------|----------------------------------------------------------|
| <b>Dodge B14BD</b> | Channel 9 Audio Speaker Output Circuit Shorted Together  |
| <b>Dodge B14BE</b> | Channel 10 Audio Speaker Output Circuit Performance      |
| <b>Dodge B14BF</b> | Channel 10 Audio Speaker Output Circuit Low              |
| <b>Dodge B14C0</b> | Channel 10 Audio Speaker Output Circuit High             |
| <b>Dodge B14C1</b> | Channel 10 Audio Speaker Output Circuit Open             |
| <b>Dodge B14C2</b> | Channel 10 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B14C3</b> | Channel 11 Audio Speaker Output Circuit Performance      |
| <b>Dodge B14C4</b> | Channel 11 Audio Speaker Output Circuit Low              |
| <b>Dodge B14C5</b> | Channel 11 Audio Speaker Output Circuit High             |
| <b>Dodge B14C6</b> | Channel 11 Audio Speaker Output Circuit Open             |
| <b>Dodge B14C7</b> | Channel 11 Audio Speaker Output Circuit Shorted Together |
| <b>Dodge B14CE</b> | VES Brightness Up Input Button Stuck                     |
| <b>Dodge B14CF</b> | VES Brightness Down Input Button Stuck                   |
| <b>Dodge B14DF</b> | DVD Player Region Configure Mismatch                     |
| <b>Dodge B14E0</b> | Channel 1 Video Continuity                               |
| <b>Dodge B1502</b> | Steering Wheel Control Down Switch Performance           |
| <b>Dodge B1503</b> | Steering Wheel Control Right Switch Performance          |
| <b>Dodge B1504</b> | Left Steering Wheel Control Switch Circuit               |
| <b>Dodge B1539</b> | Satellite Video Antenna Performance (Not Connected)      |
| <b>Dodge B153F</b> | VES/DVD Play Input Button Stuck                          |
| <b>Dodge B1540</b> | VES/DVD Pause Input Button Stuck                         |

| CODES              | DEFINITION                                                     |
|--------------------|----------------------------------------------------------------|
| <b>Dodge B1541</b> | VES/DVD Rewind Input Button Stuck                              |
| <b>Dodge B1542</b> | VES/DVD FFW Input Button Stuck                                 |
| <b>Dodge B1543</b> | VES/DVD Next Input Button Stuck                                |
| <b>Dodge B1544</b> | VES/DVD Prev Input Button Stuck                                |
| <b>Dodge B1545</b> | VES/DVD Remote Lock Input Button Stuck                         |
| <b>Dodge B1546</b> | VES/DVD Headphone Mute Input Button Stuck                      |
| <b>Dodge B156B</b> | Satellite Radio Antenna Circuit                                |
| <b>Dodge B156D</b> | Low Voltage Differential Signal LVDS Video Cable               |
| <b>Dodge B156F</b> | WiFi Antenna                                                   |
| <b>Dodge B1570</b> | USB Communication                                              |
| <b>Dodge B1571</b> | Low Voltage Differential Signal (LVDS) Video Cable - Passenger |
| <b>Dodge B1572</b> | CD/DVD Read Error - Inoperable Disc                            |
| <b>Dodge B157B</b> | Satellite Region Mismatch - US/Canada                          |
| <b>Dodge B157C</b> | Satellite Region Mismatch - Rest Of World                      |
| <b>Dodge B157E</b> | Touch Screen Locked                                            |
| <b>Dodge B1600</b> | Left Solar Sensor Circuit/Performance                          |
| <b>Dodge B1601</b> | Left Solar Sensor Circuit Low                                  |
| <b>Dodge B1602</b> | Left Solar Sensor Circuit High                                 |
| <b>Dodge B1604</b> | Right Solar Sensor Circuit Low                                 |
| <b>Dodge B1605</b> | Right Solar Sensor Circuit High                                |
| <b>Dodge B1607</b> | Headlamp Switch Input Circuit Low                              |
| <b>Dodge B1608</b> | Headlamp Switch Input Circuit High                             |



| CODES              | DEFINITION                                                |
|--------------------|-----------------------------------------------------------|
| <b>Dodge B160A</b> | Panel Dimmer Input Circuit Low                            |
| <b>Dodge B160B</b> | Panel Dimmer Input Circuit High                           |
| <b>Dodge B160F</b> | Twilight/Ambient Light Sensor 1 Input Circuit/Performance |
| <b>Dodge B1610</b> | Ambient Light Sensor 1 Input Circuit Low                  |
| <b>Dodge B1611</b> | Ambient Light Sensor 1 Input Circuit High                 |
| <b>Dodge B1612</b> | Panel Illumination Control                                |
| <b>Dodge B1613</b> | Panel Illumination Control Circuit Low                    |
| <b>Dodge B1614</b> | Panel Illumination Control Circuit High                   |
| <b>Dodge B1615</b> | Panel Illumination Control Circuit Open                   |
| <b>Dodge B161A</b> | Courtesy/Dome Lamp Control Circuit                        |
| <b>Dodge B161B</b> | Courtesy/Dome Lamp Control Circuit Low                    |
| <b>Dodge B161E</b> | Reading Lamp Control Circuit                              |
| <b>Dodge B161F</b> | Reading Lamp Control Circuit Low                          |
| <b>Dodge B162B</b> | Left Low Beam Control Circuit Low                         |
| <b>Dodge B162C</b> | Left Low Beam Control Circuit High                        |
| <b>Dodge B162F</b> | Right Low Beam Control Circuit Low                        |
| <b>Dodge B1630</b> | Right Low Beam Control Circuit High                       |
| <b>Dodge B1633</b> | Left Hi Beam Control Circuit Low                          |
| <b>Dodge B1634</b> | Left Hi Beam Control Circuit High                         |
| <b>Dodge B1637</b> | Right Hi Beam Control Circuit Low                         |
| <b>Dodge B1638</b> | Right Hi Beam Control Circuit High                        |
| <b>Dodge B163B</b> | Front Left Turn Lamp Control Circuit Low                  |

| CODES              | DEFINITION                                       |
|--------------------|--------------------------------------------------|
| <b>Dodge B163C</b> | Front Left Turn Lamp Control Circuit High        |
| <b>Dodge B163F</b> | Front Right Turn Lamp Control Circuit Low        |
| <b>Dodge B1640</b> | Front Right Turn Lamp Control Circuit High       |
| <b>Dodge B1643</b> | Rear Left Turn Lamp Control Circuit Low          |
| <b>Dodge B1644</b> | Rear Left Turn Lamp Control Circuit High         |
| <b>Dodge B1647</b> | Rear Right Turn Lamp Control Circuit Low         |
| <b>Dodge B1648</b> | Rear Right Turn Lamp Control Circuit High        |
| <b>Dodge B164B</b> | Driver Mirror Signal Lamp Control Circuit Low    |
| <b>Dodge B164F</b> | Passenger Mirror Signal Lamp Control Circuit Low |
| <b>Dodge B1659</b> | Front Fog Lamp Control Circuit Low               |
| <b>Dodge B165C</b> | Park Lamp Control Circuit Low                    |
| <b>Dodge B165D</b> | Park Lamp Control Circuit High                   |
| <b>Dodge B1660</b> | Front Fog Lamp Control Circuit High              |
| <b>Dodge B1661</b> | Front Fog Lamp Control Circuit Open              |
| <b>Dodge B1663</b> | Rear Fog Lamp Control Circuit Low                |
| <b>Dodge B1664</b> | Rear Fog Lamp Control Circuit High               |
| <b>Dodge B1667</b> | Reverse Lamp Control Circuit Low                 |
| <b>Dodge B1668</b> | Reverse Lamp Control Circuit High                |
| <b>Dodge B1669</b> | Reverse Lamp Control Circuit Open                |
| <b>Dodge B166B</b> | Left Trailer Tow Lamp Control Circuit Low        |
| <b>Dodge B166C</b> | Left Trailer Tow Lamp Control Circuit High       |
| <b>Dodge B166F</b> | Right Trailer Tow Lamp Control Circuit Low       |

| CODES              | DEFINITION                                                |
|--------------------|-----------------------------------------------------------|
| <b>Dodge B1670</b> | Right Trailer Tow Lamp Control Circuit High               |
| <b>Dodge B1673</b> | Driver Courtesy Lamp Control Circuit Low                  |
| <b>Dodge B1674</b> | Driver Courtesy Lamp Control Circuit High                 |
| <b>Dodge B1677</b> | Passenger Courtesy Lamp Control Circuit Low               |
| <b>Dodge B1678</b> | Passenger Courtesy Lamp Control Circuit High              |
| <b>Dodge B167D</b> | Front Headlamp Leveling Sensor Circuit Performance        |
| <b>Dodge B1681</b> | Rear Headlamp Leveling Sensor Circuit Performance         |
| <b>Dodge B1684</b> | Left Headlamp Leveling Motor Control                      |
| <b>Dodge B1685</b> | Left Headlamp Leveling Motor Control Circuit Performance  |
| <b>Dodge B1689</b> | Right Headlamp Leveling Motor Control                     |
| <b>Dodge B168A</b> | Right Headlamp Leveling Motor Control Circuit Performance |
| <b>Dodge B168F</b> | Front Fog Lamp Switch Circuit Stuck                       |
| <b>Dodge B1693</b> | Accessory Dimming Control Circuit Low                     |
| <b>Dodge B1694</b> | Accessory Dimming Control Circuit High                    |
| <b>Dodge B16A4</b> | Passenger Window Switch Backlighting Circuit Low          |
| <b>Dodge B16A5</b> | Passenger Window Switch Backlighting Circuit High         |
| <b>Dodge B16A7</b> | High Beam Camera Alignment Performance - Left             |
| <b>Dodge B16A8</b> | High Beam Camera Alignment Performance - Right            |
| <b>Dodge B16A9</b> | High Beam Camera Alignment Performance - Top              |
| <b>Dodge B16AA</b> | High Beam Camera Alignment Performance - Bottom           |
| <b>Dodge B16AB</b> | Trunk Lamp Control Circuit                                |

| CODES              | DEFINITION                                        |
|--------------------|---------------------------------------------------|
| <b>Dodge B16B1</b> | Left Stop Lamp Control Circuit High               |
| <b>Dodge B16B5</b> | Right Stop Lamp Control Circuit High              |
| <b>Dodge B16F8</b> | Front Left Fog Lamp Control Circuit Low           |
| <b>Dodge B16F9</b> | Front Left Fog Lamp Control Circuit High          |
| <b>Dodge B16FC</b> | Front Right Fog Lamp Control Circuit Low          |
| <b>Dodge B16FD</b> | Front Right Fog Lamp Control Circuit High         |
| <b>Dodge B1782</b> | Headlamp Leveling Switch Stuck                    |
| <b>Dodge B1788</b> | Headlamp Leveling Motor Control Circuit Low       |
| <b>Dodge B1789</b> | Headlamp Leveling Motor Control Circuit High      |
| <b>Dodge B178E</b> | Headlamp Switch Input Circuit                     |
| <b>Dodge B178F</b> | Turn Switch Input Circuit                         |
| <b>Dodge B17AE</b> | Rear Left Trailer Turn Lamp Control Circuit Low   |
| <b>Dodge B17B2</b> | Rear Right Trailer Turn Lamp Control Circuit Low  |
| <b>Dodge B17B8</b> | Left Stop Lamp Control Circuit Overcurrent        |
| <b>Dodge B17B9</b> | Right Stop Lamp Control Circuit Overcurrent       |
| <b>Dodge B17BF</b> | Left Sidemarker Lamp Control Circuit Overcurrent  |
| <b>Dodge B17C4</b> | Right Sidemarker Lamp Control Circuit Overcurrent |
| <b>Dodge B17CF</b> | Emergency Flashing Lamp Request 1 Circuit High    |
| <b>Dodge B17D2</b> | Emergency Flashing Lamp Request 2 Circuit High    |
| <b>Dodge B17D4</b> | Headlamp Status Output Circuit Low                |
| <b>Dodge B17D5</b> | Headlamp Status Output Circuit High               |
| <b>Dodge B17E3</b> | Turn Signal Switch Performance                    |

| CODES              | DEFINITION                                            |
|--------------------|-------------------------------------------------------|
| <b>Dodge B17E5</b> | Right Rear Window Lockout Indicator Circuit Low       |
| <b>Dodge B17E6</b> | Right Rear Window Lockout Indicator Circuit High      |
| <b>Dodge B17E9</b> | Left Rear Window Lockout Indicator Circuit Low        |
| <b>Dodge B17EA</b> | Left Rear Window Lockout Indicator Circuit High       |
| <b>Dodge B17F3</b> | Auto High Beam System Aim                             |
| <b>Dodge B17FB</b> | Auto High Beam Camera View Blocked                    |
| <b>Dodge B1801</b> | Driver (Left) Door Lock/Unlock Switch Circuit Low     |
| <b>Dodge B1803</b> | Driver Door Lock/Unlock Switch Circuit Stuck Lock     |
| <b>Dodge B1804</b> | Driver Door Lock/Unlock Switch Input Stuck Unlock     |
| <b>Dodge B1806</b> | Passenger Door Lock/Unlock Switch Circuit Stuck Low   |
| <b>Dodge B1808</b> | Passenger Door Lock/Unlock Switch Circuit Stuck Lock  |
| <b>Dodge B1809</b> | Passenger Door Lock/Unlock Switch Input Stuck Lock    |
| <b>Dodge B181E</b> | Hood Ajar Input Circuit Performance                   |
| <b>Dodge B1820</b> | Hood Ajar Input Circuit High                          |
| <b>Dodge B1825</b> | Trunk Release Switch Input Circuit/Performance        |
| <b>Dodge B1840</b> | Sunroof Open Switch Input Circuit - Performance       |
| <b>Dodge B1843</b> | Sunroof Close Switch Circuit - Performance            |
| <b>Dodge B1846</b> | Sunroof Vent Switch Circuit - Performance             |
| <b>Dodge B1849</b> | Sunroof Motor Control Circuit - Performance - Stalled |
| <b>Dodge B1854</b> | Driver Window Control Circuit Low                     |
| <b>Dodge B1856</b> | Driver Window Control Circuit Open                    |
| <b>Dodge B1858</b> | Driver Window Position Sensor Power Supply Low        |

| CODES              | DEFINITION                                           |
|--------------------|------------------------------------------------------|
| <b>Dodge B185D</b> | Passenger Window Switch Stuck                        |
| <b>Dodge B185F</b> | Passenger Window Control Circuit Low                 |
| <b>Dodge B1861</b> | Passenger Window Control Circuit Open                |
| <b>Dodge B1863</b> | Passenger Window Position Sensor Power Supply Low    |
| <b>Dodge B186D</b> | Trunk Release Switch Stuck                           |
| <b>Dodge B186F</b> | All Door Secondary Lock Control Circuit Low          |
| <b>Dodge B1870</b> | All Door Secondary Lock Control Circuit High         |
| <b>Dodge B1883</b> | Power Liftgate Position Sensor 1 Circuit Performance |
| <b>Dodge B1888</b> | Power Liftgate Pinch Sensor 1 Circuit Low            |
| <b>Dodge B1889</b> | Power Liftgate Pinch Sensor 1 Circuit High           |
| <b>Dodge B188D</b> | Power Liftgate Control Circuit 1 Low                 |
| <b>Dodge B188E</b> | Power Liftgate Control Circuit 1 High                |
| <b>Dodge B188F</b> | Power Liftgate Control Circuit 1 Open                |
| <b>Dodge B1891</b> | Power Liftgate Control Circuit 2 Low                 |
| <b>Dodge B1892</b> | Power Liftgate Control Circuit 2 High                |
| <b>Dodge B1893</b> | Power Liftgate Control Circuit 2 Open                |
| <b>Dodge B18B5</b> | Master Switch - Front Left Window Switch Stuck       |
| <b>Dodge B18B6</b> | Master Switch - Front Right Window Switch Stuck      |
| <b>Dodge B18B7</b> | Master Switch - Rear Left Window Switch Stuck        |
| <b>Dodge B18B8</b> | Master Switch - Rear Right Window Switch Stuck       |
| <b>Dodge B18BB</b> | Window Control Circuit Low                           |
| <b>Dodge B18DE</b> | Power Liftgate Handle Switch Circuit Low             |

| CODES              | DEFINITION                                           |
|--------------------|------------------------------------------------------|
| <b>Dodge B18E0</b> | Power Liftgate Handle Switch Stuck                   |
| <b>Dodge B18E3</b> | Power Liftgate Front Zone Switch Circuit Low         |
| <b>Dodge B18E4</b> | Power Liftgate Front Zone Switch Circuit High        |
| <b>Dodge B18E5</b> | Power Liftgate Front Zone Switch Stuck               |
| <b>Dodge B1927</b> | Left Rear Window Control Circuit Low                 |
| <b>Dodge B1928</b> | Left Rear Window Control Circuit High                |
| <b>Dodge B1929</b> | Left Rear Window Control Circuit Open                |
| <b>Dodge B192B</b> | Right Rear Window Control Circuit Low                |
| <b>Dodge B192C</b> | Right Rear Window Control Circuit High               |
| <b>Dodge B192D</b> | Right Rear Window Control Circuit Open               |
| <b>Dodge B1934</b> | Driver Door Lock/Unlock Switch Circuit Stuck         |
| <b>Dodge B1935</b> | Passenger Door Lock/Unlock Switch Circuit Stuck      |
| <b>Dodge B193B</b> | Left Power Sliding Door Switch Circuit Low           |
| <b>Dodge B193C</b> | Left Power Sliding Door Switch Circuit High          |
| <b>Dodge B193F</b> | Right Power Sliding Door Switch Circuit Low          |
| <b>Dodge B1940</b> | Right Power Sliding Door Switch Circuit High         |
| <b>Dodge B1942</b> | Power Liftgate Position Sensor 2 Circuit Performance |
| <b>Dodge B1947</b> | Power Liftgate Pinch Sensor 2 Circuit Low            |
| <b>Dodge B1948</b> | Power Liftgate Pinch Sensor 2 Circuit High           |
| <b>Dodge B194B</b> | Power Liftgate Rear Zone Switch Circuit Low          |
| <b>Dodge B194C</b> | Power Liftgate Rear Zone Switch Circuit High         |
| <b>Dodge B194D</b> | Power Liftgate Rear Zone Switch Stuck                |

| CODES              | DEFINITION                                                      |
|--------------------|-----------------------------------------------------------------|
| <b>Dodge B194F</b> | Power Liftgate Temperature Sensor Circuit Performance           |
| <b>Dodge B1952</b> | Power Liftgate Drive Motor - Incorrect Direction                |
| <b>Dodge B1953</b> | Power Liftgate Latch Cinch Overcurrent                          |
| <b>Dodge B1954</b> | Power Liftgate Latch Cinch - Excessive Time                     |
| <b>Dodge B1955</b> | Power Liftgate Latch Release Overcurrent                        |
| <b>Dodge B1956</b> | Power Liftgate Latch Release - Excessive Time                   |
| <b>Dodge B1958</b> | Power Liftgate Drive Clutch Control Circuit Low                 |
| <b>Dodge B1959</b> | Power Liftgate Drive Clutch Control Circuit High                |
| <b>Dodge B1961</b> | Power Liftgate Chime Control Circuit High                       |
| <b>Dodge B1963</b> | Power Liftgate Strut Performance                                |
| <b>Dodge B1965</b> | Power Liftgate Sensor Supply Circuit Low                        |
| <b>Dodge B1966</b> | Power Liftgate Sensor Supply High                               |
| <b>Dodge B1967</b> | Power Liftgate Open Direction Overcurrent                       |
| <b>Dodge B1968</b> | Power Liftgate Open Direction - Excessive Time                  |
| <b>Dodge B1969</b> | Power Liftgate Open Direction Excessive Position Sensor Counts  |
| <b>Dodge B196A</b> | Power Liftgate Close Direction Overcurrent                      |
| <b>Dodge B196B</b> | Power Liftgate Close Direction - Excessive Time                 |
| <b>Dodge B196C</b> | Power Liftgate Close Direction Excessive Position Sensor Counts |
| <b>Dodge B196D</b> | Power Liftgate Open Direction - Full Open Switch Performance    |
| <b>Dodge B196E</b> | Power Liftgate Close Direction - Full Open Switch Performance   |



| CODES              | DEFINITION                                                            |
|--------------------|-----------------------------------------------------------------------|
| <b>Dodge B196F</b> | Power Liftgate Open Direction - Ratchet Primary Switch Performance    |
| <b>Dodge B1970</b> | Power Liftgate Close Direction - Ratchet Primary Switch Performance   |
| <b>Dodge B1971</b> | Power Liftgate Latch Cinch - Ratchet Primary Switch Performance       |
| <b>Dodge B1972</b> | Power Liftgate Latch Release - Ratchet Primary Switch Performance     |
| <b>Dodge B1973</b> | Power Liftgate Open Direction - Ratchet Secondary Switch Performance  |
| <b>Dodge B1974</b> | Power Liftgate Close Direction - Ratchet Secondary Switch Performance |
| <b>Dodge B1975</b> | Power Liftgate Latch Cinch - Ratchet Secondary Switch Performance     |
| <b>Dodge B1976</b> | Power Liftgate Latch Release - Ratchet Secondary Switch Performance   |
| <b>Dodge B1977</b> | Power Liftgate Open Direction - Sector Switch Performance             |
| <b>Dodge B1978</b> | Power Liftgate Close Direction - Sector Switch Performance            |
| <b>Dodge B1979</b> | Power Liftgate Latch Cinch - Sector Switch Performance                |
| <b>Dodge B197A</b> | Power Liftgate Latch Release - Sector Switch Performance              |
| <b>Dodge B1980</b> | Power Liftgate Latch Control 1 Circuit Low                            |
| <b>Dodge B1981</b> | Power Liftgate Latch Control 1 Circuit High                           |
| <b>Dodge B1982</b> | Power Liftgate Latch Control 1 Circuit Open                           |
| <b>Dodge B1984</b> | Power Liftgate Latch Control 2 Circuit Low                            |
| <b>Dodge B1985</b> | Power Liftgate Latch Control 2 Circuit High                           |

| CODES              | DEFINITION                                                     |
|--------------------|----------------------------------------------------------------|
| <b>Dodge B1986</b> | Power Liftgate Latch Control 2 Circuit Open                    |
| <b>Dodge B1987</b> | Left Power Sliding Door Switch Stuck                           |
| <b>Dodge B1988</b> | Right Power Sliding Door Switch Stuck                          |
| <b>Dodge B198A</b> | All Door Secondary Unlock Control Circuit Low                  |
| <b>Dodge B198B</b> | All Door Secondary Unlock Control Circuit High                 |
| <b>Dodge B198E</b> | Left Power Sliding Door Sensor Supply Circuit Low              |
| <b>Dodge B198F</b> | Left Power Sliding Door Sensor Supply Circuit High             |
| <b>Dodge B1991</b> | Right Power Sliding Door Sensor Supply Circuit Low             |
| <b>Dodge B1992</b> | Right Power Sliding Door Sensor Supply Circuit High            |
| <b>Dodge B1994</b> | Left Power Sliding Door Position Sensor 1 Circuit Performance  |
| <b>Dodge B1998</b> | Left Power Sliding Door Position Sensor 2 Circuit Performance  |
| <b>Dodge B199C</b> | Right Power Sliding Door Position Sensor 1 Circuit Performance |
| <b>Dodge B19A0</b> | Right Power Sliding Door Position Sensor 2 Circuit Performance |
| <b>Dodge B19A4</b> | Left Power Sliding Door Control Circuit 1 Low                  |
| <b>Dodge B19A5</b> | Left Power Sliding Door Control Circuit 1 High                 |
| <b>Dodge B19A6</b> | Left Power Sliding Door Control Circuit 1 Open                 |
| <b>Dodge B19A8</b> | Left Power Sliding Door Control Circuit 2 Low                  |
| <b>Dodge B19A9</b> | Left Power Sliding Door Control Circuit 2 High                 |
| <b>Dodge B19AA</b> | Left Power Sliding Door Control Circuit 2 Open                 |
| <b>Dodge B19AC</b> | Right Power Sliding Door Control Circuit 1 Low                 |

| CODES              | DEFINITION                                                               |
|--------------------|--------------------------------------------------------------------------|
| <b>Dodge B19AD</b> | Right Power Sliding Door Control Circuit 1 High                          |
| <b>Dodge B19AE</b> | Right Power Sliding Door Control Circuit 1 Open                          |
| <b>Dodge B19B0</b> | Right Power Sliding Door Control Circuit 2 Low                           |
| <b>Dodge B19B1</b> | Right Power Sliding Door Control Circuit 2 High                          |
| <b>Dodge B19B2</b> | Right Power Sliding Door Control Circuit 2 Open                          |
| <b>Dodge B19B4</b> | Driver Door Ajar Output Circuit Low                                      |
| <b>Dodge B19B5</b> | Driver Door Ajar Output Circuit High                                     |
| <b>Dodge B19B7</b> | Left Power Sliding Door Drive Clutch Control Circuit Low                 |
| <b>Dodge B19B8</b> | Left Power Sliding Door Drive Clutch Control Circuit High                |
| <b>Dodge B19BA</b> | Left Power Sliding Door Drive Motor - Incorrect Direction                |
| <b>Dodge B19BC</b> | Right Power Sliding Door Drive Clutch Control Circuit Low                |
| <b>Dodge B19BD</b> | Right Power Sliding Door Drive Clutch Control Circuit High               |
| <b>Dodge B19BF</b> | Right Power Sliding Door Drive Motor - Incorrect Direction               |
| <b>Dodge B19C0</b> | Left Power Sliding Door Open Direction Overcurrent                       |
| <b>Dodge B19C1</b> | Left Power Sliding Door Drive Open Direction - Excessive Time            |
| <b>Dodge B19C2</b> | Left Power Sliding Door Drive Open Direction - Excessive Position Count  |
| <b>Dodge B19C3</b> | Left Power Sliding Door Close Direction Overcurrent                      |
| <b>Dodge B19C4</b> | Left Power Sliding Door Drive Close Direction - Excessive Time           |
| <b>Dodge B19C5</b> | Left Power Sliding Door Drive Close Direction - Excessive Position Count |

| CODES              | DEFINITION                                                                |
|--------------------|---------------------------------------------------------------------------|
| <b>Dodge B19CD</b> | Left Power Sliding Door Close Direction - Pawl Switch Performance         |
| <b>Dodge B19CE</b> | Right Power Sliding Door Open Direction Overcurrent                       |
| <b>Dodge B19CF</b> | Right Power Sliding Door Drive Open Direction Excessive Time              |
| <b>Dodge B19D0</b> | Right Power Sliding Door Drive Open Direction - Excessive Position Count  |
| <b>Dodge B19D1</b> | Right Power Sliding Door Close Direction Overcurrent                      |
| <b>Dodge B19D2</b> | Right Power Sliding Door Drive Close Direction - Excessive Time           |
| <b>Dodge B19D3</b> | Right Power Sliding Door Drive Close Direction - Excessive Position Count |
| <b>Dodge B19DB</b> | Right Power Sliding Door Close Direction - Pawl Switch Performance        |
| <b>Dodge B19DE</b> | Left Sliding Door Handle Switch Circuit Low                               |
| <b>Dodge B19E0</b> | Left Sliding Door Handle Switch Circuit Stuck                             |
| <b>Dodge B19E3</b> | Right Sliding Door Handle Switch Circuit Low                              |
| <b>Dodge B19E5</b> | Right Sliding Door Handle Switch Circuit Stuck                            |
| <b>Dodge B19E7</b> | Left Power Sliding Door Latch Control 1 Circuit Low                       |
| <b>Dodge B19E8</b> | Left Power Sliding Door Latch Control 1 Circuit High                      |
| <b>Dodge B19E9</b> | Left Power Sliding Door Latch Control 1 Circuit Open                      |
| <b>Dodge B19EB</b> | Left Power Sliding Door Latch Control 2 Circuit Low                       |
| <b>Dodge B19EC</b> | Left Power Sliding Door Latch Control 2 Circuit High                      |
| <b>Dodge B19ED</b> | Left Power Sliding Door Latch Control 2 Circuit Open                      |
| <b>Dodge B19EF</b> | Right Power Sliding Door Latch Control 1 Circuit Low                      |
| <b>Dodge B19F0</b> | Right Power Sliding Door Latch Control 1 Circuit High                     |

| CODES              | DEFINITION                                            |
|--------------------|-------------------------------------------------------|
| <b>Dodge B19F1</b> | Right Power Sliding Door Latch Control 1 Circuit Open |
| <b>Dodge B19F3</b> | Right Power Sliding Door Latch Control 2 Circuit Low  |
| <b>Dodge B19F4</b> | Right Power Sliding Door Latch Control 2 Circuit High |
| <b>Dodge B19F5</b> | Right Power Sliding Door Latch Control 2 Circuit Open |
| <b>Dodge B19F7</b> | Left Rear Window Switch Circuit Low                   |
| <b>Dodge B19F9</b> | Left Rear Window Switch Circuit Stuck                 |
| <b>Dodge B19FB</b> | Right Rear Window Switch Circuit Low                  |
| <b>Dodge B19FD</b> | Right Rear Window Switch Circuit Stuck                |
| <b>Dodge B1A08</b> | RKE Fob 1 Performance                                 |
| <b>Dodge B1A09</b> | RKE Fob 2 Performance                                 |
| <b>Dodge B1A0A</b> | RKE Fob 3 Performance                                 |
| <b>Dodge B1A0B</b> | RKE Fob 4 Performance                                 |
| <b>Dodge B1A0C</b> | RKE Fob 5 Performance                                 |
| <b>Dodge B1A0D</b> | RKE Fob 6 Performance                                 |
| <b>Dodge B1A0E</b> | RKE Fob 7 Performance                                 |
| <b>Dodge B1A0F</b> | RKE Fob 8 Performance                                 |
| <b>Dodge B1A10</b> | RKE Fob 1 Battery Low                                 |
| <b>Dodge B1A11</b> | RKE Fob 2 Battery Low                                 |
| <b>Dodge B1A12</b> | RKE Fob 3 Battery Low                                 |
| <b>Dodge B1A13</b> | RKE Fob 4 Battery Low                                 |
| <b>Dodge B1A14</b> | RKE Fob 5 Battery Low                                 |
| <b>Dodge B1A15</b> | RKE Fob 6 Battery Low                                 |

| CODES              | DEFINITION                                           |
|--------------------|------------------------------------------------------|
| <b>Dodge B1A16</b> | RKE Fob 7 Battery Low                                |
| <b>Dodge B1A17</b> | RKE Fob 8 Battery Low                                |
| <b>Dodge B1A20</b> | Pre-Arm Timeout                                      |
| <b>Dodge B1A24</b> | Key Not Programmed                                   |
| <b>Dodge B1A25</b> | Invalid Key                                          |
| <b>Dodge B1A26</b> | Maximum Number Of Keys Programmed                    |
| <b>Dodge B1A27</b> | Skreem Programming Performance                       |
| <b>Dodge B1A28</b> | ECM Mismatch With Skim                               |
| <b>Dodge B1A29</b> | Skim Basestation Mismatch                            |
| <b>Dodge B1A32</b> | Universal Garage Door Switch 1 Stuck                 |
| <b>Dodge B1A35</b> | Unidentified Key Communication Error                 |
| <b>Dodge B1A37</b> | Security Transmitter Sensor Circuit Low              |
| <b>Dodge B1A38</b> | Security Transmitter Sensor Circuit High             |
| <b>Dodge B1A3A</b> | Security Receiver Sensor Circuit Low                 |
| <b>Dodge B1A3B</b> | Security Receiver Sensor Circuit High                |
| <b>Dodge B1A3C</b> | Internal Siren Battery                               |
| <b>Dodge B1A3D</b> | Siren Battery Tamper / Loss Of Power Supply          |
| <b>Dodge B1A3E</b> | Siren / ITM Mismatch                                 |
| <b>Dodge B1A3F</b> | ITM Arming Sequence Performance                      |
| <b>Dodge B1A41</b> | Security Transmitter Sensor Circuit Open             |
| <b>Dodge B1A42</b> | Security Transmitter Sensor Circuit Shorted Together |
| <b>Dodge B1A43</b> | Security Transmitter Sensor Return Circuit Low       |

| CODES              | DEFINITION                                                         |
|--------------------|--------------------------------------------------------------------|
| <b>Dodge B1A44</b> | Security Receiver Sensor Circuit Open                              |
| <b>Dodge B1A45</b> | Security Receiver Sensor Circuit Shorted Together                  |
| <b>Dodge B1A46</b> | Security Receiver Sensor Return Circuit Low                        |
| <b>Dodge B1A47</b> | Security Transmitter/Receiver Sensor Return Circuit High           |
| <b>Dodge B1A5B</b> | Panic Alarm Mute Request Circuit High                              |
| <b>Dodge B1A5D</b> | Panic Alarm Activation Output Circuit Low                          |
| <b>Dodge B1A5E</b> | Panic Alarm Activation Status Circuit High                         |
| <b>Dodge B1A67</b> | Steering Column Lock Module Bolt Control Performance               |
| <b>Dodge B1A68</b> | Steering Column Lock Module Bolt Control Low                       |
| <b>Dodge B1A6B</b> | Steering Column Lock Module Not Initialized                        |
| <b>Dodge B1A6C</b> | Secret-Key-Mismatch                                                |
| <b>Dodge B1A77</b> | Remote Start Antenna Circuit Low                                   |
| <b>Dodge B1A79</b> | Remote Start Antenna Circuit Open Or Not Connected                 |
| <b>Dodge B1A7F</b> | Electronic Steering Column Lock Communication Performance (Type 1) |
| <b>Dodge B1A80</b> | Electronic Steering Column Lock Communication Performance          |
| <b>Dodge B1A81</b> | Electronic Steering Column Lock Module Not Personalized            |
| <b>Dodge B1A87</b> | ESCL Unlock Control - Circuit Short To Ground Or Open              |
| <b>Dodge B1A89</b> | ELV/ESCL Configuration Mismatch                                    |
| <b>Dodge B1A8A</b> | Multi-Module VIN Handshake Failure                                 |
| <b>Dodge B1B00</b> | Driver Airbag Squib 1 Circuit Low                                  |
| <b>Dodge B1B01</b> | Driver Airbag Squib 1 Circuit High                                 |

| CODES              | DEFINITION                                         |
|--------------------|----------------------------------------------------|
| <b>Dodge B1B02</b> | Driver Airbag Squib 1 Circuit Open                 |
| <b>Dodge B1B03</b> | Driver Airbag Squib 1 Circuit Shorted Together     |
| <b>Dodge B1B04</b> | Driver Airbag Squib 2 Circuit Low                  |
| <b>Dodge B1B05</b> | Driver Airbag Squib 2 Circuit High                 |
| <b>Dodge B1B06</b> | Driver Airbag Squib 2 Circuit Open                 |
| <b>Dodge B1B07</b> | Driver Airbag Squib 2 Circuit Shorted Together     |
| <b>Dodge B1B08</b> | Passenger Airbag Squib 1 Circuit Low               |
| <b>Dodge B1B09</b> | Passenger Airbag Squib 1 Circuit High              |
| <b>Dodge B1B0A</b> | Passenger Airbag Squib 1 Circuit Open              |
| <b>Dodge B1B0B</b> | Passenger Airbag Squib 1 Circuit Shorted Together  |
| <b>Dodge B1B0C</b> | Passenger Airbag Squib 2 Circuit Low               |
| <b>Dodge B1B0D</b> | Passenger Airbag Squib 2 Circuit High              |
| <b>Dodge B1B0E</b> | Passenger Airbag Squib 2 Circuit Open              |
| <b>Dodge B1B0F</b> | Passenger Airbag Squib 2 Circuit Shorted Together  |
| <b>Dodge B1B10</b> | Driver Knee Bolster Squib Circuit Low              |
| <b>Dodge B1B11</b> | Driver Knee Bolster Squib Circuit High             |
| <b>Dodge B1B12</b> | Driver Knee Bolster Squib Circuit Open             |
| <b>Dodge B1B13</b> | Driver Knee Bolster Squib Circuit Shorted Together |
| <b>Dodge B1B18</b> | Left Side Curtain Squib 1 Circuit Low              |
| <b>Dodge B1B19</b> | Left Side Curtain Squib 1 Circuit High             |
| <b>Dodge B1B1A</b> | Left Side Curtain Squib 1 Circuit Open             |
| <b>Dodge B1B1B</b> | Left Side Curtain Squib 1 Circuit Shorted Together |



| CODES              | DEFINITION                                                  |
|--------------------|-------------------------------------------------------------|
| <b>Dodge B1B20</b> | Right Side Curtain Squib 1 Circuit Low                      |
| <b>Dodge B1B21</b> | Right Side Curtain Squib 1 Circuit High                     |
| <b>Dodge B1B22</b> | Right Side Curtain Squib 1 Circuit Open                     |
| <b>Dodge B1B23</b> | Right Side Curtain Squib 1 Circuit Shorted Together         |
| <b>Dodge B1B50</b> | 1st Row Driver Seatbelt Sensor Circuit Low                  |
| <b>Dodge B1B51</b> | 1st Row Driver Seatbelt Sensor Circuit High                 |
| <b>Dodge B1B53</b> | 1st Row Driver Seatbelt Sensor Circuit Shorted Together     |
| <b>Dodge B1B54</b> | 1st Row Passenger Seat Belt Sensor                          |
| <b>Dodge B1B55</b> | 1st Row Passenger Seat Belt Sensor Circuit High             |
| <b>Dodge B1B56</b> | 1st Row Passenger Seatbelt Sensor Circuit Open              |
| <b>Dodge B1B57</b> | 1st Row Passenger Seat Belt Sensor Circuit Shorted Together |
| <b>Dodge B1B70</b> | Up-Front Left Satellite Acceleration Sensor Internal        |
| <b>Dodge B1B71</b> | Up-Front Right Satellite Acceleration Sensor Internal       |
| <b>Dodge B1B72</b> | Left Side Satellite Acceleration Sensor 1 Internal          |
| <b>Dodge B1B73</b> | Left Side Satellite Acceleration Sensor 2 Internal          |
| <b>Dodge B1B74</b> | Left Side Satellite Acceleration Sensor 3 Internal          |
| <b>Dodge B1B75</b> | Right Side Satellite Acceleration Sensor 1 Internal         |
| <b>Dodge B1B76</b> | Right Side Satellite Acceleration Sensor 2 Internal         |
| <b>Dodge B1B77</b> | Right Side Satellite Acceleration Sensor 3 Internal         |
| <b>Dodge B1B8C</b> | Driver Seat Track Position Sensor Circuit Performance       |
| <b>Dodge B1B8D</b> | Driver Seat Track Position Sensor Circuit Low               |
| <b>Dodge B1B8E</b> | Driver Seat Track Position Sensor Circuit High              |

| CODES              | DEFINITION                                                  |
|--------------------|-------------------------------------------------------------|
| <b>Dodge B1B8F</b> | Driver Seat Track Position Sensor Circuit Open              |
| <b>Dodge B1B91</b> | Driver Seat Track Position Sensor Configuration Mismatch    |
| <b>Dodge B1B92</b> | Passenger Seat Track Position Sensor Circuit Performance    |
| <b>Dodge B1B93</b> | Passenger Seat Track Position Sensor Circuit Low            |
| <b>Dodge B1B94</b> | Passenger Seat Track Position Sensor Circuit High           |
| <b>Dodge B1B95</b> | Passenger Seat Track Position Sensor Circuit Open           |
| <b>Dodge B1B97</b> | Passenger Seat Track Position Sensor Configuration Mismatch |
| <b>Dodge B1BA5</b> | Airbag Squib Configuration Mismatch                         |
| <b>Dodge B1BA7</b> | Occupant Classification System Verification Required        |
| <b>Dodge B1BA8</b> | OCM System Out Of Calibration/Not Calibrated                |
| <b>Dodge B1BB9</b> | Airbag Squib Circuit Coupling                               |
| <b>Dodge B1BC7</b> | Deployment Data Record Full                                 |
| <b>Dodge B1BD0</b> | Roll Over Internal                                          |
| <b>Dodge B1BD3</b> | Non Regular Operation Flag                                  |
| <b>Dodge B1C12</b> | Driver Active Headrest Control Circuit Low                  |
| <b>Dodge B1C13</b> | Driver Active Headrest Control Circuit High                 |
| <b>Dodge B1C14</b> | Driver Active Headrest Control Circuit Open                 |
| <b>Dodge B1C16</b> | Driver Active Headrest Control Circuit Mismatch             |
| <b>Dodge B1C18</b> | Passenger Active Headrest Control Circuit Low               |
| <b>Dodge B1C19</b> | Passenger Active Headrest Control Circuit High              |
| <b>Dodge B1C1A</b> | Passenger Active Headrest Control Circuit Open              |

| CODES              | DEFINITION                                                               |
|--------------------|--------------------------------------------------------------------------|
| <b>Dodge B1C27</b> | Left Side Seat Thorax Squib 1 Low                                        |
| <b>Dodge B1C28</b> | Left Side Seat Thorax Squib 1 High                                       |
| <b>Dodge B1C29</b> | Left Side Seat Thorax Squib 1 Open                                       |
| <b>Dodge B1C2A</b> | Left Side Seat Thorax Squib 1 Shorted Together                           |
| <b>Dodge B1C2B</b> | Right Side Seat Thorax Squib 1 Low                                       |
| <b>Dodge B1C2C</b> | Right Side Seat Thorax Squib 1 High                                      |
| <b>Dodge B1C2D</b> | Right Side Seat Thorax Squib 1 Open                                      |
| <b>Dodge B1C2E</b> | Right Side Seat Thorax Squib 1 Shorted Together                          |
| <b>Dodge B1C38</b> | 1st Row Driver Retractor Tensioner Circuit Low                           |
| <b>Dodge B1C39</b> | 1st Row Driver Retractor Tensioner Circuit High                          |
| <b>Dodge B1C3A</b> | 1st Row Driver Retractor Tensioner Circuit Open                          |
| <b>Dodge B1C3B</b> | 1st Row Driver Retractor Tensioner Circuit Shorted Together              |
| <b>Dodge B1C47</b> | 1st Row Passenger Retractor Tensioner Circuit Low                        |
| <b>Dodge B1C48</b> | 1st Row Passenger Retractor Tensioner Circuit High                       |
| <b>Dodge B1C49</b> | 1st Row Passenger Retractor Tensioner Circuit Open                       |
| <b>Dodge B1C4A</b> | 1st Row Passenger Retractor Tensioner Circuit Shorted Together           |
| <b>Dodge B1C4C</b> | 1st Row Passenger Seat Belt Buckle Pretensioner Circuit Low              |
| <b>Dodge B1C4D</b> | 1st Row Passenger Seat Belt Buckle Pretensioner Circuit High             |
| <b>Dodge B1C4E</b> | 1st Row Passenger Seat Belt Buckle Pretensioner Circuit Open             |
| <b>Dodge B1C4F</b> | 1st Row Passenger Seat Belt Buckle Pretensioner Circuit Shorted Together |

| CODES              | DEFINITION                                                     |
|--------------------|----------------------------------------------------------------|
| <b>Dodge B1CC1</b> | Deployment Notification Output Circuit Low                     |
| <b>Dodge B1CC2</b> | Deployment Notification Output Circuit High                    |
| <b>Dodge B1CDB</b> | Passenger Occupant Detector Circuit Low                        |
| <b>Dodge B1CDC</b> | Passenger Occupant Detector Circuit High                       |
| <b>Dodge B1CDD</b> | Passenger Occupant Detector Circuit Open                       |
| <b>Dodge B1D04</b> | Mirror Adjust Switch Input - Stuck                             |
| <b>Dodge B1D07</b> | Mirror Adjust Switch Input Circuit Stuck                       |
| <b>Dodge B1D09</b> | Driver Mirror Position Sensor Power Supply Circuit Low         |
| <b>Dodge B1D0C</b> | Driver Mirror Vertical Position Sensor Input Circuit Low       |
| <b>Dodge B1D0D</b> | Driver Mirror Vertical Position Sensor Input Circuit High      |
| <b>Dodge B1D0F</b> | Driver Mirror Horizontal Position Sensor Input Circuit Low     |
| <b>Dodge B1D10</b> | Driver Mirror Horizontal Position Sensor Input Circuit High    |
| <b>Dodge B1D12</b> | Passenger Mirror Position Sensor Power Supply Circuit Low      |
| <b>Dodge B1D15</b> | Passenger Mirror Vertical Position Sensor Input Circuit Low    |
| <b>Dodge B1D16</b> | Passenger Mirror Vertical Position Sensor Input Circuit High   |
| <b>Dodge B1D18</b> | Passenger Mirror Horizontal Position Sensor Input Circuit Low  |
| <b>Dodge B1D19</b> | Passenger Mirror Horizontal Position Sensor Input Circuit High |
| <b>Dodge B1D1F</b> | Driver Mirror Vertical Motor Control Circuit Low               |
| <b>Dodge B1D23</b> | Driver Mirror Horizontal Motor Control Circuit Low             |

| CODES              | DEFINITION                                                  |
|--------------------|-------------------------------------------------------------|
| <b>Dodge B1D2B</b> | Passenger Mirror Vertical Motor Control Circuit Low         |
| <b>Dodge B1D2F</b> | Passenger Mirror Horizontal Motor Control Circuit Low       |
| <b>Dodge B1D33</b> | Driver Mirror Heater Control Circuit Low                    |
| <b>Dodge B1D34</b> | Driver Mirror Heater Control Circuit High                   |
| <b>Dodge B1D37</b> | Passenger Mirror Heater Control Circuit Low                 |
| <b>Dodge B1D38</b> | Passenger Mirror Heater Control Circuit High                |
| <b>Dodge B1D4D</b> | Memory Switch Input Circuit Stuck                           |
| <b>Dodge B1D4F</b> | Adjustable Pedal Inhibit Circuit Low                        |
| <b>Dodge B1D5B</b> | Adjustable Pedal Switch Circuit Performance                 |
| <b>Dodge B1D67</b> | Adjustable Pedal Control Circuit Performance                |
| <b>Dodge B1D7B</b> | Seat Horizontal Motor Control Circuit Performance           |
| <b>Dodge B1D7F</b> | Seat Front Vertical Motor Control Circuit Performance       |
| <b>Dodge B1D83</b> | Seat Rear Vertical Motor Control Circuit Performance        |
| <b>Dodge B1D87</b> | Seat Backrest Motor Control - Circuit Performance           |
| <b>Dodge B1D93</b> | Steering Column Telescope Motor Control Circuit Performance |
| <b>Dodge B1D97</b> | Steering Column Tilt Motor Control Circuit Performance      |
| <b>Dodge B1D9C</b> | Steering Column Tilt Switch                                 |
| <b>Dodge B1DF2</b> | Mirror Fold Switch Stuck                                    |
| <b>Dodge B1E24</b> | 3rd Row Seat Mode Select Switch Circuit Low                 |
| <b>Dodge B1E25</b> | 3rd Row Seat Mode Select Switch Circuit High                |
| <b>Dodge B1E28</b> | 3rd Row Seat Normal - Stow Switch Circuit Low               |
| <b>Dodge B1E29</b> | 3rd Row Seat Normal - Stow Switch Circuit High              |

| CODES              | DEFINITION                                                    |
|--------------------|---------------------------------------------------------------|
| <b>Dodge B1E2A</b> | 3rd Row Seat Normal Switch Stuck                              |
| <b>Dodge B1E2B</b> | 3rd Row Seat Stow Switch Stuck                                |
| <b>Dodge B1E2E</b> | 3rd Row Seat Left Backrest Switch Circuit Low                 |
| <b>Dodge B1E2F</b> | 3rd Row Seat Left Backrest Switch Circuit High                |
| <b>Dodge B1E30</b> | 3rd Row Seat Left Backrest Switch Stuck Forward               |
| <b>Dodge B1E31</b> | 3rd Row Seat Left Backrest Switch Stuck Rearward              |
| <b>Dodge B1E34</b> | 3rd Row Seat Right Backrest Switch Circuit Low                |
| <b>Dodge B1E35</b> | 3rd Row Seat Right Backrest Switch Circuit High               |
| <b>Dodge B1E36</b> | 3rd Row Seat Right Backrest Switch Stuck Forward              |
| <b>Dodge B1E37</b> | 3rd Row Seat Right Backrest Switch Stuck Rearward             |
| <b>Dodge B1E3D</b> | 3rd Row Seat Fold - Tailgate Switch Circuit Low               |
| <b>Dodge B1E3E</b> | 3rd Row Seat Fold - Tailgate Switch Circuit High              |
| <b>Dodge B1E3F</b> | 3rd Row Seat Fold Switch Stuck                                |
| <b>Dodge B1E40</b> | 3rd Row Seat Tailgate Switch Stuck                            |
| <b>Dodge B1E41</b> | 3rd Row Seat Left Backrest Control Circuit Performance        |
| <b>Dodge B1E44</b> | 3rd Row Seat Left Backrest Position Sensor Circuit Low        |
| <b>Dodge B1E45</b> | 3rd Row Seat Left Backrest Position Sensor Circuit High       |
| <b>Dodge B1E46</b> | 3rd Row Seat Right Backrest Control Circuit Performance       |
| <b>Dodge B1E49</b> | 3rd Row Seat Right Backrest Position Sensor Circuit Low       |
| <b>Dodge B1E4A</b> | 3rd Row Seat Right Backrest Position Sensor Circuit High      |
| <b>Dodge B1E4B</b> | 3rd Row Seat Left Stow - Tailgate Control Circuit Performance |

| CODES              | DEFINITION                                                      |
|--------------------|-----------------------------------------------------------------|
| <b>Dodge B1E4D</b> | 3rd Row Seat Left Stow - Tailgate Position Sensor Performance   |
| <b>Dodge B1E4E</b> | 3rd Row Seat Left Stow - Tailgate Position Sensor Circuit Low   |
| <b>Dodge B1E4F</b> | 3rd Row Seat Left Stow - Tailgate Position Sensor Circuit High  |
| <b>Dodge B1E50</b> | 3rd Row Seat Right Stow - Tailgate Control Circuit Performance  |
| <b>Dodge B1E52</b> | 3rd Row Seat Right Stow - Tailgate Position Sensor Performance  |
| <b>Dodge B1E53</b> | 3rd Row Seat Right Stow - Tailgate Position Sensor Circuit Low  |
| <b>Dodge B1E54</b> | 3rd Row Seat Right Stow - Tailgate Position Sensor Circuit High |
| <b>Dodge B1E5F</b> | 3rd Row Seat Left Latch Switch Circuit Performance              |
| <b>Dodge B1E60</b> | 3rd Row Seat Right Latch Switch Circuit Performance             |
| <b>Dodge B1E61</b> | 3rd Row Seat Folded Position Stop Not Learned                   |
| <b>Dodge B1E62</b> | 3rd Row Seat Stowed Position Stop Not Learned                   |
| <b>Dodge B1E63</b> | 3rd Row Seat Latched Position Stop Not Learned                  |
| <b>Dodge B1E64</b> | Left Mirror Select Switch Stuck                                 |
| <b>Dodge B1E65</b> | Right Mirror Select Switch Stuck                                |
| <b>Dodge B1E67</b> | Mirror Fold Control Circuit Low                                 |
| <b>Dodge B1E68</b> | Mirror Fold Control Circuit High                                |
| <b>Dodge B1E6B</b> | Passenger Mirror Fold Control Circuit Low                       |
| <b>Dodge B1E6C</b> | Passenger Mirror Fold Control Circuit High                      |
| <b>Dodge B1E95</b> | Right Folding Seat Not Latched                                  |

| CODES              | DEFINITION                                   |
|--------------------|----------------------------------------------|
| <b>Dodge B1E96</b> | Left Folding Seat Not Latched                |
| <b>Dodge B1EB6</b> | Left Seat Recliner Calibration Incomplete    |
| <b>Dodge B1EB7</b> | Right Seat Recliner Calibration Incomplete   |
| <b>Dodge B1EFB</b> | 3rd Row Headrest Control Circuit High        |
| <b>Dodge B1EFC</b> | 3rd Row Headrest Control Circuit Low         |
| <b>Dodge B1EFD</b> | Headrest Release Button Stuck                |
| <b>Dodge B2100</b> | Ignition Run/Start Input Circuit Performance |
| <b>Dodge B2101</b> | Ignition Run/Start Input Low                 |
| <b>Dodge B2102</b> | Ignition Run/Start Input High                |
| <b>Dodge B2104</b> | Ignition Run/Start Control Circuit Low       |
| <b>Dodge B2105</b> | Ignition Run/Start 1 Control Circuit High    |
| <b>Dodge B210A</b> | System Voltage Low                           |
| <b>Dodge B210B</b> | System Voltage High                          |
| <b>Dodge B210C</b> | Battery Voltage Input                        |
| <b>Dodge B210D</b> | Battery Voltage Low                          |
| <b>Dodge B210E</b> | Battery Voltage High                         |
| <b>Dodge B2112</b> | 5-Volt Supply Circuit Low                    |
| <b>Dodge B2113</b> | 5-Volt Supply Circuit High                   |
| <b>Dodge B211E</b> | Ignition Run/ACC/Pad Control Circuit Low     |
| <b>Dodge B211F</b> | Ignition Run/ ACC /Pad Control Circuit High  |
| <b>Dodge B2122</b> | Ignition Run Control 1 Circuit Low           |
| <b>Dodge B2123</b> | Ignition Run Control 1 Circuit High          |



| CODES              | DEFINITION                                             |
|--------------------|--------------------------------------------------------|
| <b>Dodge B2126</b> | Sensor Supply Voltage Low                              |
| <b>Dodge B2127</b> | Sensor Supply Voltage High                             |
| <b>Dodge B212C</b> | Ignition Run/Start Input Circuit Open                  |
| <b>Dodge B212D</b> | Ignition Run Only Input Circuit Open                   |
| <b>Dodge B212F</b> | Ignition Run/ ACC Control Circuit Low                  |
| <b>Dodge B2133</b> | Ignition Run/Start (Remote Start) Control Circuit Low  |
| <b>Dodge B2134</b> | Ignition Run/Start (Remote Start) Control Circuit High |
| <b>Dodge B213B</b> | Ignition Run (Remote Start) Control Circuit Low        |
| <b>Dodge B213C</b> | Ignition Run (Remote Start) Control Circuit High       |
| <b>Dodge B213F</b> | Ignition Start (Remote Start) Control Circuit Low      |
| <b>Dodge B2140</b> | Ignition Start (Remote Start) Control Circuit High     |
| <b>Dodge B2142</b> | Ignition Off Draw (IOD) Fuse Not Present               |
| <b>Dodge B2148</b> | Ignition Run Control 2 Circuit Low                     |
| <b>Dodge B2181</b> | Heated Seat Module Power Supply Low                    |
| <b>Dodge B2182</b> | Heated Seat Module Power Supply High                   |
| <b>Dodge B2184</b> | Ignition Unlock Run/Start Control Circuit Low          |
| <b>Dodge B2185</b> | Ignition Unlock/Run/Start Control Circuit High         |
| <b>Dodge B2188</b> | Ignition Start Control Circuit Low                     |
| <b>Dodge B2193</b> | Intelligent Battery Sensor Internal                    |
| <b>Dodge B219A</b> | Ignition Unlock Run/Start Control Circuit Overcurrent  |
| <b>Dodge B219F</b> | Ignition Off Draw (IOD) Fuse Blown                     |
| <b>Dodge B21A1</b> | ECU Reset/Recovery Occurred                            |

| CODES              | DEFINITION                                         |
|--------------------|----------------------------------------------------|
| <b>Dodge B21FB</b> | Ignition Fobik Removal Inhibit Unlock              |
| <b>Dodge B21FC</b> | Ignition Fobik Removal Inhibit Lock                |
| <b>Dodge B2204</b> | ECU Configuration Mismatch                         |
| <b>Dodge B2205</b> | Original VIN Missing/Mismatch                      |
| <b>Dodge B2206</b> | Current VIN Missing/Mismatch                       |
| <b>Dodge B2207</b> | Occupant Restraint Controller Internal 1           |
| <b>Dodge B2208</b> | Occupant Restraint Controller Internal 2           |
| <b>Dodge B220B</b> | Occupant Restraint Controller Firing Stored Energy |
| <b>Dodge B2211</b> | Rain Sensor Module Initialization Performance      |
| <b>Dodge B2212</b> | Occupant Classification Module Internal            |
| <b>Dodge B2213</b> | Cabin Compartment Node/Cluster Internal            |
| <b>Dodge B2214</b> | (HVAC) Climate Control Internal                    |
| <b>Dodge B2215</b> | FCM Internal (Totally Integrated Power Module)     |
| <b>Dodge B2216</b> | Central Gateway Internal                           |
| <b>Dodge B2217</b> | EVIC/EOM/CMTC Internal                             |
| <b>Dodge B221A</b> | (HSM) Heated Seat Module Internal                  |
| <b>Dodge B221D</b> | Rain Sensor Module (RSM) Internal                  |
| <b>Dodge B221E</b> | Radio Internal                                     |
| <b>Dodge B221F</b> | Amplifier Internal                                 |
| <b>Dodge B2223</b> | (HFM) Hands Free Phone Internal                    |
| <b>Dodge B2224</b> | Skreem Internal                                    |
| <b>Dodge B2225</b> | (SCM) Steering Column Module Internal              |

| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Dodge B2227</b> | Sunroof ECU Internal                                    |
| <b>Dodge B2229</b> | SKREEM Internal - Skim Immobilizer                      |
| <b>Dodge B222A</b> | Vehicle Line Mismatch                                   |
| <b>Dodge B222B</b> | Vehicle Entertainment System Internal                   |
| <b>Dodge B222C</b> | Vehicle Configuration Not Programmed                    |
| <b>Dodge B222D</b> | ECU Unable To Configure/Configuration Not Learned       |
| <b>Dodge B222E</b> | Flash Checksum Performance                              |
| <b>Dodge B222F</b> | Flash Write Performance                                 |
| <b>Dodge B2232</b> | (PTS) Parktronics Internal                              |
| <b>Dodge B223A</b> | Auto High Beam ECU Internal                             |
| <b>Dodge B223B</b> | Vehicle Configuration Mismatch                          |
| <b>Dodge B223C</b> | Intrusion Transceiver Module Internal                   |
| <b>Dodge B224E</b> | Power Liftgate Module Internal                          |
| <b>Dodge B2254</b> | Column Lock Module Internal                             |
| <b>Dodge B2255</b> | Occupant Restraint Controller Rollover Feature Disabled |
| <b>Dodge B225C</b> | Compass Module Internal                                 |
| <b>Dodge B225D</b> | Door Module Front Left Internal                         |
| <b>Dodge B225E</b> | Door Module Front Right Internal                        |
| <b>Dodge B2260</b> | Folding Seat Module Internal                            |
| <b>Dodge B2267</b> | Interior Rear View Mirror Module Internal               |
| <b>Dodge B226F</b> | Left Power Sliding Door Module Internal                 |
| <b>Dodge B2271</b> | Left Rear Door Module Internal                          |

| CODES              | DEFINITION                                                   |
|--------------------|--------------------------------------------------------------|
| <b>Dodge B2272</b> | Right Rear Door Module Internal                              |
| <b>Dodge B2273</b> | Power Sliding Door Module Identification Circuit             |
| <b>Dodge B2274</b> | Left Rear Door Module Identification Circuit                 |
| <b>Dodge B2283</b> | Auto Headlamp Leveling Module (AHLM) Internal                |
| <b>Dodge B2286</b> | Calibration Not Learned/Lost Calibration                     |
| <b>Dodge B2287</b> | Satellite Video Receiver Internal                            |
| <b>Dodge B2290</b> | Adaptive Front Lighting System Internal                      |
| <b>Dodge B2298</b> | Rain Sensor Over Temperature                                 |
| <b>Dodge B2299</b> | Rear Camera Module Internal                                  |
| <b>Dodge B229B</b> | Passive Entry Module (PEM) Internal                          |
| <b>Dodge B22A2</b> | Adaptive Front Lighting System Not Programmed                |
| <b>Dodge B22A3</b> | Adaptive Front Lighting System Not Initialized               |
| <b>Dodge B22A4</b> | Adaptive Front Lighting System Not Calibrated                |
| <b>Dodge B22A5</b> | Electronic Pedestrian Protection Module (EPPM) DTC Present   |
| <b>Dodge B22A6</b> | Electronic Pedestrian Protection Module (EPPM) Internal 1    |
| <b>Dodge B22A7</b> | Electronic Pedestrian Protection Module (EPPM) Internal 2    |
| <b>Dodge B22A8</b> | Electronic Pedestrian Protection Module Firing Stored Energy |
| <b>Dodge B22A9</b> | ECU Internal Performance                                     |
| <b>Dodge B2300</b> | Wiper Mode Switch Input Circuit Performance                  |
| <b>Dodge B2301</b> | Wiper Mode Switch Input Circuit Low                          |

| CODES              | DEFINITION                                             |
|--------------------|--------------------------------------------------------|
| <b>Dodge B2302</b> | Wiper Mode Switch Input Circuit High                   |
| <b>Dodge B2304</b> | Wiper Park Switch Input Circuit Low (Stuck Low)        |
| <b>Dodge B2305</b> | Wiper Park Switch Input Circuit High (Stuck High)      |
| <b>Dodge B2307</b> | Washer Switch Input Circuit Low                        |
| <b>Dodge B230D</b> | Rear Wiper Park Switch Input Circuit Low (Stuck Low)   |
| <b>Dodge B230E</b> | Rear Wiper Park Switch Input Circuit High (Stuck High) |
| <b>Dodge B2313</b> | Wiper ON/OFF Control Circuit Low                       |
| <b>Dodge B2314</b> | Wiper ON/OFF Control Circuit High                      |
| <b>Dodge B2317</b> | Wiper Hi/Low Control Circuit Low                       |
| <b>Dodge B2318</b> | Wiper Hi/Low Control Circuit High                      |
| <b>Dodge B231F</b> | Front/Rear Washer Motor Control Circuit Low            |
| <b>Dodge B2320</b> | Front/Rear Washer Motor Control Circuit High           |
| <b>Dodge B2323</b> | Headlamp Washer Motor Control Circuit Low              |
| <b>Dodge B2324</b> | Headlamp Washer Motor Control Circuit High             |
| <b>Dodge B2325</b> | Headlamp Washer Motor Control Circuit Open             |
| <b>Dodge B2329</b> | Rain Sensor Optical Path 1 Performance                 |
| <b>Dodge B232A</b> | Rain Sensor Optical Path 2 Performance                 |
| <b>Dodge B232B</b> | Rain Sensor Optical Path 3 Performance                 |
| <b>Dodge B232C</b> | Rain Sensor Optical Path 4 Performance                 |
| <b>Dodge B232E</b> | Rear Washer Switch - Stuck                             |
| <b>Dodge B2336</b> | Horn Control Circuit Low                               |
| <b>Dodge B2337</b> | Horn Control Circuit High                              |

| CODES              | DEFINITION                                  |
|--------------------|---------------------------------------------|
| <b>Dodge B2338</b> | Horn Control Circuit Open                   |
| <b>Dodge B2339</b> | Horn Switch Stuck                           |
| <b>Dodge B2346</b> | Wiper Motor Low Speed Control Circuit Low   |
| <b>Dodge B2347</b> | Wiper Motor Low Speed Control Circuit High  |
| <b>Dodge B234A</b> | Wiper Motor High Speed Control Circuit Low  |
| <b>Dodge B234B</b> | Wiper Motor High Speed Control Circuit High |
| <b>Dodge B235A</b> | ECU In Plant Mode Active                    |
| <b>Dodge B2367</b> | Window Washer Motor 1 Control Circuit       |
| <b>Dodge B2368</b> | Window Washer Motor 1 Control Circuit Low   |
| <b>Dodge B2369</b> | Window Washer Motor 1 Control Circuit High  |
| <b>Dodge B236A</b> | Window Washer Motor 1 Control Circuit Open  |
| <b>Dodge B2371</b> | Horn Control Circuit Overcurrent            |
| <b>Dodge B2372</b> | High Beam Switch Circuit                    |
| <b>Dodge B2374</b> | Washer Switch Input Circuit                 |
| <b>Dodge B2375</b> | Mist Switch Input Circuit                   |
| <b>Dodge B2376</b> | Rear Wiper Switch Input Circuit             |
| <b>Dodge B2377</b> | Rear Washer Switch Input Circuit            |
| <b>Dodge B2378</b> | Flash To Pass Switch Circuit                |
| <b>Dodge B237C</b> | Data Communication Radio Input Circuit High |
| <b>Dodge B237F</b> | Horn Mute Request Circuit High              |
| <b>Dodge B2381</b> | Driver Seat Belt Output Circuit Low         |
| <b>Dodge B2382</b> | Driver Seat Belt Output Circuit High        |

| CODES              | DEFINITION                                                               |
|--------------------|--------------------------------------------------------------------------|
| <b>Dodge B2384</b> | Horn Switch Output Circuit Low                                           |
| <b>Dodge B2385</b> | Horn Switch Output Circuit High                                          |
| <b>Dodge B238E</b> | HI Beam Switch Circuit Low                                               |
| <b>Dodge B2390</b> | Mist Switch Circuit Low                                                  |
| <b>Dodge B2394</b> | Flash To Pass / Optical Horn Switch Circuit Stuck                        |
| <b>Dodge B23AA</b> | Implausible Data Received From Rain Sensor                               |
| <b>Dodge B2500</b> | Left Power Sliding Door Latch Cinch Overcurrent                          |
| <b>Dodge B2501</b> | Left Power Sliding Door Latch Cinch Excessive Time                       |
| <b>Dodge B2502</b> | Left Power Sliding Door Latch Release Overcurrent                        |
| <b>Dodge B2503</b> | Left Power Sliding Door Latch Release Excessive Time - DMLR              |
| <b>Dodge B2504</b> | Left Power Sliding Door Latch Cinch Ratchet Primary Switch Performance   |
| <b>Dodge B2505</b> | Left Power Sliding Door Latch Release Ratchet Primary Switch Performance |
| <b>Dodge B2506</b> | Left Power Sliding Door Latch Cinch Sector Switch Performance            |
| <b>Dodge B2507</b> | Left Power Sliding Door Latch Release Sector Switch Performance          |
| <b>Dodge B2508</b> | Left Power Sliding Door Latch Cinch Pawl Switch Performance              |
| <b>Dodge B2509</b> | Left Power Sliding Door Latch Release Pawl Switch Performance            |
| <b>Dodge B250A</b> | Right Power Sliding Door Latch Cinch Overcurrent                         |
| <b>Dodge B250B</b> | Right Power Sliding Door Latch Cinch Excessive Time                      |
| <b>Dodge B250C</b> | Right Power Sliding Door Latch Release Overcurrent                       |

| CODES              | DEFINITION                                                                |
|--------------------|---------------------------------------------------------------------------|
| <b>Dodge B250D</b> | Right Power Sliding Door Latch Release Excessive Time                     |
| <b>Dodge B250E</b> | Right Power Sliding Door Latch Cinch Ratchet Primary Switch Performance   |
| <b>Dodge B250F</b> | Right Power Sliding Door Latch Release Ratchet Primary Switch Performance |
| <b>Dodge B2510</b> | Right Power Sliding Door Latch Cinch Sector Switch Performance            |
| <b>Dodge B2511</b> | Right Power Sliding Door Latch Release Sector Switch Performance          |
| <b>Dodge B2512</b> | Right Power Sliding Door Latch Cinch Pawl Switch Performance              |
| <b>Dodge B2513</b> | Right Power Sliding Door Latch Release Pawl Switch Performance            |
| <b>Dodge B2562</b> | Power Sliding Door Switch Circuit Low                                     |
| <b>Dodge B2563</b> | Power Sliding Door Switch Circuit High                                    |
| <b>Dodge B2577</b> | Passenger Window Not Calibrated / Lost Calibration                        |
| <b>Dodge B2578</b> | Driver Window Not Calibrated / Lost Calibration                           |
| <b>Dodge B2580</b> | Driver Window Position Sensor(S) No Signal                                |
| <b>Dodge B2581</b> | Passenger Window Position Sensor(s) No Signal                             |
| <b>Dodge B2598</b> | Door Module Front Left                                                    |
| <b>Dodge B2599</b> | Door Module Front Right                                                   |
| <b>Dodge B259A</b> | Front Left Door Handle Sense                                              |
| <b>Dodge B259B</b> | Front Right Door Handle Sense                                             |
| <b>Dodge B259E</b> | Trunk/Liftgate Door Handle Lock Sense                                     |
| <b>Dodge B25A3</b> | Front Left Door Handle Sensor                                             |
| <b>Dodge B25A4</b> | Front Right Door Handle Sensor                                            |



| CODES              | DEFINITION                                                       |
|--------------------|------------------------------------------------------------------|
| <b>Dodge B25A7</b> | Trunk/Liftgate Handle Sensor                                     |
| <b>Dodge B25A9</b> | Front Driver Door Handle Sense                                   |
| <b>Dodge B25AA</b> | Front Passenger Door Handle Sense                                |
| <b>Dodge B25AB</b> | Liftgate Unlock Control Circuit Low                              |
| <b>Dodge B25AC</b> | Door Module Front Left - Window Not Calibrated/Lost Calibration  |
| <b>Dodge B25AD</b> | Door Module Front Right - Window Not Calibrated/Lost Calibration |
| <b>Dodge B25AE</b> | Liftgate Unlock Control Circuit High                             |
| <b>Dodge B2713</b> | Flex Mat Sensor Performance                                      |
| <b>Dodge B2714</b> | Flex Mat Sensor Mismatch                                         |
| <b>Dodge B271F</b> | Frontal Impact Output Circuit High                               |
| <b>Dodge B2720</b> | Frontal Impact Output Circuit Low                                |
| <b>Dodge B2722</b> | ORC Unlocked All Deployment Disabled                             |
| <b>Dodge B273F</b> | Airbag Signal Test Failed                                        |
| <b>Dodge B2746</b> | Left Side Satellite Pressure Sensor 4 Internal                   |
| <b>Dodge B2749</b> | Right Side Satellite Pressure Sensor 4 Internal                  |
| <b>Dodge B275B</b> | Airbag Telltale                                                  |
| <b>Dodge B275C</b> | Passenger Airbag 3rd Squib Circuit Low                           |
| <b>Dodge B275D</b> | Passenger Airbag 3rd Squib Circuit High                          |
| <b>Dodge B275E</b> | Passenger Airbag 3rd Squib Circuit Open                          |
| <b>Dodge B275F</b> | Passenger Airbag 3rd Squib Circuit Shorted Together              |
| <b>Dodge B2760</b> | Impact Pressure Sensor Left-Right Correlation                    |

| CODES              | DEFINITION                                                                   |
|--------------------|------------------------------------------------------------------------------|
| <b>Dodge B2761</b> | Left B Pillar Impact Acceleration Sensor                                     |
| <b>Dodge B2762</b> | Left C Pillar Impact Acceleration Sensor                                     |
| <b>Dodge B2764</b> | Right B Pillar Impact Acceleration Sensor                                    |
| <b>Dodge B2765</b> | Right C Pillar Impact Acceleration Sensor                                    |
| <b>Dodge B2767</b> | Left Impact Pressure Sensor                                                  |
| <b>Dodge B2768</b> | Right Impact Pressure Sensor                                                 |
| <b>Dodge B276A</b> | EPPM Squib Configuration Mismatch                                            |
| <b>Dodge B2776</b> | Left Door Track Impact Acceleration Sensor                                   |
| <b>Dodge B2777</b> | Right Door Track Impact Acceleration Sensor                                  |
| <b>Dodge B280B</b> | Ntsc Video Input                                                             |
| <b>Dodge B2817</b> | Headlamp Leveling Sensor Supply Circuit Low                                  |
| <b>Dodge B2818</b> | Headlamp Leveling Sensor Supply Circuit High                                 |
| <b>Dodge B2830</b> | DRIVER BLIND SPOT WARNING INDICATOR CONTROL-CIRCUIT SHORT TO BATTERY OR OPEN |
| <b>Dodge B2846</b> | Driver Blind Spot Warning Light Control Circuit Low                          |
| <b>Dodge B2847</b> | Driver Blind Spot Warning Indicator Control Circuit High                     |
| <b>Dodge B2849</b> | Passenger Blind Spot Warning Light Control Circuit Low                       |
| <b>Dodge B284A</b> | Passenger Blind Spot Warning Indicator Control Circuit High                  |
| <b>Dodge B2854</b> | Implausible Data Received From AHBM                                          |
| <b>Dodge B285C</b> | Left Rear Led Turn Lamp Control Circuit Low                                  |
| <b>Dodge B285D</b> | Right Rear Led Turn Lamp Control Circuit Low                                 |
| <b>Dodge C1002</b> | Brake Switch Stuck High                                                      |

| CODES              | DEFINITION                                                  |
|--------------------|-------------------------------------------------------------|
| <b>Dodge C1007</b> | Brake Fluid Level Circuit Low                               |
| <b>Dodge C1008</b> | Brake Fluid Level Circuit High                              |
| <b>Dodge C1009</b> | Brake Fluid Level Low                                       |
| <b>Dodge C100A</b> | Left Front Wheel Speed Sensor Circuit                       |
| <b>Dodge C1011</b> | Left Front Wheel Speed Sensor Signal Erratic Performance    |
| <b>Dodge C1014</b> | Left Front Wheel Speed Comparative Performance              |
| <b>Dodge C1015</b> | Right Front Wheel Speed Sensor Circuit                      |
| <b>Dodge C1017</b> | Right Front Wheel Speed Sensor Circuit Low                  |
| <b>Dodge C1018</b> | Right Front Wheel Speed Sensor Circuit High                 |
| <b>Dodge C101C</b> | Right Front Wheel Speed Sensor Signal Erratic Performance   |
| <b>Dodge C101F</b> | Right Front Wheel Speed Comparative Performance             |
| <b>Dodge C1020</b> | Left Rear Wheel Speed Sensor Circuit                        |
| <b>Dodge C1027</b> | Left Rear Wheel Speed Sensor Signal Erratic Performance     |
| <b>Dodge C102A</b> | Left Rear Wheel Speed Comparative Performance               |
| <b>Dodge C102B</b> | Right Rear Wheel Speed Sensor Circuit                       |
| <b>Dodge C1032</b> | Rear Wheel Speed Sensor Signal Erratic Performance (Ebc125) |
| <b>Dodge C1035</b> | Rear Wheel Speed Comparative Performance                    |
| <b>Dodge C1036</b> | Rear Wheel Speed Sensor Circuit                             |
| <b>Dodge C103D</b> | Rear Wheel Speed Sensor Signal Erratic Performance          |
| <b>Dodge C1040</b> | Rear Wheel Speed Comparative Performance                    |
| <b>Dodge C1041</b> | Left Front Tone Wheel Performance                           |

| CODES              | DEFINITION                                   |
|--------------------|----------------------------------------------|
| <b>Dodge C1042</b> | Right Front Tone Wheel Performance           |
| <b>Dodge C1043</b> | Left Rear Tone Wheel Performance             |
| <b>Dodge C1044</b> | Right Rear Tone Wheel Performance            |
| <b>Dodge C1046</b> | Left Front Wheel Pressure Phase Monitoring   |
| <b>Dodge C1047</b> | Right Front Wheel Pressure Phase Monitoring  |
| <b>Dodge C1048</b> | Left Rear Wheel Pressure Phase Monitoring    |
| <b>Dodge C1049</b> | Right Rear Wheel Pressure Phase Monitoring   |
| <b>Dodge C104C</b> | Left Front Inlet Valve Control Circuit Low   |
| <b>Dodge C1050</b> | Right Front Inlet Valve Control Circuit Low  |
| <b>Dodge C105C</b> | Rear Inlet Valve Control Circuit Low         |
| <b>Dodge C1060</b> | Left Front Outlet Valve Control Circuit Low  |
| <b>Dodge C1064</b> | Right Front Outlet Valve Control Circuit Low |
| <b>Dodge C1070</b> | Rear Outlet Valve Control Circuit Low        |
| <b>Dodge C1073</b> | Abs Pump Motor Control Circuit               |
| <b>Dodge C1078</b> | Tire-Revolutions-Range-Performance           |
| <b>Dodge C1079</b> | Tone Wheel Teeth Count Range Performance     |
| <b>Dodge C107B</b> | Wheel Speed Comparative Performance          |
| <b>Dodge C107C</b> | Brake Pedal Switch 1/2 Stuck                 |
| <b>Dodge C1086</b> | ABS System Control Too Long                  |
| <b>Dodge C1088</b> | Brake Lamp Switch Output Circuit Low         |
| <b>Dodge C1089</b> | Brake Lamp Switch Output Circuit High        |
| <b>Dodge C1090</b> | ABS Brake Lamp Control Circuit Low           |

| CODES              | DEFINITION                                         |
|--------------------|----------------------------------------------------|
| <b>Dodge C1091</b> | ABS Brake Lamp Control Circuit High                |
| <b>Dodge C1210</b> | G Sensor Input Circuit Performance                 |
| <b>Dodge C1217</b> | XBW Rule Violation 11                              |
| <b>Dodge C1219</b> | Steering Angle Sensor Erratic Performance          |
| <b>Dodge C121A</b> | Steering Angle Sensor Not Initialized              |
| <b>Dodge C121C</b> | Torque Request Signal Denied                       |
| <b>Dodge C121D</b> | Brake Pressure Sensor Circuit                      |
| <b>Dodge C121E</b> | Brake Pressure Sensor Comparative Performance      |
| <b>Dodge C1231</b> | Drive Test: Steering Angle Sensor                  |
| <b>Dodge C1232</b> | Drive Test: Pressure Sensor                        |
| <b>Dodge C1234</b> | Drive Test: Sensor Cluster Installation            |
| <b>Dodge C1235</b> | Drive Test: Test Active                            |
| <b>Dodge C1238</b> | Drive Test: Unsuccessful                           |
| <b>Dodge C1239</b> | Emission Rolls Test Active                         |
| <b>Dodge C123A</b> | ESP System Sensors Calibration                     |
| <b>Dodge C123B</b> | Excessive Dump Fault                               |
| <b>Dodge C123C</b> | Dynamics Sensor Mounting/Installation Performance  |
| <b>Dodge C123F</b> | Steering Angle Sensor Comparative Performance      |
| <b>Dodge C1240</b> | Steering Angle Sensor Angle Overtravel Performance |
| <b>Dodge C1241</b> | Steering Angle Sensor Velocity Performance         |
| <b>Dodge C1242</b> | G Sensor Input Signal Performance                  |
| <b>Dodge C1243</b> | G Sensor Not Initialized                           |

| CODES              | DEFINITION                                       |
|--------------------|--------------------------------------------------|
| <b>Dodge C124B</b> | XBW Rule Violation                               |
| <b>Dodge C124C</b> | ACC Disabled Due To ESP                          |
| <b>Dodge C124F</b> | ESP Request Denied From ACC                      |
| <b>Dodge C125E</b> | ACC Sensor Adjustment Required                   |
| <b>Dodge C1266</b> | ACC Sensor Blinded                               |
| <b>Dodge C1268</b> | XBW Rule Violation 02                            |
| <b>Dodge C1269</b> | XBW Rule Violation 03                            |
| <b>Dodge C126A</b> | XBW Rule Violation 04                            |
| <b>Dodge C126B</b> | XBW Rule Violation 05                            |
| <b>Dodge C126C</b> | XBW Rule Violation 06                            |
| <b>Dodge C126D</b> | XBW Rule Violation                               |
| <b>Dodge C126E</b> | XBW Rule Violation 08                            |
| <b>Dodge C126F</b> | XBW Rule Violation 09                            |
| <b>Dodge C1270</b> | XBW Rule Violation 10                            |
| <b>Dodge C1277</b> | ACC Disable Due To TCM                           |
| <b>Dodge C127A</b> | ESP Did Not Respond To Deceleration Request      |
| <b>Dodge C1401</b> | Transfer Case Range Select Switch Circuit Low    |
| <b>Dodge C1402</b> | Transfer Case Range Select Switch Circuit High   |
| <b>Dodge C1403</b> | Transfer Case Range Position Sensor Performance  |
| <b>Dodge C1404</b> | Transfer Case Range Position Sensor Circuit Low  |
| <b>Dodge C1405</b> | Transfer Case Range Position Sensor Circuit High |
| <b>Dodge C1407</b> | Transfer Case Brake Control Circuit Low          |

| CODES              | DEFINITION                                                |
|--------------------|-----------------------------------------------------------|
| <b>Dodge C1408</b> | Transfer Case Brake Control Circuit High                  |
| <b>Dodge C140A</b> | Transfer Case Motor - Performance                         |
| <b>Dodge C140B</b> | Transfer Case Motor Control Circuit Low                   |
| <b>Dodge C140C</b> | Transfer Case Motor Control Circuit High                  |
| <b>Dodge C140E</b> | Transfer Case Motor Blocked                               |
| <b>Dodge C1438</b> | Transfer Case Differential Clutch Worn                    |
| <b>Dodge C1444</b> | Transfer Case Motor Overuse                               |
| <b>Dodge C1456</b> | AWD-Clutch-Power-Control-Circuit-LO                       |
| <b>Dodge C1457</b> | AWD-Clutch-Power-Control-Circuit-HI                       |
| <b>Dodge C145D</b> | AWD-Clutch-Power-Return-Control-Circuit Open              |
| <b>Dodge C145F</b> | AWD System Temporarily Disabled - Overtemperature         |
| <b>Dodge C1464</b> | Front Axle Disconnect Control Circuit Low                 |
| <b>Dodge C1465</b> | Front Axle Disconnect Control Circuit High                |
| <b>Dodge C1476</b> | Transfer Case Clutch Position Out Of Range                |
| <b>Dodge C1477</b> | Transfer-Case-Clutch-Over-Temperature                     |
| <b>Dodge C147A</b> | Transfer Case Temperature Sensor - High                   |
| <b>Dodge C147B</b> | Front Axle Disconnect Sensor Circuit Performance          |
| <b>Dodge C147C</b> | Front Axle Disconnect Power Circuit - Low                 |
| <b>Dodge C147D</b> | Front Axle Disconnect Power Supply Circuit High           |
| <b>Dodge C1480</b> | Transfer Case Range Digital Position Sensor - Performance |
| <b>Dodge C14A3</b> | XBW Rule Violation                                        |
| <b>Dodge C14A4</b> | Sensor Adjustment Required                                |

| CODES              | DEFINITION                                                 |
|--------------------|------------------------------------------------------------|
| <b>Dodge C14A5</b> | Sensor Blinded                                             |
| <b>Dodge C1501</b> | Tire Pressure Sensor 1 Internal                            |
| <b>Dodge C1502</b> | Tire Pressure Sensor 2 Internal                            |
| <b>Dodge C1503</b> | Tire Pressure Sensor 3 Internal                            |
| <b>Dodge C1504</b> | Tire Pressure Sensor 4 Internal                            |
| <b>Dodge C151C</b> | Tire Pressure Sensors Missing                              |
| <b>Dodge C151D</b> | Tire Pressure Sensor Location Undetermined                 |
| <b>Dodge C1570</b> | Duplicate Tire Pressure Sensor Ids                         |
| <b>Dodge C157A</b> | Front Axle Level Sensor Circuit Performance                |
| <b>Dodge C157B</b> | Front Axle Level Sensor Circuit Low                        |
| <b>Dodge C157C</b> | Front Axle Level Sensor Circuit High                       |
| <b>Dodge C157D</b> | Front Axle Level Sensor Circuit Performance                |
| <b>Dodge C157E</b> | Rear Axle Level Sensor Circuit Low                         |
| <b>Dodge C157F</b> | Rear Axle Level Sensor Circuit High                        |
| <b>Dodge C1580</b> | Left/Right Side Tire Pressure Sensor Location Undetermined |
| <b>Dodge C1581</b> | Front/Rear Tire Pressure Sensor Location Undetermined      |
| <b>Dodge C1597</b> | TPM System Deactivated-Winter Mode                         |
| <b>Dodge C15A4</b> | Power Steering Assist Inhibited - Vehicle Speed Too High   |
| <b>Dodge C15C1</b> | EPS Mechanical Performance                                 |
| <b>Dodge C15D6</b> | Run Flat Tire Pressure Below Threshold                     |
| <b>Dodge C15D8</b> | Mismatch Tire Size                                         |
| <b>Dodge C15DB</b> | EPS Disabled                                               |



| CODES              | DEFINITION                            |
|--------------------|---------------------------------------|
| <b>Dodge C2100</b> | Battery-Voltage-Low                   |
| <b>Dodge C2101</b> | Battery Voltage-High                  |
| <b>Dodge C2102</b> | System Voltage Low                    |
| <b>Dodge C2103</b> | System Voltage High                   |
| <b>Dodge C2105</b> | ABS Valve Supply Voltage Circuit Low  |
| <b>Dodge C2111</b> | Sensor Supply 1 Voltage Circuit - Low |
| <b>Dodge C2112</b> | Sensor Supply 1 Voltage Circuit-High  |
| <b>Dodge C2114</b> | Dynamics Sensor Supply Voltage Low    |
| <b>Dodge C2115</b> | Dynamics Sensor Supply Voltage High   |
| <b>Dodge C2116</b> | Abs Pump Motor Supply Low Voltage     |
| <b>Dodge C211B</b> | Ignition Run/Start Input              |
| <b>Dodge C211C</b> | Ignition Run/Start Input Circuit Low  |
| <b>Dodge C211D</b> | Ignition Run/Start Input Circuit High |
| <b>Dodge C2128</b> | ECU Reset/Recovery Occured            |
| <b>Dodge C2200</b> | Anti-Lock Brake Module Internal       |
| <b>Dodge C2201</b> | FDCM-DTCM-Internal                    |
| <b>Dodge C2202</b> | Original VIN Mismatch / Missing       |
| <b>Dodge C2204</b> | Dynamics Sensor Internal              |
| <b>Dodge C2205</b> | Steering Angle Sensor Internal        |
| <b>Dodge C2206</b> | Vehicle Configuration Mismatch        |
| <b>Dodge C2209</b> | Tire Pressure Monitor Internal        |
| <b>Dodge C220B</b> | ABS ACC Not Calibrated                |

| CODES              | DEFINITION                                                  |
|--------------------|-------------------------------------------------------------|
| <b>Dodge C220C</b> | Active Suspension Module Internal                           |
| <b>Dodge C220D</b> | Electrical Powered Hydraulic Steering Module Internal       |
| <b>Dodge C2210</b> | ECU Overtemperature                                         |
| <b>Dodge C2212</b> | ECU In - Plant Mode Active                                  |
| <b>Dodge C2217</b> | Electric Power Steering Module Internal                     |
| <b>Dodge C2219</b> | ECU Unable To Configure/Configuration Not Learned           |
| <b>Dodge C221C</b> | ECU Flash Required                                          |
| <b>Dodge C221F</b> | ECU Not Initialized                                         |
| <b>Dodge C2223</b> | ECU Configuration Mismatch                                  |
| <b>Dodge C2225</b> | PCM Disabled ECU                                            |
| <b>Dodge C2226</b> | TCM Disabled ECU                                            |
| <b>Dodge C2227</b> | ABS Disabled ECU                                            |
| <b>Dodge C230A</b> | Neutral Indicator Control Circuit Low                       |
| <b>Dodge C230B</b> | Neutral Indicator Control Circuit High                      |
| <b>Dodge C2312</b> | TRAC/ESP Off Switch Stuck                                   |
| <b>Dodge C2315</b> | ACC Disable Due To PCM Fault                                |
| <b>Dodge P1004</b> | Short Runner Valve Control Performance                      |
| <b>Dodge P1005</b> | Manifold Tuning Valve Control Performance                   |
| <b>Dodge P1009</b> | Humidity Sensor Module                                      |
| <b>Dodge P1105</b> | Throttle Inlet Pressure Sensor Solenoid Circuit Malfunction |
| <b>Dodge P1106</b> | Throttle Inlet Pressure Sensor Solenoid Circuit Malfunction |

| CODES              | DEFINITION                                                            |
|--------------------|-----------------------------------------------------------------------|
| <b>Dodge P1109</b> | Electronic Throttle Control - Forced Limited Rpm - Bank 2             |
| <b>Dodge P1110</b> | Decreased Engine Performance Due To High Intake Air Temperature       |
| <b>Dodge P1111</b> | Electronic Throttle Control - Unable To Close - Bank 2                |
| <b>Dodge P1112</b> | Electronic Throttle Control - Unable To Open - Bank 2                 |
| <b>Dodge P1115</b> | General Temperature Rationality                                       |
| <b>Dodge P1118</b> | Electronic Throttle Control System Motor Current Performance - Bank 2 |
| <b>Dodge P1128</b> | Closed Loop Fueling Not Achieved - Bank 1 Upstream                    |
| <b>Dodge P1129</b> | Closed Loop Fueling Not Achieved - Bank 2 Upstream                    |
| <b>Dodge P112A</b> | O2 Sensor 1/1 Pumping Undercurrent                                    |
| <b>Dodge P112B</b> | O2 Sensor 1/1 Pumping Overcurrent                                     |
| <b>Dodge P112C</b> | O2 Sensor 2/1 Pumping Undercurrent                                    |
| <b>Dodge P112D</b> | O2 Sensor 2/1 Pumping Overcurrent                                     |
| <b>Dodge P112E</b> | O2 Sensor 1/1 Performance                                             |
| <b>Dodge P112F</b> | O2 Sensor 2/1 Performance                                             |
| <b>Dodge P1135</b> | 1/1 O2 Heater Element Resistance Out Of Range                         |
| <b>Dodge P1136</b> | 1/2 Heater Element Resistance Out Of Range                            |
| <b>Dodge P113D</b> | O2 Sensor 1/1 Slow Response (High Frequency)                          |
| <b>Dodge P113E</b> | O2 Sensor 2/1 Slow Response (High Frequency)                          |
| <b>Dodge P1166</b> | HO2S-11 Controller Adaptive Test (Bank 1)                             |
| <b>Dodge P1187</b> | Throttle Inlet Pressure/MAP Correlation                               |
| <b>Dodge P1188</b> | Throttle Inlet Pressure Sensor Signal Range/Performance               |

| CODES              | DEFINITION                                         |
|--------------------|----------------------------------------------------|
| <b>Dodge P1189</b> | Throttle Inlet Pressure Sensor Circuit Low Input   |
| <b>Dodge P1190</b> | Throttle Inlet Pressure Sensor Circuit High Input  |
| <b>Dodge P1192</b> | Intake Air Temperature Sensor Circuit Low Input    |
| <b>Dodge P1193</b> | Intake Air Temperature Sensor Circuit High Input   |
| <b>Dodge P1195</b> | O2 (B1 S1) Circuit Insufficient Activity           |
| <b>Dodge P1196</b> | O2 (B2 S1) Circuit Insufficient Activity           |
| <b>Dodge P1197</b> | O2 (B1 S2) Circuit Insufficient Activity           |
| <b>Dodge P1205</b> | Fuel Pump Control Module Internal Performance      |
| <b>Dodge P1206</b> | Fuel Pump Control Module Open Circuit To Fuel Pump |
| <b>Dodge P1217</b> | Active Exhaust Valve 1 Performance                 |
| <b>Dodge P121B</b> | Active Exhaust Valve 2 Performance                 |
| <b>Dodge P1239</b> | Engine Oil Temperature Too Low                     |
| <b>Dodge P1272</b> | A/C Clutch Control Circuit 2 Low                   |
| <b>Dodge P1273</b> | A/C Clutch Control Circuit 2 High                  |
| <b>Dodge P1274</b> | A/C Clutch Control Circuit 2 Open                  |
| <b>Dodge P1275</b> | A/C Clutch Control Circuit 2 Overcurrent           |
| <b>Dodge P1277</b> | Starter Control Circuit 2 Low                      |
| <b>Dodge P1278</b> | Starter Control Circuit 2 High                     |
| <b>Dodge P1279</b> | Starter Control Circuit 2 Open                     |
| <b>Dodge P127A</b> | Starter Control Circuit 2 Overcurrent              |
| <b>Dodge P127C</b> | Fuel Pump Control Circuit 2 Low                    |
| <b>Dodge P127D</b> | Fuel Pump Control Circuit 2 High                   |

| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Dodge P127E</b> | Fuel Pump Control Circuit 2 Open                        |
| <b>Dodge P127F</b> | Fuel Pump Control Circuit 2 Overcurrent                 |
| <b>Dodge P1281</b> | Engine Is Cold Too Long                                 |
| <b>Dodge P1282</b> | Fuel Pump Relay Control Circuit Malfunction             |
| <b>Dodge P1283</b> | Idle Select Signal Invalid                              |
| <b>Dodge P1284</b> | Fuel Injection Pump Battery Voltage Out-Of-Range        |
| <b>Dodge P1285</b> | Fuel Injection Pump Controller Always On                |
| <b>Dodge P1286</b> | Accelerator Position Sensor Supply Voltage High Input   |
| <b>Dodge P1287</b> | Fuel Injection Pump Battery Voltage Out-Of-Range        |
| <b>Dodge P1288</b> | Short Runner Valve Control Circuit Malfunction          |
| <b>Dodge P1289</b> | Manifold Tuning Valve Control Circuit Malfunction       |
| <b>Dodge P128B</b> | TCM Power Control Circuit 2 Low                         |
| <b>Dodge P128C</b> | TCM Power Control Circuit 2 High                        |
| <b>Dodge P128D</b> | TCM Power Control Circuit 2 Open                        |
| <b>Dodge P128E</b> | TCM Power Control Circuit 2 Overcurrent                 |
| <b>Dodge P1290</b> | Certified Natural Gas Fuel System Pressure Too High     |
| <b>Dodge P1291</b> | No Temperature Rise Detected From The Intake Heaters    |
| <b>Dodge P1292</b> | Certified Natural Gas Pressure Sensor Circuit Low Input |
| <b>Dodge P1293</b> | CNG Pressure Sensor Low                                 |
| <b>Dodge P1294</b> | Target Idle Speed Not Reached                           |
| <b>Dodge P1295</b> | 5-Volt VREF Missing To Position Sensor                  |
| <b>Dodge P1296</b> | 5-Volt VREF Supply Not Present                          |

| CODES              | DEFINITION                                                               |
|--------------------|--------------------------------------------------------------------------|
| <b>Dodge P1297</b> | No Change In MAP Signal From Start To Run Transition                     |
| <b>Dodge P1299</b> | Vacuum Leak Present With IAC Valve Fully Seated                          |
| <b>Dodge P129C</b> | Inverter Control Circuit High                                            |
| <b>Dodge P129E</b> | Inverter Control Circuit Overcurrent                                     |
| <b>Dodge P1300</b> | Crankshaft Position Learn Out Of Range                                   |
| <b>Dodge P1372</b> | Segment Time Acquisition Incorrect                                       |
| <b>Dodge P1388</b> | Auto Shutdown Relay Control Circuit Malfunction                          |
| <b>Dodge P1389</b> | No Auto Shutdown Relay Output Voltage To PCM                             |
| <b>Dodge P1390</b> | Timing Belt Skipped One Tooth Or More                                    |
| <b>Dodge P1391</b> | CKP Or CMP Sensor Signal Intermittent                                    |
| <b>Dodge P1398</b> | Misfire Adaptive Numerator At Limit                                      |
| <b>Dodge P1400</b> | Aftermarket Calibration Detected/Warranty Coverage Confirmation Required |
| <b>Dodge P1404</b> | EGR Position Sensor Rationality Closed                                   |
| <b>Dodge P1411</b> | Cylinder 1 Reactivation Control Performance                              |
| <b>Dodge P1414</b> | Cylinder 4 Reactivation Control Performance                              |
| <b>Dodge P1416</b> | Cylinder 6 Reactivation Control Performance                              |
| <b>Dodge P1417</b> | Cylinder 7 Reactivation Control Performance                              |
| <b>Dodge P1456</b> | Fuel Tank Pressure Sensor Circuit Low                                    |
| <b>Dodge P1457</b> | Fuel Tank Pressure Sensor Circuit High                                   |
| <b>Dodge P1462</b> | Fuel Level Output Circuit Low                                            |
| <b>Dodge P1463</b> | Fuel Level Output Circuit High                                           |
| <b>Dodge P1475</b> | Auxiliary 5-Volt Supply Circuit High Input                               |

| CODES              | DEFINITION                                               |
|--------------------|----------------------------------------------------------|
| <b>Dodge P1478</b> | Battery Temperature Sensor Circuit Out-Of-Limits         |
| <b>Dodge P1480</b> | Positive Crankcase Ventilation Solenoid Circuit Failure  |
| <b>Dodge P1481</b> | EVAP Leak Detection Monitor Pinched Hose Detected        |
| <b>Dodge P1486</b> | EVAP Leak Detection Monitor Pinched Hose Detected        |
| <b>Dodge P1487</b> | High Speed Radiator Fan Relay Circuit Failure            |
| <b>Dodge P1488</b> | Auxiliary 5-Volt Supply Circuit Low Input                |
| <b>Dodge P1489</b> | High Speed Radiator Fan Relay Circuit Malfunction        |
| <b>Dodge P1490</b> | Low Speed Radiator Fan Relay Circuit Malfunction         |
| <b>Dodge P1491</b> | Radiator Fan Control Relay Circuit Malfunction           |
| <b>Dodge P1492</b> | Battery Temperature Sensor Circuit High Input            |
| <b>Dodge P1493</b> | Battery Temperature Sensor Circuit Low Input             |
| <b>Dodge P1494</b> | EVAP Leak Detection Pump Switch Or Mechanical Fault      |
| <b>Dodge P1495</b> | Leak Detection Pump Solenoid Circuit Malfunction         |
| <b>Dodge P1496</b> | 5-Volt VREF Supply Voltage Too Low                       |
| <b>Dodge P1497</b> | PCM Failure (SRI Mileage Not Stored)                     |
| <b>Dodge P1498</b> | No CCD Messages Received From The TCM                    |
| <b>Dodge P1499</b> | Hydraulic Fan Solenoid Circuit                           |
| <b>Dodge P1500</b> | Generator 'FR' Terminal Circuit Failure                  |
| <b>Dodge P1501</b> | Vehicle Speed Sensor No. 1/2 Drive Wheel Correlation     |
| <b>Dodge P1502</b> | Vehicle Speed Sensor No. 1/2 Non-Drive Wheel Correlation |
| <b>Dodge P1504</b> | Vehicle Speed Output Circuit Low                         |
| <b>Dodge P1505</b> | IAC Valve Opening Coil Signal Low                        |

| CODES              | DEFINITION                                                   |
|--------------------|--------------------------------------------------------------|
| <b>Dodge P1506</b> | IAC Valve Opening Coil Signal High                           |
| <b>Dodge P1507</b> | IAC Valve Closing Coil Signal Low                            |
| <b>Dodge P1508</b> | IAC Valve Closing Coil Signal High                           |
| <b>Dodge P150D</b> | Cold Start Rough Idle - Open Throttle Start                  |
| <b>Dodge P1513</b> | Starter Request Switch Stuck                                 |
| <b>Dodge P1519</b> | Cruise Control Front Distance Sensor Lens Cracked Missing    |
| <b>Dodge P1521</b> | Incorrect Engine Oil Type                                    |
| <b>Dodge P1524</b> | Oil Pressure Out Of Range - Camshaft Advance/Retard Disabled |
| <b>Dodge P1529</b> | Customer Snapshot Request Error                              |
| <b>Dodge P1530</b> | A/C1 Switch Circuit Intermittent                             |
| <b>Dodge P1572</b> | Brake Pedal Stuck ON                                         |
| <b>Dodge P1573</b> | Brake Pedal Stuck OFF                                        |
| <b>Dodge P1593</b> | Speed Control Switch 1/2 Stuck                               |
| <b>Dodge P1594</b> | Charging System Voltage Too High                             |
| <b>Dodge P1595</b> | Speed Control Solenoid Circuit Failure                       |
| <b>Dodge P1596</b> | Speed Control Switch Continuous High Input                   |
| <b>Dodge P1597</b> | Speed Control Switch Continuous Low Input                    |
| <b>Dodge P1598</b> | A/C Pressure Sensor Circuit High Input                       |
| <b>Dodge P1599</b> | A/C Pressure Sensor Circuit Low Input                        |
| <b>Dodge P1601</b> | Internal TCM Computer Error                                  |
| <b>Dodge P1602</b> | PCM Not Programmed                                           |



| CODES              | DEFINITION                                                     |
|--------------------|----------------------------------------------------------------|
| <b>Dodge P1603</b> | Powertrain Control Module Internal Dual-Port Ram Communication |
| <b>Dodge P1604</b> | PCM Internal Dual-Port Ram Read/Write Integrity Failure        |
| <b>Dodge P1607</b> | PCM Internal Shutdown Timer Rationality                        |
| <b>Dodge P1609</b> | Internal Control Module Engine Oil Temperature Performance     |
| <b>Dodge P160A</b> | ECU Overtemperature                                            |
| <b>Dodge P1610</b> | Supercharger Bypass Valve Position Sensor 1 Circuit Low        |
| <b>Dodge P1611</b> | Supercharger Bypass Valve Position Sensor 1 Circuit High       |
| <b>Dodge P1614</b> | ECU Reset-Recovery Occurred                                    |
| <b>Dodge P1616</b> | Supercharger Bypass Valve Position Sensor 2 Circuit Low        |
| <b>Dodge P1617</b> | Supercharger Bypass Valve Position Sensor 2 Circuit High       |
| <b>Dodge P1618</b> | Sensor Reference Voltage 1 Erratic                             |
| <b>Dodge P161A</b> | ECU In-Plant Mode Active                                       |
| <b>Dodge P161B</b> | Battery Disconnect / TCM Internal                              |
| <b>Dodge P1620</b> | Supercharger Bypass Valve Control Circuit Open                 |
| <b>Dodge P1621</b> | O2 Sensor Reference Voltage Circuit Low                        |
| <b>Dodge P1622</b> | O2 Sensor Reference Voltage Circuit High                       |
| <b>Dodge P1626</b> | 5V Output Reference Voltage #2 Low                             |
| <b>Dodge P1627</b> | Supercharger Bypass Valve Position Sensor 1/2 Correlation      |
| <b>Dodge P1628</b> | Sensor Reference Voltage 2 Circuit Erratic                     |
| <b>Dodge P1629</b> | TCM Internal - Solenoid Supply/ Watchdog                       |

| CODES              | DEFINITION                                                                         |
|--------------------|------------------------------------------------------------------------------------|
| <b>Dodge P162A</b> | Supercharger Bypass Valve Actuator Control System - Max PWM Exceeded               |
| <b>Dodge P162B</b> | Supercharger Bypass Valve Actuator Control System - Temporary PWM/RPM Max Exceeded |
| <b>Dodge P162C</b> | Supercharger Bypass Valve Control Circuit                                          |
| <b>Dodge P1631</b> | TCM Internal- Processor Clock Performance                                          |
| <b>Dodge P1632</b> | TCM Internal - Test Internal Watchdog Performance                                  |
| <b>Dodge P1633</b> | TCM Internal - Test External Watchdog Performance                                  |
| <b>Dodge P1634</b> | TCM Internal Internal Watchdog Performance                                         |
| <b>Dodge P1636</b> | TCM Internal- External Watchdog Performance                                        |
| <b>Dodge P1637</b> | TCM Internal-EEPROM Performance                                                    |
| <b>Dodge P1638</b> | TCM Internal-CAN 1 RAM Performance                                                 |
| <b>Dodge P1639</b> | TCM Internal-CAN 2 RAM Performance                                                 |
| <b>Dodge P1643</b> | Supercharger Bypass Valve Actuator Control System - Stuck Closed                   |
| <b>Dodge P1644</b> | Incorrect Variant/Configuration                                                    |
| <b>Dodge P1645</b> | Supercharger Bypass Valve Actuator Control System - Unable To Close                |
| <b>Dodge P164A</b> | MIL Output Circuit Low                                                             |
| <b>Dodge P164B</b> | MIL Output Circuit High                                                            |
| <b>Dodge P1652</b> | Serial Communication Link Malfunction                                              |
| <b>Dodge P1653</b> | PCI Bus Shorted To Ground                                                          |
| <b>Dodge P1654</b> | PCI Bus Shorted To Voltage                                                         |
| <b>Dodge P1656</b> | PCI Bus Not Available                                                              |

| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Dodge P1661</b> | Sensor Ground Reference Circuit                         |
| <b>Dodge P1665</b> | Supercharger Bypass Valve Control System - Ice Blockage |
| <b>Dodge P1666</b> | Cruise Control Module Internal                          |
| <b>Dodge P1678</b> | ECU Sensor Adjustment Required                          |
| <b>Dodge P1679</b> | Calibration Not Learned                                 |
| <b>Dodge P167A</b> | Calibration Mismatch                                    |
| <b>Dodge P1681</b> | No Fuel Level Bus Messages                              |
| <b>Dodge P1682</b> | Charging System Voltage Too Low                         |
| <b>Dodge P1683</b> | Speed Control Relay Or Driver Circuit Malfunction       |
| <b>Dodge P1684</b> | Battery Has Been Disconnected                           |
| <b>Dodge P1685</b> | Smart Key Immobilizer Module Invalid Key                |
| <b>Dodge P1686</b> | No SKIM Bus Messages Received                           |
| <b>Dodge P1687</b> | No Cluster Bus Messages                                 |
| <b>Dodge P1688</b> | Fuel Injection Pump Internal Malfunction                |
| <b>Dodge P1689</b> | No Communication Between ECM & Injection Pump Module    |
| <b>Dodge P1690</b> | Injection Pump CKP Signal Different Than The CKP Signal |
| <b>Dodge P1691</b> | Fuel Injection Pump Calibration Error                   |
| <b>Dodge P1692</b> | Diagnostic Trouble Code Set In The Companion Module     |
| <b>Dodge P1693</b> | Diagnostic Trouble Code Set In The ECM                  |
| <b>Dodge P1694</b> | No PCM Bus Messages                                     |
| <b>Dodge P1695</b> | No BCM Bus Messages                                     |
| <b>Dodge P1696</b> | EEPROM Memory Write Denied/Invalid                      |

| CODES              | DEFINITION                                                              |
|--------------------|-------------------------------------------------------------------------|
| <b>Dodge P1697</b> | EMR (SRI) Mileage Not Stored                                            |
| <b>Dodge P1698</b> | No CCD Messages Received From The TCM                                   |
| <b>Dodge P1702</b> | Primary Oil Pressure Sensor / Secondary Oil Pressure Sensor Correlation |
| <b>Dodge P1704</b> | Input Speed Sensor 1 Overspeed                                          |
| <b>Dodge P1705</b> | Input Speed Sensor 2 Overspeed                                          |
| <b>Dodge P170A</b> | Park/Neutral Output Circuit Low                                         |
| <b>Dodge P170B</b> | Park/Neutral Output Circuit High                                        |
| <b>Dodge P170C</b> | Engine Rpm Output Circuit Low                                           |
| <b>Dodge P170D</b> | Engine Rpm Output Circuit High                                          |
| <b>Dodge P1713</b> | Restricted Manual Valve In T2 Range                                     |
| <b>Dodge P1714</b> | A/T Transmission Control Relay Low Battery Voltage                      |
| <b>Dodge P1715</b> | Restricted Port In T3 Range                                             |
| <b>Dodge P1716</b> | Bus Communication Failure With The PCM                                  |
| <b>Dodge P1717</b> | Bus Communication Failure With The MIC                                  |
| <b>Dodge P1718</b> | EEPROM Integrity Failure                                                |
| <b>Dodge P1719</b> | A/T Skip Shift Solenoid Control Circuit Malfunction                     |
| <b>Dodge P1723</b> | Lock Up / Select Control Circuit                                        |
| <b>Dodge P1729</b> | Transmission Ratio Control Circuit                                      |
| <b>Dodge P172A</b> | Gear Selector Switch                                                    |
| <b>Dodge P1731</b> | Incorrect Gear Engaged                                                  |
| <b>Dodge P1736</b> | Gear Ratio Error In 2nd Prime                                           |
| <b>Dodge P1738</b> | A/T High Temperature Operation Activated                                |

| CODES              | DEFINITION                                             |
|--------------------|--------------------------------------------------------|
| <b>Dodge P1739</b> | A/T Power Up Circuit At Speed                          |
| <b>Dodge P1740</b> | TCM Internal Malfunction                               |
| <b>Dodge P1741</b> | Gear Ratio Error In 4 Prime                            |
| <b>Dodge P1745</b> | Transmission Line Pressure Too High For Too Long       |
| <b>Dodge P1751</b> | A/T Control Relay Circuit Malfunction                  |
| <b>Dodge P1756</b> | A/T Governor Pressure Not Equal To Target At 15-20 PSI |
| <b>Dodge P1757</b> | A/T Governor Pressure Above 3 PSI In Gear At 0 MPH     |
| <b>Dodge P1762</b> | A/T Governor Pressure Sensor Offset Volts Too High/Low |
| <b>Dodge P1763</b> | A/T Governor Pressure Sensor Signal Too High           |
| <b>Dodge P1764</b> | A/T Governor Pressure Sensor Signal Too Low            |
| <b>Dodge P1765</b> | A/T Transmission Relay Circuit Malfunction             |
| <b>Dodge P1767</b> | A/T Transmission Relay Circuit Malfunction             |
| <b>Dodge P1768</b> | A/T Transmission Relay Output Always Off               |
| <b>Dodge P1771</b> | Inadequate Element Volume 2/4                          |
| <b>Dodge P1775</b> | Solenoid Switch Valve Latched In TCC Position          |
| <b>Dodge P1776</b> | A/T Solenoid Switch Latched In Low/Reverse Position    |
| <b>Dodge P1781</b> | A/T Overdrive Pressure Switch Circuit Malfunction      |
| <b>Dodge P1782</b> | A/T Overdrive Pressure Switch Circuit Malfunction      |
| <b>Dodge P1784</b> | A/T Additional L/R Pressure Switch Circuit Malfunction |
| <b>Dodge P1787</b> | A/T Additional O/D Pressure Switch Circuit Malfunction |
| <b>Dodge P1788</b> | A/T Additional 2/4 Pressure Switch Circuit Malfunction |
| <b>Dodge P1789</b> | A/T Overdrive/2/4 Pressure Switch Circuit Malfunction  |

| CODES              | DEFINITION                                                |
|--------------------|-----------------------------------------------------------|
| <b>Dodge P1790</b> | Fault Immediately After Shift                             |
| <b>Dodge P1791</b> | A/T Loss Of Prime Malfunction                             |
| <b>Dodge P1792</b> | Battery Was Disconnected                                  |
| <b>Dodge P1793</b> | Torque Management Request Circuit Malfunction             |
| <b>Dodge P1794</b> | Speed Sensor Ground Error                                 |
| <b>Dodge P1795</b> | Transmission Control Module Internal Malfunction          |
| <b>Dodge P1796</b> | A/T Additional AutoStick Input Circuit Malfunction        |
| <b>Dodge P1797</b> | Manual Shift Overheat                                     |
| <b>Dodge P1798</b> | A/T Transmission Fluid Is Burnt Or Contaminated           |
| <b>Dodge P1799</b> | A/T Calculated Oil Temperature In Use Malfunction         |
| <b>Dodge P1854</b> | Throttle Inlet Pressure BARO Reading Out Of Range         |
| <b>Dodge P1897</b> | PCM Processor                                             |
| <b>Dodge P1899</b> | A/T Park Neutral Switch Stuck in Park Position or In Gear |
| <b>Dodge P1915</b> | Transmission Inhibited Remote Start                       |
| <b>Dodge P1B13</b> | Parkbywire Unintended Out Of Park Position                |
| <b>Dodge P1B14</b> | Parkbywire Unintended Park Position                       |
| <b>Dodge P1C4E</b> | Fault In ABS/ESP Module                                   |
| <b>Dodge P1CF3</b> | Battery Temperature Sensor Out Of Range Low               |
| <b>Dodge P1CF4</b> | Battery Temperature Sensor Out Of Range High              |
| <b>Dodge P1D20</b> | Multi Module Handshake Failure                            |
| <b>Dodge P1D25</b> | Shift Control Rationality                                 |
| <b>Dodge P1D77</b> | Park Solenoid Range-Performance                           |

| CODES              | DEFINITION                                        |
|--------------------|---------------------------------------------------|
| <b>Dodge P1D78</b> | Park Solenoid Circuit Low                         |
| <b>Dodge P1D79</b> | Park Solenoid Circuit High                        |
| <b>Dodge P1D83</b> | Engine Oil Temperature Sensor Circuit Performance |
| <b>Dodge P1D8A</b> | Park Pawl Solenoid Circuit Low                    |
| <b>Dodge P1D8B</b> | Park Pawl Solenoid Circuit High                   |
| <b>Dodge P1D8C</b> | Park Pawl Solenoid Circuit Open                   |
| <b>Dodge P1D8D</b> | Park Sense Circuit Low                            |
| <b>Dodge P1D8E</b> | Park Sense Circuit High                           |
| <b>Dodge P1D8F</b> | Incorrect Gear Ratio Clutch 1 Defective           |
| <b>Dodge P1D90</b> | Incorrect Gear Ratio Clutch 2 Defective           |
| <b>Dodge P1D91</b> | Incorrect Gear Ratio Clutch 3 Defective           |
| <b>Dodge P1D92</b> | Incorrect Gear Ratio Clutch 4 Defective           |
| <b>Dodge P1D93</b> | Incorrect Gear Ratio Clutch 5 Defective           |
| <b>Dodge P1D94</b> | TCM Internal SBW Calibration Mismatch             |
| <b>Dodge P1D95</b> | TCM Clutch Failure Undetermined                   |
| <b>Dodge P1D96</b> | Incorrect Gear Ratio Clutch A Or B Defective      |
| <b>Dodge P1D97</b> | Incorrect Gear Ratio Clutch A Or D Defective      |
| <b>Dodge P1D98</b> | Incorrect Gear Ratio Clutch B Or D Defective      |
| <b>Dodge P1D99</b> | Incorrect Gear Ratio Clutch B Or E Defective      |
| <b>Dodge P1D9A</b> | Incorrect Gear Ratio Clutch C Or D Defective      |
| <b>Dodge P1D9B</b> | Incorrect Gear Ratio: Clutch A Or E Defective     |
| <b>Dodge P1D9C</b> | Incorrect Gear Ratio Clutch A Or C Defective      |

| CODES              | DEFINITION                                     |
|--------------------|------------------------------------------------|
| <b>Dodge P1D9D</b> | Incorrect Gear Ratio Clutch B Or C Defective   |
| <b>Dodge P1D9E</b> | Incorrect Gear Ratio Clutch C Or E Defective   |
| <b>Dodge P1D9F</b> | Incorrect Gear Ratio Clutch D Or E Defective   |
| <b>Dodge P1DA0</b> | Incorrect Gear Ratio Clutch A B Or C Defective |
| <b>Dodge P1DA1</b> | Incorrect Gear Ratio Clutch A B Or E Defective |
| <b>Dodge P1DA2</b> | Incorrect Gear Ratio Clutch B C Or E Defective |
| <b>Dodge P1DA3</b> | Incorrect Gear Ratio Clutch B D Or E Defective |
| <b>Dodge P1DA4</b> | Incorrect Gear Ratio Clutch B C Or D Defective |
| <b>Dodge P1DA5</b> | Incorrect Gear Ratio Clutch C D Or E Defective |
| <b>Dodge P1DA6</b> | Incorrect Gear Ratio Clutch A C Or D Defective |
| <b>Dodge P1DA7</b> | Incorrect Gear Ratio Clutch A D Or E Defective |
| <b>Dodge P1DA8</b> | Incorrect Gear Ratio Clutch A B Or D Defective |
| <b>Dodge P1DA9</b> | Transmission Fluid Temperature Rationality     |
| <b>Dodge P1DAA</b> | Transmission Temp Undetermined                 |
| <b>Dodge P1DAB</b> | Vehicle Speed Undetermined                     |
| <b>Dodge P1DAC</b> | Engine Speed Undetermined                      |
| <b>Dodge P1DAD</b> | Input Shaft-Output Shaft Direction Correlation |
| <b>Dodge P1DAE</b> | Position Valve Stuck 2nd Gear Trans Limp In    |
| <b>Dodge P1DAF</b> | Incompatible Limp In Action Requested          |
| <b>Dodge P1DB0</b> | Implausible Torque Request Signal Sent         |
| <b>Dodge P1DB1</b> | TCM System Voltage Excessively Low             |
| <b>Dodge P1DB2</b> | Actuator Supply Voltage A Circuit              |



| CODES              | DEFINITION                                                                        |
|--------------------|-----------------------------------------------------------------------------------|
| <b>Dodge P1DB3</b> | TCM ECU Reset-Recovery Occurred                                                   |
| <b>Dodge P1DB4</b> | Incorrect Gear Ratio During Gear Engagement Or In Gear                            |
| <b>Dodge P1DB5</b> | Incorrect Gear Ratio During Shift                                                 |
| <b>Dodge P1DB6</b> | Vehicle Speed Signal Performance                                                  |
| <b>Dodge P1DB7</b> | Torque Converter Clutch Performance                                               |
| <b>Dodge P1DB8</b> | Unintended Torque Applied While In Neutral                                        |
| <b>Dodge P1DB9</b> | TCM ECU Reset Extended Low Voltage                                                |
| <b>Dodge P1DC6</b> | TCM Not Programmed                                                                |
| <b>Dodge P1DC7</b> | Clutch Temp Threshold Achieved Shift Time Reduction                               |
| <b>Dodge P1DC8</b> | Clutch Temp Threshold Achieved Autostick Inhibit                                  |
| <b>Dodge P1DC9</b> | Clutch Temp Threshold Achieved Skip Shift Down Inhibit                            |
| <b>Dodge P1DCA</b> | Park Sense Circuit Open                                                           |
| <b>Dodge P1DCD</b> | TCM Monitoring Processor Performance Multiple Clutches Locked Up                  |
| <b>Dodge P1DCE</b> | TCM Monitoring Processor Performance Incorrect Driving Direction                  |
| <b>Dodge P1DCF</b> | TCM Monitoring Processor Performance Unallowed Park Engagement Due To ABS Failure |
| <b>Dodge P1DD0</b> | TCM Monitoring Processor Performance Unallowed Park Engagement                    |
| <b>Dodge P1DD1</b> | Input-Turbine Speed Sensor 1 Gradient Fault                                       |
| <b>Dodge P1DD2</b> | Torque Request Signal From TCM Denied                                             |
| <b>Dodge P1DDC</b> | TCM Monitoring Processor Performance Unallowed Reverse Engagement                 |
| <b>Dodge P1DDD</b> | TCM Monitoring Performance Unable To Disengage Drive Or Reverse                   |

| CODES              | DEFINITION                                                     |
|--------------------|----------------------------------------------------------------|
| <b>Dodge P1DDE</b> | Ignition Run-Start Input 1-2 Correlation                       |
| <b>Dodge P1DEB</b> | Incorrect Gear Displayed Due To Incorrect Gear Ratio           |
| <b>Dodge P1DF3</b> | ECU Not Initialized                                            |
| <b>Dodge P1DF7</b> | Actual Decrease Of Engine Torque Low                           |
| <b>Dodge P1DF8</b> | Actual Decrease Of Engine Torque High                          |
| <b>Dodge P1DF9</b> | Actual Increase Of Engine Torque Low                           |
| <b>Dodge P1DFA</b> | Actual Increase Of Engine Torque High                          |
| <b>Dodge P1E09</b> | Closed Loop Fueling Not Achieved - Bank 1 Downstream           |
| <b>Dodge P1E0A</b> | Closed Loop Fueling Not Achieved - Bank 2 Downstream           |
| <b>Dodge P3032</b> | Barometric Pressure Sensor Performance Plausibility            |
| <b>Dodge U1003</b> | ESP CAN C Bus Performance                                      |
| <b>Dodge U1004</b> | CAN C BUS Transmit Performance                                 |
| <b>Dodge U1008</b> | LIN 1 Bus                                                      |
| <b>Dodge U1009</b> | Lin 2 Bus                                                      |
| <b>Dodge U1015</b> | Internal CAN A Communication Bus Off                           |
| <b>Dodge U103A</b> | CAN-AT (Audio And Telematics) BUS                              |
| <b>Dodge U103C</b> | KIN Communication                                              |
| <b>Dodge U1040</b> | Lost Communication With Body Control Module (BCM)              |
| <b>Dodge U1045</b> | Lin 3 Bus                                                      |
| <b>Dodge U1102</b> | Lost Communication With Left Headlamp Leveling Control Module  |
| <b>Dodge U1103</b> | Lost Communication With Right Headlamp Leveling Control Module |

| CODES              | DEFINITION                                           |
|--------------------|------------------------------------------------------|
| <b>Dodge U1104</b> | CAN C BUS CRC Performance                            |
| <b>Dodge U1105</b> | CAN B Signal Missing                                 |
| <b>Dodge U1106</b> | CAN C Signal Missing                                 |
| <b>Dodge U1107</b> | ECU In Single-Wire Mode                              |
| <b>Dodge U1108</b> | Additional CAN B ECU Detected                        |
| <b>Dodge U1109</b> | Lost Communication With LIN Steering Wheel Controls  |
| <b>Dodge U110A</b> | Lost Communication With SCM (SAS)                    |
| <b>Dodge U110B</b> | Lost Engine Coolant Message                          |
| <b>Dodge U110C</b> | Lost Fuel Level Message                              |
| <b>Dodge U110D</b> | Lost Communication With Security Siren               |
| <b>Dodge U110E</b> | Lost Ambient Temperature Message                     |
| <b>Dodge U110F</b> | Lost Fuel Volume Message                             |
| <b>Dodge U1110</b> | Lost Vehicle Speed Message                           |
| <b>Dodge U1113</b> | Lost A/C Pressure Message                            |
| <b>Dodge U1118</b> | Lost Engine Variant Message                          |
| <b>Dodge U1119</b> | Lost IPM (FCM/TIPM/BCM) Variant Message              |
| <b>Dodge U1120</b> | Lost Wheel Distance Message                          |
| <b>Dodge U112D</b> | Lost Communication With EVIC Steering Wheel Switches |
| <b>Dodge U113B</b> | Lost Communication With Switch Bank Module           |
| <b>Dodge U113C</b> | Lost Wheel Speed Messages                            |
| <b>Dodge U113D</b> | Lost Communication With Master Power Window Switch   |
| <b>Dodge U113E</b> | Lost Communication With Intelligent Battery Sensor   |

| CODES              | DEFINITION                                               |
|--------------------|----------------------------------------------------------|
| <b>Dodge U113F</b> | Lost Communication With Active Exhaust Valve 1           |
| <b>Dodge U1140</b> | Lost Communication With Active Exhaust Valve 2           |
| <b>Dodge U1141</b> | Lost ESP Torque Request Message                          |
| <b>Dodge U1143</b> | Lost Communication With Power Sliding Door Module-Left   |
| <b>Dodge U1144</b> | Lost Communication With Power Sliding Door Module-Right  |
| <b>Dodge U1145</b> | Lost Communication With Keyless Go Security Module       |
| <b>Dodge U1146</b> | Lost Communication With External Memory                  |
| <b>Dodge U1147</b> | Additional CAN Interior Bus ECU Detected                 |
| <b>Dodge U1148</b> | Additional CAN C Bus ECU Detected                        |
| <b>Dodge U1149</b> | Lost Communication With Multifunction Switch             |
| <b>Dodge U114C</b> | Lost Communication With PRNDL Display                    |
| <b>Dodge U1158</b> | Lost Communication With Satellite Video Receiver (SDARV) |
| <b>Dodge U1175</b> | Lost Ignition Status Message                             |
| <b>Dodge U1176</b> | Lost Communication With Emergency Alert Module           |
| <b>Dodge U1186</b> | Lost Communication With Adaptive Cruise Control Module   |
| <b>Dodge U1190</b> | Lost Communication With Humidity Sensor                  |
| <b>Dodge U1191</b> | Lost Communication With Upper Switch Bank                |
| <b>Dodge U1193</b> | Lost Communication With Driver Side Blind Spot Sensor    |
| <b>Dodge U1194</b> | Lost Communication With Passenger Side Blind Spot Sensor |
| <b>Dodge U1197</b> | Security Seed Response Not Received From ECM/PCM         |

| CODES              | DEFINITION                                                                      |
|--------------------|---------------------------------------------------------------------------------|
| <b>Dodge U119E</b> | Lost Communication W/Left-Pedestrian Protection Satellite Acceleration Sensor   |
| <b>Dodge U119F</b> | Lost Communication W/Right Pedestrian Protection Satellite Acceleration Sensor  |
| <b>Dodge U11A0</b> | Lost Communication W/Center-Pedestrian Protection Satellite Acceleration Sensor |
| <b>Dodge U11A2</b> | Lost Communication With Passive Entry Module (PEM)                              |
| <b>Dodge U11AD</b> | Lost Communication W/Left Side Satellite Impact Sensor 4                        |
| <b>Dodge U11B0</b> | Lost Communication W/Right Side Satellite Impact Sensor 4                       |
| <b>Dodge U11B8</b> | Lost Communication With Integrated Center Stack (ICS)                           |
| <b>Dodge U11B9</b> | Lost Communication With RF Hub                                                  |
| <b>Dodge U11BC</b> | Lost Brake Switch Message                                                       |
| <b>Dodge U11C2</b> | Lost Transmission Message                                                       |
| <b>Dodge U11C3</b> | ESM Lost Communication With TCM On D-PT CAN                                     |
| <b>Dodge U11DE</b> | Lost Speed Control Message                                                      |
| <b>Dodge U11E3</b> | TCM Lost Communication With ESM On DPT CAN                                      |
| <b>Dodge U11E4</b> | CAN Communication Messages Missing                                              |
| <b>Dodge U11E8</b> | Lost Communication With EPS Steering Torque Message                             |
| <b>Dodge U11EA</b> | Lost Communication With Left B Pillar Impact Acceleration Sensor                |
| <b>Dodge U11EB</b> | Lost Communication With Left C Pillar Impact Acceleration Sensor                |
| <b>Dodge U11ED</b> | Lost Communication With Right B Pillar Impact Acceleration Sensor               |

| CODES              | DEFINITION                                                          |
|--------------------|---------------------------------------------------------------------|
| <b>Dodge U11EE</b> | Lost Communication With Right C Pillar Impact Acceleration Sensor   |
| <b>Dodge U11F0</b> | Lost Communication With Left Impact Pressure Sensor                 |
| <b>Dodge U11F1</b> | Lost Communication With Right Impact Pressure Sensor                |
| <b>Dodge U11F9</b> | Engine Did Not Respond To ACC Torque Request                        |
| <b>Dodge U11FA</b> | Lost Communication With Right Blind Spot Sensor                     |
| <b>Dodge U11FB</b> | Lost Communication With Left Blind Spot Sensor                      |
| <b>Dodge U120C</b> | LOST BRAKE BOOSTER SIGNAL                                           |
| <b>Dodge U120E</b> | Lost Communication With Comfort Seat And Wheel Module               |
| <b>Dodge U1213</b> | Lost Communication With Left Door Track Impact Acceleration Sensor  |
| <b>Dodge U1214</b> | Lost Communication With Right Door Track Impact Acceleration Sensor |
| <b>Dodge U1215</b> | Lost Communication With Forward Facing Camera                       |
| <b>Dodge U1216</b> | Lost Communication With DASM                                        |
| <b>Dodge U121E</b> | Lost Communication With Steering Wheel Cruise Control Switch        |
| <b>Dodge U1267</b> | No Valid Data From ESM On CAN-C Or CAN-DPT                          |
| <b>Dodge U12A7</b> | Lost Communication With Display Screen Module                       |
| <b>Dodge U12AE</b> | Lost Communication With Central Vision Processing Module            |
| <b>Dodge U1400</b> | Implausible TPS Signal Received                                     |
| <b>Dodge U1401</b> | Implausible Engine Speed Signal Received                            |
| <b>Dodge U1402</b> | Implausible Engine Temperature Signal Received                      |
| <b>Dodge U1403</b> | Implausible Fuel Level Signal Received                              |

| CODES              | DEFINITION                                           |
|--------------------|------------------------------------------------------|
| <b>Dodge U1404</b> | Implausible Static Engine Torque Signal Received     |
| <b>Dodge U1405</b> | Implausible Minimum Engine Torque Signal Received    |
| <b>Dodge U1406</b> | Implausible Maximum Engine Torque Signal Received    |
| <b>Dodge U1407</b> | Implausible Engine Torque Request Signal Received    |
| <b>Dodge U1408</b> | Implausible Brake Signal Received                    |
| <b>Dodge U1409</b> | Implausible Left Front Wheel Speed Signal Received   |
| <b>Dodge U140A</b> | Implausible Right Front Wheel Speed Signal Received  |
| <b>Dodge U140B</b> | Implausible Left Rear Wheel Speed Signal Received    |
| <b>Dodge U140C</b> | Implausible Right Rear Wheel Speed Signal Received   |
| <b>Dodge U140D</b> | Implausible Wheel Speed Signals Received             |
| <b>Dodge U140E</b> | Implausible Vehicle Configuration Data Received      |
| <b>Dodge U140F</b> | Implausible Engine Variant Data                      |
| <b>Dodge U1410</b> | Implausible IPM (FCM/TIPM/BCM) Variant Data          |
| <b>Dodge U1411</b> | Implausible Fuel Volume Signal Received              |
| <b>Dodge U1412</b> | Implausible Vehicle Speed Signal Received            |
| <b>Dodge U1413</b> | Implausible Odometer Signal Received                 |
| <b>Dodge U1414</b> | Implausible/Missing ECU Network Configuration Data   |
| <b>Dodge U1415</b> | Implausible/Missing Vehicle Configuration Data       |
| <b>Dodge U1416</b> | Implausible Security Siren Signal Received           |
| <b>Dodge U1417</b> | Implausible Left Wheel Distance Signal Received      |
| <b>Dodge U1418</b> | Implausible Right Wheel Distance Signal Received     |
| <b>Dodge U141E</b> | Implausible Data Received From Cruise Control Switch |

| CODES              | DEFINITION                                                           |
|--------------------|----------------------------------------------------------------------|
| <b>Dodge U1420</b> | Implausible Electronic Gear Select Signal Received                   |
| <b>Dodge U1424</b> | Implausible Engine Torque Signal Received                            |
| <b>Dodge U1425</b> | Implausible Pedal Position Signal Received                           |
| <b>Dodge U1426</b> | Implausible TCC Slip Request Signal Received                         |
| <b>Dodge U1427</b> | Implausible Data Received From Telematics Gateway                    |
| <b>Dodge U1428</b> | Received Engine Torque Request Signal Stuck                          |
| <b>Dodge U1429</b> | Received Engine Torque Signal Stuck                                  |
| <b>Dodge U142A</b> | Implausible PRNDL Signal Received                                    |
| <b>Dodge U142B</b> | Implausible Data Received From Exhaust Valve 1                       |
| <b>Dodge U142C</b> | Implausible Data Received From Exhaust Valve 2                       |
| <b>Dodge U1430</b> | Implausible Data Received From Comfort Seat And Wheel Module         |
| <b>Dodge U1431</b> | Implausible Data Received From Cruise Control Module                 |
| <b>Dodge U1438</b> | ABS Module-Implausible Vehicle Configuration Received                |
| <b>Dodge U1440</b> | Implausible Transfer Case Ratio High Received                        |
| <b>Dodge U1445</b> | Implausible Data Received From Display Screen Module                 |
| <b>Dodge U1446</b> | Implausible Heated Steering Wheel Temperature Message Received (CCN) |
| <b>Dodge U1447</b> | Implausible Data Received From SCM                                   |
| <b>Dodge U1449</b> | Implausible ERS Message Received                                     |
| <b>Dodge U1450</b> | Implausible DTCM Torque Message Received                             |
| <b>Dodge U1454</b> | Implausible Data Received From The Gated Park Switch                 |
| <b>Dodge U145D</b> | Implausible Data Received From TCM On D-PT                           |



| CODES              | DEFINITION                                                          |
|--------------------|---------------------------------------------------------------------|
| <b>Dodge U145E</b> | Implausible Police Configuration                                    |
| <b>Dodge U1461</b> | Implausible Data Received From ESM On DPT                           |
| <b>Dodge U1464</b> | Implausible Data Received From EPS Steering Torque                  |
| <b>Dodge U1465</b> | Implausible Driver Shift Request Signal Received                    |
| <b>Dodge U1466</b> | Implausible Driver Shift Request Signal Received On DPT CAN         |
| <b>Dodge U1467</b> | Implausible Driver Shift Request Signal Received On CAN And         |
| <b>Dodge U1469</b> | Implausible Gear Shift Position Signal Sent DPT CAN-CAN             |
| <b>Dodge U1477</b> | Implausible Paddle Shifter Data Received                            |
| <b>Dodge U1479</b> | Implausible Data Received From Shifter Mechanical Failure           |
| <b>Dodge U147D</b> | Implausible Data Received From Right Blind Spot Sensor              |
| <b>Dodge U147E</b> | Implausible Data Received From Left Blind Spot Sensor               |
| <b>Dodge U1480</b> | Implausible Data Received From Integrated Center Stack              |
| <b>Dodge U1489</b> | Implausible Data Received From RF Hub                               |
| <b>Dodge U148D</b> | Implausible Data Received From Forward Facing Camera                |
| <b>Dodge U1501</b> | Implausible Message Data Length Received From ECM/PCM               |
| <b>Dodge U1502</b> | Implausible Message Data Length Received From TCM                   |
| <b>Dodge U1503</b> | Implausible Message Data Length Received From TIPM                  |
| <b>Dodge U1504</b> | Implausible Message Data Length Received From Steering Angle Sensor |
| <b>Dodge U1505</b> | Implausible Message Data Length Received From FDCM                  |
| <b>Dodge U1507</b> | Implausible Engine Temperature Message Data Length Received         |

| CODES              | DEFINITION                                                                   |
|--------------------|------------------------------------------------------------------------------|
| <b>Dodge U1508</b> | Implausible Message Data Length Received From ESM                            |
| <b>Dodge U1509</b> | Implausible Engine Variant Message Data Length Received                      |
| <b>Dodge U150A</b> | Implausible IPM (FCM/TIPM/BCM) Variant Message Data Length Received          |
| <b>Dodge U1512</b> | Implausible Message Data Length Received From SCM                            |
| <b>Dodge U1600</b> | ECU Application Software Mismatch                                            |
| <b>Dodge U1601</b> | ECU Application Software Code 1 Missing Or Corrupted                         |
| <b>Dodge U1606</b> | PCM Application Software Data 1 Missing Or Corrupted                         |
| <b>Dodge U1607</b> | PCM Application Software Data 2 Missing Or Corrupted                         |
| <b>Dodge U160B</b> | PCM Boot Software 1 Missing Or Corrupted                                     |
| <b>Dodge U160E</b> | ECU Hardware Internal - Boot                                                 |
| <b>FIAT B104D</b>  | Blend Door Control Circuit Low                                               |
| <b>FIAT B104E</b>  | Blend Door Control Circuit High                                              |
| <b>FIAT B1063</b>  | Comfort Enable-No Subtype Information                                        |
| <b>FIAT B1082</b>  | ORC-Occupant Restraint Control-Fps-Fire Protection Strategy-Activated        |
| <b>FIAT B10E9</b>  | Blower Motor Control Circuit Low                                             |
| <b>FIAT B10EA</b>  | Blower Motor Control Circuit High                                            |
| <b>FIAT B1193</b>  | Crash Event Storage Full And Locked-No Sub Type Information                  |
| <b>FIAT B1206</b>  | Crash Occurred-No Sub Type Information                                       |
| <b>FIAT B13D4</b>  | Immobilizer Transmitter Less Than Minimum Programmed-No Sub Type Information |
| <b>FIAT B1429</b>  | Pedestrian Impact Event Storage Full And Locked-No Sub Type Information      |

| CODES             | DEFINITION                                                    |
|-------------------|---------------------------------------------------------------|
| <b>FIAT B143A</b> | Crash Event Detection Output-No Sub Type Information          |
| <b>FIAT B1488</b> | Cabin EQ Mismatch Performance                                 |
| <b>FIAT B157E</b> | Touch Screen Locked                                           |
| <b>FIAT B2206</b> | Current VIN Missing / Mismatch                                |
| <b>FIAT B221E</b> | Radio Internal - No Subtype Information                       |
| <b>FIAT B222C</b> | Vehicle Configuration Not Programmed - No Subtype Information |
| <b>FIAT B223B</b> | Vehicle Configuration Mismatch - No Subtype Information       |
| <b>FIAT B280B</b> | Rear Camera Video Input                                       |
| <b>FIAT C2300</b> | RDM Classification Not Valid - No Subtype Information         |
| <b>FIAT P101A</b> | Cylinder 1 Oil Supply Solenoid Valve Return Control Circuit   |
| <b>FIAT P101B</b> | Cylinder 2 Oil Supply Solenoid Valve Return Control Circuit   |
| <b>FIAT P101C</b> | Cylinder 3 Oil Supply Solenoid Valve Return Control Circuit   |
| <b>FIAT P101D</b> | Cylinder 4 Oil Supply Solenoid Valve Return Control Circuit   |
| <b>FIAT P1021</b> | Cylinder 1 Oil Supply Solenoid Valve Component Damage         |
| <b>FIAT P1022</b> | Cylinder 2 Oil Supply Solenoid Valve Component Damage         |
| <b>FIAT P1023</b> | Cylinder 3 Oil Supply Solenoid Valve Component Damage         |
| <b>FIAT P1024</b> | Cylinder 4 Oil Supply Solenoid Valve Component Damage         |
| <b>FIAT P1025</b> | Cylinder 1 Oil Supply Solenoid Valve Under Voltage            |
| <b>FIAT P1026</b> | Cylinder 1 Oil Supply Solenoid Valve Over Voltage             |
| <b>FIAT P1027</b> | Cylinder 2 Oil Supply Solenoid Valve Under Voltage            |

| CODES             | DEFINITION                                                      |
|-------------------|-----------------------------------------------------------------|
| <b>FIAT P1028</b> | Cylinder 2 Oil Supply Solenoid Valve Over Voltage               |
| <b>FIAT P1029</b> | Cylinder 3 Oil Supply Solenoid Valve Under Voltage              |
| <b>FIAT P102A</b> | Cylinder 3 Oil Supply Solenoid Valve Over Voltage               |
| <b>FIAT P102B</b> | Cylinder 4 Oil Supply Solenoid Valve Under Voltage              |
| <b>FIAT P102C</b> | Cylinder 4 Oil Supply Solenoid Valve Over Voltage               |
| <b>FIAT P1031</b> | Cylinder 1 Oil Supply Solenoid Valve Driver Voltage Implausible |
| <b>FIAT P1032</b> | Cylinder 2 Oil Supply Solenoid Valve Driver Voltage Implausible |
| <b>FIAT P1033</b> | Cylinder 3 Oil Supply Solenoid Valve Driver Voltage Implausible |
| <b>FIAT P1034</b> | Cylinder 4 Oil Supply Solenoid Valve Driver Voltage Implausible |
| <b>FIAT P1035</b> | Cylinder 1 Oil Supply Solenoid Valve Open Circuit               |
| <b>FIAT P1036</b> | Cylinder 1 Oil Supply Solenoid Valve Driver Short To Battery    |
| <b>FIAT P1037</b> | Cylinder 1 Oil Supply Solenoid Valve Driver Short To Ground     |
| <b>FIAT P1038</b> | Cylinder 2 Oil Supply Solenoid Valve Driver Open Circuit        |
| <b>FIAT P1039</b> | Cylinder 2 Oil Supply Solenoid Valve Driver Short To Battery    |
| <b>FIAT P103A</b> | Cylinder 2 Oil Supply Solenoid Valve Driver Short To Ground     |
| <b>FIAT P103B</b> | Cylinder 3 Oil Supply Solenoid Valve Driver Open Circuit        |
| <b>FIAT P103C</b> | Cylinder 3 Oil Supply Solenoid Valve Driver Short To Battery    |
| <b>FIAT P103D</b> | Cylinder 3 Oil Supply Solenoid Valve Driver Short To Ground     |

| CODES             | DEFINITION                                                          |
|-------------------|---------------------------------------------------------------------|
| <b>FIAT P103E</b> | Cylinder 4 Oil Supply Solenoid Valve Driver Open Circuit            |
| <b>FIAT P103F</b> | Cylinder 4 Oil Supply Solenoid Valve Driver Short To Battery        |
| <b>FIAT P1040</b> | Cylinder 4 Oil Supply Solenoid Valve Short To Ground                |
| <b>FIAT P1041</b> | Implausible Data From Cylinder 1 Oil Supply Solenoid Valve Received |
| <b>FIAT P1042</b> | Implausible Data From Cylinder 2 Oil Supply Solenoid Valve Received |
| <b>FIAT P1043</b> | Implausible Data From Cylinder 3 Oil Supply Solenoid Valve Received |
| <b>FIAT P1044</b> | Implausible Data From Cylinder 4 Oil Supply Solenoid Valve Received |
| <b>FIAT P1045</b> | Cylinder 1 Oil Supply Solenoid Valve Voltage Out Of Range           |
| <b>FIAT P1046</b> | Cylinder 1 Oil Supply Solenoid Valve Overcurrent                    |
| <b>FIAT P1047</b> | Cylinder 2 Oil Supply Solenoid Valve Voltage Out Of Range           |
| <b>FIAT P1048</b> | Cylinder 2 Oil Supply Solenoid Valve Overcurrent                    |
| <b>FIAT P1049</b> | Cylinder 3 Oil Supply Solenoid Valve Voltage Out Of Range           |
| <b>FIAT P104A</b> | Cylinder 3 Oil Supply Solenoid Valve Overcurrent                    |
| <b>FIAT P104B</b> | Cylinder 4 Oil Supply Solenoid Valve Voltage Out Of Range           |
| <b>FIAT P104C</b> | Cylinder 4 Oil Supply Solenoid Valve Overcurrent                    |
| <b>FIAT P1061</b> | Cylinder 1 Oil Supply Solenoid Valve Stuck                          |
| <b>FIAT P1062</b> | Cylinder 2 Oil Supply Solenoid Valve Stuck                          |
| <b>FIAT P1063</b> | Cylinder 3 Oil Supply Solenoid Valve Stuck                          |

| CODES             | DEFINITION                                                        |
|-------------------|-------------------------------------------------------------------|
| <b>FIAT P1064</b> | Cylinder 4 Oil Supply Solenoid Valve Stuck                        |
| <b>FIAT P1065</b> | Cylinder 1 Oil Supply Solenoid Valve Switch On Time Out Of Range  |
| <b>FIAT P1066</b> | Cylinder 1 Oil Supply Solenoid Valve Switch Off Time Out Of Range |
| <b>FIAT P1067</b> | Cylinder 2 Oil Supply Solenoid Valve Switch On Time Out Of Range  |
| <b>FIAT P1068</b> | Cylinder 2 Oil Supply Solenoid Valve Switch Off Time Out Of Range |
| <b>FIAT P1069</b> | Cylinder 3 Oil Supply Solenoid Valve Switch On Time Out Of Range  |
| <b>FIAT P106A</b> | Cylinder 3 Oil Supply Solenoid Valve Switch Off Time Out Of Range |
| <b>FIAT P106B</b> | Cylinder 4 Oil Supply Solenoid Valve Switch On Time Out Of Range  |
| <b>FIAT P106C</b> | Cylinder 4 Oil Supply Solenoid Valve Switch Off Time Out Of Range |
| <b>FIAT P1115</b> | General Temperature Rationality                                   |
| <b>FIAT P1128</b> | Closed Loop Fueling Not Achieved - Bank 1 Upstream                |
| <b>FIAT P112A</b> | O2 Sensor 1/1 Pumping Undercurrent                                |
| <b>FIAT P112B</b> | O2 Sensor 1/1 Pumping Overcurrent                                 |
| <b>FIAT P112E</b> | O2 Sensor 1/1 Performance                                         |
| <b>FIAT P113D</b> | O2 Sensor 1/1 Slow Response (High Frequency)                      |
| <b>FIAT P1185</b> | General Pressure Sensor Correlation                               |
| <b>FIAT P1212</b> | Engine Oil Temperature High - RPM Limited                         |
| <b>FIAT P1239</b> | Engine Oil Temperature Too Low                                    |
| <b>FIAT P1300</b> | Crankshaft Position Learn Out Of Range                            |

| CODES             | DEFINITION                                                 |
|-------------------|------------------------------------------------------------|
| <b>FIAT P1302</b> | Transmission Self-Learning Signal Not Received             |
| <b>FIAT P1303</b> | Implausible Transmission Self-Learning Signal Received     |
| <b>FIAT P1456</b> | Fuel Tank Pressure Sensor Circuit Low                      |
| <b>FIAT P1457</b> | Fuel Tank Pressure Sensor Circuit High                     |
| <b>FIAT P1487</b> | After Run Coolant Pump Control Circuit Open                |
| <b>FIAT P1488</b> | After Run Coolant Pump Control Circuit Low                 |
| <b>FIAT P1489</b> | After Run Coolant Pump Control Circuit High                |
| <b>FIAT P1490</b> | After Run Coolant Pump Performance                         |
| <b>FIAT P1491</b> | After Run Coolant Pump Circuit High                        |
| <b>FIAT P1500</b> | ECU Configuration Mismatch                                 |
| <b>FIAT P150D</b> | Cold Start Rough Idle - Open Throttle Start                |
| <b>FIAT P1523</b> | VVA Low Oil Pressure                                       |
| <b>FIAT P1524</b> | Oil Pressure Out Of Range-Camshaft Advance-Retard Disabled |
| <b>FIAT P1572</b> | Brake Pedal Stuck On                                       |
| <b>FIAT P1573</b> | Brake Pedal Stuck Off                                      |
| <b>FIAT P1593</b> | Speed Control Switch 1-2                                   |
| <b>FIAT P1602</b> | PCM Not Programmed                                         |
| <b>FIAT P1607</b> | PCM Internal Shutdown Timer Rationality                    |
| <b>FIAT P1609</b> | Internal Control Module Engine Oil Temperature Performance |
| <b>FIAT P1614</b> | ECU Reset-Recovery Occurred                                |
| <b>FIAT P1618</b> | Sensor Reference Voltage 1 Erratic                         |

| CODES             | DEFINITION                                           |
|-------------------|------------------------------------------------------|
| <b>FIAT P1621</b> | O2 Sensor Reference Voltage Circuit Low              |
| <b>FIAT P1622</b> | O2 Sensor Reference Voltage Circuit High             |
| <b>FIAT P1628</b> | Sensor Reference Voltage 2 Erratic                   |
| <b>FIAT P1629</b> | TCM Internal - Solenoid Supply                       |
| <b>FIAT P1634</b> | TCM Internal Internal Watchdog Performance           |
| <b>FIAT P167A</b> | Calibration Mismatch                                 |
| <b>FIAT P1696</b> | EEPROM Memory Write Denied Invalid                   |
| <b>FIAT P1697</b> | EMR (SRI) Mileage Not Stored                         |
| <b>FIAT P16A0</b> | ETC Motor Error Position                             |
| <b>FIAT P16A2</b> | ETC Motor Self-Learning-Limp Home Position           |
| <b>FIAT P16A3</b> | ETC Motor Self-Learning-Mechanical Throttle Closure  |
| <b>FIAT P16A4</b> | ETC Motor Self-Learning-Spring Closure               |
| <b>FIAT P16A5</b> | ETC Motor Self-Learning-Spring Opening               |
| <b>FIAT P16AA</b> | Speed Control Disabled Due To High Acceleration      |
| <b>FIAT P16AB</b> | Speed Control Disabled Due To Excessive Deceleration |
| <b>FIAT P1718</b> | EEPROM Integrity Failure                             |
| <b>FIAT P1720</b> | Output Speed Sensor-Wheel Speed Rationality          |
| <b>FIAT P1725</b> | Transmission Range Sensor C Circuit Low              |
| <b>FIAT P1726</b> | Transmission Range Sensor C Circuit High             |
| <b>FIAT P1727</b> | Transmission Range Sensor D Circuit Low              |
| <b>FIAT P1728</b> | Transmission Range Sensor D Circuit High             |
| <b>FIAT P1731</b> | Incorrect Gear Engaged                               |



| CODES             | DEFINITION                                                                           |
|-------------------|--------------------------------------------------------------------------------------|
| <b>FIAT P176D</b> | Transmission Fluid Temperature Too High                                              |
| <b>FIAT P1B13</b> | Parkbywire Unintended Out Of Park Position                                           |
| <b>FIAT P1B14</b> | Park By Wire Unintended Park Position                                                |
| <b>FIAT P1C4E</b> | ABS DTC Present                                                                      |
| <b>FIAT P1C57</b> | Reductant Control Module Shutdown - Crash Event Detected                             |
| <b>FIAT P1C73</b> | Park Switch Circuit Stuck                                                            |
| <b>FIAT P1C82</b> | Auto Shift Manual Mode Circuit (Signal Stuck)                                        |
| <b>FIAT P1C8C</b> | System Voltage                                                                       |
| <b>FIAT P1CA7</b> | Ignition Solenoid Control Circuit (Short To Battery Or Open)                         |
| <b>FIAT P1CA8</b> | Ignition Solenoid Control Circuit (Short To Ground)                                  |
| <b>FIAT P1CC9</b> | Unable To Engage Gear                                                                |
| <b>FIAT P1CEA</b> | Boost Side EVAP Purge System Performance                                             |
| <b>FIAT P1CEC</b> | Variable Valve Solenoid Valve Cold Start Closing Position 1 Timing Over-Retard       |
| <b>FIAT P1CED</b> | Variable Valve Timing Solenoid Valve Cold Start Closing Position Timing Over-Advance |
| <b>FIAT P1CF3</b> | Battery Temperature Sensor Out Of Range Low                                          |
| <b>FIAT P1CF4</b> | Battery Temperature Sensor Out Of Range High                                         |
| <b>FIAT P1D25</b> | Shift Control Rationality                                                            |
| <b>FIAT P1D65</b> | Cylinder 1 Oil Supply Solenoid Valve Performance                                     |
| <b>FIAT P1D66</b> | Cylinder 2 Oil Supply Solenoid Valve Performance                                     |
| <b>FIAT P1D67</b> | Cylinder 3 Oil Supply Solenoid Valve Performance                                     |

| CODES             | DEFINITION                                       |
|-------------------|--------------------------------------------------|
| <b>FIAT P1D68</b> | Cylinder 4 Oil Supply Solenoid Valve Performance |
| <b>FIAT P1D78</b> | Park Solenoid Circuit Low                        |
| <b>FIAT P1D79</b> | Park Solenoid Circuit High                       |
| <b>FIAT P1D7F</b> | ETC Self-Learning Failure                        |
| <b>FIAT P1D80</b> | Internal Control Module EEPROM                   |
| <b>FIAT P1D8F</b> | Incorrect Gear Ratio Clutch 1 Defective          |
| <b>FIAT P1D90</b> | Incorrect Gear Ratio Clutch 2 Defective          |
| <b>FIAT P1D91</b> | Incorrect Gear Ratio Clutch 3 Defective          |
| <b>FIAT P1D92</b> | Incorrect Gear Ratio Clutch 4 Defective          |
| <b>FIAT P1D93</b> | Incorrect Gear Ratio Clutch 5 Defective          |
| <b>FIAT P1D94</b> | TCM Internal SBW Calibration Mismatch            |
| <b>FIAT P1D95</b> | TCM Clutch Failure Undetermined                  |
| <b>FIAT P1D98</b> | Incorrect Gear Ratio Clutch B Or D Defective     |
| <b>FIAT P1D99</b> | Incorrect Gear Ratio Clutch B Or E Defective     |
| <b>FIAT P1D9E</b> | Incorrect Gear Ratio Clutch C Or E Defective     |
| <b>FIAT P1D9F</b> | Incorrect Gear Ratio Clutch D Or E Defective     |
| <b>FIAT P1DA3</b> | Incorrect Gear Ratio Clutch B D Or E Defective   |
| <b>FIAT P1DA5</b> | Incorrect Gear Ratio Clutch C D Or E Defective   |
| <b>FIAT P1DA9</b> | Transmission Fluid Temperature Rationality       |
| <b>FIAT P1DAB</b> | Vehicle Speed Undetermined                       |
| <b>FIAT P1DAD</b> | Input Shaft-Output Shaft Direction Correlation   |
| <b>FIAT P1DAF</b> | Incompatible Limp In Action Requested            |

| CODES             | DEFINITION                                                                        |
|-------------------|-----------------------------------------------------------------------------------|
| <b>FIAT P1DB1</b> | TCM System Voltage Excessively Low                                                |
| <b>FIAT P1DB2</b> | Actuator Supply Voltage A Circuit                                                 |
| <b>FIAT P1DB3</b> | TCM ECU Reset-Recovery Occurred                                                   |
| <b>FIAT P1DB6</b> | Output Shaft Speed Wheel Speed Correlation                                        |
| <b>FIAT P1DB7</b> | Torque Converter Clutch Performance                                               |
| <b>FIAT P1DB8</b> | Unintended Torque Applied While In Neutral                                        |
| <b>FIAT P1DB9</b> | TCM ECU Reset Extended Low Voltage                                                |
| <b>FIAT P1DC8</b> | Clutch Temp Threshold Achieved Autostick Inhibit                                  |
| <b>FIAT P1DCD</b> | TCM Monitoring Processor Performance Multiple Clutches Locked Up                  |
| <b>FIAT P1DCE</b> | TCM Monitoring Processor Performance Incorrect Driving Direction                  |
| <b>FIAT P1DCF</b> | TCM Monitoring Processor Performance Unallowed Park Engagement Due To ABS Failure |
| <b>FIAT P1DD0</b> | TCM Monitoring Processor Performance Unallowed Park Engagement                    |
| <b>FIAT P1DD2</b> | Torque Request Signal From TCM Denied                                             |
| <b>FIAT P1DDC</b> | TCM Monitoring Processor Performance Unallowed Reverse Engagement                 |
| <b>FIAT P1DDD</b> | TCM Monitoring Performance Unable To Disengage Drive Or Reverse                   |
| <b>FIAT P1DDE</b> | Ignition Run/Start Input 1/2 Correlation                                          |
| <b>FIAT P1DEB</b> | Incorrect Gear Displayed Due To Incorrect Gear Ratio                              |
| <b>FIAT P1DF3</b> | ECU Not Initialized                                                               |
| <b>FIAT P1DF8</b> | Actual Decrease Of Engine Torque High                                             |
| <b>FIAT P1E09</b> | Closed Loop Fueling Not Achieved - Bank 1 Downstream                              |

| CODES             | DEFINITION                                         |
|-------------------|----------------------------------------------------|
| <b>FIAT P1E23</b> | Incorrect Gear Ratio Clutch 6 Defective            |
| <b>FIAT U110A</b> | Lost Communication With SCM - CAN-C                |
| <b>FIAT U110C</b> | Lost Fuel Level Message                            |
| <b>FIAT U110E</b> | Lost Ambient Temperature Message                   |
| <b>FIAT U1110</b> | Lost Vehicle Speed Message                         |
| <b>FIAT U1120</b> | Lost Wheel Distance Message                        |
| <b>FIAT U113E</b> | Lost Communication With Intelligent Battery Sensor |
| <b>FIAT U1141</b> | Lost ESP Torque Request Message                    |
| <b>FIAT U11B9</b> | Lost Communication With RF Hub                     |
| <b>FIAT U11BC</b> | Lost Brake Switch Message                          |
| <b>FIAT U11C2</b> | Lost Transmission Message                          |
| <b>FIAT U11DD</b> | Body Control Module Signal Invalid                 |
| <b>FIAT U11DE</b> | Lost Speed Control Message                         |
| <b>FIAT U11E0</b> | Invalid Speed Control Message                      |
| <b>FIAT U11E3</b> | TCM Lost Communication With ESM On DPT CAN         |
| <b>FIAT U1400</b> | Implausible TPS Signal Received                    |
| <b>FIAT U1401</b> | Implausible Engine Speed Signal Received           |
| <b>FIAT U1402</b> | Implausible Engine Temperature Signal Received     |
| <b>FIAT U1403</b> | Implausible Fuel Level Signal Received             |
| <b>FIAT U1404</b> | Implausible Static Engine Torque Signal Received   |
| <b>FIAT U1408</b> | Implausible Brake Signal Received                  |
| <b>FIAT U1409</b> | Implausible Left Front Wheel Speed Signal Received |

| CODES             | DEFINITION                                                                  |
|-------------------|-----------------------------------------------------------------------------|
| <b>FIAT U140A</b> | Implausible Right Front Wheel Speed Signal Received                         |
| <b>FIAT U140B</b> | Implausible Left Rear Wheel Speed Signal Received                           |
| <b>FIAT U140C</b> | Implausible Right Rear Wheel Speed Signal Received                          |
| <b>FIAT U1412</b> | Implausible Vehicle Speed Signal Received                                   |
| <b>FIAT U1424</b> | Implausible Engine Torque Signal Received                                   |
| <b>FIAT U1440</b> | Implausible Transfer Case Ratio High Received                               |
| <b>FIAT U1461</b> | Implausible Data Received From ESM On DPT                                   |
| <b>FIAT U1465</b> | Implausible Driver Shift Request Signal Received                            |
| <b>FIAT U1467</b> | Implausible Driver Shift Request Signal Received On CAN And DPT CAN         |
| <b>FIAT U1477</b> | Implausible Paddle Shifter Data Received                                    |
| <b>FIAT U1504</b> | Implausible Message Data Length Received From Steering Angle Sensor         |
| <b>FIAT U1701</b> | Engine1 (From Engine Control Module) Missing Message                        |
| <b>FIAT U1930</b> | Agsm_Operationalmodests (Sna) Plausibility                                  |
| <b>FIAT U1932</b> | BCM-Command Operational Mode STS (Sna) Plausibility                         |
| <b>FIAT U1933</b> | Bcm_Command (From Body Control Module) Missing Message                      |
| <b>FIAT U1934</b> | Bcm_Command (From BCM) And Body2 (From BCM) Missing Message                 |
| <b>FIAT U193C</b> | Bcm_Command (From BCM) And Engine1 (From ECM) Missing Message               |
| <b>FIAT U1950</b> | BCM Command (From Body Control Module) Message CRC Or Message Counter Fault |
| <b>FIAT U2100</b> | Initial Configuration Not Complete - No Sub Type Information                |

| CODES             | DEFINITION                                                             |
|-------------------|------------------------------------------------------------------------|
| <b>FIAT U2107</b> | Collision Mitigation By Braking-No Sub Type Information                |
| <b>FIAT U2300</b> | Central Configuration-No Sub Type Information                          |
| <b>Ford B103B</b> | Thermoelectric Driver Overcurrent Low                                  |
| <b>Ford B103C</b> | Thermoelectric Driver Open Load                                        |
| <b>Ford B103D</b> | Blower Driver Overtemperature                                          |
| <b>Ford B10F1</b> | Key In Switch: Circuit Short To Ground or Open                         |
| <b>Ford B1111</b> | Driver Thermal Electric Device Control Overtemperature Fault           |
| <b>Ford B1113</b> | Passenger Thermal Electric Device Control Overtemperature Fault        |
| <b>Ford B111B</b> | Passenger Thermo-Electric Driver Overcurrent Low                       |
| <b>Ford B111C</b> | Passenger Thermoelectric Driver Open Load                              |
| <b>Ford B111D</b> | Passenger Blower Driver Overtemperature                                |
| <b>Ford B1213</b> | Less Than Two Keys Programmed To The System                            |
| <b>Ford B124D</b> | Tire Pressure Sensor: General Signal Failure                           |
| <b>Ford B1317</b> | Battery Voltage High                                                   |
| <b>Ford B1318</b> | Battery Voltage Low                                                    |
| <b>Ford B1342</b> | ECU Damaged (EEPROM Inside PCM Not Working)                            |
| <b>Ford B1600</b> | PATS Ignition Key Transponder Signal Not Received                      |
| <b>Ford B1601</b> | PATS Received Incorrect Key Code From Ignition Key Transponder         |
| <b>Ford B1602</b> | PATS Received Invalid Format of Key Code From Ignition Key Transponder |
| <b>Ford B1663</b> | Seat Driver Front Up/Down Motor Stalled                                |

| CODES             | DEFINITION                                                               |
|-------------------|--------------------------------------------------------------------------|
| <b>Ford B1664</b> | Seat Driver Rear Up/Down Motor Stalled                                   |
| <b>Ford B1665</b> | Seat Driver Forward/Backward Motor Stalled                               |
| <b>Ford B1666</b> | Seat Driver Recline Motor Stalled                                        |
| <b>Ford B1681</b> | PATS Receiver Module Signal Not Received                                 |
| <b>Ford B1703</b> | Seat Driver Recline Forward Switch Circuit Short to Battery              |
| <b>Ford B1707</b> | Seat Driver Recline Rearward Switch Circuit Short to Battery             |
| <b>Ford B1711</b> | Seat Driver Front Up Switch Circuit Short to Battery                     |
| <b>Ford B1715</b> | Seat Driver Front Down Switch Circuit Short to Battery                   |
| <b>Ford B1719</b> | Seat Driver Forward Switch Circuit Short to Battery                      |
| <b>Ford B1723</b> | Seat Driver Rearward Switch Circuit Short to Battery                     |
| <b>Ford B1727</b> | Seat Driver Rear Up Switch Circuit Short to Battery                      |
| <b>Ford B1731</b> | Seat Driver Rear Down Switch Circuit Short to Battery                    |
| <b>Ford B1952</b> | Seat Rear Up/Down Position Feedback Circuit Short to Battery             |
| <b>Ford B1953</b> | Seat Rear Up/Down Position Feedback Circuit Short to Ground              |
| <b>Ford B1956</b> | Seat Front Up/Down Position Feedback Circuit Short to Battery            |
| <b>Ford B1957</b> | Seat Front Up/Down Position Feedback Circuit Short to Ground             |
| <b>Ford B1960</b> | Seat Recline Forward/Backward Position Feedback Circuit Short to Battery |
| <b>Ford B1961</b> | Seat Recline Forward/Backward Position Feedback Circuit Short to Ground  |

| CODES             | DEFINITION                                                                  |
|-------------------|-----------------------------------------------------------------------------|
| <b>Ford B1964</b> | Seat Horizontal Forward/Rearward Position Feedback Circuit Short to Battery |
| <b>Ford B1965</b> | Seat Horizontal Forward/Rearward Position Feedback Circuit Short to Ground  |
| <b>Ford B19A1</b> | Passenger Seat Cushion Blower Speed Short to Battery                        |
| <b>Ford B19A2</b> | Passenger Seat Back Blower Speed Short to Battery                           |
| <b>Ford B19A3</b> | Driver Seat Cushion Blower Speed Short to Battery                           |
| <b>Ford B19A4</b> | Driver Seat Back Blower Speed Short to Battery                              |
| <b>Ford B19A5</b> | Passenger Seat Cushion Blower Speed Short to Ground                         |
| <b>Ford B19A6</b> | Passenger Seat Back Blower Speed Short to Ground                            |
| <b>Ford B19A7</b> | Driver Seat Cushion Blower Speed Short to Ground                            |
| <b>Ford B19A8</b> | Driver Seat Back Blower Speed Short to Ground                               |
| <b>Ford B2103</b> | Antenna Not Connected                                                       |
| <b>Ford B2290</b> | Occupant Classification System Fault                                        |
| <b>Ford B2330</b> | Column Reach Feedback Potentiometer Circuit Short to Battery                |
| <b>Ford B2331</b> | Column Reach Feedback Potentiometer Circuit Short to Ground                 |
| <b>Ford B2334</b> | Column Tilt Feedback Potentiometer Circuit Short to Battery                 |
| <b>Ford B2335</b> | Column Tilt Feedback Potentiometer Circuit Short to Ground                  |
| <b>Ford B2340</b> | Column Reach Motor Stalled                                                  |
| <b>Ford B2341</b> | Column Tilt Motor Stalled                                                   |
| <b>Ford B2431</b> | Transponder Programming Failed                                              |
| <b>Ford B2486</b> | Climate Control Seat Module Voltage Out of Range                            |



| CODES             | DEFINITION                                                      |
|-------------------|-----------------------------------------------------------------|
| <b>Ford B2572</b> | Brake Shift Interlock Actuator (BSIA) open or shorted circuit   |
| <b>Ford B2729</b> | Cushion Over-Temp Detected                                      |
| <b>Ford B272A</b> | Passenger Cushion Over-Temp Detected                            |
| <b>Ford B272B</b> | Passenger Back Over-Temp Detected                               |
| <b>Ford B272C</b> | Driver Differential Temperature Fault                           |
| <b>Ford B272D</b> | Passenger Differential Temperature Fault                        |
| <b>Ford B272E</b> | Driver Ignition Run/Blower Circuit Short to Ground              |
| <b>Ford B272F</b> | Passenger Ignition Run/Blower Circuit Short to Ground           |
| <b>Ford B2730</b> | Back Over-Temp Detected                                         |
| <b>Ford P1000</b> | OBD II Monitor Testing Not Complete                             |
| <b>Ford P1001</b> | Key On Engine Running (KOER) Not Able To Complete, KOER Aborted |
| <b>Ford P1009</b> | EVAP System Self Test Not Able To Complete                      |
| <b>Ford P100F</b> | Wastegate Control Pressure/BARO Correlation                     |
| <b>Ford P1011</b> | Wastegate Control Pressure Sensor Circuit Range/Performance     |
| <b>Ford P1012</b> | Wastegate Control Pressure Sensor Circuit Low                   |
| <b>Ford P1013</b> | Wastegate Control Pressure Sensor Circuit High                  |
| <b>Ford P1014</b> | Wastegate Control Pressure Sensor Circuit Intermittent/Erratic  |
| <b>Ford P1015</b> | Wastegate Control Pressure Lower Than Expected                  |
| <b>Ford P1016</b> | Wastegate Control Pressure Higher Than Expected                 |
| <b>Ford P101F</b> | Cylinder Head Temperature Sensor 1 Out Of Self Test Range       |

| CODES             | DEFINITION                                                             |
|-------------------|------------------------------------------------------------------------|
| <b>Ford P1021</b> | Cylinder Head Temperature Sensor 2 Circuit Range/Performance           |
| <b>Ford P1022</b> | Cylinder Head Temperature Sensor 2 Circuit Low                         |
| <b>Ford P1023</b> | Cylinder Head Temperature Sensor 2 Circuit High                        |
| <b>Ford P1024</b> | Cylinder Head Temperature Sensor 2 Circuit Intermittent/Erratic        |
| <b>Ford P1025</b> | Cylinder Head Temperature Sensor 2 Out Of Self Test Range              |
| <b>Ford P1026</b> | Engine Coolant Temperature 1 / Cylinder Head Temperature 2 Correlation |
| <b>Ford P1030</b> | Cylinder 1 Fuel Injector Heater Circuit Low                            |
| <b>Ford P1031</b> | Cylinder 1 Fuel Injector Heater Circuit High                           |
| <b>Ford P1032</b> | Cylinder 2 Fuel Injector Heater Circuit Low                            |
| <b>Ford P1033</b> | Cylinder 2 Fuel Injector Heater Circuit High                           |
| <b>Ford P1034</b> | Cylinder 3 Fuel Injector Heater Circuit Low                            |
| <b>Ford P1035</b> | Cylinder 3 Fuel Injector Heater Circuit High                           |
| <b>Ford P1038</b> | Fuel Injector Heater Control Module Control Circuit                    |
| <b>Ford P1039</b> | Fuel Injector Heater Control Module System Voltage                     |
| <b>Ford P103A</b> | Fuel Injector Heater Control Module Monitor Circuit                    |
| <b>Ford P103B</b> | Fuel Injector Heater Control Module Performance                        |
| <b>Ford P1060</b> | Excessive Camshaft Chain Wear                                          |
| <b>Ford P1061</b> | Excessive Camshaft Chain Wear - Forced Limited Engine Speed            |
| <b>Ford P1100</b> | Mass Air Flow Sensor Circuit Intermittent                              |
| <b>Ford P1101</b> | Mass Air Flow Sensor Out Of Self Test Range                            |

| CODES             | DEFINITION                                                      |
|-------------------|-----------------------------------------------------------------|
| <b>Ford P1102</b> | Mass Air Flow Sensor In Range But Lower Than Expected           |
| <b>Ford P1103</b> | Mass Air Flow Sensor In Range But Higher Than Expected          |
| <b>Ford P1105</b> | Dual Alternator Upper Fault (Monitor)                           |
| <b>Ford P1106</b> | Dual Alternator Lower Fault (Control)                           |
| <b>Ford P1107</b> | Dual Alternator Lower Circuit Malfunction                       |
| <b>Ford P1108</b> | Dual Alternator BATT Lamp Circuit Malfunction                   |
| <b>Ford P1111</b> | System Pass                                                     |
| <b>Ford P1112</b> | Intake Air Temperature Circuit Intermittent                     |
| <b>Ford P1114</b> | IAT Sensor Circuit Low Input                                    |
| <b>Ford P1115</b> | IAT Sensor 2 Circuit High Input                                 |
| <b>Ford P1116</b> | Engine Coolant Temperature (ECT) Sensor Out Of Self-Test Range  |
| <b>Ford P1117</b> | Engine Coolant Temperature Sensor Circuit Intermittent          |
| <b>Ford P1118</b> | Manifold Air Temperature Sensor Low Input                       |
| <b>Ford P1119</b> | Manifold Air Temperature Sensor High Input                      |
| <b>Ford P111B</b> | Engine Coolant Warm-Up Not Detected                             |
| <b>Ford P1120</b> | TP Sensor Signal Out-of-Range Low                               |
| <b>Ford P1121</b> | Throttle Position Sensor A Inconsistent With MAF/MAP Sensor     |
| <b>Ford P1124</b> | Throttle Position Sensor A Out Of Self Test Range               |
| <b>Ford P1125</b> | TP Sensor Circuit Malfunction (Intermittent)                    |
| <b>Ford P1127</b> | Exhaust Temperature Out Of Range, O2 Sensor Tests Not Completed |
| <b>Ford P1128</b> | Upstream Oxygen Sensors Swapped From Bank-to-Bank               |

| CODES             | DEFINITION                                                               |
|-------------------|--------------------------------------------------------------------------|
| <b>Ford P1129</b> | Downstream Oxygen Sensors Swapped From Bank-to-Bank                      |
| <b>Ford P1130</b> | Lack of HO2S-11 Switching, Fuel Trim at Rich/Lean Limit                  |
| <b>Ford P1131</b> | Lack of HO2S-11 Switching, HO2S Signal Low Input                         |
| <b>Ford P1132</b> | Lack of HO2S-11 Switching, HO2S Signal High Input                        |
| <b>Ford P1137</b> | Lack Of HO2S12 Switches - Sensor Indicates Lean                          |
| <b>Ford P1138</b> | Lack Of HO2S12 Switches - Sensor Indicates Rich                          |
| <b>Ford P1139</b> | Water-In-Fuel Indicator Circuit Malfunction                              |
| <b>Ford P1140</b> | Water In Fuel Condition                                                  |
| <b>Ford P1145</b> | Calculated Torque Error                                                  |
| <b>Ford P1148</b> | Generator 2 Control Circuit Malfunction                                  |
| <b>Ford P1149</b> | Generator 2 Control Circuit High Input                                   |
| <b>Ford P1150</b> | Lack of HO2S-21 Switching, Fuel Trim At Rich/Lean Limit                  |
| <b>Ford P1151</b> | Lack of HO2S-21 Switching, HO2S Signal Low Input                         |
| <b>Ford P1152</b> | Lack of HO2S-21 Switching, HO2S Signal High Input                        |
| <b>Ford P1156</b> | Fuel Select Switch Circuit                                               |
| <b>Ford P1157</b> | Lack Of HO2S22 Switches - Sensor Indicates Lean                          |
| <b>Ford P1158</b> | Lack Of HO2S22 Switches - Sensor Indicates Rich                          |
| <b>Ford P115A</b> | Throttle Actuator Control (TAC) Throttle Body Air Flow Trim at Max Limit |
| <b>Ford P115E</b> | Throttle Actuator Control Throttle Body Air Flow Trim At Max Limit       |
| <b>Ford P1168</b> | Fuel Rail Pressure Sensor In Range But Low                               |
| <b>Ford P1169</b> | Fuel Rail Pressure Sensor In Range But High                              |

| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Ford P1177</b> | Synchronization                                           |
| <b>Ford P117A</b> | Engine Oil Overtemperature - Forced Limited Power         |
| <b>Ford P117B</b> | Exhaust Gas Temperature Sensor Correlation - Bank 1       |
| <b>Ford P117F</b> | Fuel Pressure Regulator Control Exceeded Learning Limits  |
| <b>Ford P1180</b> | Fuel Delivery System Low                                  |
| <b>Ford P1181</b> | Fuel Delivery System High                                 |
| <b>Ford P1183</b> | Engine Oil Temperature Sensor Circuit Malfunction         |
| <b>Ford P1184</b> | Engine Oil Temperature Sensor Out Of Self-Test Range      |
| <b>Ford P1199</b> | Restraints Event - Fueling Disabled                       |
| <b>Ford P119F</b> | Internal Control Module Fuel Pressure Control Performance |
| <b>Ford P1201</b> | Cylinder 1 Injector Circuit Open/Shorted                  |
| <b>Ford P1202</b> | Cylinder 2 Injector Circuit Open/Shorted                  |
| <b>Ford P1203</b> | Cylinder 3 Injector Circuit Open/Shorted                  |
| <b>Ford P1204</b> | Cylinder 4 Injector Circuit Open/Shorted                  |
| <b>Ford P1205</b> | Cylinder 5 Injector Circuit Open/Shorted                  |
| <b>Ford P1206</b> | Cylinder 6 Injector Circuit Open/Shorted                  |
| <b>Ford P1207</b> | Cylinder 7 Injector Circuit Open/Shorted                  |
| <b>Ford P1208</b> | Cylinder 8 Injector Circuit Open/Shorted                  |
| <b>Ford P1209</b> | Injection Control System Pressure Peak Malfunction        |
| <b>Ford P120F</b> | Fuel Pressure Regulator Excessive Variation               |
| <b>Ford P1210</b> | Injection Control System Pressure Above Expected Level    |

| CODES             | DEFINITION                                                                        |
|-------------------|-----------------------------------------------------------------------------------|
| <b>Ford P1211</b> | Injection Control System Pressure Not Controllable - Pressure Above/Below Desired |
| <b>Ford P1212</b> | Injection Control System Pressure Not At Expected Level                           |
| <b>Ford P1218</b> | Cylinder ID Signal Stuck High                                                     |
| <b>Ford P1219</b> | Cylinder ID Signal Stuck Low                                                      |
| <b>Ford P1220</b> | Throttle/Pedal Position Sensor/Switch B Circuit High                              |
| <b>Ford P1224</b> | Throttle/Pedal Position Sensor/Switch B Sensor Voltage Out of Range               |
| <b>Ford P1227</b> | Wastegate Failed Closed (Over pressure)                                           |
| <b>Ford P1228</b> | Wastegate Failed Open (Under pressure)                                            |
| <b>Ford P1229</b> | Supercharger Intercooler Pump Not Operating                                       |
| <b>Ford P1231</b> | Fuel Pump Secondary Low, High Speed Pump On                                       |
| <b>Ford P1232</b> | Low Speed Fuel Pump Primary Circuit Malfunction                                   |
| <b>Ford P1233</b> | Fuel System Disabled Or Offline                                                   |
| <b>Ford P1234</b> | Fuel System Disabled Or Offline                                                   |
| <b>Ford P1235</b> | Fuel Pump Control Out Of Range                                                    |
| <b>Ford P1236</b> | Fuel Pump Control Out Of Range                                                    |
| <b>Ford P1237</b> | Fuel Pump Secondary Circuit Malfunction                                           |
| <b>Ford P1238</b> | Fuel Pump Secondary Circuit Malfunction                                           |
| <b>Ford P123C</b> | Cold Start Turbo Protection - Forced Limited Power                                |
| <b>Ford P123E</b> | NOX Sensor Communication Intermittent (Bank 1 Sensor 1)                           |
| <b>Ford P123F</b> | NOX Sensor Communication Intermittent (Bank 1 Sensor 2)                           |

| CODES             | DEFINITION                                                         |
|-------------------|--------------------------------------------------------------------|
| <b>Ford P1244</b> | Generator Load Circuit Low Input                                   |
| <b>Ford P1245</b> | Generator Load circuit High Input                                  |
| <b>Ford P1246</b> | Generator Load Circuit Malfunction                                 |
| <b>Ford P1247</b> | Turbocharger Boost Pressure Low                                    |
| <b>Ford P1248</b> | Turbo Boost Pressure Not Detected                                  |
| <b>Ford P1249</b> | Wastegate Control Valve Performance                                |
| <b>Ford P1250</b> | Fuel Pressure Regulator Control Solenoid Valve Circuit Malfunction |
| <b>Ford P1260</b> | Theft Detected - Engine Disabled                                   |
| <b>Ford P1261</b> | Cylinder 1 High To Low Side Short                                  |
| <b>Ford P1262</b> | Cylinder 2 High To Low Side Short                                  |
| <b>Ford P1263</b> | Cylinder 3 High To Low Side Short                                  |
| <b>Ford P1264</b> | Cylinder 4 High To Low Side Short                                  |
| <b>Ford P1265</b> | Cylinder 5 High To Low Side Short                                  |
| <b>Ford P1266</b> | Cylinder 6 High To Low Side Short                                  |
| <b>Ford P1267</b> | Cylinder 7 High To Low Side Short                                  |
| <b>Ford P1268</b> | Cylinder 8 High To Low Side Short                                  |
| <b>Ford P126A</b> | Cylinder 1 Injector Input Circuit                                  |
| <b>Ford P126B</b> | Cylinder 2 Injector Input Circuit                                  |
| <b>Ford P126C</b> | Cylinder 3 Injector Input Circuit                                  |
| <b>Ford P126D</b> | Cylinder 4 Injector Input Circuit                                  |
| <b>Ford P126E</b> | Cylinder 5 Injector Input Circuit                                  |
| <b>Ford P1270</b> | Engine RPM Or Vehicle Speed Limiter Reached                        |

| CODES             | DEFINITION                                                    |
|-------------------|---------------------------------------------------------------|
| <b>Ford P1271</b> | Cylinder 1 - High To Low Side Open Detected                   |
| <b>Ford P1272</b> | Cylinder 2 - High To Low Side Open Detected                   |
| <b>Ford P1273</b> | Cylinder 3 - High To Low Side Open Detected                   |
| <b>Ford P1274</b> | Cylinder 4 - High To Low Side Open Detected                   |
| <b>Ford P1275</b> | Cylinder 5 - High To Low Side Open Detected                   |
| <b>Ford P1276</b> | Cylinder 6 - High To Low Side Open Detected                   |
| <b>Ford P1277</b> | Cylinder 7 - High To Low Side Open Detected                   |
| <b>Ford P1278</b> | Cylinder 8 - High To Low Side Open Detected                   |
| <b>Ford P127A</b> | Aborted KOER - Fuel Pressure Failure                          |
| <b>Ford P1280</b> | Injection Control System Pressure Out-Of-Range Low            |
| <b>Ford P1281</b> | Injection Control Pressure Circuit Out-Of-Range High          |
| <b>Ford P1282</b> | Injection Pressure Regulator Excessive Pressure               |
| <b>Ford P1283</b> | Injection Pressure Regulator Circuit Malfunction              |
| <b>Ford P1284</b> | Injection Pressure Regulator Failure - KOER Test Aborted      |
| <b>Ford P1285</b> | Cylinder Head Over Temperature Condition                      |
| <b>Ford P1288</b> | Cylinder Head Temperature Sensor Out Of Self Test Range       |
| <b>Ford P1289</b> | Cylinder Head Temperature Sensor Circuit High                 |
| <b>Ford P128A</b> | Cylinder Head Temperature Sensor Circuit Intermittent/Erratic |
| <b>Ford P1290</b> | Cylinder Head Temperature Sensor Circuit Low                  |
| <b>Ford P1291</b> | Injector High Side Short To GND Or VBATT (Bank 1)             |
| <b>Ford P1292</b> | Injector High Side Short To GND Or VBATT (Bank 2)             |



| CODES             | DEFINITION                                                                       |
|-------------------|----------------------------------------------------------------------------------|
| <b>Ford P1293</b> | High Side Bank No. 1 (Right) Open                                                |
| <b>Ford P1294</b> | High Side Bank No. 2 (Left) Open                                                 |
| <b>Ford P1295</b> | Injector Multiple Faults - Bank 1                                                |
| <b>Ford P1296</b> | Multiple Faults On Bank No. 2 (Left)                                             |
| <b>Ford P1297</b> | High Sides Shorted Together                                                      |
| <b>Ford P1298</b> | Injector Driver Module Malfunction                                               |
| <b>Ford P1299</b> | Cylinder Head Over Temperature Protection Active                                 |
| <b>Ford P1309</b> | Misfire Monitor Disabled                                                         |
| <b>Ford P130D</b> | Engine Knock/Combustion Performance - Forced Limited Power                       |
| <b>Ford P1316</b> | Injector Circuit/IDM Codes Detected                                              |
| <b>Ford P132A</b> | Turbocharger/Supercharger Boost Control A Electrical                             |
| <b>Ford P132B</b> | Turbocharger/Supercharger Boost Control A Performance                            |
| <b>Ford P132C</b> | Turbocharger/Supercharger Boost Control A Voltage                                |
| <b>Ford P1335</b> | Exhaust Gas Recirculation (EGR) Position Sensor Minimum/Maximum Stop Performance |
| <b>Ford P1336</b> | Crankshaft/Camshaft Sensor Range/Performance                                     |
| <b>Ford P1351</b> | Ignition Diagnostic Monitor Circuit Input Fault                                  |
| <b>Ford P1352</b> | Ignition Coil 'A' Primary Circuit                                                |
| <b>Ford P1353</b> | Ignition Coil 'B' Primary Circuit                                                |
| <b>Ford P1354</b> | Ignition Coil 'C' Primary Circuit                                                |
| <b>Ford P1355</b> | Ignition Coil 'D' Primary Circuit                                                |
| <b>Ford P1356</b> | PIP Signals Present With Engine Off                                              |

| CODES             | DEFINITION                                                            |
|-------------------|-----------------------------------------------------------------------|
| <b>Ford P1358</b> | Ignition Distribution Module (IDM) Malfunction                        |
| <b>Ford P1359</b> | Crankshaft Position (CKP) Sensor/Distributorless Ignition Malfunction |
| <b>Ford P1378</b> | FICM Supply Voltage Low Input                                         |
| <b>Ford P1379</b> | FICM Supply Voltage High Input                                        |
| <b>Ford P1380</b> | Variable Cam Timing Solenoid 'A' Circuit Condition                    |
| <b>Ford P1381</b> | Variable Cam Timing Overadvanced                                      |
| <b>Ford P1383</b> | Variable Cam Timing Overretarded (Bank #1)                            |
| <b>Ford P1385</b> | Variable Cam Timing Solenoid B Malfunction                            |
| <b>Ford P1386</b> | Variable Cam Timing Over-Advanced (Cylinder Bank 2)                   |
| <b>Ford P1388</b> | Variable Cam Timing Over-Retarded (Cylinder Bank 2)                   |
| <b>Ford P138B</b> | Glow Plug Control Module System Voltage                               |
| <b>Ford P138D</b> | Turbocharger Boost Control A Temperature Too High                     |
| <b>Ford P1390</b> | Octane Adjust Circuit Malfunction                                     |
| <b>Ford P1391</b> | Glow Plug Circuit Low Input On Bank 1 (Right Side)                    |
| <b>Ford P1393</b> | Glow Plug Circuit Low Input On Bank 2 (Left Side)                     |
| <b>Ford P1395</b> | Glow Plug Monitor Fault On Bank 1 (Right Side)                        |
| <b>Ford P1396</b> | Glow Plug Monitor Fault On Bank 2 (Left Side)                         |
| <b>Ford P1397</b> | System Voltage Out Of Self Test Range                                 |
| <b>Ford P139A</b> | EGR Sensor C Hoses Reversed                                           |
| <b>Ford P139B</b> | EGR Sensor C Upstream Hose Off Or Plugged                             |
| <b>Ford P139C</b> | EGR Sensor C Downstream Hose Off Or Plugged                           |
| <b>Ford P1400</b> | DPFE Sensor Circuit Low Input                                         |

| CODES             | DEFINITION                                                  |
|-------------------|-------------------------------------------------------------|
| <b>Ford P1401</b> | DPFE Sensor Circuit High Input                              |
| <b>Ford P1403</b> | DPFE Sensor Circuit High Input                              |
| <b>Ford P1405</b> | DPFE Sensor Upstream Hose Off Or Plugged                    |
| <b>Ford P1406</b> | DPFE Sensor Downstream Hose Off Or Plugged                  |
| <b>Ford P1407</b> | EGR No Flow Detected                                        |
| <b>Ford P1408</b> | Exhaust Gas Recirculation (EGR) Flow Out Of Self-Test Range |
| <b>Ford P1409</b> | EGR Vacuum Regulator Solenoid Circuit Malfunction           |
| <b>Ford P1410</b> | EGR Check Or Fuel Pressure Solenoid Circuit Malfunction     |
| <b>Ford P1411</b> | Secondary Air Injection System Downstream Flow              |
| <b>Ford P1413</b> | Secondary AIR System Monitor Circuit Low Input              |
| <b>Ford P1414</b> | Secondary AIR System Monitor Circuit High Input             |
| <b>Ford P1432</b> | Thermostat Heater Control Circuit Malfunction               |
| <b>Ford P1436</b> | A/C Evaporator Temperature (ACET) Circuit Low Input         |
| <b>Ford P1437</b> | A/C Evaporator Temperature (ACET) Circuit High Input        |
| <b>Ford P1442</b> | EVAP System Small Leak (0.040") Detected                    |
| <b>Ford P1443</b> | EVAP Canister Purge System Malfunction                      |
| <b>Ford P1444</b> | Purge Flow Sensor Circuit Low Input                         |
| <b>Ford P1445</b> | Purge Flow Sensor Circuit High Input                        |
| <b>Ford P144A</b> | EVAP System Purge Vapor Line Restricted/Blocked             |
| <b>Ford P144B</b> | EVAP System Secondary Purge Vapor Line Restricted/Blocked   |
| <b>Ford P144C</b> | EVAP System Purge Flow Performance During Boost             |

| CODES             | DEFINITION                                                 |
|-------------------|------------------------------------------------------------|
| <b>Ford P1450</b> | Unable To Bleed Up Fuel Tank Vacuum                        |
| <b>Ford P1451</b> | EVAP System Canister Vent Solenoid Circuit Malfunction     |
| <b>Ford P1452</b> | Fuel Tank Pressure Sensor Circuit Malfunction              |
| <b>Ford P1455</b> | EVAP System Gross Leak Detected                            |
| <b>Ford P145B</b> | A/C Demand Not Activated During Self-Test                  |
| <b>Ford P145E</b> | PCV Heater Control B Circuit                               |
| <b>Ford P1460</b> | Wide Open Throttle A/C Cutout Relay Circuit Malfunction    |
| <b>Ford P1461</b> | A/C Pressure Sensor Circuit High Input                     |
| <b>Ford P1462</b> | A/C Pressure Sensor Circuit Low Input                      |
| <b>Ford P1463</b> | A/C Pressure Sensor Insufficient Pressure Change           |
| <b>Ford P1464</b> | A/C Demand Out Of Self Test Range                          |
| <b>Ford P1469</b> | Low A/C Cycling Period                                     |
| <b>Ford P1473</b> | Fan Secondary High with Fan(s) Off                         |
| <b>Ford P1474</b> | Hydraulic Cooling Fan Primary Circuit Malfunction          |
| <b>Ford P1477</b> | Medium Fan Control Primary Circuit Malfunction             |
| <b>Ford P1479</b> | High Fan Control Primary Circuit Malfunction               |
| <b>Ford P147B</b> | Auxiliary Fan Control Circuit Low                          |
| <b>Ford P147C</b> | Auxiliary Fan Control Circuit High                         |
| <b>Ford P1480</b> | Low Fan Monitor Circuit Does Not Go HIGH When Commanded ON |
| <b>Ford P1481</b> | Fan Secondary Low With High Fan On                         |
| <b>Ford P1483</b> | Power To Fan Circuit Over-Current Detected                 |
| <b>Ford P1484</b> | Open Power Ground To Variable Load Control Module          |

| CODES             | DEFINITION                                                     |
|-------------------|----------------------------------------------------------------|
| <b>Ford P1487</b> | EGR Check Solenoid Circuit Malfunction                         |
| <b>Ford P1489</b> | PCV Heater Control Circuit                                     |
| <b>Ford P1500</b> | Vehicle Speed Sensor Intermittent                              |
| <b>Ford P1501</b> | Vehicle Speed Sensor Out Of Self Test Range                    |
| <b>Ford P1502</b> | Vehicle Speed Sensor Intermittent Malfunction                  |
| <b>Ford P1504</b> | Idle Air Control System Malfunction                            |
| <b>Ford P1505</b> | Idle Air Control System At Adaptive Clip                       |
| <b>Ford P1506</b> | Idle Air Control Overspeed Error                               |
| <b>Ford P1507</b> | Idle Air Control Underspeed Error                              |
| <b>Ford P1512</b> | Intake Manifold Runner Control System Malfunction              |
| <b>Ford P1513</b> | Intake Manifold Runner Control Malfunction (Bank 1)            |
| <b>Ford P1516</b> | Intake Manifold Runner Control Input Error (Bank 1)            |
| <b>Ford P1517</b> | Intake Manifold Runner Control Input Error (Bank 2)            |
| <b>Ford P1518</b> | Intake Manifold Runner Control Malfunction (Stuck Open)        |
| <b>Ford P1519</b> | Intake Manifold Runner Control Stuck Closed                    |
| <b>Ford P151A</b> | Intake Manifold Runner Controller Performance                  |
| <b>Ford P1520</b> | Intake Manifold Runner Control Input Error                     |
| <b>Ford P1530</b> | Air Conditioning Clutch Circuit Malfunction                    |
| <b>Ford P1531</b> | Invalid Self-Test - Accelerator Pedal Movement                 |
| <b>Ford P1536</b> | Parking Brake Applied Failure                                  |
| <b>Ford P1537</b> | Intake Manifold Runner Control Malfunction (Bank 1 Stuck Open) |

| CODES             | DEFINITION                                                                        |
|-------------------|-----------------------------------------------------------------------------------|
| <b>Ford P1538</b> | Intake Manifold Runner Control Stuck Open (Bank 2)                                |
| <b>Ford P1539</b> | Power To A/C Clutch Circuit Over-Current                                          |
| <b>Ford P1548</b> | Engine Air Filter Restriction                                                     |
| <b>Ford P1549</b> | Intake Manifold Communication Control Circuit Malfunction                         |
| <b>Ford P1550</b> | Power Steering Pressure Switch Circuit Malfunction                                |
| <b>Ford P1551</b> | Cylinder 1 Injector Circuit Range/Performance                                     |
| <b>Ford P1552</b> | Cylinder 2 Injector Circuit Range/Performance                                     |
| <b>Ford P1553</b> | Cylinder 3 Injector Circuit Range/Performance                                     |
| <b>Ford P1554</b> | Cylinder 4 Injector Circuit Range/Performance                                     |
| <b>Ford P1555</b> | Cylinder 5 Injector Circuit Range/Performance                                     |
| <b>Ford P1556</b> | Cylinder 6 Injector Circuit Range/Performance                                     |
| <b>Ford P1557</b> | Cylinder 7 Injector Circuit Range/Performance                                     |
| <b>Ford P1558</b> | Cylinder 8 Injector Circuit Range/Performance                                     |
| <b>Ford P1561</b> | Brake Line Pressure Sensor Circuit                                                |
| <b>Ford P1572</b> | Brake Pedal Switch Circuit                                                        |
| <b>Ford P1575</b> | Pedal Position Out Of Self Test Range                                             |
| <b>Ford P1582</b> | Electronic Throttle Monitor Data Available                                        |
| <b>Ford P1584</b> | Throttle Control Detected ETB Malfunction                                         |
| <b>Ford P1586</b> | Electronic Throttle to PCM Communication Error                                    |
| <b>Ford P1588</b> | Throttle Control Detected Loss Of Return Spring                                   |
| <b>Ford P1594</b> | Forced Engine Shutdown - Remote Start System Fault, No Unattended Vehicle Timeout |

| CODES             | DEFINITION                                                                                  |
|-------------------|---------------------------------------------------------------------------------------------|
| <b>Ford P1595</b> | Forced Engine Shutdown - Remote Start System Fault, Transmission Range Not In Park Position |
| <b>Ford P1605</b> | PCM Keep Alive Memory Test Error                                                            |
| <b>Ford P160A</b> | Control Module Vehicle Options Reconfiguration Error                                        |
| <b>Ford P160C</b> | Control Module Software Performance                                                         |
| <b>Ford P1610</b> | Interactive Reprogramming Code - Replace The PCM                                            |
| <b>Ford P1611</b> | Interactive Reprogramming Code - Diagnose Further                                           |
| <b>Ford P1615</b> | Interactive Reprogramming Code - Flash Erase Error                                          |
| <b>Ford P1616</b> | Interactive Reprogramming Code - Flash Erase Error, Low Voltage                             |
| <b>Ford P1617</b> | Interactive Reprogramming Code - Block Programming Error                                    |
| <b>Ford P1618</b> | Interactive Reprogramming Code - Block Programming Error, Low Voltage                       |
| <b>Ford P161A</b> | Incorrect Response From Immobilizer Control Module                                          |
| <b>Ford P161B</b> | Incorrect Response From Secondary Immobilizer Module                                        |
| <b>Ford P1625</b> | Variable Load Control Module (VLCM) B+ Supply Error (Not Detected at Fan)                   |
| <b>Ford P1626</b> | Variable Load Control Module (VLCM) B+ Supply Error (Not Detected at A/C)                   |
| <b>Ford P162D</b> | Internal Control Module Cruise Control Performance                                          |
| <b>Ford P162E</b> | Internal Control Module PTO Control Performance                                             |
| <b>Ford P162F</b> | Starter Motor Disabled - Engine Crank Time Too Long                                         |
| <b>Ford P1633</b> | Keep Alive Power Voltage Too Low                                                            |
| <b>Ford P1635</b> | Tire/Axle Ratio Out Of Acceptable Range                                                     |
| <b>Ford P1636</b> | Inductive Signature Chip Communication Error                                                |

| CODES             | DEFINITION                                                            |
|-------------------|-----------------------------------------------------------------------|
| <b>Ford P1639</b> | Vehicle ID Block Corrupted, Not Programmed                            |
| <b>Ford P163A</b> | Generator "B" Control Circuit                                         |
| <b>Ford P163C</b> | Generator "B" Field Terminal Circuit Low                              |
| <b>Ford P163D</b> | Generator "B" Field Terminal Circuit High                             |
| <b>Ford P163E</b> | Transmission Control Module Programming Error                         |
| <b>Ford P163F</b> | Transmission ID Block Corrupted, Not Programmed                       |
| <b>Ford P1640</b> | PCM Trouble Codes Available In Another Module                         |
| <b>Ford P1641</b> | Fuel System Disabled Or Offline                                       |
| <b>Ford P1646</b> | Linear O2 Sensor Control Chip (Bank 1)                                |
| <b>Ford P1647</b> | Linear O2 Sensor Control Chip (Bank 2)                                |
| <b>Ford P164A</b> | O2 Sensor Positive Current Trim Circuit Performance (Bank 1 Sensor 1) |
| <b>Ford P164B</b> | O2 Sensor Positive Current Trim Circuit Performance (Bank 2 Sensor 1) |
| <b>Ford P164C</b> | Internal Control Module Start-Stop Performance                        |
| <b>Ford P164D</b> | All Wheel Drive ID Block Corrupted, Not Programmed                    |
| <b>Ford P164E</b> | Internal Control Module Transmission Range Select Performance         |
| <b>Ford P1650</b> | Power Steering Pressure (PSP) Switch Out of Self-Test Range           |
| <b>Ford P1651</b> | Power Steering Pressure (PSP) Switch Input                            |
| <b>Ford P1660</b> | OCC Signal High                                                       |
| <b>Ford P1662</b> | EF Feedback Signal Not Detected                                       |
| <b>Ford P1663</b> | Fuel Delivery Command Signal Circuit Malfunction                      |



| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Ford P1667</b> | CID Circuit Malfunction                                   |
| <b>Ford P1668</b> | PCM TO IDM Diagnostic Communication Error                 |
| <b>Ford P166A</b> | Restraints Deployment Communication Circuit               |
| <b>Ford P1670</b> | EF Feedback Signal Not Detected                           |
| <b>Ford P1671</b> | Secondary Fuel Pump Relay                                 |
| <b>Ford P1674</b> | Control Module Software Corrupted                         |
| <b>Ford P167F</b> | Non-OEM Calibration Detected                              |
| <b>Ford P1690</b> | Wastegate Control Valve Malfunction                       |
| <b>Ford P1698</b> | Cold Start Fuel Pump Primary Circuit/Open                 |
| <b>Ford P169B</b> | Cold Start Fuel Pump Primary Circuit High                 |
| <b>Ford P169C</b> | Cold Start Fuel Pump Secondary Circuit/Open               |
| <b>Ford P1700</b> | Transmission Indeterminate Failure (Failed to Neutral)    |
| <b>Ford P1701</b> | Reverse Engagement Error                                  |
| <b>Ford P1702</b> | Transmission Range Sensor Circuit Intermittent            |
| <b>Ford P1703</b> | Brake Switch Out Of Self Test Range                       |
| <b>Ford P1704</b> | Transmission Range Sensor Circuit Out Of Self-Test Range  |
| <b>Ford P1705</b> | Transmission Range Sensor Out Of Self-Test Range          |
| <b>Ford P1707</b> | Park/Neutral (P/N) switch circuit failure                 |
| <b>Ford P1708</b> | Digital Transmission Range Sensor Circuit Malfunction     |
| <b>Ford P1709</b> | Park/Neutral Position (PNP) Switch Out of Self Test Range |
| <b>Ford P170A</b> | Clutch Switch Out Of Self Test Range                      |
| <b>Ford P1710</b> | TFT Sensor In-Range Circuit Malfunction                   |

| CODES             | DEFINITION                                                   |
|-------------------|--------------------------------------------------------------|
| <b>Ford P1711</b> | Transmission Fluid Temperature Sensor Out Of Self Test Range |
| <b>Ford P1712</b> | TFT Sensor Circuit Low Input                                 |
| <b>Ford P1713</b> | TFT Sensor No Activity or TFT Sensor Circuit Low Input       |
| <b>Ford P1714</b> | Shift Solenoid 'A' Fault                                     |
| <b>Ford P1715</b> | Shift Solenoid 'B' Fault                                     |
| <b>Ford P1716</b> | Transmission Control System Malfunction                      |
| <b>Ford P1717</b> | Transmission Control System Malfunction                      |
| <b>Ford P1718</b> | TFT Sensor No Activity Or TFT Sensor Circuit High Input      |
| <b>Ford P1719</b> | Transmission Control System Malfunction                      |
| <b>Ford P1725</b> | Insufficient Engine Speed Increase During Self Test          |
| <b>Ford P1726</b> | Insufficient Engine Speed Decrease During Self Test          |
| <b>Ford P1727</b> | Transmission Coast Clutch Solenoid Slip Malfunction          |
| <b>Ford P1728</b> | Transmission Slip Malfunction                                |
| <b>Ford P1729</b> | 4 x 4 Low Switch Circuit Malfunction                         |
| <b>Ford P1740</b> | TCC Solenoid Mechanical Malfunction                          |
| <b>Ford P1741</b> | TCC Engagement Error                                         |
| <b>Ford P1742</b> | TCC Solenoid Failed On (Electrical Or Mechanical Fault)      |
| <b>Ford P1744</b> | Torque Converter Clutch Solenoid Circuit                     |
| <b>Ford P1746</b> | EPC Solenoid Circuit Malfunction                             |
| <b>Ford P1747</b> | Pressure Control Solenoid "A" Short Circuit                  |
| <b>Ford P1748</b> | Pressure Control Solenoid "A" Open Circuit                   |
| <b>Ford P1749</b> | A/T EPC Solenoid Failed Low                                  |

| CODES             | DEFINITION                                                                                |
|-------------------|-------------------------------------------------------------------------------------------|
| <b>Ford P174E</b> | Output Shaft Speed / ABS Wheel Speed Correlation                                          |
| <b>Ford P1751</b> | A/T Shift Solenoid 1 Performance                                                          |
| <b>Ford P1754</b> | Coast Clutch Solenoid Circuit Malfunction                                                 |
| <b>Ford P1756</b> | A/T Shift Solenoid 2 Performance                                                          |
| <b>Ford P175A</b> | Transmission Fluid Over Temperature Condition - Electric Transmission Fluid Pump Disabled |
| <b>Ford P1760</b> | A/T EPC Solenoid Circuit Malfunction                                                      |
| <b>Ford P1761</b> | A/T Shift Solenoid 3 Performance                                                          |
| <b>Ford P1762</b> | Overdrive Band Failed Off                                                                 |
| <b>Ford P1767</b> | A/T Shift Solenoid Performance                                                            |
| <b>Ford P1779</b> | Transmission Control Switch Out Of Self-Test Range                                        |
| <b>Ford P177F</b> | Unable To Fully Engage Neutral                                                            |
| <b>Ford P1780</b> | Transmission Control Switch (O/D Cancel) Circuit Out Of Self Test Range                   |
| <b>Ford P1781</b> | 4 x 4 Low Switch Out Of Self-Test Range                                                   |
| <b>Ford P1783</b> | Transmission Overtemperature Condition                                                    |
| <b>Ford P1784</b> | Transmission System First Or Reverse Gear Malfunction                                     |
| <b>Ford P1785</b> | Transmission System First Or Second Gear Malfunction                                      |
| <b>Ford P1786</b> | Transmission System Second Or Third Gear Malfunction                                      |
| <b>Ford P1787</b> | Transmission System Third Or Fourth Gear Malfunction                                      |
| <b>Ford P1788</b> | 3-2 Timing/Coast Clutch Solenoid Signal High Input                                        |
| <b>Ford P1789</b> | 3-2 Timing/Coast Clutch Solenoid Signal Low Input                                         |
| <b>Ford P1793</b> | Ignition Supply Malfunction                                                               |

| CODES             | DEFINITION                                                                                                          |
|-------------------|---------------------------------------------------------------------------------------------------------------------|
| <b>Ford P179A</b> | Controller Area Network (CAN) Engine Control Module (ECM)/Turbocharger Boost Control A Actuator Circuit Malfunction |
| <b>Ford P1812</b> | 4x4 Mode Select Circuit Failure                                                                                     |
| <b>Ford P1815</b> | 4x4 Mode Select Short Circuit to Ground                                                                             |
| <b>Ford P181F</b> | Clutch Control System Performance                                                                                   |
| <b>Ford P1824</b> | 4 Wheel Drive (4WD) Clutch Relay Circuit Failure                                                                    |
| <b>Ford P1825</b> | 4 Wheel Drive (4WD) Clutch Relay Open Circuit                                                                       |
| <b>Ford P182B</b> | Transfer Case Fluid Temperature Sensor Circuit Range/Performance                                                    |
| <b>Ford P182C</b> | Transfer Case Fluid Temperature Sensor Circuit Low                                                                  |
| <b>Ford P182D</b> | Transfer Case Fluid Temperature Sensor Circuit High                                                                 |
| <b>Ford P1832</b> | Transfer Case Differential Lock-up Solenoid Circuit Failure: No Sub Type Information                                |
| <b>Ford P183D</b> | Transfer Case Fluid Over Temperature                                                                                |
| <b>Ford P183F</b> | Driveline Cooling Pump Control Circuit                                                                              |
| <b>Ford P1849</b> | Transfer Case Contact Plate 'A' Short Circuit to Ground                                                             |
| <b>Ford P1853</b> | Transfer Case Contact Plate 'B' Short Circuit to Ground                                                             |
| <b>Ford P1857</b> | Transfer Case Contact Plate C Short Circuit to Ground                                                               |
| <b>Ford P1861</b> | Transfer Case Contact Plate 'D' Short Circuit to Ground                                                             |
| <b>Ford P1867</b> | Transfer Case Contact Plate General Circuit Failure                                                                 |
| <b>Ford P187B</b> | Tire Size Out of Acceptable Range - AWD Disabled / Limited Function                                                 |
| <b>Ford P188B</b> | All Wheel Drive Clutch Control Circuit                                                                              |
| <b>Ford P188C</b> | All Wheel Drive Relay Module Communication Circuit                                                                  |

| CODES             | DEFINITION                                     |
|-------------------|------------------------------------------------|
| <b>Ford P188D</b> | All Wheel Drive Relay Module Feedback Circuit  |
| <b>Ford P1900</b> | Output Shaft Speed Sensor Circuit Intermittent |
| <b>Ford P1901</b> | Transmission System Malfunction                |
| <b>Ford P1910</b> | Reverse Lamp Control Circuit/Open              |
| <b>Ford P1911</b> | Reverse lamp circuit                           |
| <b>Ford P1912</b> | Reverse lamp control circuit shorted to power. |
| <b>Ford P1920</b> | Engine Speed Signal                            |
| <b>Ford P1921</b> | Transmission Range Signal                      |
| <b>Ford P1933</b> | Fuel Level Signal                              |
| <b>Ford P1934</b> | Vehicle Speed Signal                           |
| <b>Ford P1935</b> | Brake Switch/Sensor Signal                     |
| <b>Ford P193C</b> | Steering Wheel Angle Signal                    |
| <b>Ford P193D</b> | Cruise Control Multi-Function Input Signal     |
| <b>Ford P193E</b> | A/C Clutch Request Signal                      |
| <b>Ford P193F</b> | Vehicle Speed Signal Intermittent              |
| <b>Ford P1A03</b> | Drive Motor A Shutdown Circuit                 |
| <b>Ford P1A04</b> | Generator Shutdown Circuit                     |
| <b>Ford P1A05</b> | Desired Engine Speed Signal                    |
| <b>Ford P1A06</b> | Vehicle Mode Signal                            |
| <b>Ford P1A07</b> | Inverter High Voltage Performance              |
| <b>Ford P1A08</b> | Generator Mode Signal                          |
| <b>Ford P1A0A</b> | Immediate Shutdown Signal                      |

| CODES             | DEFINITION                                                                                                |
|-------------------|-----------------------------------------------------------------------------------------------------------|
| <b>Ford P1A0C</b> | Hybrid Powertrain Control Module - Engine Disabled                                                        |
| <b>Ford P1A0D</b> | Hybrid Powertrain Control Module - Generator Disabled                                                     |
| <b>Ford P1A0E</b> | Hybrid Powertrain Control Module - Motor Disabled                                                         |
| <b>Ford P1A0F</b> | Hybrid Powertrain Control Module - Vehicle Disabled                                                       |
| <b>Ford P1A10</b> | Hybrid Powertrain Control Module - Battery Disabled                                                       |
| <b>Ford P1A13</b> | Hybrid Powertrain Control Module - Regenerative Braking Disabled                                          |
| <b>Ford P1A14</b> | Hybrid Powertrain Control Module - Transmission Disabled                                                  |
| <b>Ford P1A16</b> | Variable Voltage Controller Voltage Control Circuit                                                       |
| <b>Ford P1A17</b> | Variable Voltage Controller Processor                                                                     |
| <b>Ford P1A18</b> | Variable Voltage Controller Inductor Temperature Sensor Circuit                                           |
| <b>Ford P1A19</b> | Variable Voltage Controller Driver Temperature Sensor Circuit                                             |
| <b>Ford P1A1A</b> | Variable Voltage Controller Over Temperature                                                              |
| <b>Ford P1A1B</b> | Brake System Control Module - Forced Engine Running                                                       |
| <b>Ford U1010</b> | Invalid Internal Control Module Monitoring Data Received From SOBDMC                                      |
| <b>Ford U1011</b> | Invalid Internal Control Module Monitoring Data Received From ECM/PCM                                     |
| <b>Ford U1012</b> | Invalid Internal Control Module Monitoring Data Received From Anti-Lock Brake System (ABS) Control Module |
| <b>Ford U1013</b> | Invalid Internal Control Module Monitoring Data Received From TCM                                         |
| <b>Ford U1017</b> | Invalid Internal Control Module Monitoring Data Received from Instrument Panel Cluster Control Module     |

| CODES             | DEFINITION                                                                                      |
|-------------------|-------------------------------------------------------------------------------------------------|
| <b>Ford U101E</b> | Invalid Internal Control Module Monitoring Data Received From Gear Shift Module                 |
| <b>Ford U101F</b> | Invalid Internal Control Module Monitoring Data Received From Transmission Range Control Module |
| <b>Ford U1020</b> | Data Circuit Message                                                                            |
| <b>Ford U1021</b> | Data Circuit Message                                                                            |
| <b>Ford U1037</b> | Data Circuit Message                                                                            |
| <b>Ford U1039</b> | SCP (J1850) Invalid Or Missing Data For Vehicle Speed                                           |
| <b>Ford U1041</b> | Data Circuit Message                                                                            |
| <b>Ford U1051</b> | Data Circuit Message                                                                            |
| <b>Ford U1071</b> | Data Circuit Message                                                                            |
| <b>Ford U1073</b> | Data Circuit Message                                                                            |
| <b>Ford U1089</b> | Data Circuit Message                                                                            |
| <b>Ford U1098</b> | Data Circuit Message                                                                            |
| <b>Ford U1130</b> | Data Circuit Message                                                                            |
| <b>Ford U1131</b> | Data Circuit Message                                                                            |
| <b>Ford U1135</b> | Data Circuit Message                                                                            |
| <b>Ford U1147</b> | Data Circuit Message                                                                            |
| <b>Ford U1243</b> | Data Circuit Message                                                                            |
| <b>Ford U1256</b> | Data Circuit Message                                                                            |
| <b>Ford U1260</b> | Data Circuit Message                                                                            |
| <b>Ford U1261</b> | Data Circuit Message                                                                            |
| <b>Ford U1262</b> | Data Circuit Message                                                                            |

| CODES             | DEFINITION                                                                          |
|-------------------|-------------------------------------------------------------------------------------|
| <b>Ford U1341</b> | Data Circuit Message                                                                |
| <b>Ford U1451</b> | Data Circuit Message                                                                |
| <b>Ford U1900</b> | CAN Communication Bus Fault (Receive Error)                                         |
| <b>Ford U2015</b> | Data Circuit Message                                                                |
| <b>Ford U2016</b> | Control Module Main Software System Internal Failure                                |
| <b>Ford U2023</b> | Fault Received From External Node                                                   |
| <b>Ford U2100</b> | Initial Configuration Not Complete                                                  |
| <b>Ford U2101</b> | Control Module Configuration Incompatible                                           |
| <b>Ford U210B</b> | Lost Communication Between Fuel Pump Control Module A And Restraints Control Module |
| <b>Ford U210C</b> | Lost Communication Between Fuel Pump Control Module B and Restraints Control Module |
| <b>Ford U210F</b> | Throttle/Pedal Position Sensor/Switch A Communication Circuit Low                   |
| <b>Ford U2110</b> | Throttle/Pedal Position Sensor/Switch A Communication Circuit High                  |
| <b>Ford U2195</b> | Data Circuit Message                                                                |
| <b>Ford U2200</b> | Control Module Configuration Memory Corrupt                                         |
| <b>Ford U2243</b> | Data Circuit Message                                                                |
| <b>Ford U2472</b> | Unexpected Ignition State                                                           |
| <b>Ford U2510</b> | Invalid data for Vehicle Security                                                   |
| <b>Ford U2511</b> | Data Mis-Match (Receive Data Does Not Match Expected)                               |
| <b>Ford U300C</b> | Ignition Input Off/On/Start                                                         |
| <b>GMC C120A</b>  | Brake Boost Regulation Pressure Sensor Plausibility Failure                         |



| CODES            | DEFINITION                                       |
|------------------|--------------------------------------------------|
| <b>GMC C120C</b> | Brake Pedal Position Sensor 4 Not Plausible      |
| <b>GMC C120D</b> | Traction Control Power Switch Circuit Open       |
| <b>GMC C120E</b> | Traction Control Power Switch Circuit Shorted    |
| <b>GMC C121A</b> | ABS Regenerative Axle Pressure Sensor            |
| <b>GMC C121C</b> | EBCM Internal Communication Error                |
| <b>GMC C121D</b> | Improper Shutdown                                |
| <b>GMC C121E</b> | EBCM Malfunction                                 |
| <b>GMC C121F</b> | EBCM Unexpected Exception                        |
| <b>GMC C122E</b> | Wheel Speed Sensor Frequency Error               |
| <b>GMC C123A</b> | EBCM High End Timer Watchdog                     |
| <b>GMC C123B</b> | EBCM High End Timer Program Overflow             |
| <b>GMC C123C</b> | EBCM High End Timer RAM Fault                    |
| <b>GMC C123D</b> | EBCM Solenoid Timeout                            |
| <b>GMC C123E</b> | EBCM High End Timer Periodic Interrupt           |
| <b>GMC C123F</b> | EBCM Serial Peripheral Interface Inoperative     |
| <b>GMC C1255</b> | Electronic Control Unit Performance              |
| <b>GMC C1256</b> | Program ROM Checksum Error                       |
| <b>GMC C126D</b> | EBCM communication Bus B RAM Error               |
| <b>GMC C126E</b> | EBCM Stack Overrun                               |
| <b>GMC C126F</b> | EBCM Serial Peripheral Interface Performance     |
| <b>GMC C127C</b> | EBCM Self Test Failed                            |
| <b>GMC C127D</b> | Antilock Brake System (ABS) Brake Switch Circuit |

| CODES            | DEFINITION                                                                        |
|------------------|-----------------------------------------------------------------------------------|
| <b>GMC C127E</b> | EBCM Module High Temperature                                                      |
| <b>GMC C128A</b> | Brake Boost Regulation Pressure Sensor Above Maximum Threshold                    |
| <b>GMC C128B</b> | Master Cylinder Pressure Sensor Above Maximum Threshold                           |
| <b>GMC C128C</b> | ABS Regenerative Axle Pressure Sensor Offset Error                                |
| <b>GMC C128D</b> | Brake Boost Regulation Pressure Sensor                                            |
| <b>GMC C128E</b> | Master Cylinder Pressure Sensor                                                   |
| <b>GMC C128F</b> | ABS Regenerative Axle Pressure Sensor Raw Offset Error                            |
| <b>GMC C129A</b> | Brake Pedal Position Sensor 3 Circuit Low                                         |
| <b>GMC C129B</b> | Brake Pedal Position Sensor 3 Circuit High                                        |
| <b>GMC C129D</b> | Brake Pedal Position Sensor 4 Circuit Low                                         |
| <b>GMC C129E</b> | Brake Pedal Position Sensor 4 Circuit High                                        |
| <b>GMC C12A7</b> | Brake Boost Solenoid Valve Circuit Performance                                    |
| <b>GMC C12B1</b> | ABS Master Cylinder Pressure Sensor and Brake Pedal Position Sensor Not Plausible |
| <b>GMC C12B2</b> | Master Cylinder Pressure Sensor Short to Ground or Open                           |
| <b>GMC C12B3</b> | Master Cylinder Pressure Sensor Short to Battery                                  |
| <b>GMC C12B4</b> | Master Cylinder Pressure Sensor Erratic                                           |
| <b>GMC C12B6</b> | High Pressure Accumulator Pressure Sensor Short to Ground or Open                 |
| <b>GMC C12B7</b> | High Pressure Accumulator Pressure Sensor Short to Battery                        |
| <b>GMC C12B8</b> | High Pressure Accumulator Pressure Sensor Erratic                                 |

| CODES            | DEFINITION                                                            |
|------------------|-----------------------------------------------------------------------|
| <b>GMC C12B9</b> | ABS Regenerative Axle Pressure Sensor Circuit Open or Short To Ground |
| <b>GMC C12BA</b> | ABS Regenerative Axle Pressure Sensor Circuit Short To Battery        |
| <b>GMC C12BB</b> | ABS Regenerative Axle Pressure Sensor Erratic                         |
| <b>GMC C12BC</b> | Brake Boost Regulation Pressure Sensor Short to Ground or Open        |
| <b>GMC C12BD</b> | Brake Boost Regulation Pressure Sensor Short to Battery               |
| <b>GMC C12BE</b> | Brake Boost Regulation Pressure Sensor Erratic                        |
| <b>GMC C12C2</b> | ABS Left Front Isolation Solenoid Valve Driver Shorted                |
| <b>GMC C12C5</b> | ABS Right Front Isolation Solenoid Valve Diver Shorted                |
| <b>GMC C12C6</b> | ABS Left Rear Isolation Solenoid Valve Circuit Failure                |
| <b>GMC C12C8</b> | ABS Right Rear Isolation Solenoid Valve Circuit Failure               |
| <b>GMC C12CC</b> | ABS Left Front Dump Solenoid Valve Driver Shorted                     |
| <b>GMC C12CF</b> | ABS Right Front Dump Solenoid Valve Driver Shorted                    |
| <b>GMC C12D0</b> | ABS Left Rear Dump Solenoid valve Circuit Open                        |
| <b>GMC C12D1</b> | ABS Left Rear Dump Solenoid Valve Circuit Shorted                     |
| <b>GMC C12D2</b> | ABS Left Rear Dump Solenoid Valve Driver Shorted                      |
| <b>GMC C12D3</b> | ABS Right Rear Dump Solenoid Valve Circuit Open                       |
| <b>GMC C12D4</b> | ABS Right Rear Dump Solenoid Valve Circuit Shorted                    |
| <b>GMC C12D5</b> | ABS Right Rear Dump Solenoid Driver Shorted                           |
| <b>GMC C12D6</b> | ABS Base Brake Open Solenoid Circuit Open                             |
| <b>GMC C12D7</b> | ABS Base Brake Open Solenoid Circuit Shorted                          |
| <b>GMC C12D8</b> | ABS Base Brake Open Solenoid Driver Shorted                           |

| CODES            | DEFINITION                                                                    |
|------------------|-------------------------------------------------------------------------------|
| <b>GMC C12D9</b> | ABS Base Brake Closed Solenoid Circuit Open                                   |
| <b>GMC C12DA</b> | ABS Base Brake Closed Solenoid Circuit Shorted                                |
| <b>GMC C12DB</b> | ABS Base Brake Closed Solenoid Driver Shorted                                 |
| <b>GMC C12DC</b> | Brake Boost Solenoid Valve Circuit Malfunction                                |
| <b>GMC C12DD</b> | Brake Boost Solenoid Valve Circuit Shorted                                    |
| <b>GMC C12DE</b> | ABS Proportioning Valve Solenoid Circuit Open                                 |
| <b>GMC C12DF</b> | ABS Proportioning Valve Solenoid Driver Shorted                               |
| <b>GMC C12E4</b> | Device Voltage Reference Output Circuit                                       |
| <b>GMC C12E6</b> | Valve Relay Contact Circuit Open                                              |
| <b>GMC C12E7</b> | Valve Relay Contact Circuit Resistance Below Threshold                        |
| <b>GMC C12F2</b> | ABS Left Rear Isolation Solenoid Valve Circuit Shorted                        |
| <b>GMC C12F3</b> | ABS Left Rear Isolation Solenoid Circuit Performance                          |
| <b>GMC C12F4</b> | ABS Proportioning Valve Solenoid Performance                                  |
| <b>GMC C12F5</b> | ABS Right Rear Isolation Solenoid Circuit Shorted                             |
| <b>GMC C12F6</b> | ABS Right Rear Isolation Solenoid Performance                                 |
| <b>GMC C12F7</b> | ABS Boost Pressure Sensor and Regenerative Axle Pressure Sensor Not Plausible |
| <b>GMC C12F8</b> | Brake Pedal Position Sensor 3 Not Plausible                                   |
| <b>GMC P1020</b> | Camshaft Phasing System Malfunction                                           |
| <b>GMC P1021</b> | CNG Fuel Injector 1 Circuit Malfunction                                       |
| <b>GMC P1022</b> | CNG Fuel Injector 2 Circuit Malfunction                                       |
| <b>GMC P1023</b> | CNG Fuel Injector 3 Circuit Malfunction                                       |
| <b>GMC P1024</b> | CNG Fuel Injector 4 Circuit Malfunction                                       |

| CODES            | DEFINITION                                                             |
|------------------|------------------------------------------------------------------------|
| <b>GMC P1025</b> | CNG Fuel Injector 5 Circuit Malfunction                                |
| <b>GMC P1026</b> | CNG Fuel Injector 6 Circuit Malfunction                                |
| <b>GMC P1027</b> | CNG Fuel Injector 7 Circuit Malfunction                                |
| <b>GMC P1028</b> | CNG Fuel Injector 8 Circuit Malfunction                                |
| <b>GMC P1043</b> | Reductant Pump High Control Circuit Low Voltage                        |
| <b>GMC P1044</b> | Reductant Pump High Control Circuit High Voltage                       |
| <b>GMC P1045</b> | Reductant Purge Valve High Control Circuit Low Voltage                 |
| <b>GMC P1048</b> | Reductant Injector High Control Circuit Low Voltage                    |
| <b>GMC P1049</b> | Reductant Injector High Control Circuit High Voltage                   |
| <b>GMC P1082</b> | Fuel Filter Pressure Switch Performance                                |
| <b>GMC P1093</b> | Fuel Rail Pressure Range/Performance                                   |
| <b>GMC P1094</b> | Fuel Rail Pressure Solenoid Circuit Malfunction                        |
| <b>GMC P10CC</b> | Exhaust Aftertreatment Fuel Injector Control Circuit Shorted           |
| <b>GMC P10CD</b> | Exhaust Aftertreatment Fuel Injector High Control Circuit Low Voltage  |
| <b>GMC P10CE</b> | Exhaust Aftertreatment Fuel Injector High Control Circuit High Voltage |
| <b>GMC P1101</b> | Intake Air Flow System Performance                                     |
| <b>GMC P1106</b> | MAP Sensor Circuit Intermittent High Input                             |
| <b>GMC P1107</b> | MAP Sensor Circuit Intermittent Low Input                              |
| <b>GMC P1111</b> | IAT Sensor Circuit Intermittent High Input                             |
| <b>GMC P1112</b> | IAT Sensor Circuit Intermittent Low Input                              |
| <b>GMC P1114</b> | ECT Sensor Circuit Intermittent Low Input                              |

| CODES            | DEFINITION                                                                              |
|------------------|-----------------------------------------------------------------------------------------|
| <b>GMC P1115</b> | ECT Sensor Circuit Intermittent High Input                                              |
| <b>GMC P111C</b> | Charge Air Cooler (CAC) Temperature - Intake Air Temperature (IAT) Sensor 2 Correlation |
| <b>GMC P111D</b> | Intake Air Temperature (IAT) Sensor 1-Fuel Temperature Sensor 2 Correlation             |
| <b>GMC P1120</b> | Throttle Position (TP) Sensor 1 Circuit                                                 |
| <b>GMC P1121</b> | TP Sensor Circuit High Input (Intermittent)                                             |
| <b>GMC P1122</b> | TP Sensor Circuit Intermittent Low Input                                                |
| <b>GMC P1125</b> | Accelerator Pedal Position System Malfunction                                           |
| <b>GMC P1133</b> | HO2S Insufficient Switching Bank 1 Sensor 1                                             |
| <b>GMC P1134</b> | HO2S-11 (Bank 1 Sensor 1) Transition Time Ratio                                         |
| <b>GMC P1137</b> | HO2S (Sensor 1) Voltage Too High or Too Low                                             |
| <b>GMC P1138</b> | HO2S (Sensor 2) Voltage Too High                                                        |
| <b>GMC P113A</b> | Exhaust Gas Temperature Sensors 3-4 Not Plausible                                       |
| <b>GMC P1153</b> | HO2S Insufficient Switching Bank 2 Sensor 1                                             |
| <b>GMC P1154</b> | HO2S-21 (Bank 2 Sensor 1) Transition Time Ratio                                         |
| <b>GMC P1171</b> | Fuel System Lean During Acceleration                                                    |
| <b>GMC P1172</b> | Secondary Fuel Pump Insufficient/No Fuel Flow                                           |
| <b>GMC P1174</b> | Fuel Trim Cylinder Balance Bank 1                                                       |
| <b>GMC P1175</b> | Fuel Trim Cylinder Balance Bank 2                                                       |
| <b>GMC P1191</b> | Intake Air Duct Leak                                                                    |
| <b>GMC P11AF</b> | HO2S Performance - Signal High During Moderate Load Sensor 2                            |

| CODES            | DEFINITION                                                          |
|------------------|---------------------------------------------------------------------|
| <b>GMC P11B2</b> | HO2S Performance - Signal Low During Moderate Load Sensor 2         |
| <b>GMC P11B5</b> | HO2S Current Performance Sensor 2                                   |
| <b>GMC P11CB</b> | NOx Sensor 1 Performance - Signal High                              |
| <b>GMC P11CC</b> | NOx Sensor 1 Performance - Signal Low                               |
| <b>GMC P11DB</b> | NOx Sensor 1 Current Performance                                    |
| <b>GMC P11DC</b> | NOx Sensor 2 Current Performance                                    |
| <b>GMC P1201</b> | Gas Mass Sensor Range/Performance                                   |
| <b>GMC P1203</b> | Gas Mass Flow Sensor High Frequency                                 |
| <b>GMC P1207</b> | FICM PWM Signal To PCM Circuit Malfunction                          |
| <b>GMC P1208</b> | Fuel Rail Pressure Signal To PCM Circuit Malfunction                |
| <b>GMC P1214</b> | Injection Pump Timing Offset                                        |
| <b>GMC P1215</b> | High Pressure Or Low Pressure Lockout, MIL, NGO Circuit Malfunction |
| <b>GMC P1216</b> | Fuel Solenoid Response Time Too Short                               |
| <b>GMC P1217</b> | Fuel Solenoid Response Time Too Long                                |
| <b>GMC P1218</b> | Injection Pump Calibration Circuit Malfunction                      |
| <b>GMC P1220</b> | TP Sensor 2 Circuit Malfunction                                     |
| <b>GMC P1221</b> | TP Sensor 2 Signal Correlation                                      |
| <b>GMC P1223</b> | Injection Control Circuit Commanded State to Actual State Mismatch  |
| <b>GMC P1224</b> | Fuel Injector 1 Control Circuit Shorted                             |
| <b>GMC P1226</b> | Injection Control Circuit Commanded State to Actual State Mismatch  |

| CODES            | DEFINITION                                                         |
|------------------|--------------------------------------------------------------------|
| <b>GMC P1227</b> | Fuel Injector 2 Control Circuit Shorted                            |
| <b>GMC P1229</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>GMC P122A</b> | Fuel Injector 3 Control Circuit Shorted                            |
| <b>GMC P122C</b> | Intake Air (IA) Flow Valve Control Circuit Shorted                 |
| <b>GMC P122D</b> | Intake Air (IA) Flow Position Sensor Exceeded Learning Limit       |
| <b>GMC P122E</b> | Intake Air (IA) Flow Valve Control Circuit 2 Low Voltage           |
| <b>GMC P122F</b> | Intake Air (IA) Flow Valve Control Circuit 2 High Voltage          |
| <b>GMC P1232</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>GMC P1233</b> | Fuel Injector 4 Control Circuit Shorted                            |
| <b>GMC P1235</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>GMC P1236</b> | Fuel Injector 5 Control Circuit Shorted                            |
| <b>GMC P1238</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>GMC P1239</b> | Fuel Injector 6 Control Circuit Shorted                            |
| <b>GMC P1241</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>GMC P1242</b> | Fuel Injector 7 Control Circuit Shorted                            |
| <b>GMC P1244</b> | Injection Control Circuit Commanded State to Actual State Mismatch |
| <b>GMC P1247</b> | Fuel Injector 8 Control Circuit Shorted                            |
| <b>GMC P1255</b> | Fuel Pump Control Module Driver Over-temperature                   |
| <b>GMC P1258</b> | Engine Coolant Over temperature - Protection Mode Active           |



| CODES            | DEFINITION                                                  |
|------------------|-------------------------------------------------------------|
| <b>GMC P125A</b> | Fuel Pressure Regulator 2 High Control Circuit Low Voltage  |
| <b>GMC P125B</b> | Fuel Pressure Regulator 2 High Control Circuit High Voltage |
| <b>GMC P1261</b> | High Voltage Circuit Fault – Cylinders 1, 4, 6, and 7       |
| <b>GMC P1262</b> | High Voltage Circuit Fault – Cylinders 2, 3, 5, and 8       |
| <b>GMC P1270</b> | ECM Cannot Process APP Analog Data into Digital Data        |
| <b>GMC P1271</b> | APP Sensors 1 and 2 Out of Range with Each Other            |
| <b>GMC P1272</b> | APP Sensors 2 and 3 Out of Range with Each Other            |
| <b>GMC P1273</b> | APP Sensors 1 and 3 Out of Range with Each Other            |
| <b>GMC P1275</b> | Accelerator Pedal Position Sensor 1 Circuit Malfunction     |
| <b>GMC P1276</b> | Accelerator Pedal Position Sensor 1 Range/Performance       |
| <b>GMC P1277</b> | APP Sensor 1 Low Voltage                                    |
| <b>GMC P1278</b> | APP Sensor 1 High Voltage                                   |
| <b>GMC P1280</b> | Accelerator Pedal Position Sensor 2 Circuit Malfunction     |
| <b>GMC P1281</b> | Accelerator Pedal Position Sensor 2 Range/Performance       |
| <b>GMC P1282</b> | APP Sensor 2 Low Voltage                                    |
| <b>GMC P1283</b> | APP Sensor 2 High Voltage                                   |
| <b>GMC P1285</b> | Accelerator Pedal Position Sensor 3 Circuit Malfunction     |
| <b>GMC P1286</b> | Accelerator Pedal Position Sensor 3 Range/Performance       |
| <b>GMC P1287</b> | APP Sensor 3 Low Voltage                                    |
| <b>GMC P1288</b> | APP Sensor 3 High Voltage                                   |
| <b>GMC P128E</b> | Fuel Rail Pressure Performance                              |

| CODES            | DEFINITION                                                  |
|------------------|-------------------------------------------------------------|
| <b>GMC P1293</b> | Injector Circuit Low to High Current Transition Time Bank 1 |
| <b>GMC P1294</b> | Injector Circuit Low to High Current Transition Time Bank 2 |
| <b>GMC P1295</b> | Injector Circuit High to Low Current Transition Time Bank 1 |
| <b>GMC P1296</b> | Injector Circuit High to Low Current Transition Time Bank 2 |
| <b>GMC P12B3</b> | Cylinder 1 Injection Timing Retarded                        |
| <b>GMC P12B4</b> | Cylinder 1 Injection Timing Advanced                        |
| <b>GMC P12B5</b> | Cylinder 2 Injection Timing Retarded                        |
| <b>GMC P12B6</b> | Cylinder 2 Injection Timing Advanced                        |
| <b>GMC P12B7</b> | Cylinder 3 Injection Timing Retarded                        |
| <b>GMC P12B8</b> | Cylinder 3 Injection Timing Advanced                        |
| <b>GMC P12B9</b> | Cylinder 4 Injection Timing Retarded                        |
| <b>GMC P12BA</b> | Cylinder 4 Injection Timing Advanced                        |
| <b>GMC P12BB</b> | Cylinder 5 Injection Timing Retarded                        |
| <b>GMC P12BC</b> | Cylinder 5 Injection Timing Advanced                        |
| <b>GMC P12BD</b> | Cylinder 6 Injection Timing Retarded                        |
| <b>GMC P12BE</b> | Cylinder 6 Injection Timing Advanced                        |
| <b>GMC P12BF</b> | Cylinder 7 Injection Timing Retarded                        |
| <b>GMC P12C0</b> | Cylinder 7 Injection Timing Advanced                        |
| <b>GMC P12C1</b> | Cylinder 8 Injection Timing Retarded                        |
| <b>GMC P12C2</b> | Cylinder 8 Injection Timing Advanced                        |

| CODES            | DEFINITION                                                                            |
|------------------|---------------------------------------------------------------------------------------|
| <b>GMC P1336</b> | Crankshaft Position (CKP) System Variation Not Learned                                |
| <b>GMC P1345</b> | Camshaft To Crankshaft Position Correlation Malfunction                               |
| <b>GMC P1351</b> | ICM Ignition Control Circuit High Input                                               |
| <b>GMC P1361</b> | ICM Ignition Control Circuit Low Input                                                |
| <b>GMC P1380</b> | Misfire Detected - Rough Road Data Not Available                                      |
| <b>GMC P1381</b> | Misfire Detected - No Communication with Brake Control Module                         |
| <b>GMC P1400</b> | Cold Start Injection Monitoring                                                       |
| <b>GMC P1404</b> | EGR Valve Closed Position Performance                                                 |
| <b>GMC P1406</b> | EGR Valve Pintle Position Circuit Malfunction                                         |
| <b>GMC P1407</b> | Exhaust Gas Recirculation (EGR) Motor Control Circuit Shorted                         |
| <b>GMC P1409</b> | Exhaust Gas Recirculation (EGR) System Performance                                    |
| <b>GMC P140A</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Position Sensor Exceeded Learning Limit |
| <b>GMC P140B</b> | Exhaust Gas Recirculation (EGR) Flow Insufficient                                     |
| <b>GMC P140C</b> | Exhaust Gas Recirculation (EGR) Flow Excessive                                        |
| <b>GMC P140D</b> | Exhaust Gas Recirculation (EGR) Motor Control Circuit 2 Low Voltage                   |
| <b>GMC P140E</b> | Exhaust Gas Recirculation (EGR) Motor Control Circuit 2 High Voltage                  |
| <b>GMC P140F</b> | Exhaust Gas Recirculation (EGR) Motor Current Performance                             |
| <b>GMC P1411</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Valve Control Circuit 2 Low Voltage     |
| <b>GMC P1412</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Valve Control Circuit 2 High Voltage    |

| CODES            | DEFINITION                                                                                               |
|------------------|----------------------------------------------------------------------------------------------------------|
| <b>GMC P1413</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Valve Control Circuit Shorted                              |
| <b>GMC P1414</b> | Exhaust Gas Recirculation (EGR) Cooler Bypass Valve Current Performance                                  |
| <b>GMC P1415</b> | Secondary Air Injection System (Bank 1) Malfunction                                                      |
| <b>GMC P1416</b> | Secondary Air Injection System (Bank 2) Malfunction                                                      |
| <b>GMC P1431</b> | Fuel Level Sensor 2 Performance                                                                          |
| <b>GMC P1432</b> | Fuel Level Sensor 2 Circuit Low Voltage                                                                  |
| <b>GMC P1433</b> | Fuel Level Sensor 2 Circuit High Voltage                                                                 |
| <b>GMC P1441</b> | EVAP System Flow During Non-Purge                                                                        |
| <b>GMC P144B</b> | Closed Loop Diesel Particulate Filter (DPF) Regeneration Control At Limit - Stage 1 Temperature Too Low  |
| <b>GMC P144C</b> | Closed Loop Diesel Particulate Filter (DPF) Regeneration Control At Limit - Stage 1 Temperature Too High |
| <b>GMC P144E</b> | Closed Loop Diesel Particulate Filter (DPF) Regeneration Control At Limit - Stage 2 Temperature Too Low  |
| <b>GMC P144F</b> | Closed Loop Diesel Particulate Filter (DPF) Regeneration Control At Limit - Stage 2 Temperature Too High |
| <b>GMC P1481</b> | Cooling Fan Speed Signal Lost                                                                            |
| <b>GMC P1482</b> | Cooling Fan Control Circuit Improper Voltage                                                             |
| <b>GMC P1484</b> | Cooling Fan Speed Excessive RPM                                                                          |
| <b>GMC P1504</b> | VSS Circuit Voltage Too Low                                                                              |
| <b>GMC P1508</b> | Idle Speed Low - IAC System Not Responding                                                               |
| <b>GMC P1509</b> | Idle Speed High - IAC System Not Responding                                                              |
| <b>GMC P150A</b> | Transmission Output Speed Signal Circuit                                                                 |
| <b>GMC P150B</b> | Transmission Output Speed Sensor Circuit Intermittent                                                    |

| CODES            | DEFINITION                                                                        |
|------------------|-----------------------------------------------------------------------------------|
| <b>GMC P150C</b> | Transmission Control Module Engine Speed Request Signal Message Counter Incorrect |
| <b>GMC P1512</b> | Control Module Throttle Actuator Position Performance                             |
| <b>GMC P1514</b> | Throttle Body Performance                                                         |
| <b>GMC P1515</b> | Control Module Throttle Actuator Position Performance                             |
| <b>GMC P1516</b> | Throttle Actuator Control (TAC) Module Throttle Actuator Position Performance     |
| <b>GMC P1517</b> | Throttle Actuator Control Module Performance                                      |
| <b>GMC P1518</b> | Throttle Actuator Control Module Serial Data Malfunction                          |
| <b>GMC P1520</b> | Park/Neutral Position (PNP) Switch Circuit                                        |
| <b>GMC P1523</b> | TAC Module Return Range/Performance                                               |
| <b>GMC P1545</b> | A/C Relay Output Circuit Malfunction                                              |
| <b>GMC P154A</b> | Intake Air (IA) Heater Feedback Circuit                                           |
| <b>GMC P154B</b> | Intake Air (IA) Heater Voltage Signal Circuit                                     |
| <b>GMC P154C</b> | Intake Air (IA) Heater Current Signal Circuit                                     |
| <b>GMC P154D</b> | Intake Air (IA) Heater Temperature Signal Circuit                                 |
| <b>GMC P1550</b> | FICM Detects Low Voltage Supply                                                   |
| <b>GMC P1571</b> | Traction Control Torque Request Circuit                                           |
| <b>GMC P1574</b> | Stoplamp Switch Circuit                                                           |
| <b>GMC P159C</b> | Power Take-Off (PTO) Remote Engine Shutdown Switch Circuit                        |
| <b>GMC P15F0</b> | Engine Torque Delivered Circuit                                                   |
| <b>GMC P15F1</b> | Axle Torque Request Circuit                                                       |

| CODES            | DEFINITION                                                     |
|------------------|----------------------------------------------------------------|
| <b>GMC P15F2</b> | Engine Torque Command Circuit                                  |
| <b>GMC P1600</b> | Control Module Long Term Memory Performance                    |
| <b>GMC P1601</b> | Serial Communication Malfunction                               |
| <b>GMC P1602</b> | Lost Communications with Brake/Traction Control (EBTCM) System |
| <b>GMC P160C</b> | Engine Calibration Information Not Programmed - GPCM           |
| <b>GMC P161A</b> | Glow Plug Control Module Not Programmed                        |
| <b>GMC P1621</b> | Control Module Long Term Memory Performance                    |
| <b>GMC P1626</b> | Theft Deterrent Fuel Enable Signal Lost                        |
| <b>GMC P1627</b> | Control Module Analog to Digital Performance                   |
| <b>GMC P162B</b> | Remote Vehicle Speed Limiting Signal Message Counter Incorrect |
| <b>GMC P1630</b> | Theft Deterrent System - Learn Mode Enable                     |
| <b>GMC P1631</b> | Theft Deterrent System - Learn Mode Enable                     |
| <b>GMC P1632</b> | Theft Deterrent Fuel Disable Signal Received                   |
| <b>GMC P1633</b> | Ignition Supplement Power (0) Switch Circuit Malfunction       |
| <b>GMC P1634</b> | Improper Ignition 1 Signal Voltage                             |
| <b>GMC P1635</b> | 5-Volt Reference Circuit Low Input                             |
| <b>GMC P1637</b> | Generator 'L' Terminal Circuit Malfunction                     |
| <b>GMC P1638</b> | Generator 'F' Terminal Circuit Malfunction                     |
| <b>GMC P1639</b> | 5-Volt Reference Circuit Low Input                             |
| <b>GMC P163C</b> | Glow Plug Module Primary Circuit                               |
| <b>GMC P163D</b> | Glow Plug Control Module Secondary Circuit                     |

| CODES            | DEFINITION                                                                         |
|------------------|------------------------------------------------------------------------------------|
| <b>GMC P163E</b> | Glow Plug Control Module Overtemperature                                           |
| <b>GMC P1641</b> | MIL Control Circuit Malfunction                                                    |
| <b>GMC P1643</b> | Wait To Start Lamp Control Circuit Malfunction                                     |
| <b>GMC P1644</b> | EBCM Invalid Torque Signal                                                         |
| <b>GMC P1653</b> | EGR Vent Solenoid Control Circuit Malfunction                                      |
| <b>GMC P1654</b> | Service Throttle Soon Lamp Control Circuit Malfunction                             |
| <b>GMC P1655</b> | EGR Control Solenoid Control Circuit Malfunction                                   |
| <b>GMC P1656</b> | Wastegate Solenoid Control Circuit Malfunction                                     |
| <b>GMC P1658</b> | FICM Detects Current Through Driver With Driver Off                                |
| <b>GMC P1668</b> | Generator L-Terminal Control Circuit                                               |
| <b>GMC P166B</b> | Intake Air (IA) Heater Over Temperature                                            |
| <b>GMC P1680</b> | Control Module Long Term Memory Performance                                        |
| <b>GMC P1681</b> | Control Module Long Term Memory Performance                                        |
| <b>GMC P1682</b> | Ignition 1 Switch Circuit 2                                                        |
| <b>GMC P1683</b> | Control Module Long Term Memory Performance                                        |
| <b>GMC P1684</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Performance          |
| <b>GMC P1685</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Circuit Low Voltage  |
| <b>GMC P1686</b> | Transmission Control Module (TCM) Power Up Temperature Sensor Circuit High Voltage |
| <b>GMC P1687</b> | Fuel Injector Control Module Driver Stuck On                                       |
| <b>GMC P1688</b> | Engine Torque Data Performance                                                     |
| <b>GMC P1689</b> | EBCM Invalid Torque Signal                                                         |

| CODES            | DEFINITION                                                              |
|------------------|-------------------------------------------------------------------------|
| <b>GMC P168C</b> | Turbocharger Boost Control Position Slow Response - Increasing Position |
| <b>GMC P168D</b> | Turbocharger Boost Control Position Slow Response - Decreasing Position |
| <b>GMC P16A0</b> | Sensor Communication Circuit Low Voltage                                |
| <b>GMC P16A1</b> | Sensor Communication Circuit High Voltage                               |
| <b>GMC P16A2</b> | Sensor Communication Circuit Performance                                |
| <b>GMC P16F2</b> | Control Module Transmission Direction Range Switch                      |
| <b>GMC P16F3</b> | Control Module Redundant Memory Performance                             |
| <b>GMC P16F4</b> | Control Module Transmission Range Control Performance                   |
| <b>GMC P16F5</b> | Control Module Programmable Logic Device                                |
| <b>GMC P16F6</b> | Control Module Range State Command                                      |
| <b>GMC P16F9</b> | Control Module Shutdown Performance                                     |
| <b>GMC P1709</b> | Pressure Switch "E" Circuit Malfunction                                 |
| <b>GMC P1710</b> | Pressure Switch "E" Stuck Open /Performance                             |
| <b>GMC P1711</b> | Pressure Switch "E" Circuit Low / Stuck Closed                          |
| <b>GMC P1712</b> | Pressure Switch "E" Circuit High                                        |
| <b>GMC P1713</b> | Pressure Switch Reverse Circuit                                         |
| <b>GMC P1714</b> | Pressure Switch Reverse Stuck Open                                      |
| <b>GMC P1720</b> | Solenoid "A" Control Clutch Stuck Off                                   |
| <b>GMC P1721</b> | Solenoid "B" Control Clutch Stuck Off                                   |
| <b>GMC P1723</b> | Solenoid "A" Control Clutch Stuck On                                    |
| <b>GMC P1724</b> | Solenoid "B" Control Clutch Stuck On                                    |



| CODES            | DEFINITION                                                                                  |
|------------------|---------------------------------------------------------------------------------------------|
| <b>GMC P1751</b> | Shift Valve 1 Performance                                                                   |
| <b>GMC P1760</b> | Transmission Position Sensor Signal                                                         |
| <b>GMC P1761</b> | Up and Down Shift Switch Signal Circuit                                                     |
| <b>GMC P1762</b> | Transmission Mode Switch Signal Circuit                                                     |
| <b>GMC P1779</b> | Engine Torque Data Performance                                                              |
| <b>GMC P1781</b> | TCM MIL Request Circuit Low Voltage                                                         |
| <b>GMC P179B</b> | Range State Command Circuit                                                                 |
| <b>GMC P1810</b> | TFP Valve Position Switch Assembly (4L60-E, 4L65-E, 4L80-E)                                 |
| <b>GMC P1811</b> | Maximum Adapt and Long Shift (6.5L Diesel only)                                             |
| <b>GMC P1812</b> | Transmission Fluid Over-Temperature                                                         |
| <b>GMC P1815</b> | TFP Manual Valve Position Switch Circuit Malfunction                                        |
| <b>GMC P1816</b> | TFP Manual Valve Position Switch Circuit Malfunction                                        |
| <b>GMC P1818</b> | Transmission Fluid Pressure (TFP) Valve Position Switch Indicates Drive without Drive Ratio |
| <b>GMC P181C</b> | Internal Mode Switch 2 R1 Circuit Low Voltage                                               |
| <b>GMC P181D</b> | Internal Mode Switch 2 R1 Circuit High Voltage                                              |
| <b>GMC P181E</b> | Internal Mode Switch 2 R2 Circuit Low Voltage                                               |
| <b>GMC P181F</b> | Internal Mode Switch 2 R2 Circuit High Voltage                                              |
| <b>GMC P1824</b> | Internal Mode Switch P Circuit High Voltage                                                 |
| <b>GMC P1825</b> | Internal Mode Switch - Invalid Range                                                        |
| <b>GMC P182A</b> | Internal Mode Switch A Circuit Low Voltage                                                  |
| <b>GMC P182B</b> | Internal Mode Switch B Circuit Low Voltage                                                  |

| CODES            | DEFINITION                                                             |
|------------------|------------------------------------------------------------------------|
| <b>GMC P182C</b> | Internal Mode Switch B Circuit High Voltage                            |
| <b>GMC P182D</b> | Internal Mode Switch P Circuit Low Voltage                             |
| <b>GMC P182E</b> | Internal Mode Switch-Invalid Range                                     |
| <b>GMC P182F</b> | Internal Mode Switch C Circuit High Voltage                            |
| <b>GMC P1831</b> | Pressure Control (PC)/Shift Lock Solenoid Control Circuit Low Voltage  |
| <b>GMC P1832</b> | Pressure Control (PC)/Shift Lock Solenoid Control Circuit High Voltage |
| <b>GMC P1838</b> | Internal Mode Switch A Circuit High Voltage                            |
| <b>GMC P1839</b> | Internal Mode Switch C Circuit Low Voltage                             |
| <b>GMC P183A</b> | Internal Mode Switch 2 D1 Circuit Low Voltage                          |
| <b>GMC P183B</b> | Internal Mode Switch 2 D1 Circuit High Voltage                         |
| <b>GMC P183C</b> | Internal Mode Switch 2 D2 Circuit Low Voltage                          |
| <b>GMC P183D</b> | Internal Mode Switch 2 D2 Circuit High Voltage                         |
| <b>GMC P183E</b> | Internal Mode Switch 2 - Invalid Range                                 |
| <b>GMC P183F</b> | Internal Mode Switch 1-2 Correlation                                   |
| <b>GMC P184A</b> | Internal Mode Switch 2 S Circuit Low Voltage                           |
| <b>GMC P184B</b> | Internal Mode Switch 2 S Circuit High Voltage                          |
| <b>GMC P1860</b> | TCM PWM Solenoid Circuit Malfunction (4L60-E)                          |
| <b>GMC P1862</b> | TCC Solenoid Circuit Malfunction                                       |
| <b>GMC P1863</b> | TCC Solenoid Circuit Short to Voltage                                  |
| <b>GMC P1864</b> | TCC Enable Solenoid Circuit Malfunction (4T60-E)                       |
| <b>GMC P1870</b> | Transmission Component Slipping (4L60-E, 4L65-E, 4L80-E)               |

| CODES            | DEFINITION                                                             |
|------------------|------------------------------------------------------------------------|
| <b>GMC P1871</b> | Undefined Gear Ratio (5.7L and 7.4L Gas)                               |
| <b>GMC P1875</b> | 4WD Low Switch Circuit Fault (4L60-E, 4L65-E, 4L80-E)                  |
| <b>GMC P1876</b> | Up and Down Shift Enable Switch Circuit Low Voltage                    |
| <b>GMC P1886</b> | 3-2 SS Valve Assembly CKT Electrical                                   |
| <b>GMC P1915</b> | Internal Mode Switch Does Not Indicate Park/Neutral (P/N) During Start |
| <b>GMC P1A00</b> | Battery Energy Control Module Reset                                    |
| <b>GMC P1A01</b> | Battery Energy Control Module Long Term Memory Performance             |
| <b>GMC P1A02</b> | Battery Energy Control Module Loop Overrun                             |
| <b>GMC P1A03</b> | Battery Energy Control Module Options Incorrect                        |
| <b>GMC P1A04</b> | Battery Energy Control Module Programming Read Only Memory (ROM)       |
| <b>GMC P1A05</b> | Battery Energy Control Module Random Access Memory (RAM)               |
| <b>GMC P1A06</b> | Battery Energy Control Module Read Only Memory (ROM)                   |
| <b>GMC P1A07</b> | Battery Energy Control Module 5-Volt Reference Circuit                 |
| <b>GMC P1A08</b> | Battery Energy Control Module Stack Overrun                            |
| <b>GMC P1A09</b> | Battery Energy Control Module Hybrid System Voltage                    |
| <b>GMC P1A0C</b> | Battery Energy Control Module System Voltage Low                       |
| <b>GMC P1A0D</b> | Battery Energy Control Module System Voltage High                      |
| <b>GMC P1A1F</b> | Battery Energy Control Module Hybrid Battery System Voltage Low        |
| <b>GMC P1A20</b> | Hybrid Battery System Precharge Time Too Long                          |
| <b>GMC P1A21</b> | Hybrid Battery Contactor Control Sequence Incorrect                    |

| CODES            | DEFINITION                                                                    |
|------------------|-------------------------------------------------------------------------------|
| <b>GMC P1A4E</b> | Battery Energy Control Module Hybrid Battery System Voltage High              |
| <b>GMC P1A4F</b> | Drive Motor 1 Control Module Not Programmed                                   |
| <b>GMC P1A50</b> | Drive Motor 1 Control Module Random Access Memory (RAM)                       |
| <b>GMC P1A51</b> | Drive Motor 1 Control Module Read Only Memory (ROM)                           |
| <b>GMC P1A52</b> | Drive Motor 2 Control Module Not Programmed                                   |
| <b>GMC P1A53</b> | Drive Motor 2 Control Module Random Access Memory (RAM)                       |
| <b>GMC P1A54</b> | Drive Motor 2 Control Module Read Only Memory (ROM)                           |
| <b>GMC P1A6C</b> | SGCM Service Calibration Fault                                                |
| <b>GMC P1A7E</b> | Starter/Generator Control Module Overtemperature High Voltage System Disabled |
| <b>GMC P1A7F</b> | Starter/Generator Control Module Coolant Level Sensor 1 Low Voltage           |
| <b>GMC P1A80</b> | Starter/Generator Control Module Coolant Level Sensor 1 High Voltage          |
| <b>GMC P1A81</b> | Starter/Generator Control Module Coolant Level Sensor 2 Low Voltage           |
| <b>GMC P1A82</b> | Starter/Generator Control Module Coolant Level Sensor 2 High Voltage          |
| <b>GMC P1A83</b> | Starter/Generator Control Module Coolant Level Sensor 3 Low Voltage           |
| <b>GMC P1A84</b> | Starter/Generator Control Module Coolant Level Sensor 3 High Voltage          |
| <b>GMC P1A85</b> | Starter/Generator Control Module Coolant Level Sensor 4 Low Voltage           |
| <b>GMC P1A86</b> | Starter/Generator Control Module Coolant Level Sensor 4 High Voltage          |

| CODES            | DEFINITION                                                                       |
|------------------|----------------------------------------------------------------------------------|
| <b>GMC P1A87</b> | Low Starter/Generator Control Module Coolant Level                               |
| <b>GMC P1A88</b> | 42 Volt System Performance                                                       |
| <b>GMC P1A89</b> | 42 Volt System Voltage Low                                                       |
| <b>GMC P1A8A</b> | 42 Volt System Voltage High                                                      |
| <b>GMC P1A8C</b> | 42 Volt Inverter Overtemperature                                                 |
| <b>GMC P1ABE</b> | Battery Energy Control Module Hybrid Battery Pack Overtemperature                |
| <b>GMC P1AC1</b> | Starter/Generator Control Module Cooling Fan Relay Control Circuit Low Voltage   |
| <b>GMC P1AC2</b> | Starter/Generator Control Module Cooling Fan Relay Control Circuit High Voltage  |
| <b>GMC P1AC6</b> | Drive Motor 1 Control Module Crankshaft Position Sensor Circuit                  |
| <b>GMC P1AC7</b> | Drive Motor 1 Control Module Crankshaft Position Sensor Performance              |
| <b>GMC P1AC9</b> | HCM Service Calibration Fault                                                    |
| <b>GMC P1ADC</b> | Drive Motor 1 Control Module Long Term Memory Performance                        |
| <b>GMC P1ADD</b> | Drive Motor 2 Control Module Long Term Memory Performance                        |
| <b>GMC P1ADE</b> | Drive Motor 1 Control Module System Voltage Low                                  |
| <b>GMC P1AE0</b> | Drive Motor 2 Control Module System Voltage Low                                  |
| <b>GMC P1AE2</b> | Battery Energy Control Module High Voltage System Interlock Circuit              |
| <b>GMC P1AE3</b> | Battery Energy Control Module High Voltage System Interlock Circuit Low Voltage  |
| <b>GMC P1AE4</b> | Battery Energy Control Module High Voltage System Interlock Circuit High Voltage |

| CODES            | DEFINITION                                                                                |
|------------------|-------------------------------------------------------------------------------------------|
| <b>GMC P1AE5</b> | Battery Energy Control Module Hybrid Battery Power Off Control Circuit                    |
| <b>GMC P1AE6</b> | Battery Energy Control Module Hybrid Battery Voltage Isolation Sensor Circuit             |
| <b>GMC P1AE7</b> | Battery Energy Control Module Hybrid Battery Voltage System Isolation Lost                |
| <b>GMC P1AE8</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Sense Circuit Low Voltage             |
| <b>GMC P1AE9</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Sense Circuit High Voltage            |
| <b>GMC P1AEA</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Sense Circuit Low Voltage             |
| <b>GMC P1AEB</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Sense Circuit High Voltage            |
| <b>GMC P1AEC</b> | Drive Motor 1 Control Module Hybrid/EV Battery System Voltage                             |
| <b>GMC P1AED</b> | Drive Motor 2 Control Module Hybrid/EV Battery System Voltage                             |
| <b>GMC P1AEE</b> | Drive Motor 1 Control Module Hybrid/EV Battery System Voltage High                        |
| <b>GMC P1AEF</b> | Drive Motor 2 Control Module Hybrid/EV Battery System Voltage High                        |
| <b>GMC P1AF0</b> | Drive Motor 1 Control Module Hybrid Battery Voltage System Isolation Lost                 |
| <b>GMC P1AF2</b> | Drive Motor 2 Control Module Hybrid Battery Voltage System Isolation Lost                 |
| <b>GMC P1AF4</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Isolation Sensor Circuit Low Voltage  |
| <b>GMC P1AF5</b> | Drive Motor 1 Control Module Hybrid Battery Voltage Isolation Sensor Circuit High Voltage |

| CODES            | DEFINITION                                                                                |
|------------------|-------------------------------------------------------------------------------------------|
| <b>GMC P1AF6</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Isolation Sensor Circuit Low Voltage  |
| <b>GMC P1AF7</b> | Drive Motor 2 Control Module Hybrid Battery Voltage Isolation Sensor Circuit High Voltage |
| <b>GMC P1AF8</b> | Drive Motor 1 Control Module Shutdown Performance                                         |
| <b>GMC P1AFA</b> | Drive Motor 1 Control Module Programmable Logic Device Not Programmed                     |
| <b>GMC P1AFB</b> | Drive Motor 1 Control Module Programmable Logic Device Security Code                      |
| <b>GMC P1AFC</b> | Drive Motor 1 Control Module Serial Peripheral Interface (SPI) Bus                        |
| <b>GMC P1AFD</b> | Drive Motor 1 Control Module Serial Communications Interface (SCI) Bus                    |
| <b>GMC P1AFE</b> | Drive Motor 2 Control Module Shutdown Performance                                         |
| <b>GMC P1B01</b> | Drive Motor 2 Control Module Programmable Logic Device Security Code                      |
| <b>GMC P1B02</b> | Drive Motor 2 Control Module Serial Peripheral Interface (SPI) Bus                        |
| <b>GMC P1B03</b> | Drive Motor 1 Position Sensor Circuit Loss of Tracking                                    |
| <b>GMC P1B04</b> | Drive Motor 2 Position Sensor Circuit Loss of Tracking                                    |
| <b>GMC P1B05</b> | Drive Motor 1 Control Module High Voltage System Interlock Circuit                        |
| <b>GMC P1B06</b> | Drive Motor 2 Control Module High Voltage System Interlock Circuit                        |
| <b>GMC P1B0D</b> | Drive Motor 1 Control Module Drive Motor 1 Overspeed                                      |
| <b>GMC P1B0E</b> | Drive Motor 2 Control Module Drive Motor 2 Overspeed                                      |
| <b>GMC P1B0F</b> | Drive Motor 1 Position Learn Incorrect                                                    |
| <b>GMC P1B10</b> | Drive Motor 2 Position Learn Incorrect                                                    |

| CODES            | DEFINITION                                                           |
|------------------|----------------------------------------------------------------------|
| <b>GMC P1B15</b> | Regenerative Braking Torque Request Signal Message Counter Incorrect |
| <b>GMC U1000</b> | Class 2 Communication Malfunction                                    |
| <b>GMC U1001</b> | Lost Communication with XXX                                          |
| <b>GMC U1016</b> | Loss of Communications with PCM                                      |
| <b>GMC U1017</b> | Lost Communication With Engine Control Module                        |
| <b>GMC U1024</b> | Lost Communication With Transmission Control Module                  |
| <b>GMC U1026</b> | Loss of ATC Class 2 Communication                                    |
| <b>GMC U1040</b> | Lost Communication With Electronic Brake Control Module              |
| <b>GMC U1041</b> | Loss of Electronic Brake Controller Communication                    |
| <b>GMC U1048</b> | No Communication With Rear Wheel Steering Control Module             |
| <b>GMC U1064</b> | Lost Communications with BCM                                         |
| <b>GMC U1088</b> | No Communication With SDM (Restraint Module)                         |
| <b>GMC U1092</b> | Loss of VTD (Pass Lock) Communication                                |
| <b>GMC U1096</b> | No Communication With Instrument Panel Cluster                       |
| <b>GMC U1097</b> | No Communication With Driver Information Center                      |
| <b>GMC U1098</b> | Loss of HUD Communications                                           |
| <b>GMC U1099</b> | Loss of HUD Communications                                           |
| <b>GMC U1111</b> | Lost Communication With Chime Module                                 |
| <b>GMC U1128</b> | Lost Communications With Radio                                       |
| <b>GMC U1129</b> | Loss of AMP Communications                                           |
| <b>GMC U1133</b> | Lost Communication With DVD Player                                   |



| CODES            | DEFINITION                                          |
|------------------|-----------------------------------------------------|
| <b>GMC U1136</b> | Lost Communications With Digital Audio Broadcast    |
| <b>GMC U1137</b> | Lost Communication With Digital Radio Receiver      |
| <b>GMC U1144</b> | Loss of PHN Communications                          |
| <b>GMC U1147</b> | Lost Communication With Onstar                      |
| <b>GMC U1151</b> | No Communication With Vehicle Interface Unit        |
| <b>GMC U1152</b> | No Communication With HVAC Control Module           |
| <b>GMC U1153</b> | Lost Communication With Climate Control Panel       |
| <b>GMC U1160</b> | Loss of DDM Communications                          |
| <b>GMC U1161</b> | Loss of PDM Serial Data                             |
| <b>GMC U1162</b> | Lost Communications With Convenience Control System |
| <b>GMC U1166</b> | Lost Communications With Memory Seat Module         |
| <b>GMC U1167</b> | Lost Communications With Rear Seat Audio/Rear HVAC  |
| <b>GMC U1173</b> | Lost Communications With Moveable Roof Module       |
| <b>GMC U1176</b> | Loss of RFA Communications                          |
| <b>GMC U1192</b> | Loss of Communications with VTD                     |
| <b>GMC U1193</b> | Loss of Vehicle Immobilizer Module Communications   |
| <b>GMC U1241</b> | Lost Communication With Scan Tool                   |
| <b>GMC U1254</b> | Lost Communication with XXX                         |
| <b>GMC U1255</b> | Class 2 Communications Malfunction                  |
| <b>GMC U1300</b> | Class 2 Data Link Low                               |
| <b>GMC U1301</b> | Class 2 Data Link High                              |
| <b>GMC U1305</b> | Class 2 Data Link High or Low                       |

| CODES            | DEFINITION                                                                                                  |
|------------------|-------------------------------------------------------------------------------------------------------------|
| <b>GMC U1500</b> | Communication (Front to Rear) State of Health                                                               |
| <b>GMC U1800</b> | CAN Message Not Received FICM                                                                               |
| <b>GMC U180F</b> | Control Module Communication Bus B Off                                                                      |
| <b>GMC U1842</b> | Lost Communication With ECM/PCM                                                                             |
| <b>GMC U1843</b> | Lost Communication With ECM/PCM                                                                             |
| <b>GMC U186A</b> | Lost Communication With Transfer Case Control Module                                                        |
| <b>GMC U186B</b> | Lost Communication With TCM                                                                                 |
| <b>GMC U1881</b> | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Energy Storage Control Module (ESCM) |
| <b>GMC U1882</b> | Energy Storage Control Module (ESCM) Lost Communication With Electro-Hydraulic Power Steering (EHPS) Module |
| <b>GMC U1883</b> | Hybrid Control Module (HCM) Lost Communication With Driver Door Module (DDM)                                |
| <b>GMC U1884</b> | Hybrid Control Module (HCM) Lost Communication With Passenger Door Module (PDM)                             |
| <b>GMC U1885</b> | Energy Storage Control Module (ESCM) Lost Communication With Hybrid Control Module (HCM)                    |
| <b>GMC U1886</b> | Energy Storage Control Module (ESCM) Lost Communication With Powertrain Control Module (PCM)                |
| <b>GMC U1887</b> | Energy Storage Control Module (ESCM) Lost Communication With Starter/Generator Control Module (SGCM)        |
| <b>GMC U1888</b> | Hybrid Control Module (HCM) Lost Communication With Energy Storage Control Module (ESCM)                    |
| <b>GMC U1889</b> | Hybrid Control Module (HCM) Lost Communication With Body Control Module (BCM)                               |

| CODES            | DEFINITION                                                                                                     |
|------------------|----------------------------------------------------------------------------------------------------------------|
| <b>GMC U1890</b> | Hybrid Control Module (HCM) Lost Communication With HVAC Control Module                                        |
| <b>GMC U1891</b> | Hybrid Control Module (HCM) Lost Communication With Instrument Panel Cluster (IPC)                             |
| <b>GMC U1892</b> | Hybrid Control Module (HCM) Lost Communication With Electro-Hydraulic Power Steering (EHPS) Module             |
| <b>GMC U1893</b> | Hybrid Control Module (HCM) Lost Communication With Powertrain Control Module (PCM)                            |
| <b>GMC U1894</b> | Hybrid Control Module (HCM) Lost Communication With Starter/Generator Control Module (SGCM)                    |
| <b>GMC U1895</b> | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Powertrain Control Module (PCM)         |
| <b>GMC U1896</b> | Electro-Hydraulic Power Steering (EHPS) Module Lost Communication With Starter/Generator Control Module (SGCM) |
| <b>GMC U1897</b> | Starter/Generator Control Module (SGCM) Lost Communication With Energy Storage Control Module (ESCM)           |
| <b>GMC U1898</b> | Starter/Generator Control Module (SGCM) Lost Communication With Hybrid Control Module (HCM)                    |
| <b>GMC U1899</b> | Starter/Generator Control Module (SGCM) Lost Communication With Powertrain Control Module (PCM)                |
| <b>GMC U2100</b> | Controller Area Network (CAN) Bus Communication                                                                |
| <b>GMC U2104</b> | CAN Message Not Received FICM and TCM                                                                          |
| <b>GMC U2105</b> | TCM Detects Error on CAN Link                                                                                  |
| <b>GMC U2106</b> | CAN Message Not Received from TCM                                                                              |
| <b>GMC U2107</b> | Lost Communications With Body Control System                                                                   |
| <b>GMC U2108</b> | Lost Communication With Electronic Brake Control Module (EBCM)                                                 |

| CODES              | DEFINITION                                                                                 |
|--------------------|--------------------------------------------------------------------------------------------|
| <b>GMC U2199</b>   | Unassigned                                                                                 |
| <b>Honda B1000</b> | Communication Bus Line Error                                                               |
| <b>Honda B1001</b> | Multiplex Integrated Control Unit (MICU) Internal Error                                    |
| <b>Honda B1002</b> | Multiplex Integrated Control Unit (MICU) Internal Error                                    |
| <b>Honda B1005</b> | MICU Lost Communication with Relay Control Module (RM Message)                             |
| <b>Honda B1006</b> | MICU Lost Communication with Door Multiplex Control Unit (Door Lock Switch Message)        |
| <b>Honda B1007</b> | MICU Lost Communication with Combination Switch Control Unit (HLSW Message)                |
| <b>Honda B1008</b> | MICU Lost Communication With Gauge Control Module (A/T Message)                            |
| <b>Honda B1009</b> | MICU Lost Communication With Combination Switch Control Unit (Wiper/Washer Switch Message) |
| <b>Honda B1010</b> | MICU Lost Communication with Door Multiplex Control Unit (Panic Message)                   |
| <b>Honda B1011</b> | MICU Lost Communication With Gauge Control Module (VSP/NE Message)                         |
| <b>Honda B1026</b> | Passenger's Door Lock Switch Signal Error                                                  |
| <b>Honda B1027</b> | Trunk Key Cylinder Switch Signal Error                                                     |
| <b>Honda B1028</b> | Rear Window Wiper Motor (Park) Signal Error                                                |
| <b>Honda B1036</b> | Driver's MICU IG1 Line Input Error                                                         |
| <b>Honda B1050</b> | Communication Bus Line Error                                                               |
| <b>Honda B1052</b> | Relay Control Module Internal (EEPROM) Error                                               |
| <b>Honda B1055</b> | Relay Control Module Lost Communication with MICU (MICU Message)                           |

| CODES              | DEFINITION                                                                                          |
|--------------------|-----------------------------------------------------------------------------------------------------|
| <b>Honda B1056</b> | Relay Control Module Lost Communication with MICU (ALARM Message)                                   |
| <b>Honda B1057</b> | Relay Control Module Lost Communication with MICU (DOORSW Message)                                  |
| <b>Honda B1058</b> | Relay Control Module lost communication with Door Multiplex Control Unit (door lock switch message) |
| <b>Honda B1059</b> | Relay Control Module lost communication with Door Multiplex Control Unit (panic message)            |
| <b>Honda B1060</b> | Relay Control Module Lost Communication with Gauge Control Module (VPS/NE Message)                  |
| <b>Honda B1061</b> | Relay Control Module Lost Communication with Gauge Control Module (A/T Message)                     |
| <b>Honda B1062</b> | Relay Control Module Lost Communication with Combination Switch Control Unit (HLSW Message)         |
| <b>Honda B1063</b> | Relay Control Module Lost Communication with Combination Switch Control Unit (WIPSW Message)        |
| <b>Honda B1075</b> | Headlight Switch Back-up Circuit Malfunction                                                        |
| <b>Honda B1076</b> | Windshield Wiper Switch Back-up Circuit Malfunction                                                 |
| <b>Honda B1077</b> | Windshield Wiper Auto Switch Circuit Malfunction                                                    |
| <b>Honda B1078</b> | Daytime Running Lights System Error                                                                 |
| <b>Honda B1079</b> | Daytime Running Lights Malfunction                                                                  |
| <b>Honda B1080</b> | Power Supply Circuit (IG1 Line) Input Error for Relay Control Module and MICU                       |
| <b>Honda B10A2</b> | Driver's MICU Internal (EEPROM) Error                                                               |
| <b>Honda B10CF</b> | Left Daytime Running Lights Circuit Malfunction                                                     |
| <b>Honda B1100</b> | Communication Circuit Error (BUS Off)                                                               |
| <b>Honda B1102</b> | Door Multiplex Control Unit Internal Error                                                          |

| CODES              | DEFINITION                                                                                                 |
|--------------------|------------------------------------------------------------------------------------------------------------|
| <b>Honda B1125</b> | Driver's Power Window Motor A Pulse Malfunction                                                            |
| <b>Honda B1126</b> | Driver's Power Window Motor B Pulse Malfunction                                                            |
| <b>Honda B1127</b> | Driver's Door Key Cylinder Switch Malfunction                                                              |
| <b>Honda B1128</b> | Driver's Door Lock Switch Signal Malfunction (Lock/Unlock)                                                 |
| <b>Honda B1129</b> | Driver's Door Lock Knob Switch Signal Error (LOCK/UNLOCK)                                                  |
| <b>Honda B1130</b> | Front Passenger's Power Window Motor A Pulse Malfunction                                                   |
| <b>Honda B1131</b> | Front Passenger's Power Window Motor B Pulse Malfunction                                                   |
| <b>Honda B1140</b> | Driver's Power Window Position Detect Circuit Malfunction                                                  |
| <b>Honda B1142</b> | Door Multiplex Control Unit Lost Communication With Front Passenger's Power Window Switch (UART Line Open) |
| <b>Honda B1145</b> | Front Passenger's Power Window Position Detect Circuit Malfunction                                         |
| <b>Honda B1150</b> | Communication Bus Line Error                                                                               |
| <b>Honda B1152</b> | Gauge Control Module Internal (EEPROM) Error                                                               |
| <b>Honda B1155</b> | Gauge Control Module Lost Communication with Combination Switch Control Unit (HLSW Message)                |
| <b>Honda B1156</b> | Gauge Control Module Lost Communication with Combination Switch Control Unit (WIPSW Message)               |
| <b>Honda B1157</b> | Gauge Control Module Lost Communication with MICU (MICU Message)                                           |
| <b>Honda B1158</b> | Gauge Control Module Lost Communication with Relay Control Module (RM Message)                             |

| CODES              | DEFINITION                                                                                          |
|--------------------|-----------------------------------------------------------------------------------------------------|
| <b>Honda B1159</b> | Gauge Control Module Lost Communication with MICU (DOORSW Message)                                  |
| <b>Honda B1160</b> | Gauge Control Module Lost Communication with Door Multiplex Control Unit (Door Lock Switch Message) |
| <b>Honda B1168</b> | Gauge Control Module Lost Communication with PCM (ENG Message)                                      |
| <b>Honda B1169</b> | Gauge Control Module Lost Communication with the PCM (A/T Message)                                  |
| <b>Honda B1170</b> | Gauge Control Module Lost Communication with the VSA Modulator-Control Unit (VSA Message)           |
| <b>Honda B1173</b> | Gauge Control Module Lost Communication with the TPMS Control Unit (TPMS Message)                   |
| <b>Honda B1175</b> | Fuel Level Sensor (Fuel Gauge Sending Unit) Circuit Open                                            |
| <b>Honda B1176</b> | Fuel Level Sensor (Fuel Gauge Sending Unit) Circuit Short                                           |
| <b>Honda B1177</b> | Battery Voltage Abnormal                                                                            |
| <b>Honda B1178</b> | F-CAN Communication Line Error                                                                      |
| <b>Honda B1183</b> | Gauge Control Module Lost Communication With EPS Unit                                               |
| <b>Honda B1185</b> | Gauge Control Module Lost Communication With Motor Control Module (BATT Message)                    |
| <b>Honda B1187</b> | Gauge Control Module Lost Communication with SRS Unit (SRS Message)                                 |
| <b>Honda B1188</b> | Gauge Control Module Lost Communication with the MICU (RM Message)                                  |
| <b>Honda B11A2</b> | Passenger's MICU Internal (EEPROM) Error                                                            |
| <b>Honda B11C7</b> | Passenger's MICU IG1 Line Input Error                                                               |
| <b>Honda B11CF</b> | Right Daytime Running Lights Circuit Malfunction                                                    |
| <b>Honda B1200</b> | Communication Bus Line Error                                                                        |

| CODES              | DEFINITION                                                                         |
|--------------------|------------------------------------------------------------------------------------|
| <b>Honda B1202</b> | Climate Control Unit Internal Error                                                |
| <b>Honda B1205</b> | Climate Control Unit Lost Communication with Gauge Control Module (VSP/NE message) |
| <b>Honda B1206</b> | Climate Control Unit Lost Communication with Gauge Control Module (ECT message)    |
| <b>Honda B1207</b> | Climate Control Unit Lost Communication with Gauge Control Module (ILLUMI message) |
| <b>Honda B121B</b> | Short in the Mode Control Motor Circuit                                            |
| <b>Honda B1220</b> | Short in the Recirculation Control Motor Circuit                                   |
| <b>Honda B1225</b> | Open in the In-car Temperature Sensor Circuit                                      |
| <b>Honda B1226</b> | Short in the In-car Temperature Sensor Circuit                                     |
| <b>Honda B1227</b> | Open in the Outside Air Temperature Sensor Circuit                                 |
| <b>Honda B1228</b> | Short in the Outside Air Temperature Sensor Circuit                                |
| <b>Honda B1229</b> | Open in the Sunlight Sensor Circuit                                                |
| <b>Honda B1230</b> | Short in the Sunlight Sensor Circuit                                               |
| <b>Honda B1231</b> | Open in the Evaporator Temperature Sensor Circuit                                  |
| <b>Honda B1232</b> | Short in the Evaporator Temperature Sensor Circuit                                 |
| <b>Honda B1233</b> | Open in the Driver's Air Mix Control Motor Circuit                                 |
| <b>Honda B1234</b> | A Short in the Driver's Air Mix Control Motor Circuit                              |
| <b>Honda B1235</b> | Problem in the Driver's Air Mix Control Linkage, Door, or Motor Circuit            |
| <b>Honda B1236</b> | Open in the Passenger's Air Mix Control Motor Circuit                              |
| <b>Honda B1237</b> | Short in the Passenger's Air Mix Control Motor Circuit                             |
| <b>Honda B1238</b> | A Problem in the Passenger's Air Mix Control Linkage, Door, or Motor               |



| CODES              | DEFINITION                                                                  |
|--------------------|-----------------------------------------------------------------------------|
| <b>Honda B1239</b> | Open or Short in the Drivers Mode Control Motor Circuit                     |
| <b>Honda B1241</b> | Problem in the Blower Motor Circuit                                         |
| <b>Honda B1250</b> | Communication Bus Line Error (BUS OFF)                                      |
| <b>Honda B1251</b> | Combination Switch Control unit Internal Error                              |
| <b>Honda B1255</b> | Combination Switch Control Unit Lost Communication with MICU (MICU Message) |
| <b>Honda B1275</b> | Headlight OFF Position Circuit Malfunction                                  |
| <b>Honda B1276</b> | Combination Light Switch Parking (SMALL) Position Circuit Malfunction       |
| <b>Honda B1277</b> | Headlight AUTO Position Circuit Malfunction                                 |
| <b>Honda B1278</b> | Headlight Switch ON Position Circuit Malfunction                            |
| <b>Honda B1279</b> | Headlight Switch DIMMER Position Circuit Malfunction                        |
| <b>Honda B1280</b> | Turn Signal Switch Circuit Malfunction                                      |
| <b>Honda B1281</b> | Windshield Wiper Switch MIST Position Circuit Malfunction                   |
| <b>Honda B1282</b> | Windshield Wiper Switch INT (AUTO) Position Circuit Malfunction             |
| <b>Honda B1283</b> | Windshield Wiper Switch LOW Position Circuit Malfunction                    |
| <b>Honda B1284</b> | Windshield Wiper Switch HIGH Position Circuit Malfunction                   |
| <b>Honda B1352</b> | Power Tailgate Control Unit Internal (EEPROM) Error                         |
| <b>Honda B1375</b> | Driver's Door Power Tailgate Switch Circuit Malfunction                     |
| <b>Honda B1376</b> | Tailgate Outer Handle Switch Circuit Malfunction                            |
| <b>Honda B1377</b> | Inside Tailgate Switch Circuit Malfunction                                  |
| <b>Honda B1378</b> | Power Tailgate Right Pinch Sensor Circuit Malfunction                       |

| CODES              | DEFINITION                                                       |
|--------------------|------------------------------------------------------------------|
| <b>Honda B1380</b> | Power Tailgate Closer Unit Neutral Switch Circuit Malfunction    |
| <b>Honda B1381</b> | Power Tailgate Closer Unit Release Switch Circuit Malfunction    |
| <b>Honda B1382</b> | Power Tailgate Closer Unit Full Latch Switch Circuit Malfunction |
| <b>Honda B1383</b> | Power Tailgate Closer Unit Ratchet Switch Circuit Malfunction    |
| <b>Honda B1384</b> | Power Tailgate Closer Unit Half Latch Switch Circuit Malfunction |
| <b>Honda B1386</b> | Power Tailgate Sensor Pulse A Circuit Malfunction                |
| <b>Honda B1387</b> | Power Tailgate Sensor Pulse B Circuit Malfunction                |
| <b>Honda B1388</b> | Power Tailgate Motor Circuit Malfunction                         |
| <b>Honda B1389</b> | Power Tailgate Motor Clutch Circuit Malfunction                  |
| <b>Honda B1390</b> | Power Tailgate Closer Function Error                             |
| <b>Honda B1575</b> | Automatic Lighting Sensor Circuit Malfunction                    |
| <b>Honda B1775</b> | Microphone Input/Output Short to Power/Open                      |
| <b>Honda B1776</b> | Microphone Input/Output Short to Ground/Open                     |
| <b>Honda B1779</b> | HandsFreeLink steering wheel switch failure                      |
| <b>Honda B1780</b> | HFL Switch (HFL TALK/HFL BACK Buttons) Circuit Short             |
| <b>Honda B1792</b> | HandsFreeLink Control Unit Internal Error                        |
| <b>Honda B1802</b> | Power Seat Control Unit Failure                                  |
| <b>Honda B1825</b> | Slide Pulse Error                                                |
| <b>Honda B1826</b> | Front Height Pulse Error                                         |
| <b>Honda B1827</b> | Rear Height Pulse Error                                          |

| CODES              | DEFINITION                                                                  |
|--------------------|-----------------------------------------------------------------------------|
| <b>Honda B1828</b> | Driver's Seat Recline Motor Pulse Error                                     |
| <b>Honda B1829</b> | A/T-P Signal and VSP Signal Mismatch                                        |
| <b>Honda B1836</b> | Power Seat Position Sensor Circuit Short                                    |
| <b>Honda B1837</b> | Memory Position Calling Timeout                                             |
| <b>Honda B1843</b> | UART Communication Error                                                    |
| <b>Honda B1844</b> | Power Seat Slide Switch Circuit Malfunction                                 |
| <b>Honda B1845</b> | Power Seat Recline Switch Circuit Malfunction                               |
| <b>Honda B1846</b> | Power Seat Front Up-Down Switch Circuit Malfunction                         |
| <b>Honda B1847</b> | Power Seat Rear Up-Down Switch Circuit Malfunction                          |
| <b>Honda B1900</b> | Communication Circuit Error (BUS-OFF)                                       |
| <b>Honda B1905</b> | Immobilizer unit lost communication with MICU(door lock switch message)     |
| <b>Honda B1906</b> | Immobilizer Unit Lost Communication With Gauge Control Module (A/T Message) |
| <b>Honda B1C55</b> | Driver's Heater Thermistor Circuit Open                                     |
| <b>Honda B1C56</b> | Driver's Heater Thermistor Circuit Short                                    |
| <b>Honda B1C57</b> | Passenger's Heater Thermistor Circuit Open                                  |
| <b>Honda B1C58</b> | Passenger's Heater Thermistor Circuit Short                                 |
| <b>Honda B1C60</b> | Driver's Heater Current Abnormal High                                       |
| <b>Honda B1C61</b> | Driver's Heater Current Abnormal Low                                        |
| <b>Honda B1C62</b> | Passenger's Heater Current Abnormal High                                    |
| <b>Honda B1C63</b> | Passenger's Heater Current Abnormal Low                                     |
| <b>Honda B1C68</b> | Driver's Heater Not Heating                                                 |

| CODES              | DEFINITION                                                                       |
|--------------------|----------------------------------------------------------------------------------|
| <b>Honda B1C69</b> | Passenger's Heater Not Heating                                                   |
| <b>Honda B1C70</b> | Driver's Main Heater Switch Failure                                              |
| <b>Honda B1C71</b> | Passenger's Main Heater Switch Failure                                           |
| <b>Honda B2456</b> | Headlight Leveling Control Unit Lost Communication With MICU (Headlight Message) |
| <b>Honda B2476</b> | Front Suspension Stroke Sensor Circuit Malfunction                               |
| <b>Honda B2477</b> | Rear Suspension Stroke Sensor Circuit Malfunction                                |
| <b>Honda B2479</b> | Headlight Leveling Control Unit (EEPROM) Error                                   |
| <b>Honda B2482</b> | Combination Light Switch Signal Error                                            |
| <b>Honda B2601</b> | Parking Sensor CPU Error                                                         |
| <b>Honda B2602</b> | Parking Sensor EEPROM Error                                                      |
| <b>Honda B2625</b> | Left Front Corner Sensor Failure                                                 |
| <b>Honda B2628</b> | Right Front Corner Sensor Failure                                                |
| <b>Honda B2629</b> | Left Rear Corner Sensor Failure                                                  |
| <b>Honda B2630</b> | Center Left Rear Sensor Failure                                                  |
| <b>Honda B2631</b> | Center Right Rear Sensor Failure                                                 |
| <b>Honda B2632</b> | Right Rear Sensor Failure                                                        |
| <b>Honda B2633</b> | Front Bus Failure                                                                |
| <b>Honda B2634</b> | Rear Bus Failure                                                                 |
| <b>Honda B2635</b> | IND Erroneous Lighting                                                           |
| <b>Honda B2636</b> | Vehicle Status Combination Error                                                 |
| <b>Honda B2967</b> | Open in the Humidity Sensor Circuit                                              |

| CODES              | DEFINITION                                                                  |
|--------------------|-----------------------------------------------------------------------------|
| <b>Honda B2968</b> | Short in the Humidity Sensor Circuit (WINDSHIELD DEFROST)                   |
| <b>Honda B2969</b> | Climate Control Unit Lost Communication with MICU (WIPSW message)           |
| <b>Honda B2983</b> | Problem in the Recirculation Control Linkage, Door, or Motor Circuit        |
| <b>Honda B2986</b> | Open in the Recirculation Control Motor Circuit                             |
| <b>Honda P1009</b> | Variable Valve Timing Control (VTC) Advance Malfunction                     |
| <b>Honda P1077</b> | Intake Manifold Tuning (IMT) Valve Stuck in High RPM Position               |
| <b>Honda P1078</b> | Intake Manifold Tuning (IMT) Valve Stuck in Low RPM Position                |
| <b>Honda P1102</b> | F-CAN Malfunction (BUS-OFF)                                                 |
| <b>Honda P1106</b> | BARO Pressure Sensor Performance                                            |
| <b>Honda P1107</b> | BARO Pressure Sensor Circuit Low Input                                      |
| <b>Honda P1108</b> | BARO Pressure Sensor Circuit High Input                                     |
| <b>Honda P1109</b> | Barometric Pressure (BARO) Sensor Circuit Out of Range High                 |
| <b>Honda P1111</b> | IAT Sensor Circuit High Input (Intermittent)                                |
| <b>Honda P1112</b> | IAT Sensor Circuit Intermittent Low Input                                   |
| <b>Honda P1114</b> | ECT Sensor Circuit Low Input (Intermittent)                                 |
| <b>Honda P1115</b> | ECT Sensor Circuit High Input (Intermittent)                                |
| <b>Honda P1116</b> | Engine Coolant Temperature (ECT) Sensor 1 Circuit Range/Performance Problem |
| <b>Honda P1120</b> | Throttle Position Sensor 1 Circuit Malfunction                              |
| <b>Honda P1121</b> | TP Sensor Input Lower Than Expected                                         |

| CODES              | DEFINITION                                                          |
|--------------------|---------------------------------------------------------------------|
| <b>Honda P1122</b> | TP Sensor Input Higher Than Expected                                |
| <b>Honda P1125</b> | Electronic Throttle Control Limit Performance Mode                  |
| <b>Honda P1128</b> | Manifold Absolute Pressure (MAP) Sensor Signal Lower Than Expected  |
| <b>Honda P1129</b> | Manifold Absolute Pressure (MAP) Sensor Signal Higher Than Expected |
| <b>Honda P1133</b> | HO2S-11 (Bank 1 Sensor 1) Insufficient Switching                    |
| <b>Honda P1134</b> | HO2S-11 (Bank 1 Sensor 1) Transition Time Ratio Error               |
| <b>Honda P1149</b> | HO2S-11 (Bank 1 Sensor 1) Performance                               |
| <b>Honda P1153</b> | HO2S-21 (Bank 2 Sensor 1) Insufficient Switching                    |
| <b>Honda P1154</b> | HO2S-21 (Bank 2 Sensor 1) Transition Time Ratio                     |
| <b>Honda P1157</b> | Air Fuel Ratio (A/F) Sensor (Sensor 1) AFS Line High Voltage        |
| <b>Honda P1162</b> | Lean A/F Sensor (Bank 1 Sensor 1) Circuit Malfunction               |
| <b>Honda P1163</b> | Lean A/F Sensor (Bank 1 Sensor 1) Slow Response                     |
| <b>Honda P1164</b> | Lean A/F Sensor (Bank 1 Sensor 1) Range/Performance                 |
| <b>Honda P1165</b> | Lean A/F-11 (Bank 1 Sensor 1) Range/Performance                     |
| <b>Honda P1166</b> | Lean A/F-11 (Bank 1 Sensor 1) Heater Circuit Malfunction            |
| <b>Honda P1167</b> | Lean A/F-11 (Bank 1 Sensor 1) Heater Circuit Malfunction            |
| <b>Honda P1168</b> | Lean A/F Sensor (Bank 1 Sensor 1) Label Circuit Low Input           |
| <b>Honda P1169</b> | Lean A/F Sensor (Bank 1 Sensor 1) Label Circuit High Input          |
| <b>Honda P1171</b> | Fuel System Lean During Acceleration Detected                       |
| <b>Honda P1172</b> | Air/Fuel Ratio (A/F) Sensor (Sensor 1) Circuit Out of Range High    |

| CODES              | DEFINITION                                                                     |
|--------------------|--------------------------------------------------------------------------------|
| <b>Honda P1174</b> | Front Air/Fuel Ratio (A/F) Sensor (Bank 2, Sensor 1) Circuit Out of Range High |
| <b>Honda P1182</b> | CNG Fuel Temperature Sensor Circuit Low Input                                  |
| <b>Honda P1183</b> | CNG Fuel Temperature Sensor Circuit High Input                                 |
| <b>Honda P1187</b> | CNG Fuel Tank Temperature Sensor Circuit Low Input                             |
| <b>Honda P1188</b> | CNG Fuel Tank Temperature Sensor Circuit High Input                            |
| <b>Honda P1192</b> | CNG Fuel Tank Pressure Sensor Circuit Low Input                                |
| <b>Honda P1193</b> | CNG Fuel Tank Pressure Sensor Circuit High Input                               |
| <b>Honda P1220</b> | Throttle Position Sensor 2 Circuit Malfunction                                 |
| <b>Honda P1221</b> | Throttle Position Sensor 1-2 Circuit Performance                               |
| <b>Honda P1253</b> | VTEC Solenoid Circuit Malfunction                                              |
| <b>Honda P1257</b> | VTEC System Malfunction                                                        |
| <b>Honda P1258</b> | VTEC System Malfunction                                                        |
| <b>Honda P1259</b> | VTEC System Malfunction (Bank 1)                                               |
| <b>Honda P1271</b> | Throttle Position Sensor 1-2 Correlation Error                                 |
| <b>Honda P1272</b> | Acceleration Position Sensor 2-3 Correlation Error                             |
| <b>Honda P1273</b> | Acceleration Position Sensor 1-3 Correlation Error                             |
| <b>Honda P1275</b> | Acceleration Position Sensor 1 Circuit Malfunction                             |
| <b>Honda P1280</b> | Acceleration Position Sensor 2 Circuit Malfunction                             |
| <b>Honda P1285</b> | Acceleration Position Sensor 3 Circuit Malfunction                             |
| <b>Honda P1286</b> | Rocker Arm Oil Pressure Sensor B Stuck Low                                     |
| <b>Honda P128A</b> | Rocker Arm Oil Pressure Sensor B Stuck High                                    |
| <b>Honda P128C</b> | Rocker Arm Oil Pressure Sensor A Stuck Low                                     |

| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Honda P128D</b> | Rocker Arm Oil Pressure Sensor A Stuck High             |
| <b>Honda P1290</b> | Electronic Throttle Control Forced Idle Mode            |
| <b>Honda P1295</b> | Electronic Throttle Control Power Management Mode       |
| <b>Honda P1297</b> | Electrical Load Detector (ELD) Circuit Low Voltage      |
| <b>Honda P1298</b> | Electrical Load Detector (ELD) Circuit High Voltage     |
| <b>Honda P1299</b> | Electronic Throttle Control Forced Engine Shutdown Mode |
| <b>Honda P1310</b> | ION Sensing Module Diagnosis                            |
| <b>Honda P1311</b> | ION Sensing Module Secondary Line 1 Circuit Malfunction |
| <b>Honda P1312</b> | ION Sensing Module Secondary Line 2 Circuit Malfunction |
| <b>Honda P1324</b> | Knock Sensor Power Source Circuit Low Input             |
| <b>Honda P1326</b> | ION Sensing Module Combustion Quality                   |
| <b>Honda P1336</b> | Crankshaft Speed Fluctuation Sensor Circuit Malfunction |
| <b>Honda P1337</b> | Crankshaft Speed Fluctuation Sensor No Signal           |
| <b>Honda P1340</b> | ION Sensing Module Cylinder ID Malfunction              |
| <b>Honda P1359</b> | CKP/TDC Sensor Circuit Malfunction                      |
| <b>Honda P1361</b> | Top Dead Center Sensor Intermittent Signal              |
| <b>Honda P1362</b> | Top Dead Center Sensor No Signal                        |
| <b>Honda P1366</b> | Top Dead Center Sensor 2 Circuit Intermittent Signal    |
| <b>Honda P1367</b> | Top Dead Sensor 2 No Signals                            |
| <b>Honda P1381</b> | Camshaft Position Sensor 1 Circuit Malfunction          |
| <b>Honda P1382</b> | Camshaft Position Sensor 1 No Signal                    |



| CODES              | DEFINITION                                                        |
|--------------------|-------------------------------------------------------------------|
| <b>Honda P1391</b> | Acceleration 'G' Sensor Range/Performance                         |
| <b>Honda P1392</b> | Acceleration 'G' Sensor Circuit Low Input                         |
| <b>Honda P1393</b> | Acceleration 'G' Sensor Circuit High Input                        |
| <b>Honda P1394</b> | Acceleration 'G' Sensor Intermittent High Input                   |
| <b>Honda P1404</b> | EGR Valve Stuck Closed Malfunction                                |
| <b>Honda P1406</b> | EGR Valve Pintle Position Sensor Circuit Malfunction              |
| <b>Honda P1410</b> | Air Pump System Malfunction                                       |
| <b>Honda P1415</b> | AIR Pump Electric Current Sensor Signal Low Input                 |
| <b>Honda P1416</b> | AIR Pump Electric Current Sensor Signal High Input                |
| <b>Honda P1441</b> | EVAP Vacuum Switch Circuit High Input                             |
| <b>Honda P1454</b> | Fuel Tank Pressure (FTP) Sensor Circuit Range/Performance Problem |
| <b>Honda P1456</b> | EVAP System Leak Detected (Fuel Tank Area)                        |
| <b>Honda P1457</b> | EVAP System Leak Detected (Canister Area)                         |
| <b>Honda P1459</b> | EVAP Purge Flow Switch Circuit Malfunction                        |
| <b>Honda P145C</b> | Evaporative Emission (EVAP) System Purge Flow Malfunction         |
| <b>Honda P1486</b> | Thermostat Range/Performance Malfunction                          |
| <b>Honda P1491</b> | EGR Valve Lift Sensor Insufficient Flow Detected                  |
| <b>Honda P1498</b> | EGR Valve Lift Sensor High Input                                  |
| <b>Honda P1508</b> | Idle Air Control System Low RPM                                   |
| <b>Honda P1509</b> | Idle Air Control System High RPM                                  |
| <b>Honda P1519</b> | Idle Air Control Valve Circuit Malfunction                        |

| CODES              | DEFINITION                                                                                     |
|--------------------|------------------------------------------------------------------------------------------------|
| <b>Honda P1522</b> | Master Power Vacuum Sensor Low Input                                                           |
| <b>Honda P1523</b> | Master Power Vacuum Sensor High Input                                                          |
| <b>Honda P1541</b> | HTRS Passenger Heater Standby Circuit Low Input                                                |
| <b>Honda P1542</b> | HTRS Passenger Heater Standby Circuit High Input                                               |
| <b>Honda P1549</b> | Charging System High Voltage                                                                   |
| <b>Honda P15AB</b> | Engine Mount Control Unit Power Source Circuit Low Voltage                                     |
| <b>Honda P15AC</b> | Engine Mount Control Unit Internal Circuit Malfunction                                         |
| <b>Honda P15AE</b> | Cylinder Pause Signal Malfunction                                                              |
| <b>Honda P15AF</b> | Camshaft Position (CMP) Sensor Signal Malfunction                                              |
| <b>Honda P15B0</b> | Crankshaft Position (CKP) Sensor Signal Malfunction                                            |
| <b>Honda P15B1</b> | Camshaft Position (CMP) Sensor / Crankshaft Position (CKP) Sensor Signal Incorrect Correlation |
| <b>Honda P15BD</b> | Cylinder Pause Signal 2 Malfunction                                                            |
| <b>Honda P15BE</b> | Camshaft Position (CMP) Sensor Signal Malfunction                                              |
| <b>Honda P15BF</b> | Camshaft Position (CMP) Sensor Signal Intermittent Interruption                                |
| <b>Honda P15C0</b> | Crankshaft Position (CKP) Sensor Signal Intermittent Interruption                              |
| <b>Honda P15C1</b> | Brake Booster Pressure Sensor B Circuit High Voltage                                           |
| <b>Honda P15C2</b> | Brake Booster Pressure Sensor B Circuit Low Voltage                                            |
| <b>Honda P15C3</b> | Brake Booster Pressure sensor A/B Incorrect Voltage Correlation                                |
| <b>Honda P1607</b> | PCM Internal Circuit 'A' Malfunction                                                           |
| <b>Honda P1618</b> | Serial Peripheral Interface Communication                                                      |

| CODES              | DEFINITION                                                              |
|--------------------|-------------------------------------------------------------------------|
| <b>Honda P1635</b> | 5-Volt Reference Voltage 'A' Circuit Malfunction                        |
| <b>Honda P1639</b> | 5-Volt Reference Voltage 'B' Circuit Malfunction                        |
| <b>Honda P1640</b> | Output Driver Module Circuit Malfunction                                |
| <b>Honda P1641</b> | ACTRQ Motor Torque Signal Circuit High Input                            |
| <b>Honda P1642</b> | QBATT Battery Signal Circuit Low Input                                  |
| <b>Honda P1643</b> | QBATT Battery Signal Circuit High Input                                 |
| <b>Honda P1644</b> | MOTFSA Signal Circuit Malfunction                                       |
| <b>Honda P1645</b> | MOTFSA Signal Circuit Malfunction                                       |
| <b>Honda P1646</b> | MOTFSA Signal Circuit Malfunction                                       |
| <b>Honda P1650</b> | Output Driver Module Circuit Malfunction                                |
| <b>Honda P1655</b> | TMA or TMB Signal Line Circuit Malfunction                              |
| <b>Honda P1658</b> | Electronic Throttle Control System (ETCS) Control Relay ON Malfunction  |
| <b>Honda P1659</b> | Electronic Throttle Control System (ETCS) Control Relay OFF Malfunction |
| <b>Honda P1660</b> | TCM A/T FI Data Line Circuit Malfunction                                |
| <b>Honda P1671</b> | TCM A/T FI Data Line No Signal                                          |
| <b>Honda P1672</b> | TCM A/T FI Data Line Circuit Malfunction                                |
| <b>Honda P1676</b> | TCM A/T FI Data Line Circuit Malfunction                                |
| <b>Honda P1677</b> | TCM A/T FI Data Line Circuit Malfunction                                |
| <b>Honda P1678</b> | TCM A/T FPTDR Signal Line Circuit Malfunction                           |
| <b>Honda P1681</b> | TCM A/T FI Signal 'A' Low Input                                         |
| <b>Honda P1682</b> | TCM A/T FI Signal 'A' High Input                                        |

| CODES              | DEFINITION                                                 |
|--------------------|------------------------------------------------------------|
| <b>Honda P1683</b> | Throttle Valve Default Position Spring Performance Problem |
| <b>Honda P1684</b> | Throttle Valve Return Spring Performance Problem           |
| <b>Honda P16BB</b> | Alternator B Terminal Circuit Low Voltage                  |
| <b>Honda P16BC</b> | Alternator FR Terminal Circuit/IGP Circuit Low Voltage     |
| <b>Honda P16BD</b> | Starter Cut Relay 2 Malfunction                            |
| <b>Honda P16BE</b> | Starter Cut Relay 1 Malfunction                            |
| <b>Honda P16BF</b> | Starter Cut Relay STRLY Circuit Malfunction                |
| <b>Honda P16C0</b> | PCM A/T Control System Incomplete Update                   |
| <b>Honda P16C4</b> | Engine Mount Actuator Control Power Circuit (Stuck Off)    |
| <b>Honda P16C5</b> | Engine Mount Actuator Control Power Circuit (Stuck ON)     |
| <b>Honda P16C6</b> | Engine Mount Actuator High Voltage During Function Test    |
| <b>Honda P16C7</b> | Rear Engine Mount Actuator Control Circuit High Current    |
| <b>Honda P16C8</b> | Rear Engine Mount Actuator Control Circuit High Current    |
| <b>Honda P16C9</b> | Engine Mount Control Unit Internal Circuit Malfunction     |
| <b>Honda P16D5</b> | F-CAN Malfunction (Internal Malfunction)                   |
| <b>Honda P16D6</b> | IMA-CAN Malfunction (Internal Malfunction) (HYBRID MODELS) |
| <b>Honda P1705</b> | TCM A/T Gear Position Switch Low Input                     |
| <b>Honda P1706</b> | TCM A/T Gear Position Switch High Input                    |
| <b>Honda P1709</b> | TCM A/T Mode Switch Circuit Malfunction                    |
| <b>Honda P1717</b> | Open in Transmission Range Switch ATPRVS Switch Circuit    |

| CODES              | DEFINITION                                                                              |
|--------------------|-----------------------------------------------------------------------------------------|
| <b>Honda P1730</b> | Problem in Shift Control System                                                         |
| <b>Honda P1731</b> | Problem in Shift Control System                                                         |
| <b>Honda P1732</b> | Problem in Shift Control System: Shift Solenoid B or C Stuck ON                         |
| <b>Honda P1733</b> | Problem in Shift Control System                                                         |
| <b>Honda P1734</b> | Problem in Shift Control System                                                         |
| <b>Honda P1738</b> | TCM A/T 2nd Pressure Switch Circuit Malfunction                                         |
| <b>Honda P1739</b> | TCM A/T 3rd Pressure Switch Circuit Malfunction                                         |
| <b>Honda P1743</b> | Problem in Shift Control System; Shift Valve E Stuck OFF                                |
| <b>Honda P1744</b> | Problem in Shift Control System; Shift Valve E Stuck ON                                 |
| <b>Honda P1745</b> | Problem in Shift Control System; Servo Control Valve Stuck OFF or Servo Valve Stuck OFF |
| <b>Honda P1746</b> | Hydraulic Control System (Cut Valve A Stuck OFF or Cut Valve B Stuck ON)                |
| <b>Honda P1747</b> | Hydraulic Control System (Cut Valve A Stuck ON or Cut Valve B Stuck OFF)                |
| <b>Honda P1750</b> | TCM A/T System Mechanical Malfunction                                                   |
| <b>Honda P1751</b> | TCM A/T System Mechanical Malfunction                                                   |
| <b>Honda P1753</b> | TCM A/T Lockup Solenoid Valve 'A' Circuit Malfunction                                   |
| <b>Honda P1758</b> | TCM A/T Lockup Solenoid Valve 'B' Circuit Malfunction                                   |
| <b>Honda P1768</b> | TCM A/T Clutch Pressure Solenoid 'A' Circuit Malfunction                                |
| <b>Honda P1773</b> | TCM A/T Clutch Pressure Solenoid 'B' Circuit Malfunction                                |
| <b>Honda P1780</b> | Problem in Shift Control System (Transmission is in Default Mode)                       |
| <b>Honda P1785</b> | TCM A/T System Malfunction                                                              |

| CODES              | DEFINITION                                                                             |
|--------------------|----------------------------------------------------------------------------------------|
| <b>Honda P1786</b> | TCM A/T FAS Signal Circuit Malfunction                                                 |
| <b>Honda P1790</b> | TCM A/T Throttle Position Sensor Circuit Malfunction                                   |
| <b>Honda P1791</b> | TCM A/T Vehicle Speed Sensor Circuit Malfunction                                       |
| <b>Honda P1794</b> | TCM A/T Barometric Pressure Sensor Circuit Malfunction                                 |
| <b>Honda P1850</b> | A/T Brake Band Apply Solenoid Circuit Malfunction                                      |
| <b>Honda P1860</b> | Torque Converter Clutch Solenoid Circuit Malfunction                                   |
| <b>Honda P1870</b> | Transmission Component Slipping Malfunction                                            |
| <b>Honda P1882</b> | A/T Inhibitor Solenoid Circuit Malfunction                                             |
| <b>Honda P1885</b> | A/T Drive Pulley Speed Sensor Circuit Malfunction                                      |
| <b>Honda P1886</b> | A/T Driven Pulley Speed Sensor Circuit Malfunction                                     |
| <b>Honda P1888</b> | A/T Second Gear Shaft Speed Sensor Circuit Malfunction                                 |
| <b>Honda P1890</b> | A/T Shift Control System Malfunction                                                   |
| <b>Honda P1891</b> | A/T Start Clutch Control System Malfunction                                            |
| <b>Honda P3400</b> | Valve Pause System (VPS) Stuck OFF                                                     |
| <b>Honda P3497</b> | Valve Pause System (VPS) Stuck Off (Bank 2)                                            |
| <b>Honda U1064</b> | Seat Heater Control Unit Lost Communication With Climate Control unit                  |
| <b>Honda U1101</b> | F-CAN Malfunction Powertrain Control Module (PCM)<br>Active Control Engine Mount (ACM) |
| <b>Honda U1102</b> | F-CAN Malfunction (ECM/PCM Gauge Control Module)                                       |
| <b>Honda U1205</b> | IMA-CAN Malfunction Powertrain Control Module (PCM)-<br>Motor Control Module (MCM)     |
| <b>Honda U1221</b> | Invalid Data Received From DC-DC Converter Control Module                              |

| CODES                | DEFINITION                                                                          |
|----------------------|-------------------------------------------------------------------------------------|
| <b>Honda U1280</b>   | Communication Bus Line Error (BUS-OFF)                                              |
| <b>Honda U1281</b>   | Lost Communication with MICU (MICU frame)                                           |
| <b>Honda U1282</b>   | Lost Communication With MICU                                                        |
| <b>Honda U1283</b>   | Power Tailgate Control Unit Lost Communication with Rear MICU (RALOCK SW Frame)     |
| <b>Honda U1288</b>   | Lost Communication with PARKSR                                                      |
| <b>Honda U128D</b>   | Power Seat Control Unit Lost Communication With Gauge Control Module (VSP/NE Frame) |
| <b>Honda U1290</b>   | Lost Communication with Seat Heater Control Unit                                    |
| <b>Hyundai B1101</b> | SRSCM Input Voltage High                                                            |
| <b>Hyundai B1102</b> | SRSCM Input Voltage Low                                                             |
| <b>Hyundai B1105</b> | Tailgate Reference Voltage Fault                                                    |
| <b>Hyundai B1111</b> | Battery Voltage High                                                                |
| <b>Hyundai B1112</b> | Battery Voltage Low                                                                 |
| <b>Hyundai B1200</b> | Humidity Sensor Open                                                                |
| <b>Hyundai B1201</b> | Humidity Sensor Short(Low)                                                          |
| <b>Hyundai B1202</b> | Heater Water Temperature Sensor Open (High)                                         |
| <b>Hyundai B1203</b> | Heater Water Temperature Sensor Short(Low)                                          |
| <b>Hyundai B1204</b> | Air Mix Potentiometer Open (Low)-Passenger                                          |
| <b>Hyundai B1205</b> | Air Mix Potentiometer Short (High)-Passenger                                        |
| <b>Hyundai B1206</b> | Direction Potentiometer Open (Low)-Passenger                                        |
| <b>Hyundai B1207</b> | Direction Potentiometer Short (High)-Passenger                                      |
| <b>Hyundai B1208</b> | Intake Potentiometer Open (Low)                                                     |

| CODES                | DEFINITION                                  |
|----------------------|---------------------------------------------|
| <b>Hyundai B1209</b> | Intake Potentiometer Short (High)           |
| <b>Hyundai B1210</b> | Front Left Sensor Fault                     |
| <b>Hyundai B1211</b> | Front Center Left Sensor Fault              |
| <b>Hyundai B1212</b> | Front Center Right Sensor Fault             |
| <b>Hyundai B1213</b> | Front Right Sensor Fault                    |
| <b>Hyundai B1214</b> | B1214 Rear Left Sensor Fault                |
| <b>Hyundai B1215</b> | Rear Center Left Sensor Fault               |
| <b>Hyundai B1216</b> | Rear Center Right Sensor Fault              |
| <b>Hyundai B1217</b> | Rear Right Sensor Fault                     |
| <b>Hyundai B1220</b> | Vehicle Speed Sensor                        |
| <b>Hyundai B1223</b> | VSS Fault                                   |
| <b>Hyundai B1233</b> | In-Car Temperature Sensor Short (Low)       |
| <b>Hyundai B1234</b> | In-Car Temperature Sensor Open (High)       |
| <b>Hyundai B1237</b> | Ambient Temperature Sensor Short (Low)      |
| <b>Hyundai B1238</b> | Ambient Temperature Sensor Open (High)      |
| <b>Hyundai B1241</b> | Evaporator Sensor Short (Low)               |
| <b>Hyundai B1242</b> | Evaporator Sensor Open (High)               |
| <b>Hyundai B1245</b> | Air Mix Potentiometer Open (Low)-Driver     |
| <b>Hyundai B1246</b> | Air Mix Potentiometer Short (High)-Driver   |
| <b>Hyundai B1249</b> | Direction Potentiometer Open (Low)-Driver   |
| <b>Hyundai B1250</b> | Direction Potentiometer Short (High)-Driver |
| <b>Hyundai B1257</b> | AQS Sensor Open                             |



| CODES                | DEFINITION                                                 |
|----------------------|------------------------------------------------------------|
| <b>Hyundai B1258</b> | AQS Sensor Short To Ground                                 |
| <b>Hyundai B1259</b> | AQS Sensor Fault                                           |
| <b>Hyundai B1260</b> | Air Mix Potentiometer Open (Low)-Console                   |
| <b>Hyundai B1261</b> | Air Mix Potentiometer Short (High)-Console                 |
| <b>Hyundai B1262</b> | Direction Potentiometer Open (Low)-Console                 |
| <b>Hyundai B1263</b> | Direction Potentiometer Short (High)-Console               |
| <b>Hyundai B1270</b> | Sliding Door Optical Sensor-1 Output Stuck High            |
| <b>Hyundai B1271</b> | Sliding Door Optical Sensor-1 Output Stuck Low             |
| <b>Hyundai B1272</b> | Sliding Door Optical Sensor-2 Output Stuck High            |
| <b>Hyundai B1273</b> | Sliding Door Optical Sensor-2 Output Stuck Low             |
| <b>Hyundai B1274</b> | Sliding Door Broken Cable(PSD Only)                        |
| <b>Hyundai B1275</b> | Air Mix Potentiometer-VENT Open (Low)-Console              |
| <b>Hyundai B1276</b> | Air Mix Potentiometer VENT Short (High)-Console            |
| <b>Hyundai B1277</b> | Air Mix Potentiometer-TEMP Open (Low)-Console              |
| <b>Hyundai B1278</b> | Air Mix Potentiometer-TEMP Short (High)-Console            |
| <b>Hyundai B1279</b> | Air Mix Switch Potentiometer Open (Low)-Console            |
| <b>Hyundai B1280</b> | Air Mix Switch Potentiometer Short (High)-Console          |
| <b>Hyundai B1281</b> | Air Conditioner > Humidity Sensor Short (Low) - AUTO Defog |
| <b>Hyundai B1282</b> | Air Conditioner > Humidity Sensor Open (High) - AUTO Defog |
| <b>Hyundai B1283</b> | Direction Potentiometer Open (Low) - AUTO Defog            |
| <b>Hyundai B1284</b> | Direction Potentiometer Short (High) - Auto Defog          |

| CODES                | DEFINITION                                            |
|----------------------|-------------------------------------------------------|
| <b>Hyundai B1285</b> | Direction Control Motor -AUTO Defog                   |
| <b>Hyundai B1301</b> | Steering angle signal fault                           |
| <b>Hyundai B1302</b> | Gearbox Signal Fault-CAN Signal                       |
| <b>Hyundai B1303</b> | Accelerator Pedal Position Signal Error               |
| <b>Hyundai B1304</b> | Engine state signal fault                             |
| <b>Hyundai B1305</b> | Yaw Rate Sensor Signal Fault                          |
| <b>Hyundai B1306</b> | Brake pedal signal fault                              |
| <b>Hyundai B1307</b> | Air suspension ECU sensor signal invalid              |
| <b>Hyundai B1319</b> | Airbag > Weight Classification > Require Weight Check |
| <b>Hyundai B1322</b> | Weight Classification System Sensor circuit fault     |
| <b>Hyundai B1323</b> | Airbag > Weight Classification > WCS Sensor Defect    |
| <b>Hyundai B1324</b> | Weight Classification System communication error      |
| <b>Hyundai B1325</b> | Weight Classification System Sensor wrong ID          |
| <b>Hyundai B1326</b> | DFIS Harness Short To Ground                          |
| <b>Hyundai B1327</b> | DFIS Harness Short To Power                           |
| <b>Hyundai B1328</b> | DFIS Harness Fault                                    |
| <b>Hyundai B1329</b> | DFIS To SRSCM Communication Error                     |
| <b>Hyundai B1330</b> | DFIS With Wrong ID                                    |
| <b>Hyundai B1331</b> | PFIS Harness Short To Ground                          |
| <b>Hyundai B1332</b> | PFIS Harness Short To Power                           |
| <b>Hyundai B1333</b> | PFIS Harness Fault                                    |
| <b>Hyundai B1334</b> | PFIS To SRSCM Communication Error                     |

| CODES                | DEFINITION                                             |
|----------------------|--------------------------------------------------------|
| <b>Hyundai B1335</b> | PFIS With Wrong ID                                     |
| <b>Hyundai B1338</b> | Front impact sensor defect                             |
| <b>Hyundai B1344</b> | Airbag > Weight Classification > ODS ECU Defect        |
| <b>Hyundai B1346</b> | DAB Circuit Resistance Is High                         |
| <b>Hyundai B1347</b> | DAB Circuit Resistance Is Low                          |
| <b>Hyundai B1348</b> | DAB Circuit Short To Ground                            |
| <b>Hyundai B1349</b> | DAB Circuit Short To Power                             |
| <b>Hyundai B1352</b> | PAB Circuit Resistance Is High                         |
| <b>Hyundai B1353</b> | PAB Circuit Resistance Is Low                          |
| <b>Hyundai B1354</b> | PAB Circuit Short To Ground                            |
| <b>Hyundai B1355</b> | PAB Circuit Short To Power                             |
| <b>Hyundai B1361</b> | DBPT Circuit Resistance Too High                       |
| <b>Hyundai B1362</b> | DBPT Circuit Resistance Too Low                        |
| <b>Hyundai B1363</b> | DBPT Circuit Short To Ground                           |
| <b>Hyundai B1364</b> | DBPT Circuit Short To Power                            |
| <b>Hyundai B1367</b> | PBPT Circuit Resistance Too High                       |
| <b>Hyundai B1368</b> | PBPT Circuit Resistance Too Low                        |
| <b>Hyundai B1369</b> | PBPT Circuit Short To Ground                           |
| <b>Hyundai B1370</b> | PBPT Circuit Short To Power                            |
| <b>Hyundai B1371</b> | STPS (Seat Track Position Sensor) - Driver instability |
| <b>Hyundai B1378</b> | DSAB Circuit Resistance Too High                       |
| <b>Hyundai B1379</b> | DSAB Circuit Resistance Too Low                        |

| CODES                | DEFINITION                                                              |
|----------------------|-------------------------------------------------------------------------|
| <b>Hyundai B1380</b> | DSAB Circuit Short To Ground                                            |
| <b>Hyundai B1381</b> | DSAB Circuit Short To Power                                             |
| <b>Hyundai B1382</b> | PSAB Circuit Resistance Too High                                        |
| <b>Hyundai B1383</b> | PSAB Circuit Resistance Too Low                                         |
| <b>Hyundai B1384</b> | PSAB Short To Ground                                                    |
| <b>Hyundai B1385</b> | PSAB Circuit Short To Power                                             |
| <b>Hyundai B1387</b> | Driver Seat Position Sensor (STPS) Harness Short                        |
| <b>Hyundai B1388</b> | Driver Seat Track Position Sensor Open or Short to Power                |
| <b>Hyundai B1389</b> | Seat Track Position Sensor (STPS) Malfunction                           |
| <b>Hyundai B1390</b> | Passenger Seat Track Position Sensor Short                              |
| <b>Hyundai B1391</b> | Passenger Seat Track Position Sensor Open or Short to Power             |
| <b>Hyundai B1392</b> | SRSCM Malfunction                                                       |
| <b>Hyundai B1395</b> | Firing Circuit Harness Short To Each Other                              |
| <b>Hyundai B1396</b> | STPS (Seat Track Position Sensor) - Driver Open or Short to Ground      |
| <b>Hyundai B1397</b> | STPS (Seat Track Position Sensor) - Driver Short or Short to Battery    |
| <b>Hyundai B1398</b> | STPS (Seat Track Position Sensor) - Passenger Open or Short to Ground   |
| <b>Hyundai B1399</b> | STPS (Seat Track Position Sensor) - Passenger Short or Short to Battery |
| <b>Hyundai B1400</b> | Driver Front Side Impact Sensor (FSIS) Circuit Fault                    |
| <b>Hyundai B1401</b> | Driver Front Side Impact Sensor (FSIS) Circuit Short To Ground          |

| CODES                | DEFINITION                                                        |
|----------------------|-------------------------------------------------------------------|
| <b>Hyundai B1402</b> | Driver Front Side Impact Sensor (FSIS) Circuit Short To Power     |
| <b>Hyundai B1403</b> | Passenger Front Side Impact Sensor (FSIS) Circuit Fault           |
| <b>Hyundai B1404</b> | Passenger Front Side Impact Sensor (FSIS) Circuit Short To Ground |
| <b>Hyundai B1405</b> | Passenger Front Side Impact Sensor (FSIS) Circuit Short To Power  |
| <b>Hyundai B1409</b> | Satellite left side communication error                           |
| <b>Hyundai B1410</b> | Satellite right side communication error                          |
| <b>Hyundai B1412</b> | SIS (Side Impact Sensor) Rear-Driver Communication error          |
| <b>Hyundai B1413</b> | SIS (Side Impact Sensor) Rear-Passenger Communication error       |
| <b>Hyundai B1414</b> | Driver Front Side Impact Sensor (FSIS) Wrong ID                   |
| <b>Hyundai B1415</b> | Passenger Front Side Impact Sensor (FSIS) Wrong ID                |
| <b>Hyundai B1416</b> | SIS (Side Impact Sensor) Rear-Driver Wrong ID                     |
| <b>Hyundai B1417</b> | SIS (Side Impact Sensor) Rear-Passenger Wrong ID                  |
| <b>Hyundai B1418</b> | SIS (Side Impact Sensor) Rear-Driver Defect                       |
| <b>Hyundai B1419</b> | SIS (Side Impact Sensor) Rear-Passenger Defect                    |
| <b>Hyundai B1429</b> | Side Airbag Rear-Driver Resistance too High                       |
| <b>Hyundai B1430</b> | Side Airbag Rear-Driver Resistance too Low                        |
| <b>Hyundai B1431</b> | Side Airbag Rear-Driver Resistance Circuit Short to Ground        |
| <b>Hyundai B1432</b> | Side Airbag Rear-Driver Resistance Circuit Short to Battery       |
| <b>Hyundai B1433</b> | Side Airbag Rear-Passenger Resistance too High                    |

| CODES                | DEFINITION                                                       |
|----------------------|------------------------------------------------------------------|
| <b>Hyundai B1434</b> | Side Airbag Rear-Passenger Resistance too Low                    |
| <b>Hyundai B1435</b> | Side Airbag Rear-Passenger Resistance Circuit Short to Ground    |
| <b>Hyundai B1436</b> | Side Airbag Rear-Passenger Resistance Circuit Short to Battery   |
| <b>Hyundai B1447</b> | Passenger Occupant Classification ECU defect                     |
| <b>Hyundai B1448</b> | Passenger Occupant Detecting System (PODS) Circuit Fault         |
| <b>Hyundai B1449</b> | Passenger Occupant Detecting System (PODS) Communication Error   |
| <b>Hyundai B1450</b> | Passenger Occupant Detecting System (PODS) Wrong ID              |
| <b>Hyundai B1451</b> | SIS (Side Impact Sensor) Rear-Driver Circuit Short to Ground     |
| <b>Hyundai B1452</b> | SIS (Side Impact Sensor) Rear-Driver Circuit Short to Battery    |
| <b>Hyundai B1454</b> | SIS (Side Impact Sensor) Rear-Passenger Circuit Short to Ground  |
| <b>Hyundai B1455</b> | SIS (Side Impact Sensor) Rear-Passenger Circuit Short to Battery |
| <b>Hyundai B1473</b> | Driver Curtain Airbag (CAB) Circuit Resistance High              |
| <b>Hyundai B1474</b> | Driver Curtain Airbag (CAB) Circuit Resistance Low               |
| <b>Hyundai B1475</b> | Driver Curtain Airbag (CAB) Circuit Short To Ground              |
| <b>Hyundai B1476</b> | Driver Curtain Airbag (CAB) Circuit Short To Power               |
| <b>Hyundai B1477</b> | Passenger Curtain Airbag (CAB) Circuit Resistance High           |
| <b>Hyundai B1478</b> | Passenger Curtain Airbag (CAB) Circuit Resistance Low            |
| <b>Hyundai B1479</b> | Passenger Curtain Airbag (CAB) Circuit Short To Ground           |
| <b>Hyundai B1480</b> | Passenger Curtain Airbag (CAB) Circuit Short To Power            |

| CODES                | DEFINITION                                                         |
|----------------------|--------------------------------------------------------------------|
| <b>Hyundai B1481</b> | Driver Airbag Module (DAB) Circuit Resistance High                 |
| <b>Hyundai B1482</b> | Driver Airbag Module (DAB) Circuit Resistance Low                  |
| <b>Hyundai B1483</b> | DAB Circuit Short To Ground                                        |
| <b>Hyundai B1484</b> | DAB Circuit Short To Power                                         |
| <b>Hyundai B1485</b> | Passenger Airbag Module (PAB) Circuit Resistance High              |
| <b>Hyundai B1486</b> | Passenger Airbag Module (PAB) Circuit Resistance Low               |
| <b>Hyundai B1487</b> | PAB Circuit Short To Ground                                        |
| <b>Hyundai B1488</b> | PAB Circuit Short To Power                                         |
| <b>Hyundai B1489</b> | PODS (Passenger Occupant Detecting System) ECU Defect              |
| <b>Hyundai B1490</b> | PODS (Passenger Occupant Detecting System) Sensor (Bladder) Defect |
| <b>Hyundai B1493</b> | PODS (Passenger Occupant Detecting System) Communication error     |
| <b>Hyundai B1494</b> | PODS (Passenger Occupant Detecting System) Wrong ID                |
| <b>Hyundai B1495</b> | BTS (Belt-Tension Sensor) Defect                                   |
| <b>Hyundai B1496</b> | PODS (Passenger Occupant Detecting System) Not calibrated          |
| <b>Hyundai B1510</b> | AFLS switch/button fault                                           |
| <b>Hyundai B1511</b> | Driver Belt Buckle Switch (BBS) Circuit Open Or Short To Power     |
| <b>Hyundai B1512</b> | Driver Belt Buckle Switch (BBS) Circuit Short To Ground            |
| <b>Hyundai B1513</b> | Passenger Belt Buckle Switch (BBS) Circuit Open Or Short To Power  |
| <b>Hyundai B1514</b> | Passenger Belt Buckle Switch (BBS) Circuit Short To Ground         |

| CODES                | DEFINITION                                            |
|----------------------|-------------------------------------------------------|
| <b>Hyundai B1515</b> | Driver Belt Buckle Switch (BBS) Defect                |
| <b>Hyundai B1516</b> | Passenger Belt Buckle Switch (BBS) Defect             |
| <b>Hyundai B1517</b> | Driver Belt Buckle Switch (BBS) Changes Frequently    |
| <b>Hyundai B1518</b> | Passenger Belt Buckle Switch (BBS) Changes Frequently |
| <b>Hyundai B1521</b> | Buckle Switch Driver Short or Short to Battery        |
| <b>Hyundai B1522</b> | Buckle Switch Driver Open or Short to Ground          |
| <b>Hyundai B1523</b> | Buckle Switch Passenger short or short to Battery     |
| <b>Hyundai B1524</b> | Buckle Switch Passenger Open or Short to Ground       |
| <b>Hyundai B1550</b> | Cruise Switch Error                                   |
| <b>Hyundai B1551</b> | Audio1 Switch Error                                   |
| <b>Hyundai B1552</b> | Audio2 Switch Error                                   |
| <b>Hyundai B1553</b> | Light Multifunction Switch Error                      |
| <b>Hyundai B1554</b> | Turn Signal Multifunction Switch Error                |
| <b>Hyundai B1555</b> | Wiper Multifunction Switch Error                      |
| <b>Hyundai B1562</b> | Fuel Sender ERR                                       |
| <b>Hyundai B1580</b> | Ignition Start Switch Short High                      |
| <b>Hyundai B1582</b> | Smart key System Push Knob Switch Error               |
| <b>Hyundai B1583</b> | Smart key System Park Position Error                  |
| <b>Hyundai B1585</b> | Tailgate Latch Switch Failure                         |
| <b>Hyundai B1586</b> | Chime Open Or Short High                              |
| <b>Hyundai B1587</b> | Tailgate Chime Short to Ground                        |
| <b>Hyundai B1588</b> | Right Front Wiper/Washer MF Switch                    |



| CODES                | DEFINITION                                              |
|----------------------|---------------------------------------------------------|
| <b>Hyundai B1589</b> | Right Rear Wiper/Washer MF Switch                       |
| <b>Hyundai B1590</b> | Light Multifunction Switch Error                        |
| <b>Hyundai B1591</b> | Turn Signal Multifunction Switch Error                  |
| <b>Hyundai B1592</b> | Head lamp Switch Fault                                  |
| <b>Hyundai B1602</b> | CAN Error (Assist Door Module)                          |
| <b>Hyundai B1603</b> | CAN Communication Bus (Assist Door Module)              |
| <b>Hyundai B1604</b> | Smart key System Lost Communication Between BCM and IFU |
| <b>Hyundai B1605</b> | CAN Time-out DDM                                        |
| <b>Hyundai B1606</b> | CAN Time-out ADM                                        |
| <b>Hyundai B1607</b> | CAN Time-out P/SEAT                                     |
| <b>Hyundai B1608</b> | Lost Communication Between BCM and SCM                  |
| <b>Hyundai B1611</b> | CAN Time-out FAM                                        |
| <b>Hyundai B1612</b> | RAM Communication Lost & Bus Failure                    |
| <b>Hyundai B1613</b> | CAN Time-out CLU                                        |
| <b>Hyundai B1614</b> | Lost Communication Between BCM and IFU                  |
| <b>Hyundai B1619</b> | Smart key System Base station antenna failed            |
| <b>Hyundai B1620</b> | SRSCM Fault                                             |
| <b>Hyundai B1621</b> | ECU Hardware Error                                      |
| <b>Hyundai B1622</b> | ECU Software Error                                      |
| <b>Hyundai B1624</b> | EEPROM Failure                                          |
| <b>Hyundai B1625</b> | ECM Communication Data Failure                          |
| <b>Hyundai B1627</b> | EEPROM Corruption                                       |

| CODES                | DEFINITION                                        |
|----------------------|---------------------------------------------------|
| <b>Hyundai B1628</b> | Module Configuration Conflict                     |
| <b>Hyundai B1629</b> | Lin Reception Error                               |
| <b>Hyundai B1630</b> | Lin Transmission Error                            |
| <b>Hyundai B1636</b> | LIN Communication Error Fault                     |
| <b>Hyundai B1637</b> | System Not Initialized                            |
| <b>Hyundai B1638</b> | CAN time-out Air Suspension                       |
| <b>Hyundai B1639</b> | LIN communication error DBL left                  |
| <b>Hyundai B1640</b> | LIN communication error DBL right                 |
| <b>Hyundai B1641</b> | CAN Time-out FBWS                                 |
| <b>Hyundai B1642</b> | LIN communication error LWR right                 |
| <b>Hyundai B1643</b> | CAN Time-out ECW                                  |
| <b>Hyundai B1644</b> | Airbag > Weight Classification > CAN time-out ACU |
| <b>Hyundai B1645</b> | Sliding Door Drive Unit Fault                     |
| <b>Hyundai B1646</b> | S/W Rescue Mode                                   |
| <b>Hyundai B1647</b> | VAS Error                                         |
| <b>Hyundai B1650</b> | DAB or PAB deployed                               |
| <b>Hyundai B1651</b> | DSAB, DRSAB, DCAB deployed                        |
| <b>Hyundai B1652</b> | PSAB, PRSAB, PCAB deployed                        |
| <b>Hyundai B1655</b> | Crash Is Recorded                                 |
| <b>Hyundai B1657</b> | If Any BPT Is Deployed                            |
| <b>Hyundai B1658</b> | Crash Is Recorded In SRSCM                        |
| <b>Hyundai B1659</b> | Crash is Recorded                                 |

| CODES                | DEFINITION                                                                   |
|----------------------|------------------------------------------------------------------------------|
| <b>Hyundai B1661</b> | SRSCM parameter                                                              |
| <b>Hyundai B1670</b> | Crash Is Recorded In SRSCM                                                   |
| <b>Hyundai B1672</b> | APT Sensor Fault – CAN Signal                                                |
| <b>Hyundai B1681</b> | DDM and Rear LH Serial Communication Error                                   |
| <b>Hyundai B1682</b> | DDM and Rear RH Serial Communication Error                                   |
| <b>Hyundai B1683</b> | Airbag (Event #1) > Exceed Maximum Coding Number                             |
| <b>Hyundai B1684</b> | ACU Configuration is different                                               |
| <b>Hyundai B1686</b> | Vehicle Speed Sensor Fault – CAN Signal                                      |
| <b>Hyundai B1687</b> | Engine Coolant Temperature Sensor Circuit - CAN Signal                       |
| <b>Hyundai B1689</b> | CAN Time-out PDM                                                             |
| <b>Hyundai B1690</b> | Network Fail (Hi-CAN)                                                        |
| <b>Hyundai B1699</b> | CAN timeout between IPM and AV/AVN                                           |
| <b>Hyundai B1722</b> | Inflatable curtain airbag rear-Driver resistance too High                    |
| <b>Hyundai B1723</b> | Inflatable curtain airbag rear-Driver resistance too Low                     |
| <b>Hyundai B1724</b> | Inflatable curtain airbag rear-Driver resistance circuit short to Ground     |
| <b>Hyundai B1725</b> | Inflatable curtain airbag rear-Driver resistance circuit short to Battery    |
| <b>Hyundai B1726</b> | Inflatable curtain airbag rear-Passenger resistance too High                 |
| <b>Hyundai B1727</b> | Inflatable curtain airbag rear-Passenger resistance too Low                  |
| <b>Hyundai B1728</b> | Inflatable curtain airbag rear-Passenger resistance circuit short to Ground  |
| <b>Hyundai B1729</b> | Inflatable curtain airbag rear-Passenger resistance circuit short to Battery |

| CODES                | DEFINITION                                                                  |
|----------------------|-----------------------------------------------------------------------------|
| <b>Hyundai B1730</b> | Anchor Pretensioner front-Driver resistance too High                        |
| <b>Hyundai B1731</b> | Anchor Pretensioner front-Driver resistance too Low                         |
| <b>Hyundai B1732</b> | Anchor Pretensioner front-Driver resistance circuit short to Ground         |
| <b>Hyundai B1733</b> | Anchor Pretensioner front-Driver resistance circuit short to Battery        |
| <b>Hyundai B1734</b> | Airbag (Event #1) > Anchor Pretensioner front-Passenger resistance Too High |
| <b>Hyundai B1735</b> | Anchor Pretensioner front-Passenger resistance too Low                      |
| <b>Hyundai B1736</b> | Anchor Pretensioner front-Passenger resistance circuit short to Ground      |
| <b>Hyundai B1737</b> | Anchor Pretensioner front-Passenger resistance circuit short to Battery     |
| <b>Hyundai B1738</b> | P-SIS front – Driver Wrong ID                                               |
| <b>Hyundai B1744</b> | P-SIS front - Passenger Wrong ID                                            |
| <b>Hyundai B1748</b> | P-SIS Front-Passenger Communication Error                                   |
| <b>Hyundai B1901</b> | Auto Light Out Of Range                                                     |
| <b>Hyundai B1905</b> | Sensor Power Supply Fault                                                   |
| <b>Hyundai B1906</b> | Rain Sensor Fault 2                                                         |
| <b>Hyundai B1907</b> | Front sensor signal fault                                                   |
| <b>Hyundai B1908</b> | Rear sensor PWM signal fault                                                |
| <b>Hyundai B1909</b> | Rear sensor signal fault                                                    |
| <b>Hyundai B1910</b> | Outside Mirror - Left Horizontal Motor or Sensor Error                      |
| <b>Hyundai B1911</b> | Outside Mirror - Left Vertical Motor or Sensor Error                        |
| <b>Hyundai B1912</b> | Outside Mirror - Right horizontal Motor or Sensor                           |

| CODES                | DEFINITION                                                           |
|----------------------|----------------------------------------------------------------------|
| <b>Hyundai B1913</b> | Outside Mirror - Right vertical Motor or Sensor                      |
| <b>Hyundai B1952</b> | Outside Mirror Defogger Error                                        |
| <b>Hyundai B1954</b> | Slide Motor Or Sensor Error                                          |
| <b>Hyundai B1955</b> | Recline Motor Or Sensor Error                                        |
| <b>Hyundai B1956</b> | Front Height Motor Or Sensor Error                                   |
| <b>Hyundai B1957</b> | Rear Height Motor Or Sensor Error                                    |
| <b>Hyundai B1958</b> | Pedal Motor Or Sensor Error                                          |
| <b>Hyundai B1959</b> | Tilt Position Sensor Error                                           |
| <b>Hyundai B1960</b> | Tele Position Sensor Error                                           |
| <b>Hyundai B1971</b> | Parking Position Input Error                                         |
| <b>Hyundai B1978</b> | Smart Key Electric Steering Column Lock Failure                      |
| <b>Hyundai B1987</b> | Sub Micom Failed                                                     |
| <b>Hyundai B1988</b> | Electric Steering Column Lock (ESCL) Failure                         |
| <b>Hyundai B1989</b> | Electric Steering Column Lock (ESCL) Ground Short Circuit To Battery |
| <b>Hyundai B1990</b> | Electric Steering Column Lock (ESCL) Battery Short Circuit To Ground |
| <b>Hyundai B1991</b> | Immobilizer TX Short Circuit To Ground                               |
| <b>Hyundai B2115</b> | Rear Defog Relay Fail                                                |
| <b>Hyundai B2119</b> | Windshield Defog Relay Fail                                          |
| <b>Hyundai B2325</b> | Swivel module fault left                                             |
| <b>Hyundai B2326</b> | Swivel module fault right                                            |
| <b>Hyundai B2330</b> | Driver Door Lock Actuator Error                                      |

| CODES                | DEFINITION                                        |
|----------------------|---------------------------------------------------|
| <b>Hyundai B2331</b> | Driver Door Unlock Actuator Error                 |
| <b>Hyundai B2332</b> | Assistant Door Lock Actuator Error                |
| <b>Hyundai B2333</b> | Assistant Door Unlock Actuator Error              |
| <b>Hyundai B2400</b> | Levelling motor fault left                        |
| <b>Hyundai B2401</b> | Levelling motor fault right                       |
| <b>Hyundai B2405</b> | Air Mix Motor-Console                             |
| <b>Hyundai B2406</b> | Air Mix Motor-Driver                              |
| <b>Hyundai B2408</b> | Intake Motor                                      |
| <b>Hyundai B2409</b> | Direction Control Motor-Driver                    |
| <b>Hyundai B2411</b> | Direction Control Motor-Console                   |
| <b>Hyundai B2415</b> | Air Mix Door Motor-Passenger                      |
| <b>Hyundai B2416</b> | Direction Control Motor-Passenger                 |
| <b>Hyundai B2420</b> | Sliding Door Drive Motor Open                     |
| <b>Hyundai B2421</b> | Sliding Door Drive Motor Short High               |
| <b>Hyundai B2422</b> | Sliding Door Drive Motor Short Low                |
| <b>Hyundai B2423</b> | Sliding Door Clutch Open Or Short High            |
| <b>Hyundai B2424</b> | Sliding Door Clutch Short Low                     |
| <b>Hyundai B2425</b> | Sliding Door Pinch strip (PSD) open or Stuck High |
| <b>Hyundai B2426</b> | Sliding Door Pinch strip (PSD) Stuck Low          |
| <b>Hyundai B2427</b> | Tailgate Right Pinch Strip Open Or Stuck High     |
| <b>Hyundai B2428</b> | Tailgate Right Pinch Strip Stuck Low              |
| <b>Hyundai B2429</b> | Folding Motor Power Feed Error                    |

| CODES                | DEFINITION                                                                |
|----------------------|---------------------------------------------------------------------------|
| <b>Hyundai B2441</b> | Right Rear Wiper Park Position Detect Fail                                |
| <b>Hyundai B2447</b> | Air Mix Motor VENT-Console                                                |
| <b>Hyundai B2448</b> | Air Mix Motor TEMP-Console                                                |
| <b>Hyundai B2450</b> | Sliding Door Unlatch Motor (PSD) Short High                               |
| <b>Hyundai B2451</b> | Sliding Door Unlatch or Cinch Motor (PTG) / Unlatch Motor (PSD) Short Low |
| <b>Hyundai B2452</b> | Tailgate Cinch motor open (PTG Only)                                      |
| <b>Hyundai B2455</b> | Safety Power Window Motor Power Feed Error                                |
| <b>Hyundai B2456</b> | Seat Motor Sensor Vcc Error                                               |
| <b>Hyundai B2457</b> | Pedal Motor Sensor Vcc Error                                              |
| <b>Hyundai B2500</b> | Air Bag Warning Light Circuit Fault                                       |
| <b>Hyundai B2502</b> | Telltale Indicator Light Circuit Malfunction                              |
| <b>Hyundai B2510</b> | Right Headlamp High Circuit Short to Ground                               |
| <b>Hyundai B2511</b> | Left Headlamp High Circuit Short to Ground                                |
| <b>Hyundai B2512</b> | Right Headlamp Low Circuit Short to Ground                                |
| <b>Hyundai B2513</b> | Left Headlamp Low Circuit Short to Ground                                 |
| <b>Hyundai B2514</b> | External Tail Lamp RH Circuit Short to Ground                             |
| <b>Hyundai B2515</b> | External Tail Lamp LH Circuit Short to Ground                             |
| <b>Hyundai B2516</b> | Front Fog Lamp Circuit Short to Ground                                    |
| <b>Hyundai B2517</b> | Internal Tail Lamp Circuit Short to Ground                                |
| <b>Hyundai B2518</b> | Turn Signal LH Front Open Circuit                                         |
| <b>Hyundai B2519</b> | Turn Signal LH Rear Open Circuit                                          |
| <b>Hyundai B2520</b> | Turn Signal RH Front Open Circuit                                         |

| CODES                | DEFINITION                                      |
|----------------------|-------------------------------------------------|
| <b>Hyundai B2521</b> | Turn Signal RH Rear Open Circuit                |
| <b>Hyundai B2522</b> | Turn Signal LH Front Circuit Short to Ground    |
| <b>Hyundai B2523</b> | Turn Signal LH Rear Circuit Short to Ground     |
| <b>Hyundai B2524</b> | Turn Signal RH Front Circuit Short to Ground    |
| <b>Hyundai B2525</b> | Turn Signal RH Rear Circuit Short to Ground     |
| <b>Hyundai B2529</b> | Driver Door Courtesy Lamp Error                 |
| <b>Hyundai B2533</b> | Assistant Door Courtesy Lamp Error              |
| <b>Hyundai B2535</b> | Right Turn Signal Lamp Short to Ground          |
| <b>Hyundai B2537</b> | Right Turn Signal Lamp Open                     |
| <b>Hyundai B2539</b> | Left Turn Signal Lamp Short to Ground           |
| <b>Hyundai B2541</b> | Left Turn Signal Lamp Open                      |
| <b>Hyundai B2543</b> | Right Head Lamp (Low Beam) Short to Ground      |
| <b>Hyundai B2545</b> | Right Head Lamp (High Beam) Circuit Open        |
| <b>Hyundai B2547</b> | B2547 Left Headlamp (High Beam) Short to Ground |
| <b>Hyundai B2549</b> | Left Headlamp (High Beam) Open                  |
| <b>Hyundai B2551</b> | Right Head Lamp (Low Beam) Short to Ground      |
| <b>Hyundai B2553</b> | Right Head Lamp (Low Beam) Circuit Open         |
| <b>Hyundai B2555</b> | Left Headlamp (Low Beam) Short to Ground        |
| <b>Hyundai B2557</b> | Left Headlamp (Low Beam) Open                   |
| <b>Hyundai B2559</b> | Right Front Fog Lamp Short to Ground            |
| <b>Hyundai B2561</b> | Right Front Fog Lamp Open                       |
| <b>Hyundai B2563</b> | Left Front Fog Lamp Circuit Short to Ground     |



| CODES                | DEFINITION                                              |
|----------------------|---------------------------------------------------------|
| <b>Hyundai B2565</b> | Left Front Fog Lamp Open                                |
| <b>Hyundai B2571</b> | Right Park Lamp Short to Ground                         |
| <b>Hyundai B2573</b> | Right Park Lamp Open                                    |
| <b>Hyundai B2575</b> | Left Park Lamp Short to Ground                          |
| <b>Hyundai B2577</b> | Left Park Lamp Open                                     |
| <b>Hyundai B2579</b> | Right Rear Tail Marker Lamp Short to Ground             |
| <b>Hyundai B2581</b> | Right Rear Tail Marker Lamp Open                        |
| <b>Hyundai B2583</b> | Left Rear Tail Marker Lamp Short to Ground              |
| <b>Hyundai B2585</b> | Left Rear Tail Marker Lamp Open                         |
| <b>Hyundai B2587</b> | Back Up Lamp Short to Ground                            |
| <b>Hyundai B2589</b> | Back Up Lamp Open                                       |
| <b>Hyundai B2598</b> | Right Rear Blower Switch Illumination Circuit Ground    |
| <b>Hyundai B2599</b> | Rear Blower Switch Illumination Circuit Short to Ground |
| <b>Hyundai B2800</b> | MM CAN Bus Off Error                                    |
| <b>Hyundai B2837</b> | GPS Module Connection Error                             |
| <b>Hyundai B2859</b> | CDMA Modem Fail                                         |
| <b>Hyundai B2860</b> | Microphone Fail                                         |
| <b>Hyundai C1101</b> | EPS Battery Voltage High                                |
| <b>Hyundai C1102</b> | Battery Voltage Low                                     |
| <b>Hyundai C1103</b> | Ignition Voltage Fault                                  |
| <b>Hyundai C1112</b> | Sensor source voltage                                   |
| <b>Hyundai C1121</b> | Sensor 1 Battery Voltage Low                            |

| CODES                | DEFINITION                                                     |
|----------------------|----------------------------------------------------------------|
| <b>Hyundai C1122</b> | Sensor 2 Battery Voltage Low                                   |
| <b>Hyundai C1123</b> | Sensor 3 Battery Voltage Low                                   |
| <b>Hyundai C1124</b> | Sensor 4 Battery Voltage Low                                   |
| <b>Hyundai C1126</b> | TPMS ECU Battery Voltage Low                                   |
| <b>Hyundai C1127</b> | TPMS ECU Battery Voltage High                                  |
| <b>Hyundai C1200</b> | Wheel Speed Sensor Front-LH Open/Short                         |
| <b>Hyundai C1201</b> | Wheel Speed Sensor Front-LH Range / Performance / Intermittent |
| <b>Hyundai C1202</b> | Wheel Speed Sensor Front-LH Invalid/No Signal                  |
| <b>Hyundai C1203</b> | Wheel Speed Sensor Front-RH Open/Short                         |
| <b>Hyundai C1204</b> | Wheel Speed Sensor Front-RH Range / Performance / Intermittent |
| <b>Hyundai C1205</b> | Wheel Speed Sensor Front-RH Invalid/No Signal                  |
| <b>Hyundai C1206</b> | Wheel Speed Sensor Rear-LH Open/Short                          |
| <b>Hyundai C1207</b> | Wheel Speed Sensor Rear-LH Range / Performance / Intermittent  |
| <b>Hyundai C1208</b> | Wheel Speed Sensor Rear-LH Invalid/No Signal                   |
| <b>Hyundai C1209</b> | Wheel Speed Sensor Rear-RH Open/Short                          |
| <b>Hyundai C1210</b> | Wheel Speed Sensor Rear-RH Range / Performance / Intermittent  |
| <b>Hyundai C1211</b> | Wheel Speed Sensor Rear-RH Invalid/No Signal                   |
| <b>Hyundai C1212</b> | Vehicle Speed Sensor                                           |
| <b>Hyundai C1213</b> | Wheel Speed Frequency Error                                    |
| <b>Hyundai C1235</b> | Primary Pressure Sensor-Electrical                             |

| CODES                | DEFINITION                                     |
|----------------------|------------------------------------------------|
| <b>Hyundai C1237</b> | Primary Pressure Sensor-Signal                 |
| <b>Hyundai C1240</b> | Second Speed Input Fault                       |
| <b>Hyundai C1255</b> | Rear Height Sensor                             |
| <b>Hyundai C1259</b> | Steering Angle Sensor - Electrical Malfunction |
| <b>Hyundai C1260</b> | Steering Angle Sensor Circuit-Signal           |
| <b>Hyundai C1261</b> | Steering Angle Sensor Not Calibrated           |
| <b>Hyundai C1262</b> | Temperature Sensor Failure                     |
| <b>Hyundai C1274</b> | Longitudinal G Sensor Open/Short               |
| <b>Hyundai C1275</b> | Longitudinal G Sensor Range/Performance error  |
| <b>Hyundai C1282</b> | Yaw Rate & Lateral G Sensor-Electrical         |
| <b>Hyundai C1283</b> | Yaw Rate & Lateral G Sensor-Signal             |
| <b>Hyundai C1285</b> | Sensor Cluster Change Detection/Uncalibrated   |
| <b>Hyundai C1290</b> | Torque sensor main signal fail                 |
| <b>Hyundai C1300</b> | TPMS LF/RF External Interference               |
| <b>Hyundai C1301</b> | Unmonitored Tire Installed                     |
| <b>Hyundai C1306</b> | RF Internal Interference                       |
| <b>Hyundai C1312</b> | Sensor 1 RF channel Failure                    |
| <b>Hyundai C1313</b> | Sensor 2 RF channel Failure                    |
| <b>Hyundai C1314</b> | Sensor 3 RF channel Failure                    |
| <b>Hyundai C1315</b> | Sensor 4 RF channel Failure                    |
| <b>Hyundai C1317</b> | Sensor1 Wrong Type Installed                   |
| <b>Hyundai C1318</b> | Sensor2 Wrong Type Installed                   |

| CODES                | DEFINITION                                    |
|----------------------|-----------------------------------------------|
| <b>Hyundai C1319</b> | Sensor3 Wrong Type Installed                  |
| <b>Hyundai C1320</b> | Sensor4 Wrong Type Installed                  |
| <b>Hyundai C1322</b> | Sensor 1 Over-Temperature/Faulty              |
| <b>Hyundai C1323</b> | Sensor 2 Over-Temperature/Faulty              |
| <b>Hyundai C1324</b> | Sensor 3 Over-Temperature/Faulty              |
| <b>Hyundai C1325</b> | Sensor 4 Over-Temperature/Faulty              |
| <b>Hyundai C1332</b> | Sensor 1 Fault                                |
| <b>Hyundai C1333</b> | Sensor 2 Fault                                |
| <b>Hyundai C1334</b> | Sensor 3 Fault                                |
| <b>Hyundai C1335</b> | Sensor 4 Fault                                |
| <b>Hyundai C1345</b> | Front Low Frequency Initiator Channel Failure |
| <b>Hyundai C1346</b> | Rear Low Frequency Initiator Channel Failure  |
| <b>Hyundai C1503</b> | TCS/ESC(ESP) Switch Error                     |
| <b>Hyundai C1513</b> | Brake Switch Error                            |
| <b>Hyundai C1522</b> | Head lamp Switch Fault                        |
| <b>Hyundai C1527</b> | Gear Switch Error                             |
| <b>Hyundai C1603</b> | Derating (EPS Thermal Protection)             |
| <b>Hyundai C1604</b> | EPS ECU Hardware Error                        |
| <b>Hyundai C1605</b> | CAN Hardware Error                            |
| <b>Hyundai C1606</b> | ECU Software Error                            |
| <b>Hyundai C1610</b> | bus off error                                 |
| <b>Hyundai C1611</b> | CAN Time-out ECM                              |

| CODES                | DEFINITION                                                               |
|----------------------|--------------------------------------------------------------------------|
| <b>Hyundai C1612</b> | CAN Time-out TCM                                                         |
| <b>Hyundai C1613</b> | Can Wrong Message                                                        |
| <b>Hyundai C1616</b> | CAN Bus off                                                              |
| <b>Hyundai C1617</b> | EMS Invalid Engine Speed                                                 |
| <b>Hyundai C1620</b> | First Setup Not Completed                                                |
| <b>Hyundai C1622</b> | EMS Invalid Vehicle Speed                                                |
| <b>Hyundai C1623</b> | CAN Time-out Steering Angle Sensor                                       |
| <b>Hyundai C1625</b> | CAN Time-out ABS/ESP                                                     |
| <b>Hyundai C1626</b> | Implausible Control                                                      |
| <b>Hyundai C1643</b> | CAN Time-out Yaw Rate & Lateral G Sensor                                 |
| <b>Hyundai C1647</b> | CAN Hardware Error - Sensor Channel                                      |
| <b>Hyundai C1660</b> | TPMS Receiver RF Circuit                                                 |
| <b>Hyundai C1661</b> | Receiver EEPROM Failure                                                  |
| <b>Hyundai C1664</b> | Initiator/LF/RF Circuit Failure Not Affecting RSSI Level(High Line Only) |
| <b>Hyundai C1665</b> | Initiator supply circuit short to ground                                 |
| <b>Hyundai C1666</b> | Initiator supply circuit short to battery                                |
| <b>Hyundai C1668</b> | Internal Failure Detection                                               |
| <b>Hyundai C1687</b> | CAN Time-out MDPS                                                        |
| <b>Hyundai C1688</b> | MDPS Signal Error                                                        |
| <b>Hyundai C1692</b> | CAN Time-out VSM                                                         |
| <b>Hyundai C1693</b> | CAN Signal Error VSM                                                     |
| <b>Hyundai C1700</b> | Byte Coding Error                                                        |

| CODES                | DEFINITION                                         |
|----------------------|----------------------------------------------------|
| <b>Hyundai C1702</b> | Variant Coding Error                               |
| <b>Hyundai C1704</b> | EPS ECU Fail-Safe Relay Fail                       |
| <b>Hyundai C1705</b> | EPS ECU Precharge Circuit Fault                    |
| <b>Hyundai C2101</b> | EPS Motor relay circuit                            |
| <b>Hyundai C2112</b> | Valve Relay Error                                  |
| <b>Hyundai C2130</b> | Brake Lamp Relay Error                             |
| <b>Hyundai C2226</b> | Output Voltage Short to Battery or Short to Ground |
| <b>Hyundai C2227</b> | Brake Disc Overheat                                |
| <b>Hyundai C2308</b> | Front-LH Valve error (Inlet Valve)                 |
| <b>Hyundai C2312</b> | Front-LH Valve error (Outlet Valve)                |
| <b>Hyundai C2316</b> | Front-RH Valve error (Inlet Valve)                 |
| <b>Hyundai C2320</b> | Front-RH Valve error (Outlet Valve)                |
| <b>Hyundai C2324</b> | Rear-LH Valve error (Inlet Valve)                  |
| <b>Hyundai C2328</b> | Rear-LH Valve error (Outlet Valve)                 |
| <b>Hyundai C2332</b> | Rear-RH Valve error (Inlet Valve)                  |
| <b>Hyundai C2336</b> | Rear-RH Valve Error (Outlet Valve)                 |
| <b>Hyundai C2366</b> | TC Valve Primary (USV1) Error                      |
| <b>Hyundai C2370</b> | TC Valve Secondary (USV2) Error                    |
| <b>Hyundai C2372</b> | Electronic Shuttle Valve Primary (HSV1) Error      |
| <b>Hyundai C2374</b> | Electronic Shuttle Valve Secondary (HSV2) Error    |
| <b>Hyundai C2380</b> | ABS/TCS/ESP Valve Error                            |
| <b>Hyundai C2400</b> | Motor Fault - Motor Not Running                    |

| CODES                | DEFINITION                                                               |
|----------------------|--------------------------------------------------------------------------|
| <b>Hyundai C2401</b> | EPS Motor circuit                                                        |
| <b>Hyundai C2402</b> | Motor Pump Error                                                         |
| <b>Hyundai C2412</b> | EPS Motor Short or Open                                                  |
| <b>Hyundai C2413</b> | EPS Motor Current fail (current over)                                    |
| <b>Hyundai C2420</b> | Motor temperature sensor high input                                      |
| <b>Hyundai C2421</b> | Motor Temperature Sensor Low Input                                       |
| <b>Hyundai C2510</b> | Tread Lamp Short Circuit to 12V                                          |
| <b>Hyundai C2511</b> | Diagnostic (TPMS) Lamp Short Circuit to 12V                              |
| <b>Hyundai C2512</b> | Front Left LAMP open/short circuit                                       |
| <b>Hyundai C2513</b> | Front Right LAMP open/short circuit                                      |
| <b>Hyundai C2514</b> | Rear Left LAMP open/short circuit                                        |
| <b>Hyundai C2515</b> | Rear Right LAMP open/short circuit                                       |
| <b>Hyundai C2610</b> | CAN Bus Off Failure (only System with TCS)                               |
| <b>Hyundai P1100</b> | MAP Sensor Performance                                                   |
| <b>Hyundai P1102</b> | MAP Sensor Circuit Low Input                                             |
| <b>Hyundai P1103</b> | MAP Sensor Circuit High Input                                            |
| <b>Hyundai P1106</b> | Manifold Absolute Pressure Sensor Circuit Short- Intermittent High Input |
| <b>Hyundai P1107</b> | Manifold Absolute Pressure Sensor Circuit Short- Intermittent Low Input  |
| <b>Hyundai P1110</b> | Electronic Throttle System Malfunction                                   |
| <b>Hyundai P1111</b> | Intake Air Temperature Sensor Circuit Short- Intermittent High Input     |

| CODES                | DEFINITION                                                          |
|----------------------|---------------------------------------------------------------------|
| <b>Hyundai P1112</b> | Intake Air Temperature Sensor Circuit Short- Intermittent Low Input |
| <b>Hyundai P1114</b> | Engine Coolant temperature Sensor Circuit- Intermittent Low Input   |
| <b>Hyundai P1115</b> | Engine Coolant temperature Sensor Circuit- Intermittent High Input  |
| <b>Hyundai P1118</b> | Electronic Throttle System Motor Circuit Malfunction                |
| <b>Hyundai P1123</b> | Fuel Trim Adaptive Air System Too Rich                              |
| <b>Hyundai P1124</b> | Fuel Trim Adaptive Air System Too Lean                              |
| <b>Hyundai P1127</b> | Long Term Fuel Trim Multiplier System Too Rich                      |
| <b>Hyundai P1128</b> | Long Term Fuel Trim Multiplier System Too Lean                      |
| <b>Hyundai P1134</b> | HO2S-11 (Bank 1 Sensor 1) Transition Time Switch                    |
| <b>Hyundai P1154</b> | HO2S-21 (Bank 2 Sensor 1) Transition Time Switch                    |
| <b>Hyundai P1155</b> | Electronic Throttle System Limp Home Valve Circuit Malfunction      |
| <b>Hyundai P1166</b> | HO2S-11 Controller Adaptive Test (Bank 1)                           |
| <b>Hyundai P1167</b> | HO2S-11 Controller Adaptive Test (Bank 2)                           |
| <b>Hyundai P1171</b> | Electronic Throttle System Circuit Malfunction (Open)               |
| <b>Hyundai P1172</b> | Electronic Throttle System Motor Current Malfunction                |
| <b>Hyundai P1173</b> | Electronic Throttle System Rationality                              |
| <b>Hyundai P1174</b> | Electronic Throttle System 1 Close Malfunction                      |
| <b>Hyundai P1175</b> | Electronic Throttle System No. 2 Close                              |
| <b>Hyundai P1176</b> | Electronic Throttle System Motor No. 1 Open or Shorted              |
| <b>Hyundai P1177</b> | Electronic Throttle System Motor No. 2 Open or Shorted              |



| CODES                | DEFINITION                                                                |
|----------------------|---------------------------------------------------------------------------|
| <b>Hyundai P1178</b> | Electronic Throttle System Motor Battery Voltage Open                     |
| <b>Hyundai P1192</b> | ETS Limp home Target Following Malfunction                                |
| <b>Hyundai P1193</b> | ETS Limp home Low RPM                                                     |
| <b>Hyundai P1194</b> | ETS Limp home TPS2 Malfunction                                            |
| <b>Hyundai P1195</b> | ETS Limp home Target Following Delay                                      |
| <b>Hyundai P1196</b> | ETS Limp home Closed Throttle Stuck                                       |
| <b>Hyundai P1295</b> | Electronic Throttle Control (ETC) System Malfunction-Power Management     |
| <b>Hyundai P1308</b> | Acceleration Sensor Low Input                                             |
| <b>Hyundai P1309</b> | Acceleration Sensor Signal Check High                                     |
| <b>Hyundai P1330</b> | Spark Timing Adjust Circuit Malfunction                                   |
| <b>Hyundai P1372</b> | PCM Segment Time Acquisition Incorrect                                    |
| <b>Hyundai P1500</b> | Vehicle Speed Sensor Signal Circuit Malfunction                           |
| <b>Hyundai P1501</b> | Battery Temperature Too High Diagnostic                                   |
| <b>Hyundai P1502</b> | Battery Not Charging Diagnostic                                           |
| <b>Hyundai P1505</b> | Idle Charge Actuator Signal Low of Coil #1                                |
| <b>Hyundai P1506</b> | Idle Charge Actuator Signal High of Coil #1                               |
| <b>Hyundai P1507</b> | Idle Charge Actuator Signal Low of Coil #2                                |
| <b>Hyundai P1508</b> | Idle Charge Actuator Signal High of Coil #2                               |
| <b>Hyundai P1521</b> | Power Steering Switch Input Circuit Malfunction                           |
| <b>Hyundai P1523</b> | Electronic Throttle Control (ETC) System Malfunction-Throttle Valve Stuck |
| <b>Hyundai P1529</b> | Customer Snapshot Request Error                                           |

| CODES                | DEFINITION                                                 |
|----------------------|------------------------------------------------------------|
| <b>Hyundai P1586</b> | Encoding Signal Circuit Not Rational                       |
| <b>Hyundai P1602</b> | Serial Communication Problem With The TCM                  |
| <b>Hyundai P1607</b> | Electronic Throttle System Communication Error             |
| <b>Hyundai P1610</b> | Non-Immobilizer-EMS connected to an Immobilizer            |
| <b>Hyundai P1613</b> | MIL Request Signal Circuit High Input                      |
| <b>Hyundai P1614</b> | Electronic Throttle System Module Malfunction              |
| <b>Hyundai P161B</b> | PCM Internal Error- Torque Calculating                     |
| <b>Hyundai P1624</b> | Cooling Fan Relay Low Circuit                              |
| <b>Hyundai P1625</b> | Cooling Fan Relay High Circuit Malfunction                 |
| <b>Hyundai P1674</b> | Transponder Status Error                                   |
| <b>Hyundai P1675</b> | Transponder Programming Error                              |
| <b>Hyundai P1676</b> | SMARTRA Message Error                                      |
| <b>Hyundai P1677</b> | Immobilizer-EMS VIN Data Error (EMS has different VIN)     |
| <b>Hyundai P1678</b> | Immobilizer-EMS No Request ( EMS data line open, no immo.) |
| <b>Hyundai P1679</b> | Immobilizer-EMS Data Fail (Data frame, CS, Message error)  |
| <b>Hyundai P1688</b> | Immobilizer Lock                                           |
| <b>Hyundai P1690</b> | SMARTRA Error                                              |
| <b>Hyundai P1691</b> | Antenna Error                                              |
| <b>Hyundai P1692</b> | Immobilizer Lamp Error                                     |
| <b>Hyundai P1693</b> | Transponder No Response Error/Invalid Response             |
| <b>Hyundai P1694</b> | ECM Signal Error                                           |

| CODES                | DEFINITION                                              |
|----------------------|---------------------------------------------------------|
| <b>Hyundai P1695</b> | EEPROM Error                                            |
| <b>Hyundai P1696</b> | Authentication Fail                                     |
| <b>Hyundai P1697</b> | Hi-Scan Message Error                                   |
| <b>Hyundai P1698</b> | Immobilizer-Invalid TP (TP has different PIN)           |
| <b>Hyundai P1699</b> | Twice IG ON over trial                                  |
| <b>Hyundai P169A</b> | SMARTRA Authentication Fail                             |
| <b>Hyundai P1709</b> | A/T Kick Down Servo Switch Circuit Malfunction          |
| <b>Hyundai P1716</b> | Steering Wheel Angle Sensor-Input Signal Malfunction    |
| <b>Hyundai P1717</b> | Steering Wheel Angle Sensor 1-Input Signal              |
| <b>Hyundai P1718</b> | Steering Wheel Angle Sensor 2-Input Signal              |
| <b>Hyundai P1719</b> | Steering Wheel Angle Sensor N-Input Signal              |
| <b>Hyundai P1723</b> | TCM A/T Control Relay Line Circuit Malfunction          |
| <b>Hyundai P1726</b> | Throttle Position Sensor (TPS) Input-Loss of Signal     |
| <b>Hyundai P1728</b> | EMC-Open or Short to Battery                            |
| <b>Hyundai P1729</b> | EMC-Short to Ground                                     |
| <b>Hyundai P1738</b> | 4WD ECU Invalid Part Number                             |
| <b>Hyundai P1745</b> | Invalid part number                                     |
| <b>Hyundai P1750</b> | A/T Shift, Pressure Clutch Solenoid Circuit Malfunction |
| <b>Hyundai P1755</b> | EMC Over Current                                        |
| <b>Hyundai P1756</b> | EMC Internal Error                                      |
| <b>Hyundai P1757</b> | EMC PWM Out of Range                                    |
| <b>Hyundai P1760</b> | Neutral Condition At R Range                            |

| CODES                | DEFINITION                                                           |
|----------------------|----------------------------------------------------------------------|
| <b>Hyundai P1764</b> | CAN MI-COM communication fail                                        |
| <b>Hyundai P1765</b> | TCS-ITM CAN Communication Line                                       |
| <b>Hyundai P1766</b> | CAN Communication Bus Off                                            |
| <b>Hyundai P1767</b> | CAN ABS Loss of Signal                                               |
| <b>Hyundai P1769</b> | Mini Spare Detected                                                  |
| <b>Hyundai P1770</b> | Plate and oil temp thresholds exceeded (LOCK MODE)                   |
| <b>Hyundai P1771</b> | Plate and oil temp thresholds exceeded (SHUT DOWN)                   |
| <b>Hyundai P1780</b> | Torque Control Signal Failure                                        |
| <b>Hyundai P1800</b> | Antenna Coil Failure                                                 |
| <b>Hyundai P1801</b> | Invalid Transponder Data                                             |
| <b>Hyundai P1803</b> | Invalid Request from ECM or Corrupted Data                           |
| <b>Hyundai P1805</b> | Communication Failure                                                |
| <b>Hyundai U1000</b> | DIS Head Unit ECM Error                                              |
| <b>Hyundai U1001</b> | DIS AMP Unit HW Watchdog Executed                                    |
| <b>Hyundai U1002</b> | DIS Microphone 1 short                                               |
| <b>Hyundai U1003</b> | DIS Temperature Sensor Signal Error in Head Unit                     |
| <b>Hyundai U1004</b> | DIS AMP Unit Temperature Sensor Signal Error in Tunner and Amplifier |
| <b>Hyundai U1006</b> | DIS Low Voltage Detected                                             |
| <b>Hyundai U1007</b> | DIS High Voltage Detected                                            |
| <b>Hyundai U1010</b> | DIS AMP Unit Low Voltage Detected                                    |
| <b>Hyundai U1011</b> | DIS AMP Unit High Voltage Detected                                   |
| <b>Hyundai U1111</b> | Battery Sensor Fault Detected                                        |

| CODES                | DEFINITION                                                                                               |
|----------------------|----------------------------------------------------------------------------------------------------------|
| <b>Hyundai U1112</b> | LIN Communication Error                                                                                  |
| <b>Hyundai U1138</b> | DIS AMP Unit Fan Operation Error (Fan is running although should be off)                                 |
| <b>Hyundai U1139</b> | DIS AMP Unit Fan Operation Error - no plug put or line open(Fan is not running although it should be on) |
| <b>Hyundai U1500</b> | DIS Wakeup Line Short Circuit To Ground                                                                  |
| <b>Hyundai U1501</b> | DIS Wakeup Line Short Circuit To Vcc                                                                     |
| <b>Hyundai U1540</b> | DIS Wakeup Line Test Failed at Amplifier Unit                                                            |
| <b>Hyundai U1601</b> | DIS AMP Unit Data Upgrade Error - Application Software Code 1 Missing or Corrupted                       |
| <b>Hyundai U1602</b> | DIS AMP Unit Data Upgrade Error - Application Software Code 2 Missing or Corrupted                       |
| <b>Hyundai U1606</b> | DIS AMP Unit Data Upgrade Error - Application Software Data Missing or Corrupted                         |
| <b>Hyundai U1700</b> | DIS AMP Unit DTCP Sink SW error.                                                                         |
| <b>Hyundai U1702</b> | DIS AMP Unit DTCP Sink Decode error                                                                      |
| <b>Hyundai U1710</b> | DIS AMP Unit Amplifier stage group 1 Error - S/Woofer 1(+), 1(-) short circuit                           |
| <b>Hyundai U1711</b> | DIS AMP Unit Amplifier stage group 2 Error - S/Woofer 2(+), 2(-) short circuit                           |
| <b>Hyundai U1712</b> | DIS AMP Unit Amplifier stage group 3 Error - Front Middle/Tweeter LH & RH short circuit                  |
| <b>Hyundai U1713</b> | DIS AMP Unit Amplifier stage group 4 Error - DECK LH, DECK RH, Center Speaker short circuit              |
| <b>Hyundai U1714</b> | DIS AMP Unit Amplifier stage group 5 Error - Front LH & RH short circuit                                 |
| <b>Hyundai U1900</b> | DIS GPS Antenna Line Break                                                                               |
| <b>Hyundai U1920</b> | DIS DVD Drive Error                                                                                      |

| CODES                 | DEFINITION                                                                                               |
|-----------------------|----------------------------------------------------------------------------------------------------------|
| <b>Hyundai U1940</b>  | DIS Front Display SDC Communication Error                                                                |
| <b>Hyundai U1941</b>  | DIS AMP Unit AmFm Antenna circuit Open ( not connected )                                                 |
| <b>Hyundai U1942</b>  | DIS AMP Unit Fm2 Antenna circuit Low                                                                     |
| <b>Hyundai U1943</b>  | DIS AMP Unit Fm2 Antenna circuit Open                                                                    |
| <b>Hyundai U1944</b>  | DIS AMP Unit XM Antenna circuit Low (UTA US only)                                                        |
| <b>Hyundai U1945</b>  | DIS AMP Unit XM Antenna circuit Open (UTA US only)                                                       |
| <b>Hyundai U1970</b>  | DIS Multimedia CAN Bus Off Error                                                                         |
| <b>Hyundai U1971</b>  | DIS Multimedia CAN Single Line Error                                                                     |
| <b>Hyundai U1972</b>  | Multimedia CAN Limp Home Status                                                                          |
| <b>Hyundai U1980</b>  | DIS Timeout Multimedia CAN Message(Air Conditioner, Cluster, Audio)                                      |
| <b>Hyundai U1981</b>  | DIS Timeout Multimedia CAN Message(Vehicle Speed)                                                        |
| <b>Hyundai U1982</b>  | DIS Timeout Multimedia CAN Message(Body CAN Signal - Camera, ECS, Trip Computer, Alternator, Auto Light) |
| <b>Hyundai U1983</b>  | DIS Timeout Multimedia CAN Message (Trip Computer)                                                       |
| <b>Hyundai U1984</b>  | DIS Timeout Multimedia CAN Message(Inhibitor Signal)                                                     |
| <b>Infiniti B1017</b> | Airbag Occupant Sensing Control Unit                                                                     |
| <b>Infiniti B1018</b> | SRS Left Occupant System Malfunction                                                                     |
| <b>Infiniti B1019</b> | Belt Tension Sensor                                                                                      |
| <b>Infiniti B1020</b> | Airbag Occupant Sensing Control Unit                                                                     |
| <b>Infiniti B1021</b> | Airbag Occupant Sensing Control Unit                                                                     |
| <b>Infiniti B1022</b> | Occupant Sensor Control Unit Communication Failure                                                       |
| <b>Infiniti B1023</b> | SRS Passenger A/B Indicator Circuit                                                                      |

| CODES                 | DEFINITION                                     |
|-----------------------|------------------------------------------------|
| <b>Infiniti B1033</b> | Crash Zone Sensor                              |
| <b>Infiniti B1034</b> | Crash Zone Sensor                              |
| <b>Infiniti B1035</b> | Crash Zone Sensor                              |
| <b>Infiniti B1049</b> | SRS Driver Airbag Module                       |
| <b>Infiniti B1050</b> | SRS Driver Airbag Module                       |
| <b>Infiniti B1051</b> | SRS Driver Airbag Module                       |
| <b>Infiniti B1052</b> | SRS Driver Airbag Module                       |
| <b>Infiniti B1054</b> | SRS Driver Airbag Module                       |
| <b>Infiniti B1055</b> | SRS Driver Airbag Module                       |
| <b>Infiniti B1056</b> | SRS Driver Airbag Module                       |
| <b>Infiniti B1057</b> | SRS Driver Airbag Module                       |
| <b>Infiniti B1065</b> | SRS Passenger Airbag Assist A/B Module Circuit |
| <b>Infiniti B1066</b> | SRS Passenger Airbag Assist A/B Module Circuit |
| <b>Infiniti B1067</b> | SRS Passenger Airbag Assist A/B Module Circuit |
| <b>Infiniti B1068</b> | SRS Passenger Airbag Assist A/B Module Circuit |
| <b>Infiniti B1070</b> | SRS Passenger Airbag Assist A/B Module Circuit |
| <b>Infiniti B1071</b> | SRS Passenger Airbag Assist A/B Module Circuit |
| <b>Infiniti B1072</b> | SRS Passenger Airbag Assist A/B Module Circuit |
| <b>Infiniti B1073</b> | SRS Passenger Airbag Assist A/B Module Circuit |
| <b>Infiniti B1081</b> | RF Seat Belt Pre-Tensioner Circuit             |
| <b>Infiniti B1082</b> | RF Seat Belt Pre-Tensioner                     |
| <b>Infiniti B1083</b> | RF Seat Belt Pre-Tensioner Circuit             |

| CODES                 | DEFINITION                                        |
|-----------------------|---------------------------------------------------|
| <b>Infiniti B1084</b> | RF Seat Belt Pre-Tensioner Circuit                |
| <b>Infiniti B1087</b> | LF Seat Belt Pre-Tensioner Circuit                |
| <b>Infiniti B1088</b> | LF Seat Belt Pre-Tensioner Circuit                |
| <b>Infiniti B1089</b> | LF Seat Belt Pre-Tensioner Circuit                |
| <b>Infiniti B1113</b> | SRS Right Airbag (Satellite) Sensor               |
| <b>Infiniti B1114</b> | SRS Right Airbag (Satellite) Sensor               |
| <b>Infiniti B1115</b> | SRS Right Airbag (Satellite) Sensor Communication |
| <b>Infiniti B1118</b> | SRS Left Airbag (Satellite) Sensor                |
| <b>Infiniti B1119</b> | SRS Left Airbag (Satellite) Sensor                |
| <b>Infiniti B1120</b> | SRS Left Airbag (Satellite) Sensor                |
| <b>Infiniti B1129</b> | SRS RF Side Airbag Module Circuit                 |
| <b>Infiniti B1130</b> | SRS RF Side Airbag Module Circuit                 |
| <b>Infiniti B1131</b> | SRS RF Side Airbag Module Circuit                 |
| <b>Infiniti B1132</b> | SRS RF Side Airbag Module                         |
| <b>Infiniti B1134</b> | SRS Left Front Side Airbag Module                 |
| <b>Infiniti B1135</b> | SRS LF Side Airbag Module                         |
| <b>Infiniti B1136</b> | SRS LF Side Airbag Module                         |
| <b>Infiniti B1137</b> | LF Side Airbag Module                             |
| <b>Infiniti B1145</b> | Right Curtain Airbag Circuit                      |
| <b>Infiniti B1146</b> | Right Curtain Airbag Circuit                      |
| <b>Infiniti B1147</b> | Right Curtain Airbag Circuit                      |
| <b>Infiniti B1148</b> | Right Curtain Airbag Module Circuit               |



| CODES                 | DEFINITION                                  |
|-----------------------|---------------------------------------------|
| <b>Infiniti B1150</b> | SRS Left Side Curtain Airbag Module Circuit |
| <b>Infiniti B1151</b> | SRS Left Side Curtain Airbag Module Circuit |
| <b>Infiniti B1152</b> | SRS Left Curtain Airbag Module Circuit      |
| <b>Infiniti B1153</b> | SRS Left Curtain Airbag Module Circuit      |
| <b>Infiniti B1177</b> | RF Seat Belt Pre-Tensioner Circuit Open     |
| <b>Infiniti B1178</b> | RF Seat Belt Pre-Tensioner Circuit Short    |
| <b>Infiniti B1179</b> | RF Seat Belt Pre-Tensioner Circuit Short    |
| <b>Infiniti B1180</b> | RF Seat Belt Pre-Tensioner Circuits Shorted |
| <b>Infiniti B1182</b> | Left Seat Belt Buckle Pre-Tensioner         |
| <b>Infiniti B1183</b> | Left Seat Belt Buckle Pre-Tensioner         |
| <b>Infiniti B1184</b> | Left Seat Belt Buckle Pre-Tensioner         |
| <b>Infiniti B1185</b> | Left Seat Belt Buckle Pre-Tensioner         |
| <b>Infiniti B1193</b> | RF Curtain Airbag Module Circuit Open       |
| <b>Infiniti B1194</b> | RF Curtain Airbag Module Circuit Short      |
| <b>Infiniti B1195</b> | RF Curtain Airbag Module Circuit Short      |
| <b>Infiniti B1196</b> | LF Curtain Airbag Module Circuits Shorted   |
| <b>Infiniti B1198</b> | LF Curtain Airbag Module Circuit Open       |
| <b>Infiniti B1199</b> | LF Curtain Airbag Module Circuit Short      |
| <b>Infiniti B1200</b> | LF Curtain Airbag Module Circuit Short      |
| <b>Infiniti B1201</b> | LF Curtain Airbag Module Circuits Shorted   |
| <b>Infiniti B1209</b> | SRS Components Deployed - Frontal Collision |
| <b>Infiniti B1210</b> | SRS Side and/or Curtain Airbag(s) Deployed  |

| CODES                 | DEFINITION                                              |
|-----------------------|---------------------------------------------------------|
| <b>Infiniti B1211</b> | Rollover Detection                                      |
| <b>Infiniti B2013</b> | DTC Detection Logic: ID Discord IMMU-STRG or I-KEY-STRG |
| <b>Infiniti B2112</b> | Driver's Seat Sliding Motor                             |
| <b>Infiniti B2113</b> | Driver's Seat Reclining Motor                           |
| <b>Infiniti B2114</b> | Front Seat Lifter                                       |
| <b>Infiniti B2115</b> | Rear Seat Lifter                                        |
| <b>Infiniti B2117</b> | Adjustable Pedal Motor                                  |
| <b>Infiniti B2118</b> | Tilt Sensor                                             |
| <b>Infiniti B2120</b> | Adjustable Pedal Sensor                                 |
| <b>Infiniti B2126</b> | Detent Switch                                           |
| <b>Infiniti B2128</b> | UART Communication Line                                 |
| <b>Infiniti B2190</b> | NATS Antenna Amplifier                                  |
| <b>Infiniti B2191</b> | Difference of Key                                       |
| <b>Infiniti B2192</b> | DTC Detection Logic (ID Discord, IMMU-ECM)              |
| <b>Infiniti B2193</b> | DTC Detection Logic (Chain of ECM-IMMU)                 |
| <b>Infiniti B2590</b> | ID Discord: BCM-I Key                                   |
| <b>Infiniti B2700</b> | LF Corner Sensor                                        |
| <b>Infiniti B2701</b> | LF Corner Sensor Harness                                |
| <b>Infiniti B2702</b> | RF Corner Sensor                                        |
| <b>Infiniti B2703</b> | RF Corner Sensor Harness                                |
| <b>Infiniti B2704</b> | LR Corner Sensor                                        |
| <b>Infiniti B2705</b> | LR Corner Sensor Harness                                |

| CODES                 | DEFINITION                                      |
|-----------------------|-------------------------------------------------|
| <b>Infiniti B2706</b> | RR Corner Sensor                                |
| <b>Infiniti B2707</b> | RR Corner Sensor Harness                        |
| <b>Infiniti B2708</b> | LR Inner Sonar Sensor                           |
| <b>Infiniti B2709</b> | RR Inner Sonar Sensor                           |
| <b>Infiniti B270A</b> | Rear Inner Sonar Sensor                         |
| <b>Infiniti B270B</b> | RR Inner Sonar Sensor Harness                   |
| <b>Infiniti B270C</b> | LF Inner Sonar Sensor                           |
| <b>Infiniti B270D</b> | LF Inner Sonar Sensor Harness                   |
| <b>Infiniti B270E</b> | Front Inner Sonar Sensor                        |
| <b>Infiniti B270F</b> | RF Inner Sonar Sensor Harness                   |
| <b>Infiniti C1101</b> | ABS RR Wheel Speed Sensor 1                     |
| <b>Infiniti C1102</b> | ABS LR Wheel Speed Sensor 1                     |
| <b>Infiniti C1103</b> | ABS RF Wheel Speed Sensor 1                     |
| <b>Infiniti C1104</b> | ABS LF Wheel Speed Sensor 1                     |
| <b>Infiniti C1105</b> | ABS RR Wheel Speed Sensor 2                     |
| <b>Infiniti C1106</b> | ABS LR Wheel Speed Sensor 2                     |
| <b>Infiniti C1107</b> | ABS RF Wheel Speed Sensor 2                     |
| <b>Infiniti C1108</b> | ABS LF Wheel Speed Sensor 2                     |
| <b>Infiniti C1109</b> | Battery Voltage Abnormal to ABS Actuator        |
| <b>Infiniti C1110</b> | ABS Controller and Electric Unit (Control Unit) |
| <b>Infiniti C1111</b> | ABS Pump Motor                                  |
| <b>Infiniti C1113</b> | G Sensor                                        |

| CODES                 | DEFINITION                                  |
|-----------------------|---------------------------------------------|
| <b>Infiniti C1115</b> | ABS Wheel Speed Sensor Signal Abnormal      |
| <b>Infiniti C1116</b> | Stop Lamp Switch                            |
| <b>Infiniti C1120</b> | LF In ABS Solenoid                          |
| <b>Infiniti C1121</b> | LF Out ABS Solenoid                         |
| <b>Infiniti C1122</b> | RF In ABS Solenoid                          |
| <b>Infiniti C1123</b> | RF Out ABS Solenoid                         |
| <b>Infiniti C1124</b> | LR In ABS Solenoid                          |
| <b>Infiniti C1125</b> | LR Out ABS Solenoid                         |
| <b>Infiniti C1126</b> | RR In ABS Solenoid                          |
| <b>Infiniti C1127</b> | RR Out ABS Solenoid                         |
| <b>Infiniti C1130</b> | Engine Signal 1                             |
| <b>Infiniti C1131</b> | Engine Signal 2                             |
| <b>Infiniti C1132</b> | Engine Signal 3                             |
| <b>Infiniti C1133</b> | Engine Signal 4                             |
| <b>Infiniti C1136</b> | Engine Signal 6                             |
| <b>Infiniti C1138</b> | 4WAS Circuit                                |
| <b>Infiniti C1140</b> | Actuator Relay                              |
| <b>Infiniti C1142</b> | ABS Pressure Sensor Circuit                 |
| <b>Infiniti C1143</b> | Steering Angle Sensor                       |
| <b>Infiniti C1144</b> | Steering Angle Sensor Incomplete Adjustment |
| <b>Infiniti C1145</b> | Yaw Rate Sensor                             |
| <b>Infiniti C1146</b> | Yaw Side G Sensor Circuit                   |

| CODES                 | DEFINITION                                   |
|-----------------------|----------------------------------------------|
| <b>Infiniti C1155</b> | Brake Fluid Low                              |
| <b>Infiniti C1156</b> | Steering Angle Sensor CAN Communication      |
| <b>Infiniti C1160</b> | Decel G Sensor                               |
| <b>Infiniti C1163</b> | Steering Angle Sensor Safe Mode              |
| <b>Infiniti C1164</b> | Cut Valve 1                                  |
| <b>Infiniti C1165</b> | Cut Valve 2                                  |
| <b>Infiniti C1166</b> | Suction Valve 1                              |
| <b>Infiniti C1167</b> | Suction Valve 2                              |
| <b>Infiniti C1170</b> | Variant Coding                               |
| <b>Infiniti C1178</b> | ABS Active Booster                           |
| <b>Infiniti C1179</b> | ABS Delta Stroke Sensor                      |
| <b>Infiniti C1181</b> | ABS Active Booster                           |
| <b>Infiniti C1185</b> | ICC Unit                                     |
| <b>Infiniti C1189</b> | ABS Active Booster                           |
| <b>Infiniti C1704</b> | LF Low Pressure Signal                       |
| <b>Infiniti C1705</b> | RF Low Pressure Signal                       |
| <b>Infiniti C1706</b> | RR Low Pressure Signal                       |
| <b>Infiniti C1707</b> | LR Low Pressure Signal                       |
| <b>Infiniti C1708</b> | Data from LF transmitter cannot be received. |
| <b>Infiniti C1709</b> | Data from RF transmitter cannot be received. |
| <b>Infiniti C1710</b> | Data from RR transmitter cannot be received. |
| <b>Infiniti C1711</b> | Data from LR transmitter cannot be received. |

| CODES                 | DEFINITION                                                |
|-----------------------|-----------------------------------------------------------|
| <b>Infiniti C1712</b> | Checksum Data From LF Transmitter is Malfunctioning       |
| <b>Infiniti C1713</b> | Checksum Data from RF Transmitter is Malfunctioning.      |
| <b>Infiniti C1716</b> | Air Pressure Data from LF Transmitter is Malfunctioning.  |
| <b>Infiniti C1717</b> | Air Pressure Data from RF Transmitter is Malfunctioning.  |
| <b>Infiniti C1718</b> | Air Pressure Data from RR Transmitter is Malfunctioning.  |
| <b>Infiniti C1719</b> | Air Pressure Data from LR Transmitter is Malfunctioning.  |
| <b>Infiniti C1720</b> | Function Code Data from LF Transmitter is Malfunctioning. |
| <b>Infiniti C1721</b> | Function Code Data from RF Transmitter is Malfunctioning. |
| <b>Infiniti C1722</b> | Function Code Data from RR Transmitter is Malfunctioning. |
| <b>Infiniti C1723</b> | Function Code Data from LR Transmitter is Malfunctioning. |
| <b>Infiniti C1724</b> | Battery Voltage of LF Transmitter Drops.                  |
| <b>Infiniti C1725</b> | Battery Voltage of RF Transmitter Drops.                  |
| <b>Infiniti C1726</b> | Battery Voltage of RR Transmitter Drops.                  |
| <b>Infiniti C1727</b> | Battery Voltage of LR Transmitter Drops.                  |
| <b>Infiniti C1729</b> | Vehicle Speed Signal is in Error                          |
| <b>Infiniti C1734</b> | BCM (Control Unit)                                        |
| <b>Infiniti C1801</b> | Vehicle Height Sensor                                     |
| <b>Infiniti C1802</b> | Compressor Relay                                          |
| <b>Infiniti C1803</b> | Exhaust Solenoid                                          |
| <b>Infiniti C1804</b> | Suspension Height Adjusting Malfunction                   |

| CODES                 | DEFINITION                                                       |
|-----------------------|------------------------------------------------------------------|
| <b>Infiniti C1805</b> | Suspension Height Adjusting Malfunction                          |
| <b>Infiniti C1806</b> | Vehicle Height Sensor Locking Malfunction                        |
| <b>Infiniti C1807</b> | Sensor 5V Malfunction                                            |
| <b>Infiniti C1808</b> | Integral Time Malfunction Supplying Air                          |
| <b>Infiniti P1035</b> | Front HO2S Heater Voltage                                        |
| <b>Infiniti P1065</b> | PCM Backup Circuit Malfunction:                                  |
| <b>Infiniti P1102</b> | Mass Airflow Sensor Range/Performance:                           |
| <b>Infiniti P1105</b> | MAP/BARO Switch Solenoid Circuit Malfunction:                    |
| <b>Infiniti P1110</b> | Intake Valve Timing Control System Performance:                  |
| <b>Infiniti P1111</b> | Intake Valve Timing Control Circuit Malfunction (Bank 1):        |
| <b>Infiniti P1120</b> | Secondary Throttle Position Sensor Circuit Malfunction:          |
| <b>Infiniti P1121</b> | Electronic Throttle Control Actuator Malfunction:                |
| <b>Infiniti P1122</b> | Electronic Throttle Control Actuator Malfunction:                |
| <b>Infiniti P1124</b> | Electronic Throttle Control Actuator Relay High Input:           |
| <b>Infiniti P1125</b> | Tandem Throttle Position Sensor Circuit Malfunction:             |
| <b>Infiniti P1126</b> | Thermostat Malfunction (Stuck Open):                             |
| <b>Infiniti P1128</b> | Electronic Throttle Control Actuator Motor Circuit Malfunction:  |
| <b>Infiniti P1130</b> | Swirl Control Solenoid Valve Performance:                        |
| <b>Infiniti P1135</b> | Intake Valve Timing Control Circuit Malfunction (Bank 2):        |
| <b>Infiniti P1136</b> | Intake Valve Timing Control Circuit Malfunction (Bank 2):        |
| <b>Infiniti P1137</b> | Swirl Control Valve Control Position Sensor Circuit Malfunction: |

| CODES                 | DEFINITION                                                   |
|-----------------------|--------------------------------------------------------------|
| <b>Infiniti P1138</b> | Swirl Control Valve Control Position Sensor Performance:     |
| <b>Infiniti P1140</b> | Intake Valve Timing Control Position Sensor Circuit (Bank 1) |
| <b>Infiniti P1143</b> | HO2S-11 (Bank 1 Sensor 1) Lean Shift Monitoring (Bank 1):    |
| <b>Infiniti P1144</b> | HO2S-11 (Bank 1 Sensor 1) Rich Shift Monitoring (Bank 1):    |
| <b>Infiniti P1145</b> | Intake Valve Timing Control Position Sensor Circuit (Bank 2) |
| <b>Infiniti P1146</b> | HO2S-12 (Bank 1 Sensor 2) Lean Shift Monitoring (Bank 1):    |
| <b>Infiniti P1147</b> | HO2S-12 (Bank 1 Sensor 2) Rich Shift Monitoring (Bank 1):    |
| <b>Infiniti P1148</b> | Closed Loop Control Function (Includes Hybrid Models)        |
| <b>Infiniti P1163</b> | HO2S-12 (Bank 1 Sensor 2) Lean Shift Monitoring (Bank 2):    |
| <b>Infiniti P1164</b> | HO2S-12 (Bank 1 Sensor 2) Rich Shift Monitoring (Bank 2):    |
| <b>Infiniti P1165</b> | Swirl Control Valve Control Vacuum Check Switch:             |
| <b>Infiniti P1166</b> | HO2S-22 (Bank 2 Sensor 2) Lean Shift Monitoring (Bank 2):    |
| <b>Infiniti P1167</b> | HO2S-22 (Bank 2 Sensor 2) Rich Shift Monitoring (Bank 2):    |
| <b>Infiniti P1168</b> | Closed Loop Control Function (Bank 2)                        |
| <b>Infiniti P1210</b> | Traction Control System Signal Missing:                      |
| <b>Infiniti P1211</b> | TCS Control Unit                                             |
| <b>Infiniti P1212</b> | TCS Communication Line                                       |



| CODES                 | DEFINITION                                                                 |
|-----------------------|----------------------------------------------------------------------------|
| <b>Infiniti P1217</b> | Engine Over Temperature (Overheat) (Includes Hybrid Models)                |
| <b>Infiniti P1220</b> | Fuel Pump Control Module Circuit Malfunction:                              |
| <b>Infiniti P1225</b> | Closed Throttle Position Learning Performance (Includes Hybrid Models)     |
| <b>Infiniti P1226</b> | Closed Throttle Position Learning Performance (Includes Hybrid Models)     |
| <b>Infiniti P1229</b> | Accelerator Pedal Position Sensor 2 Power Circuit Short:                   |
| <b>Infiniti P1320</b> | Ignition Control Signal Circuit Malfunction:                               |
| <b>Infiniti P1335</b> | Crankshaft Position Reference Sensor Circuit Malfunction:                  |
| <b>Infiniti P1336</b> | Crankshaft Position Sensor Circuit Malfunction:                            |
| <b>Infiniti P1400</b> | EGR/EVAP Control Solenoid Circuit Malfunction:                             |
| <b>Infiniti P1401</b> | EGR Temperature Sensor Circuit Malfunction:                                |
| <b>Infiniti P1402</b> | EGR System Malfunction (Open) Detected:                                    |
| <b>Infiniti P1421</b> | Cold Start Emission Reduction Strategy Monitoring (Includes Hybrid Models) |
| <b>Infiniti P1440</b> | EVAP Canister System Small Leak (0.040") Detected:                         |
| <b>Infiniti P1441</b> | Vacuum Cut Valve Bypass Valve Circuit Malfunction:                         |
| <b>Infiniti P1443</b> | Canister Control Vacuum Switch Circuit Malfunction:                        |
| <b>Infiniti P1444</b> | Canister Purge Volume Control Valve Circuit Malfunction:                   |
| <b>Infiniti P1445</b> | EVAP Purge Volume Control Valve Range/Performance:                         |
| <b>Infiniti P1446</b> | EVAP Canister Vent Valve Malfunction (Closed)                              |
| <b>Infiniti P1447</b> | EVAP Control System Purge Flow Malfunction:                                |
| <b>Infiniti P1448</b> | EVAP Canister Vent Control Valve Malfunction (Open):                       |

| CODES                 | DEFINITION                                                     |
|-----------------------|----------------------------------------------------------------|
| <b>Infiniti P1464</b> | Fuel Level Sensor Ground Circuit Malfunction:                  |
| <b>Infiniti P1490</b> | EVAP Vacuum Cut Valve Bypass Valve Circuit Malfunction:        |
| <b>Infiniti P1491</b> | EVAP Vacuum Cut Valve/Bypass Range/Performance:                |
| <b>Infiniti P1492</b> | EVAP Canister Purge Control Solenoid Circuit Malfunction:      |
| <b>Infiniti P1493</b> | EVAP Canister Purge Control Solenoid Performance (Stuck Open): |
| <b>Infiniti P1550</b> | Battery Current Sensor Circuit Range/Performance               |
| <b>Infiniti P1551</b> | Battery Current Sensor Circuit Low Input                       |
| <b>Infiniti P1552</b> | Battery Current Sensor Circuit High Input                      |
| <b>Infiniti P1553</b> | Battery Current Sensor Performance                             |
| <b>Infiniti P1554</b> | Battery Current Sensor Performance                             |
| <b>Infiniti P1564</b> | ASCD Steering Switch Malfunction (Includes Hybrid Models)      |
| <b>Infiniti P1568</b> | ICC Function                                                   |
| <b>Infiniti P1572</b> | ICC Brake Switch                                               |
| <b>Infiniti P1574</b> | ICC Vehicle Speed Sensor                                       |
| <b>Infiniti P1605</b> | TCM A/T Diagnosis Communication Line Malfunction:              |
| <b>Infiniti P1610</b> | Lock Mode                                                      |
| <b>Infiniti P1611</b> | ID Discord -- IMMU-ECM                                         |
| <b>Infiniti P1612</b> | Chain of ECM-IMMU                                              |
| <b>Infiniti P1613</b> | NATS ECM INT CIRC-IMMU:                                        |
| <b>Infiniti P1614</b> | Chain of IMMU-ECM                                              |

| CODES                 | DEFINITION                                               |
|-----------------------|----------------------------------------------------------|
| <b>Infiniti P1615</b> | Difference of Key                                        |
| <b>Infiniti P1705</b> | Accelerator Pedal Position (APP) Sensor Signal Circuit   |
| <b>Infiniti P1706</b> | A/T Park Neutral Position Switch Circuit Malfunction:    |
| <b>Infiniti P1710</b> | A/T Fluid Temperature Sensor Circuit                     |
| <b>Infiniti P1716</b> | A/T Turbine Revolution Sensor Circuit Malfunction:       |
| <b>Infiniti P1721</b> | Vehicle Speed Signal                                     |
| <b>Infiniti P1730</b> | Problem in Shift Control System                          |
| <b>Infiniti P1731</b> | A/T 1st Engine Braking                                   |
| <b>Infiniti P1752</b> | Input Clutch Solenoid Valve                              |
| <b>Infiniti P1754</b> | A/T Overrun Clutch Solenoid Valve Circuit Malfunction:   |
| <b>Infiniti P1757</b> | Front Brake Solenoid Valve                               |
| <b>Infiniti P1759</b> | A/T FR/B Solenoid Valve Performance:                     |
| <b>Infiniti P1760</b> | A/T Overrun Clutch Solenoid Valve Circuit Malfunction:   |
| <b>Infiniti P1762</b> | Direct Clutch Solenoid Valve                             |
| <b>Infiniti P1764</b> | A/T D/C Solenoid Valve Circuit Malfunction:              |
| <b>Infiniti P1767</b> | High & Low Reverse Clutch Solenoid Valve                 |
| <b>Infiniti P1769</b> | A/T HLR/C Solenoid Valve Circuit Malfunction:            |
| <b>Infiniti P1772</b> | Low Coast Brake Solenoid Valve                           |
| <b>Infiniti P1774</b> | Low Coast Brake Solenoid Valve Function                  |
| <b>Infiniti P1805</b> | Brake Switch Signal Malfunction (Includes Hybrid Models) |
| <b>Infiniti P1900</b> | Cooling Fan Control Circuit Open Malfunction:            |
| <b>Infiniti U1000</b> | CAN Communication Line                                   |

| CODES                 | DEFINITION                                      |
|-----------------------|-------------------------------------------------|
| <b>Infiniti U1001</b> | CAN Communication Line (Includes Hybrid models) |
| <b>Infiniti U1010</b> | Control Unit (CAN) - BCM                        |
| <b>Infiniti U1200</b> | AV Control Unit                                 |
| <b>Infiniti U1201</b> | AV Control Unit                                 |
| <b>Infiniti U1204</b> | GPS Comm                                        |
| <b>Infiniti U1205</b> | GPS ROM                                         |
| <b>Infiniti U1206</b> | GPS RAM                                         |
| <b>Infiniti U1207</b> | GPS RTC                                         |
| <b>Infiniti U1216</b> | AV Control Unit                                 |
| <b>Infiniti U1217</b> | AV Control Unit (Bluetooth Module)              |
| <b>Infiniti U1218</b> | AV Control Unit - HDD Connection                |
| <b>Infiniti U1219</b> | AV Control Module - HDD Read                    |
| <b>Infiniti U121A</b> | AV Control Unit (HDD Write)                     |
| <b>Infiniti U121B</b> | AV Control Unit (HDD Comm)                      |
| <b>Infiniti U121C</b> | AV Control Unit (HDD Access)                    |
| <b>Infiniti U121D</b> | AV Control Unit (DSP Connection)                |
| <b>Infiniti U121F</b> | AV Control Unit - Internal Communication        |
| <b>Infiniti U1220</b> | XM Serial Communication                         |
| <b>Infiniti U1243</b> | Display Unit                                    |
| <b>Infiniti U1244</b> | GPS Antenna                                     |
| <b>Infiniti U1250</b> | Camera Control Unit                             |
| <b>Infiniti U1258</b> | Satellite Radio Antenna                         |

| CODES                 | DEFINITION                                     |
|-----------------------|------------------------------------------------|
| <b>Infiniti U1300</b> | AV Comm Circuit                                |
| <b>Infiniti U1310</b> | AV Control Unit                                |
| <b>Jeep B1001</b>     | A/C Switch Request Input Circuit Low           |
| <b>Jeep B100A</b>     | Recirculation Switch Request Input Circuit Low |
| <b>Jeep B1016</b>     | Rear Defrost Switch Request Input Circuit Low  |
| <b>Jeep B1031</b>     | Evaporator Fin Temperature Sensor Circuit Low  |
| <b>Jeep B1032</b>     | Evaporator Fin Temperature Sensor Circuit High |
| <b>Jeep B1034</b>     | Infrared Temperature Sensor Input Circuit Low  |
| <b>Jeep B1035</b>     | Infrared Temperature Sensor Input Circuit High |
| <b>Jeep B1036</b>     | Infrared Sensor Period Too Long Or Too Short   |
| <b>Jeep B1040</b>     | Panel Mode Door 1 Control Circuit/Performance  |
| <b>Jeep B1043</b>     | Panel Mode Door 1 Control Circuit Open         |
| <b>Jeep B1044</b>     | Panel Mode Door 1 Travel Range Too Small       |
| <b>Jeep B1045</b>     | Panel Mode Door 1 Travel Range Too Large       |
| <b>Jeep B104D</b>     | Blend Door Control Circuit Low                 |
| <b>Jeep B104E</b>     | Blend Door Control Circuit High                |
| <b>Jeep B1058</b>     | Recirculation Door Control Circuit/Performance |
| <b>Jeep B105B</b>     | Recirculation Door Control Circuit Open        |
| <b>Jeep B105C</b>     | Recirculation-Door-Travel-Range-To-Small       |
| <b>Jeep B105D</b>     | Recirculation-Door-Travel-Range-Too-Large      |
| <b>Jeep B1063</b>     | Comfort Enable-No Subtype Information          |
| <b>Jeep B106B</b>     | Rear Defrost Control Circuit Low               |

| CODES             | DEFINITION                                                            |
|-------------------|-----------------------------------------------------------------------|
| <b>Jeep B106C</b> | Rear Defrost Control Circuit High                                     |
| <b>Jeep B106D</b> | Rear Defrost Control Circuit Open                                     |
| <b>Jeep B1082</b> | ORC-Occupant Restraint Control-Fps-Fire Protection Strategy-Activated |
| <b>Jeep B1083</b> | HVAC Mux Circuit High                                                 |
| <b>Jeep B1084</b> | Left Heated Seat Switch Input Circuit/Performance                     |
| <b>Jeep B1087</b> | Right Heated Seat Switch Input Circuit/Performance                    |
| <b>Jeep B1092</b> | Front Left Seat Heater Control Circuit Low                            |
| <b>Jeep B1094</b> | Front Left Seat Heater Control Circuit Open                           |
| <b>Jeep B1096</b> | Front Right Seat Heater Control Circuit Low                           |
| <b>Jeep B1098</b> | Front Right Seat Heater Control Circuit Open                          |
| <b>Jeep B109B</b> | Panel Mode Door 2 Control Circuit/Performance                         |
| <b>Jeep B109E</b> | Panel Mode Door 2 Control Circuit Open                                |
| <b>Jeep B109F</b> | Panel Mode Door 2 Travel Range Too Small                              |
| <b>Jeep B10A0</b> | Panel Mode Door 2 Travel Range Too Large                              |
| <b>Jeep B10A1</b> | Panel Mode Door 2 Actuator Performance                                |
| <b>Jeep B10A2</b> | Left Blend Door Control Circuit/Performance                           |
| <b>Jeep B10A5</b> | Left Blend Door Control Circuit Open                                  |
| <b>Jeep B10A6</b> | Left Blend Door Travel Range Too Small                                |
| <b>Jeep B10A7</b> | Left Blend Door Travel Range Too Large                                |
| <b>Jeep B10A8</b> | Left Blend Door Actuator Performance                                  |
| <b>Jeep B10A9</b> | Right Blend Door Control Circuit/Performance                          |
| <b>Jeep B10AC</b> | Right Blend Door Control Circuit Open                                 |

| CODES             | DEFINITION                                   |
|-------------------|----------------------------------------------|
| <b>Jeep B10AD</b> | Right Blend Door Travel Range Too Small      |
| <b>Jeep B10AE</b> | Right Blend Door Travel Range Too Large      |
| <b>Jeep B10AF</b> | Right Blend Door Actuator Performance        |
| <b>Jeep B10B2</b> | A/C Cool Down Test Performance               |
| <b>Jeep B10B3</b> | Cabin Heater 1 Control Circuit               |
| <b>Jeep B10B4</b> | Cabin Heater 1 Control Circuit Low           |
| <b>Jeep B10B5</b> | Cabin Heater 1 Control Circuit High          |
| <b>Jeep B10B6</b> | Cabin Heater 1 Control Circuit Open          |
| <b>Jeep B10B7</b> | Cabin Heater 2 Control Circuit               |
| <b>Jeep B10B8</b> | Cabin Heater 2 Control Circuit Low           |
| <b>Jeep B10B9</b> | Cabin Heater 2 Control Circuit High          |
| <b>Jeep B10BA</b> | Cabin Heater 2 Control Circuit Open          |
| <b>Jeep B10BB</b> | Left Heated Seat Switch Input Circuit Stuck  |
| <b>Jeep B10BC</b> | Right Heated Seat Switch Input Circuit Stuck |
| <b>Jeep B10BE</b> | Condenser Fan Control Circuit Low            |
| <b>Jeep B10BF</b> | Condenser Fan Control Circuit High           |
| <b>Jeep B10C0</b> | Condenser Fan Control Circuit Open           |
| <b>Jeep B10E9</b> | Blower Motor Control Circuit Low             |
| <b>Jeep B10EA</b> | Blower Motor Control Circuit High            |
| <b>Jeep B10EC</b> | Blower Motor Control Circuit Overcurrent     |
| <b>Jeep B10ED</b> | Rear Defrost Control Circuit Overcurrent     |
| <b>Jeep B10EE</b> | Condenser Fan Control Circuit Overcurrent    |

| CODES             | DEFINITION                                             |
|-------------------|--------------------------------------------------------|
| <b>Jeep B1138</b> | Cabin Heater 3 Control Circuit Low                     |
| <b>Jeep B1139</b> | Cabin Heater 3 Control Circuit High                    |
| <b>Jeep B113A</b> | Cabin Heater 3 Control Circuit Open                    |
| <b>Jeep B114C</b> | Left Rear Heated Seat Switch Stuck                     |
| <b>Jeep B1151</b> | Right Rear Heated Seat Switch Stuck                    |
| <b>Jeep B117D</b> | Rear Left Seat Heater Control Circuit Low              |
| <b>Jeep B117F</b> | Rear Left Seat Heater Control Circuit Open             |
| <b>Jeep B1181</b> | Rear Right Seat Heater Control Circuit Low             |
| <b>Jeep B1183</b> | Rear Right Seat Heater Control Circuit Open            |
| <b>Jeep B11A8</b> | Rear HVAC ON/OFF Switch Stuck                          |
| <b>Jeep B11C3</b> | Front-Mode-Door-1-Travel-Range-Too Small               |
| <b>Jeep B11C4</b> | Front Mode Door 1 Travel Range Too Large               |
| <b>Jeep B11C6</b> | Front Mode Door-2 Travel Range Too Small               |
| <b>Jeep B11C7</b> | Front Mode Door-2 Travel Range Too Large               |
| <b>Jeep B11C9</b> | Right Temperature Door Travel Too Small                |
| <b>Jeep B11CA</b> | Right Temperature Door Travel Too Large                |
| <b>Jeep B11CC</b> | Main/Left Temperature Door Travel Too Small            |
| <b>Jeep B11CD</b> | Main/Left Temperature Door Travel Too Large            |
| <b>Jeep B11D3</b> | A/C Cooldown Test Performance - Compressor Not Engaged |
| <b>Jeep B11D5</b> | A/C Cooldown Test Performance - EVAP Temp Sensor Error |
| <b>Jeep B1200</b> | Airbag Warning Indicator Circuit Low                   |



| CODES             | DEFINITION                                       |
|-------------------|--------------------------------------------------|
| <b>Jeep B1201</b> | Airbag Warning Indicator Circuit Open            |
| <b>Jeep B1204</b> | Passenger Airbag Indicator Circuit Low           |
| <b>Jeep B1205</b> | Passenger Airbag Indicator Circuit High          |
| <b>Jeep B1206</b> | Passenger Airbag Indicator Circuit Open          |
| <b>Jeep B123F</b> | Menu Switch Stuck                                |
| <b>Jeep B1240</b> | Step Switch Stuck                                |
| <b>Jeep B1241</b> | C/T Switch Stuck                                 |
| <b>Jeep B1242</b> | Reset Switch Stuck                               |
| <b>Jeep B1243</b> | Rear Park Assist Disable Switch Stuck            |
| <b>Jeep B1263</b> | Compass Magnetic Field Performance               |
| <b>Jeep B127A</b> | Compass Performance                              |
| <b>Jeep B1285</b> | Park Assist Disable Switch Performance           |
| <b>Jeep B1286</b> | Compass / Temp Button Performance                |
| <b>Jeep B1287</b> | Reset Switch Performance                         |
| <b>Jeep B129A</b> | Driver Blind Spot Sensor-Incompatible Version    |
| <b>Jeep B129B</b> | Passenger Blind Spot Sensor-Incompatible Version |
| <b>Jeep B1401</b> | Front Left Audio Speaker Output Circuit Low      |
| <b>Jeep B1402</b> | Front Left Audio Speaker Output Circuit High     |
| <b>Jeep B1403</b> | Front Left Audio Speaker Output Circuit Open     |
| <b>Jeep B1405</b> | Front Right Audio Speaker Output Circuit Low     |
| <b>Jeep B1406</b> | Front Right Audio Speaker Output Circuit High    |
| <b>Jeep B1407</b> | Front Right Audio Speaker Output Circuit Open    |

| CODES             | DEFINITION                                   |
|-------------------|----------------------------------------------|
| <b>Jeep B1409</b> | Rear Left Audio Speaker Output Circuit Low   |
| <b>Jeep B140A</b> | Rear Left Audio Speaker Output Circuit High  |
| <b>Jeep B140B</b> | Rear Left Audio Speaker Output Circuit Open  |
| <b>Jeep B140D</b> | Rear Right Audio Speaker Output Circuit Low  |
| <b>Jeep B140E</b> | Rear Right Audio Speaker Output Circuit High |
| <b>Jeep B140F</b> | Rear Right Audio Speaker Output Circuit Open |
| <b>Jeep B1420</b> | Audio Cassette Error/Inoperable Cassette     |
| <b>Jeep B1421</b> | Audio CD Read Error/Inoperable Disc          |
| <b>Jeep B1422</b> | Audio DVD Read Error/Inoperable Disc         |
| <b>Jeep B1423</b> | VES DVD Read Error / Inoperable Disc         |
| <b>Jeep B1424</b> | Improper DVD - Wrong Region                  |
| <b>Jeep B1427</b> | Remote Radio Switch Input Circuit High       |
| <b>Jeep B1428</b> | Remote Radio Switch Input Circuit Stuck      |
| <b>Jeep B1429</b> | Radio Display High Temperature               |
| <b>Jeep B142A</b> | Radio Unit High Temperature                  |
| <b>Jeep B142B</b> | VES Unit High Temperature                    |
| <b>Jeep B142D</b> | AUDIO Antenna Not Connected                  |
| <b>Jeep B142E</b> | GPS Antenna Not Connected                    |
| <b>Jeep B142F</b> | Satellite Radio Antenna Not Connected        |
| <b>Jeep B1431</b> | Bluetooth Antenna Internal Performance       |
| <b>Jeep B143A</b> | Microphone 1 Circuit Performance             |
| <b>Jeep B143B</b> | Microphone 1 Circuit Low                     |

| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Jeep B143C</b> | Microphone 1 Circuit High                                 |
| <b>Jeep B143D</b> | Microphone 2 Circuit Performance                          |
| <b>Jeep B143E</b> | Microphone 2 Circuit Low                                  |
| <b>Jeep B143F</b> | Microphone 2 Circuit High                                 |
| <b>Jeep B1441</b> | VES Eject Input Button Stuck                              |
| <b>Jeep B145C</b> | Front Left Audio Speaker Output Circuit Shorted Together  |
| <b>Jeep B145D</b> | Front Right Audio Speaker Output Circuit Shorted Together |
| <b>Jeep B145E</b> | Rear Left Audio Speaker Output Circuit Shorted Together   |
| <b>Jeep B145F</b> | Rear Right Audio Speaker Output Circuit Shorted Together  |
| <b>Jeep B1460</b> | Channel 1 Audio Speaker Output Circuit Performance        |
| <b>Jeep B1461</b> | Channel 1 Audio Speaker Output Circuit Low                |
| <b>Jeep B1462</b> | Channel 1 Audio Speaker Output Circuit High               |
| <b>Jeep B1463</b> | Channel 1 Audio Speaker Output Circuit Open               |
| <b>Jeep B1464</b> | Channel 1 Audio Speaker Output - Circuit Shorted Together |
| <b>Jeep B1465</b> | Channel 2 Audio Speaker Output Circuit Performance        |
| <b>Jeep B1466</b> | Channel 2 Audio Speaker Output Circuit Low                |
| <b>Jeep B1467</b> | Channel 2 Audio Speaker Output Circuit High               |
| <b>Jeep B1468</b> | Channel 2 Audio Speaker Output Circuit Open               |
| <b>Jeep B1469</b> | Channel 2 Audio Speaker Output - Circuit Shorted Together |
| <b>Jeep B146A</b> | Channel 3 Audio Speaker Output Circuit Performance        |

| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Jeep B146B</b> | Channel 3 Audio Speaker Output Circuit Low                |
| <b>Jeep B146C</b> | Channel 3 Audio Speaker Output Circuit High               |
| <b>Jeep B146D</b> | Channel 3 Audio Speaker Output Circuit Open               |
| <b>Jeep B146E</b> | Channel 3 Audio Speaker Output - Circuit Shorted Together |
| <b>Jeep B146F</b> | Channel 4 Audio Speaker Output Circuit Performance        |
| <b>Jeep B1470</b> | Channel 4 Audio Speaker Output Circuit Low                |
| <b>Jeep B1471</b> | Channel 4 Audio Speaker Output Circuit High               |
| <b>Jeep B1472</b> | Channel 4 Audio Speaker Output Circuit Open               |
| <b>Jeep B1473</b> | Channel 4 Audio Speaker Output - Circuit Shorted Together |
| <b>Jeep B1474</b> | Channel 5 Audio Speaker Output Circuit Performance        |
| <b>Jeep B1475</b> | Channel 5 Audio Speaker Output Circuit Low                |
| <b>Jeep B1476</b> | Channel 5 Audio Speaker Output Circuit High               |
| <b>Jeep B1477</b> | Channel 5 Audio Speaker Output Circuit Open               |
| <b>Jeep B1478</b> | Channel 5 Audio Speaker Output - Circuit Shorted Together |
| <b>Jeep B1479</b> | Channel 6 Audio Speaker Output Circuit Performance        |
| <b>Jeep B147A</b> | Channel 6 Audio Speaker Output Circuit Low                |
| <b>Jeep B147B</b> | Channel 6 Audio Speaker Output Circuit High               |
| <b>Jeep B147C</b> | Channel 6 Audio Speaker Output Circuit Open               |
| <b>Jeep B147D</b> | Channel 6 Audio Speaker Output - Circuit Shorted Together |
| <b>Jeep B147E</b> | Channel 7 Audio Speaker Output Circuit Performance        |

| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Jeep B147F</b> | Channel 7 Audio Speaker Output Circuit Low                |
| <b>Jeep B1480</b> | Channel 7 Audio Speaker Output Circuit High               |
| <b>Jeep B1481</b> | Channel 7 Audio Speaker Output Circuit Open               |
| <b>Jeep B1482</b> | Channel 7 Audio Speaker Output - Circuit Shorted Together |
| <b>Jeep B1483</b> | Channel 8 Audio Speaker Output Circuit/Performance        |
| <b>Jeep B1484</b> | Channel 8 Audio Speaker Output Circuit Low                |
| <b>Jeep B1485</b> | Channel 8 Audio Speaker Output Circuit High               |
| <b>Jeep B1486</b> | Channel 8 Audio Speaker Output Circuit Open               |
| <b>Jeep B1487</b> | Channel 8 Audio Speaker Output - Circuit Shorted Together |
| <b>Jeep B1488</b> | Cabin EQ Mismatch Performance                             |
| <b>Jeep B14B7</b> | Microphone 1 Circuit Open                                 |
| <b>Jeep B14B8</b> | Microphone 2 Circuit Open                                 |
| <b>Jeep B14B9</b> | Channel 9 Audio Speaker Output Circuit Performance        |
| <b>Jeep B14BA</b> | Channel 9 Audio Speaker Output Circuit Low                |
| <b>Jeep B14BB</b> | Channel 9 Audio Speaker Output Circuit High               |
| <b>Jeep B14BC</b> | Channel 9 Audio Speaker Output Circuit Open               |
| <b>Jeep B14BD</b> | Channel 9 Audio Speaker Output Circuit Shorted Together   |
| <b>Jeep B14BE</b> | Channel 10 Audio Speaker Output Circuit Performance       |
| <b>Jeep B14BF</b> | Channel 10 Audio Speaker Output Circuit Low               |
| <b>Jeep B14C0</b> | Channel 10 Audio Speaker Output Circuit High              |
| <b>Jeep B14C1</b> | Channel 10 Audio Speaker Output Circuit Open              |

| CODES             | DEFINITION                                               |
|-------------------|----------------------------------------------------------|
| <b>Jeep B14C2</b> | Channel 10 Audio Speaker Output Circuit Shorted Together |
| <b>Jeep B14C3</b> | Channel 11 Audio Speaker Output Circuit Performance      |
| <b>Jeep B14C4</b> | Channel 11 Audio Speaker Output Circuit Low              |
| <b>Jeep B14C5</b> | Channel 11 Audio Speaker Output Circuit High             |
| <b>Jeep B14C6</b> | Channel 11 Audio Speaker Output Circuit Open             |
| <b>Jeep B14C7</b> | Channel 11 Audio Speaker Output Circuit Shorted Together |
| <b>Jeep B14CE</b> | Ves Brightness Up Input Button Stuck                     |
| <b>Jeep B14CF</b> | Ves Brightness Down Input Switch Stuck                   |
| <b>Jeep B14DF</b> | DVD Player Region Configuration Mismatch                 |
| <b>Jeep B14E6</b> | Channel 3 Video Continuity                               |
| <b>Jeep B14E7</b> | Channel 3 Audio Left Continuity                          |
| <b>Jeep B14E8</b> | Channel 3 Audio Right Continuity                         |
| <b>Jeep B14E9</b> | Channel 4 Video Continuity                               |
| <b>Jeep B14EA</b> | Channel 4 Audio Left Continuity                          |
| <b>Jeep B14EB</b> | Channel 4 Audio Right Continuity                         |
| <b>Jeep B14F2</b> | Channel 7 Video Continuity                               |
| <b>Jeep B14F3</b> | Channel 7 Audio Left Continuity                          |
| <b>Jeep B14F4</b> | Channel 7 Audio Right Continuity                         |
| <b>Jeep B14F5</b> | Channel 8 Video Continuity                               |
| <b>Jeep B14F6</b> | Channel 8 Audio Left Continuity                          |
| <b>Jeep B14F7</b> | Channel 8 Audio Right Continuity                         |

| CODES             | DEFINITION                                          |
|-------------------|-----------------------------------------------------|
| <b>Jeep B1502</b> | Steering Wheel Control Down Switch Performance      |
| <b>Jeep B1503</b> | Steering Wheel Control Right Switch Performance     |
| <b>Jeep B1504</b> | Left Steering Wheel Control Switch Circuit          |
| <b>Jeep B1539</b> | Satellite Video Antenna Performance (Not Connected) |
| <b>Jeep B154F</b> | Lost Crankshaft Pulse Signal                        |
| <b>Jeep B156B</b> | Satellite Radio Antenna Circuit                     |
| <b>Jeep B156D</b> | Low Voltage Differential Signal LVDS Video Cable    |
| <b>Jeep B156F</b> | WiFi Antenna                                        |
| <b>Jeep B157E</b> | Touch Screen Locked                                 |
| <b>Jeep B1601</b> | Left Solar Sensor Circuit Low                       |
| <b>Jeep B1602</b> | Left Solar Sensor Circuit High                      |
| <b>Jeep B1604</b> | Right Solar Sensor Circuit Low                      |
| <b>Jeep B1605</b> | Right Solar Sensor Circuit High                     |
| <b>Jeep B1607</b> | Headlamp Switch Input Circuit Low                   |
| <b>Jeep B1608</b> | Headlamp Switch Input Circuit High                  |
| <b>Jeep B1609</b> | Panel Dimmer Input Circuit/Performance              |
| <b>Jeep B160A</b> | Panel Dimmer Input Circuit Low                      |
| <b>Jeep B160B</b> | Panel Dimmer Input Circuit High                     |
| <b>Jeep B1612</b> | Panel Illumination Control                          |
| <b>Jeep B1613</b> | Panel Illumination Control Circuit Low              |
| <b>Jeep B1615</b> | Panel Illumination Control Circuit Open             |
| <b>Jeep B161A</b> | Courtesy/Dome Lamp Control Circuit                  |

| CODES             | DEFINITION                             |
|-------------------|----------------------------------------|
| <b>Jeep B161B</b> | Courtesy/Dome Lamp Control Circuit Low |
| <b>Jeep B161E</b> | Reading Lamp Control Circuit           |
| <b>Jeep B161F</b> | Reading Lamp Control Circuit Low       |
| <b>Jeep B162B</b> | Left Low Beam Control Circuit Low      |
| <b>Jeep B162C</b> | Left Low Beam Control Circuit High     |
| <b>Jeep B162F</b> | Right Low Beam Control Circuit Low     |
| <b>Jeep B1630</b> | Right Low Beam Control Circuit High    |
| <b>Jeep B1633</b> | Left Hi Beam Control Circuit Low       |
| <b>Jeep B1634</b> | Left Hi Beam Control Circuit High      |
| <b>Jeep B1637</b> | Right Hi Beam Control Circuit Low      |
| <b>Jeep B1638</b> | Right Hi Beam Control Circuit High     |
| <b>Jeep B163B</b> | Front Left Turn Control Circuit Low    |
| <b>Jeep B163C</b> | Front Left Turn Control Circuit High   |
| <b>Jeep B163F</b> | Front Right Turn Control Circuit Low   |
| <b>Jeep B1640</b> | Front Right Turn Control Circuit High  |
| <b>Jeep B1643</b> | Rear Left Turn Control Circuit Low     |
| <b>Jeep B1644</b> | Rear Left Turn Control Circuit High    |
| <b>Jeep B1647</b> | Rear Right Turn Control Circuit Low    |
| <b>Jeep B1648</b> | Rear Right Turn Control Circuit High   |
| <b>Jeep B1659</b> | Front Fog Lamp Control Circuit Low     |
| <b>Jeep B165C</b> | Park Lamp Control Circuit Low          |
| <b>Jeep B165D</b> | Park Lamp Control Circuit High         |



| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Jeep B165E</b> | Park Lamp Control Circuit Open                            |
| <b>Jeep B1660</b> | Front Fog Lamp Control Circuit High                       |
| <b>Jeep B1661</b> | Front Fog Lamp Control Circuit Open                       |
| <b>Jeep B1663</b> | Rear Fog Lamp Control Circuit Low                         |
| <b>Jeep B1664</b> | Rear Fog Lamp Control Circuit High                        |
| <b>Jeep B1667</b> | Reverse Lamp Control Circuit Low                          |
| <b>Jeep B1668</b> | Reverse Lamp Control Circuit High                         |
| <b>Jeep B166B</b> | Left Trailer Tow Lamp Control Circuit Low                 |
| <b>Jeep B166C</b> | Left Trailer Tow Lamp Control Circuit High                |
| <b>Jeep B166D</b> | Left Trailer Tow Lamp Control Circuit Open                |
| <b>Jeep B166F</b> | Right Trailer Tow Lamp Control Circuit Low                |
| <b>Jeep B1670</b> | Right Trailer Tow Lamp Control Circuit High               |
| <b>Jeep B1671</b> | Right Trailer Tow Lamp Control Circuit Open               |
| <b>Jeep B167D</b> | Front Headlamp Leveling Sensor Circuit Performance        |
| <b>Jeep B167E</b> | Front Headlamp Leveling Sensor Circuit Low                |
| <b>Jeep B167F</b> | Front Headlamp Leveling Sensor Circuit High               |
| <b>Jeep B1681</b> | Rear Headlamp Leveling Sensor Circuit Performance         |
| <b>Jeep B1682</b> | Rear Headlamp Leveling Sensor Circuit Low                 |
| <b>Jeep B1683</b> | Rear Headlamp Leveling Sensor Circuit High                |
| <b>Jeep B1685</b> | Left Headlamp Leveling Motor Control Circuit Performance  |
| <b>Jeep B168A</b> | Right Headlamp Leveling Motor Control Circuit Performance |

| CODES             | DEFINITION                                           |
|-------------------|------------------------------------------------------|
| <b>Jeep B168F</b> | Front Fog Lamp Switch Stuck                          |
| <b>Jeep B16A7</b> | High Beam Camera Alignment Performance - Left        |
| <b>Jeep B16A8</b> | High Beam Camera Alignment Performance - Right       |
| <b>Jeep B16A9</b> | High Beam Camera Alignment Performance - Top         |
| <b>Jeep B16AA</b> | High Beam Camera Alignment Performance - Bottom      |
| <b>Jeep B16D0</b> | Left Drl Lamp Control Circuit Low                    |
| <b>Jeep B16D1</b> | Left Drl Lamp Control Circuit High                   |
| <b>Jeep B16D4</b> | Right Drl Lamp Control Circuit Low                   |
| <b>Jeep B16D5</b> | Right Drl Lamp Control Circuit High                  |
| <b>Jeep B1782</b> | Headlamp Leveling Switch Stuck                       |
| <b>Jeep B178E</b> | Headlamp Switch Input Circuit                        |
| <b>Jeep B178F</b> | Turn Switch Input Circuit                            |
| <b>Jeep B17AE</b> | Rear Left Trailer Turn Lamp Control Circuit Low      |
| <b>Jeep B17B2</b> | Rear Right Trailer Turn Lamp Control Circuit Low     |
| <b>Jeep B17E3</b> | Turn Signal Switch Performance                       |
| <b>Jeep B17F3</b> | Auto High Beam System Aim                            |
| <b>Jeep B17FB</b> | Auto High Beam Camera View Blocked                   |
| <b>Jeep B1802</b> | Driver Door Lock/Unlock Switch Circuit High          |
| <b>Jeep B1803</b> | Driver Door Lock/Unlock Switch Circuit Stuck Lock    |
| <b>Jeep B1804</b> | Driver Door Lock/Unlock Switch Circuit Stuck Unlock  |
| <b>Jeep B1806</b> | Passenger Door Lock/Unlock Switch Circuit Low        |
| <b>Jeep B1808</b> | Passenger Door Lock/Unlock Switch Circuit Stuck Lock |

| CODES             | DEFINITION                                             |
|-------------------|--------------------------------------------------------|
| <b>Jeep B1809</b> | Passenger Door Lock/Unlock Switch Circuit Stuck Unlock |
| <b>Jeep B1810</b> | Driver Door Ajar Input Circuit Low                     |
| <b>Jeep B1811</b> | Driver Door Ajar Input Circuit High                    |
| <b>Jeep B181E</b> | Hood Ajar Input Circuit Performance                    |
| <b>Jeep B1820</b> | Hood Ajar Input Circuit High                           |
| <b>Jeep B182D</b> | All Door Lock Control Circuit Low                      |
| <b>Jeep B182E</b> | All Door Lock Control Circuit High                     |
| <b>Jeep B1835</b> | Driver Door Unlock Control Circuit Low                 |
| <b>Jeep B1836</b> | Driver Door Unlock Control Circuit High                |
| <b>Jeep B1839</b> | Passenger Doors Unlock Control Circuit Low             |
| <b>Jeep B183A</b> | Passenger Doors Unlock Control Circuit High            |
| <b>Jeep B1841</b> | Sunroof Open Switch Input Circuit High                 |
| <b>Jeep B1844</b> | Sunroof Close Switch Input Circuit High                |
| <b>Jeep B1847</b> | Sunroof Vent Switch Input Circuit High                 |
| <b>Jeep B184E</b> | Flipper Glass Control Circuit Low                      |
| <b>Jeep B184F</b> | Flipper Glass Control Circuit High                     |
| <b>Jeep B1851</b> | Flipper Glass Switch Stuck                             |
| <b>Jeep B1852</b> | Driver Window Switch Stuck                             |
| <b>Jeep B1854</b> | Driver Window Control Circuit Low                      |
| <b>Jeep B1858</b> | Driver Window Position Sensor Power Supply Low         |
| <b>Jeep B185A</b> | Driver Window Position Sensor Circuit Performance      |
| <b>Jeep B185D</b> | Passenger Window Switch Circuit Stuck                  |

| CODES             | DEFINITION                                           |
|-------------------|------------------------------------------------------|
| <b>Jeep B185F</b> | Passenger Window Control Circuit Low                 |
| <b>Jeep B1863</b> | Passenger Window Position Sensor Power Supply Low    |
| <b>Jeep B1865</b> | Passenger Window Position Sensor Circuit Performance |
| <b>Jeep B1868</b> | Driver Passenger Window Switch Circuit Stuck         |
| <b>Jeep B1883</b> | Power Liftgate Position Sensor 1 Circuit Performance |
| <b>Jeep B1888</b> | Power Liftgate Pinch Sensor 1 Circuit Low            |
| <b>Jeep B1889</b> | Power Liftgate Pinch Sensor 1 Circuit High           |
| <b>Jeep B188D</b> | Power Liftgate Control Circuit 1 Low                 |
| <b>Jeep B188E</b> | Power Liftgate Control Circuit 1 High                |
| <b>Jeep B188F</b> | Power Liftgate Control Circuit 1 Open                |
| <b>Jeep B1891</b> | Power Liftgate Control Circuit 2 Low                 |
| <b>Jeep B1892</b> | Power Liftgate Control Circuit 2 High                |
| <b>Jeep B1893</b> | Power Liftgate Control Circuit 2 Open                |
| <b>Jeep B18B5</b> | Master Switch - Front Left Window Switch - Stuck     |
| <b>Jeep B18B6</b> | Master Switch - Front Right Window Switch - Stuck    |
| <b>Jeep B18B7</b> | Master Switch - Rear Left Window Switch - Stuck      |
| <b>Jeep B18B8</b> | Master Switch - Rear Right Window Switch - Stuck     |
| <b>Jeep B18BB</b> | Window Control Circuit Low                           |
| <b>Jeep B18DE</b> | Power Liftgate Handle Switch Circuit Low             |
| <b>Jeep B18E0</b> | Power Liftgate Handle Switch Stuck                   |
| <b>Jeep B18E3</b> | Power Liftgate Front Zone Switch Circuit Low         |
| <b>Jeep B18E4</b> | Power Liftgate Front Zone Switch Circuit High        |

| CODES             | DEFINITION                                            |
|-------------------|-------------------------------------------------------|
| <b>Jeep B18E5</b> | Power Liftgate Front Zone Switch Stuck                |
| <b>Jeep B190E</b> | Driver Window Switch Circuit Low                      |
| <b>Jeep B190F</b> | Driver Window Switch Circuit High                     |
| <b>Jeep B1911</b> | Passenger Window Switch Circuit Low                   |
| <b>Jeep B1912</b> | Passenger Window Switch Circuit High                  |
| <b>Jeep B1914</b> | Driver Window Control 2 Circuit Low                   |
| <b>Jeep B1918</b> | Passenger Window Control 2 Circuit Low                |
| <b>Jeep B1934</b> | Driver Door Lock/Unlock Switch Circuit Stuck          |
| <b>Jeep B1935</b> | Passenger Door Lock/Unlock Switch Circuit Stuck       |
| <b>Jeep B1942</b> | Power Liftgate Position Sensor 2 Circuit Performance  |
| <b>Jeep B1947</b> | Power Liftgate Pinch Sensor 2 Circuit Low             |
| <b>Jeep B1948</b> | Power Liftgate Pinch Sensor 2 Circuit High            |
| <b>Jeep B194B</b> | Power Liftgate Rear Zone Switch Circuit Low           |
| <b>Jeep B194C</b> | Power Liftgate Rear Zone Switch Circuit High          |
| <b>Jeep B194D</b> | Power Liftgate Rear Zone Switch Stuck                 |
| <b>Jeep B194F</b> | Power Liftgate Temperature Sensor Circuit Performance |
| <b>Jeep B1952</b> | Power Liftgate Drive Motor - Incorrect Direction      |
| <b>Jeep B1953</b> | Power Liftgate Latch Cinch Overcurrent                |
| <b>Jeep B1954</b> | Power Liftgate Latch Cinch - Excessive Time           |
| <b>Jeep B1955</b> | Power Liftgate Latch Release Overcurrent              |
| <b>Jeep B1956</b> | Power Liftgate Latch Release - Excessive Time         |
| <b>Jeep B1958</b> | Power Liftgate Drive Clutch Control Circuit Low       |

| CODES             | DEFINITION                                                            |
|-------------------|-----------------------------------------------------------------------|
| <b>Jeep B1959</b> | Power Liftgate Drive Clutch Control Circuit High                      |
| <b>Jeep B1963</b> | Power Liftgate Strut Performance                                      |
| <b>Jeep B1965</b> | Power Liftgate Sensor Supply Circuit Low                              |
| <b>Jeep B1966</b> | Power Liftgate Sensor Supply High                                     |
| <b>Jeep B1967</b> | Power Liftgate Open Direction Overcurrent                             |
| <b>Jeep B1968</b> | Power Liftgate Open Direction - Excessive Time                        |
| <b>Jeep B1969</b> | Power Liftgate Open Direction Excessive Position Sensor Counts        |
| <b>Jeep B196A</b> | Power Liftgate Close Direction Overcurrent                            |
| <b>Jeep B196B</b> | Power Liftgate Close Direction - Excessive Time                       |
| <b>Jeep B196C</b> | Power Liftgate Close Direction Excessive Position Sensor Counts       |
| <b>Jeep B196D</b> | Power Liftgate Open Direction - Full Open Switch Performance          |
| <b>Jeep B196E</b> | Power Liftgate Close Direction - Full Open Switch Performance         |
| <b>Jeep B196F</b> | Power Liftgate Open Direction - Ratchet Primary Switch Performance    |
| <b>Jeep B1970</b> | Power Liftgate Close Direction - Ratchet Primary Switch Performance   |
| <b>Jeep B1971</b> | Power Liftgate Latch Cinch - Ratchet Primary Switch Performance       |
| <b>Jeep B1972</b> | Power Liftgate Latch Release - Ratchet Primary Switch Performance     |
| <b>Jeep B1973</b> | Power Liftgate Open Direction - Ratchet Secondary Switch Performance  |
| <b>Jeep B1974</b> | Power Liftgate Close Direction - Ratchet Secondary Switch Performance |

| CODES             | DEFINITION                                                          |
|-------------------|---------------------------------------------------------------------|
| <b>Jeep B1975</b> | Power Liftgate Latch Cinch - Ratchet Secondary Switch Performance   |
| <b>Jeep B1976</b> | Power Liftgate Latch Release - Ratchet Secondary Switch Performance |
| <b>Jeep B1977</b> | Power Liftgate Open Direction - Sector Switch Performance           |
| <b>Jeep B1978</b> | Power Liftgate Close Direction - Sector Switch Performance          |
| <b>Jeep B1979</b> | Power Liftgate Latch Cinch - Sector Switch Performance              |
| <b>Jeep B197A</b> | Power Liftgate Latch Release - Sector Switch Performance            |
| <b>Jeep B1980</b> | Power Liftgate Latch Control 1 Circuit Low                          |
| <b>Jeep B1981</b> | Power Liftgate Latch Control 1 Circuit High                         |
| <b>Jeep B1982</b> | Power Liftgate Latch Control 1 Circuit Open                         |
| <b>Jeep B1984</b> | Power Liftgate Latch Control 2 Circuit Low                          |
| <b>Jeep B1985</b> | Power Liftgate Latch Control 2 Circuit High                         |
| <b>Jeep B1986</b> | Power Liftgate Latch Control 2 Circuit Open                         |
| <b>Jeep B1A08</b> | RKE Fob 1 Performance                                               |
| <b>Jeep B1A09</b> | RKE Fob 2 Performance                                               |
| <b>Jeep B1A0A</b> | RKE Fob 3 Performance                                               |
| <b>Jeep B1A0B</b> | RKE Fob 4 Performance                                               |
| <b>Jeep B1A0C</b> | RKE Fob 5 Performance                                               |
| <b>Jeep B1A0D</b> | RKE Fob 6 Performance                                               |
| <b>Jeep B1A0E</b> | RKE Fob 7 Performance                                               |
| <b>Jeep B1A0F</b> | RKE Fob 8 Performance                                               |

| CODES             | DEFINITION                               |
|-------------------|------------------------------------------|
| <b>Jeep B1A10</b> | RKE Fob 1 Battery Low                    |
| <b>Jeep B1A11</b> | RKE Fob 2 Battery Low                    |
| <b>Jeep B1A12</b> | RKE Fob 3 Battery Low                    |
| <b>Jeep B1A13</b> | RKE Fob 4 Battery Low                    |
| <b>Jeep B1A14</b> | RKE Fob 5 Battery Low                    |
| <b>Jeep B1A15</b> | RKE Fob 6 Battery Low                    |
| <b>Jeep B1A16</b> | RKE Fob 7 Battery Low                    |
| <b>Jeep B1A17</b> | RKE Fob 8 Battery Low                    |
| <b>Jeep B1A20</b> | Pre-Arm Timeout (Stop/Start Diesel)      |
| <b>Jeep B1A24</b> | Key Not Programmed                       |
| <b>Jeep B1A25</b> | Invalid Key                              |
| <b>Jeep B1A26</b> | Maximum Number Of Keys Programmed        |
| <b>Jeep B1A27</b> | Skreem Programming Performance           |
| <b>Jeep B1A28</b> | ECM Mismatch With Skim                   |
| <b>Jeep B1A29</b> | ECM Mismatch With Skim                   |
| <b>Jeep B1A32</b> | Universal Garage Door Switch 1 Stuck     |
| <b>Jeep B1A33</b> | Universal Garage Door Switch 2 Stuck     |
| <b>Jeep B1A34</b> | Universal Garage Door Switch 3 Stuck     |
| <b>Jeep B1A35</b> | Unidentified Key Communication Error     |
| <b>Jeep B1A37</b> | Security Transmitter Sensor Circuit Low  |
| <b>Jeep B1A38</b> | Security Transmitter Sensor Circuit High |
| <b>Jeep B1A3A</b> | Security Receiver Sensor Circuit Low     |



| CODES             | DEFINITION                                                           |
|-------------------|----------------------------------------------------------------------|
| <b>Jeep B1A3B</b> | Security Receiver Sensor Circuit High                                |
| <b>Jeep B1A3C</b> | Internal Siren Battery                                               |
| <b>Jeep B1A3D</b> | Siren Battery Tamper / Loss Of Power Supply (Stop/Start Diesel)      |
| <b>Jeep B1A3E</b> | Siren / ITM Mismatch (Stop/Start Diesel)                             |
| <b>Jeep B1A3F</b> | ITM Arming Sequence Performance (Stop/Start Diesel)                  |
| <b>Jeep B1A41</b> | Security Transmitter Sensor Circuit Open                             |
| <b>Jeep B1A42</b> | Security Transmitter Sensor Circuit Shorted Together                 |
| <b>Jeep B1A43</b> | Security Transmitter Sensor Return Circuit Low                       |
| <b>Jeep B1A44</b> | Security Receiver Sensor Circuit Open                                |
| <b>Jeep B1A45</b> | Security Receiver Sensor Circuit Shorted Together                    |
| <b>Jeep B1A46</b> | Security Receiver Sensor Return Circuit Low                          |
| <b>Jeep B1A47</b> | Security Transmitter/Receiver Sensor Return Circuit High             |
| <b>Jeep B1A68</b> | Steering Column Lock Module Bolt Control Low                         |
| <b>Jeep B1A6C</b> | Secret Key Mismatch                                                  |
| <b>Jeep B1A77</b> | Remote Start Antenna Circuit Low                                     |
| <b>Jeep B1A79</b> | Remote Start Antenna Circuit Open Or Not Connected                   |
| <b>Jeep B1A7F</b> | Electronic Steering Column Lock Communication Performance (Type 1)   |
| <b>Jeep B1A80</b> | Electronic Steering Column Lock Communication Performance (Type 2-3) |
| <b>Jeep B1A81</b> | Electronic Steering Column Lock Not Personalized                     |
| <b>Jeep B1A89</b> | ELV/ESCL Configuration Mismatch                                      |
| <b>Jeep B1A8A</b> | Multi-Module VIN Handshake Failure                                   |

| CODES             | DEFINITION                                         |
|-------------------|----------------------------------------------------|
| <b>Jeep B1B00</b> | Driver Airbag Squib 1 Circuit Low                  |
| <b>Jeep B1B01</b> | Driver Airbag Squib 1 Circuit High                 |
| <b>Jeep B1B02</b> | Driver Airbag Squib 1 Circuit Open                 |
| <b>Jeep B1B03</b> | Driver Airbag Squib 1 Circuit Shorted Together     |
| <b>Jeep B1B04</b> | Driver Airbag Squib 2 Circuit Low                  |
| <b>Jeep B1B05</b> | Driver Airbag Squib 2 Circuit High                 |
| <b>Jeep B1B06</b> | Driver Airbag Squib 2 Circuit Open                 |
| <b>Jeep B1B07</b> | Driver Airbag Squib 2 Circuit Shorted Together     |
| <b>Jeep B1B08</b> | Passenger Airbag Squib 1 Circuit Low               |
| <b>Jeep B1B09</b> | Passenger Airbag Squib 1 Circuit High              |
| <b>Jeep B1B0A</b> | Passenger Airbag Squib 1 Circuit Open              |
| <b>Jeep B1B0B</b> | Passenger Airbag Squib 1 Circuit Shorted Together  |
| <b>Jeep B1B0C</b> | Passenger Airbag Squib 2 Circuit Low               |
| <b>Jeep B1B0D</b> | Passenger Airbag Squib 2 Circuit High              |
| <b>Jeep B1B0E</b> | Passenger Airbag Squib 2 Circuit Open              |
| <b>Jeep B1B0F</b> | Passenger Airbag Squib 2 Circuit Shorted Together  |
| <b>Jeep B1B10</b> | Driver Knee Bolster Squib Circuit Low              |
| <b>Jeep B1B11</b> | Driver Knee Bolster Squib Circuit High             |
| <b>Jeep B1B12</b> | Driver Knee Bolster Squib Circuit Open             |
| <b>Jeep B1B13</b> | Driver Knee Bolster Squib Circuit Shorted Together |
| <b>Jeep B1B18</b> | Left Side Curtain Squib 1 Circuit Low              |
| <b>Jeep B1B19</b> | Left Side Curtain Squib 1 Circuit High             |

| CODES             | DEFINITION                                                        |
|-------------------|-------------------------------------------------------------------|
| <b>Jeep B1B1A</b> | Left Side Curtain Squib 1 Circuit Open                            |
| <b>Jeep B1B1B</b> | Left Side Curtain Squib 1 Circuit Shorted Together                |
| <b>Jeep B1B20</b> | Right Side Curtain Squib 1 Circuit Low                            |
| <b>Jeep B1B21</b> | Right Side Curtain Squib 1 Circuit High                           |
| <b>Jeep B1B22</b> | Right Side Curtain Squib 1 Circuit Open                           |
| <b>Jeep B1B23</b> | Right Side Curtain Squib 1 Circuit Shorted Together               |
| <b>Jeep B1B28</b> | 1st Row Driver Seat Belt Pretensioner Circuit Low                 |
| <b>Jeep B1B29</b> | 1st Row Driver Seat Belt Pretensioner Circuit High                |
| <b>Jeep B1B2A</b> | 1st Row Driver Seat Belt Pretensioner Circuit Open                |
| <b>Jeep B1B2B</b> | 1st Row Driver Seat Belt Pretensioner Circuit Shorted Together    |
| <b>Jeep B1B2C</b> | 1st Row Passenger Seat Belt Pretensioner Circuit Low              |
| <b>Jeep B1B2D</b> | 1st Row Passenger Seat Belt Pretensioner Circuit High             |
| <b>Jeep B1B2E</b> | 1st Row Passenger Seat Belt Pretensioner Circuit Open             |
| <b>Jeep B1B2F</b> | 1st Row Passenger Seat Belt Pretensioner Circuit Shorted Together |
| <b>Jeep B1B50</b> | 1st Row Driver Seatbelt Sensor Circuit Low                        |
| <b>Jeep B1B51</b> | 1st Row Driver Seatbelt Sensor Circuit High                       |
| <b>Jeep B1B52</b> | 1st Row Driver Seatbelt Sensor Circuit Open                       |
| <b>Jeep B1B53</b> | 1st Row Driver Seatbelt Sensor Circuit Shorted Together           |
| <b>Jeep B1B54</b> | 1st Row Passenger Seat Belt Sensor Circuit Low                    |
| <b>Jeep B1B55</b> | 1st Row Passenger Seat Belt Sensor Circuit High                   |
| <b>Jeep B1B56</b> | 1st Row Passenger Seatbelt Sensor Circuit Open                    |

| CODES             | DEFINITION                                                  |
|-------------------|-------------------------------------------------------------|
| <b>Jeep B1B57</b> | 1st Row Passenger Seat Belt Sensor Circuit Shorted Together |
| <b>Jeep B1B71</b> | Up-Front Right Satellite Acceleration Sensor Internal       |
| <b>Jeep B1B72</b> | Left Side Satellite Acceleration Sensor 1 Internal          |
| <b>Jeep B1B73</b> | Left Side Satellite Acceleration Sensor 2 Internal          |
| <b>Jeep B1B74</b> | Left Side Satellite Acceleration Sensor 3 Internal          |
| <b>Jeep B1B75</b> | Right Side Satellite Acceleration Sensor 1 Internal         |
| <b>Jeep B1B76</b> | Right Side Satellite Acceleration Sensor 2 Internal         |
| <b>Jeep B1B77</b> | Right Side Satellite Acceleration Sensor 3 Internal         |
| <b>Jeep B1B8C</b> | Driver Seat Track Position Sensor Circuit Performance       |
| <b>Jeep B1B8D</b> | Driver Seat Track Position Sensor Circuit Low               |
| <b>Jeep B1B8E</b> | Driver Seat Track Position Sensor Circuit High              |
| <b>Jeep B1B8F</b> | Driver Seat Track Position Sensor Circuit Open              |
| <b>Jeep B1B90</b> | Driver Seat Track Position Sensor Circuit Shorted Together  |
| <b>Jeep B1B91</b> | Driver Seat Track Position Sensor Configuration Mismatch    |
| <b>Jeep B1B93</b> | Passenger Seat Track Position Sensor Circuit Low            |
| <b>Jeep B1B94</b> | Passenger Seat Track Position Sensor Circuit High           |
| <b>Jeep B1B95</b> | Passenger Seat Track Position Sensor Circuit Open           |
| <b>Jeep B1BA5</b> | Airbag Squib Configuration Mismatch                         |
| <b>Jeep B1BC7</b> | Deployment Data Record Full                                 |
| <b>Jeep B1BD0</b> | Roll Over Internal                                          |
| <b>Jeep B1C12</b> | Driver Active Headrest Control Circuit Low                  |

| CODES             | DEFINITION                                                  |
|-------------------|-------------------------------------------------------------|
| <b>Jeep B1C13</b> | Driver Active Headrest Control Circuit High                 |
| <b>Jeep B1C14</b> | Driver Active Headrest Control Circuit Open                 |
| <b>Jeep B1C16</b> | Driver Active Headrest Control Circuit Mismatch             |
| <b>Jeep B1C18</b> | Passenger Active Headrest Control Circuit Low               |
| <b>Jeep B1C19</b> | Passenger Active Headrest Control Circuit High              |
| <b>Jeep B1C1A</b> | Passenger Active Headrest Control Circuit Open              |
| <b>Jeep B1C1C</b> | Passenger Active Headrest Control Circuit Mismatch          |
| <b>Jeep B1C27</b> | Left Side Seat Thorax Squib 1 Low                           |
| <b>Jeep B1C28</b> | Left Side Seat Thorax Squib 1 High                          |
| <b>Jeep B1C29</b> | Left Side Seat Thorax Squib 1 Open                          |
| <b>Jeep B1C2A</b> | Left Side Seat Thorax Squib 1 Shorted Together              |
| <b>Jeep B1C2B</b> | Right Side Seat Thorax Squib 1 Low                          |
| <b>Jeep B1C2C</b> | Right Side Seat Thorax Squib 1 High                         |
| <b>Jeep B1C2D</b> | Right Side Seat Thorax Squib 1 Open                         |
| <b>Jeep B1C2E</b> | Right Side Seat Thorax Squib 1 Shorted Together             |
| <b>Jeep B1C38</b> | 1st Row Driver Retractor Tensioner Circuit Low              |
| <b>Jeep B1C39</b> | 1st Row Driver Retractor Tensioner Circuit High             |
| <b>Jeep B1C3A</b> | 1st Row Driver Retractor Tensioner Circuit Open             |
| <b>Jeep B1C3B</b> | 1st Row Driver Retractor Tensioner Circuit Shorted Together |
| <b>Jeep B1C3D</b> | 1st Row Driver Seat Belt Buckle Pretensioner Circuit Low    |
| <b>Jeep B1C3E</b> | 1st Row Driver Seat Belt Buckle Pretensioner Circuit High   |

| CODES             | DEFINITION                                                               |
|-------------------|--------------------------------------------------------------------------|
| <b>Jeep B1C3F</b> | 1st Row Driver Seat Belt Buckle Pretensioner Circuit Open                |
| <b>Jeep B1C40</b> | 1st Row Driver Seat Belt Buckle Pretensioner Circuit Shorted Together    |
| <b>Jeep B1C47</b> | 1st Row Passenger Retractor Tensioner Circuit Low                        |
| <b>Jeep B1C48</b> | 1st Row Passenger Retractor Tensioner Circuit High                       |
| <b>Jeep B1C49</b> | 1st Row Passenger Retractor Tensioner Circuit Open                       |
| <b>Jeep B1C4A</b> | 1st Row Passenger Retractor Tensioner Circuit Shorted Together           |
| <b>Jeep B1C4C</b> | 1st Row Passenger Seat Belt Buckle Pretensioner Circuit Low              |
| <b>Jeep B1C4D</b> | 1st Row Passenger Seat Belt Buckle Pretensioner Circuit High             |
| <b>Jeep B1C4E</b> | 1st Row Passenger Seat Belt Buckle Pretensioner Circuit Open             |
| <b>Jeep B1C4F</b> | 1st Row Passenger Seat Belt Buckle Pretensioner Circuit Shorted Together |
| <b>Jeep B1CDB</b> | Passenger Occupant Detector Circuit Low                                  |
| <b>Jeep B1CDC</b> | Passenger Occupant Detector Circuit High                                 |
| <b>Jeep B1CDD</b> | Passenger Occupant Detector Circuit Open                                 |
| <b>Jeep B1D04</b> | Mirror Adjust Switch Input Circuit/Performance                           |
| <b>Jeep B1D07</b> | Mirror Adjust Switch Input Circuit Stuck                                 |
| <b>Jeep B1D09</b> | Driver Mirror Position Sensor Power Supply Circuit Low                   |
| <b>Jeep B1D0A</b> | Driver Mirror Position Sensor Power Supply Circuit High                  |
| <b>Jeep B1D0C</b> | Driver Mirror Vertical Position Sensor Input Circuit Low                 |
| <b>Jeep B1D0D</b> | Driver Mirror Vertical Position Sensor Input Circuit High                |

| CODES             | DEFINITION                                                     |
|-------------------|----------------------------------------------------------------|
| <b>Jeep B1D0F</b> | Driver Mirror Horizontal Position Sensor Input Circuit Low     |
| <b>Jeep B1D10</b> | Driver Mirror Horizontal Position Sensor Input Circuit High    |
| <b>Jeep B1D12</b> | Passenger Mirror Position Sensor Power Supply Circuit Low      |
| <b>Jeep B1D13</b> | Passenger Mirror Position Sensor Power Supply Circuit High     |
| <b>Jeep B1D15</b> | Passenger Mirror Vertical Position Sensor Input Circuit Low    |
| <b>Jeep B1D16</b> | Passenger Mirror Vertical Position Sensor Input Circuit High   |
| <b>Jeep B1D18</b> | Passenger Mirror Horizontal Position Sensor Input Circuit Low  |
| <b>Jeep B1D19</b> | Passenger Mirror Horizontal Position Sensor Input Circuit High |
| <b>Jeep B1D1B</b> | Driver Mirror Motor Common Control Circuit Low                 |
| <b>Jeep B1D1C</b> | Driver Mirror Motor Common Control Circuit High                |
| <b>Jeep B1D1F</b> | Driver Mirror Vertical Motor Control Circuit Low               |
| <b>Jeep B1D20</b> | Driver Mirror Vertical Motor Control Circuit High              |
| <b>Jeep B1D23</b> | Driver Mirror Horizontal Motor Control Circuit Low             |
| <b>Jeep B1D24</b> | Driver Mirror Horizontal Motor Control Circuit High            |
| <b>Jeep B1D27</b> | Passenger Mirror Motor Common Control Circuit Low              |
| <b>Jeep B1D28</b> | Passenger Mirror Motor Common Control Circuit High             |
| <b>Jeep B1D2B</b> | Passenger Mirror Vertical Motor Control Circuit Low            |
| <b>Jeep B1D2C</b> | Passenger Mirror Vertical Motor Control Circuit High           |
| <b>Jeep B1D2F</b> | Passenger Mirror Horizontal Motor Control Circuit Low          |

| CODES             | DEFINITION                                             |
|-------------------|--------------------------------------------------------|
| <b>Jeep B1D30</b> | Passenger Mirror Horizontal Motor Control Circuit High |
| <b>Jeep B1D33</b> | Driver Mirror Heater Control Circuit Low               |
| <b>Jeep B1D35</b> | Driver Mirror Heater Control Circuit Open              |
| <b>Jeep B1D37</b> | Passenger Mirror Heater Control Circuit Low            |
| <b>Jeep B1D39</b> | Passenger Mirror Heater Control Circuit Open           |
| <b>Jeep B1D4C</b> | Memory Switch Input Circuit High                       |
| <b>Jeep B1D4D</b> | Memory Switch Input Circuit Stuck                      |
| <b>Jeep B1D4F</b> | Adjustable Pedal Inhibit Circuit Low                   |
| <b>Jeep B1D50</b> | Adjustable Pedal Inhibit Circuit High                  |
| <b>Jeep B1D51</b> | Adjustable Pedal Inhibit Circuit Open                  |
| <b>Jeep B1D53</b> | Switch Power Supply Circuit Low                        |
| <b>Jeep B1D56</b> | Adjustable Pedal Sensor Circuit Low                    |
| <b>Jeep B1D57</b> | Adjustable Pedal Sensor Circuit High                   |
| <b>Jeep B1D5B</b> | Adjustable Pedal Switch Circuit Performance            |
| <b>Jeep B1D5C</b> | Adjustable Pedal Switch Circuit Stuck Forward          |
| <b>Jeep B1D5D</b> | Adjustable Pedal Switch Circuit Stuck Rearward         |
| <b>Jeep B1D62</b> | Power Seat Switch Stuck                                |
| <b>Jeep B1D63</b> | Power Seat Switch Open                                 |
| <b>Jeep B1D67</b> | Adjustable Pedal Control Circuit Performance           |
| <b>Jeep B1D6D</b> | Seat Horizontal Position Sensor Circuit Low            |
| <b>Jeep B1D6E</b> | Seat Horizontal Position Sensor Circuit High           |
| <b>Jeep B1D71</b> | Seat Front Vertical Position Sensor Circuit Low        |



| CODES             | DEFINITION                                                  |
|-------------------|-------------------------------------------------------------|
| <b>Jeep B1D72</b> | Seat Front Vertical Position Sensor Circuit High            |
| <b>Jeep B1D75</b> | Seat Rear Vertical Position Sensor Circuit Low              |
| <b>Jeep B1D76</b> | Seat Rear Vertical Position Sensor Circuit High             |
| <b>Jeep B1D79</b> | Seat Recliner Position Sensor Circuit Low                   |
| <b>Jeep B1D7A</b> | Seat Recliner Position Sensor Circuit High                  |
| <b>Jeep B1D7B</b> | Seat Horizontal Motor Control Circuit Performance           |
| <b>Jeep B1D7F</b> | Seat Front Vertical Motor Control Circuit Performance       |
| <b>Jeep B1D83</b> | Seat Rear Vertical Motor Control Circuit Performance        |
| <b>Jeep B1D87</b> | Seat Backrest Motor Control - Circuit Performance           |
| <b>Jeep B1D93</b> | Steering Column Telescope Motor Control Circuit Performance |
| <b>Jeep B1D97</b> | Steering Column Tilt Motor Control Circuit Performance      |
| <b>Jeep B1D9B</b> | Seat Horizontal Front Stop Not Learned                      |
| <b>Jeep B1D9C</b> | Steering Column Tilt Switch                                 |
| <b>Jeep B1DA7</b> | Switch Power Supply Circuit Low                             |
| <b>Jeep B1E64</b> | Left Mirror Select Switch - Stuck                           |
| <b>Jeep B1E65</b> | Right Mirror Select Switch - Stuck                          |
| <b>Jeep B1F08</b> | Terrain Switch Bank Module Internal                         |
| <b>Jeep B2100</b> | Ignition Run/Start Input Circuit Performance                |
| <b>Jeep B2101</b> | Ignition Run/Start Input Low                                |
| <b>Jeep B2102</b> | Ignition Run/Start Input High                               |
| <b>Jeep B2104</b> | Ignition Run/Start Control Circuit Low                      |
| <b>Jeep B210A</b> | System Voltage Low                                          |

| CODES             | DEFINITION                                             |
|-------------------|--------------------------------------------------------|
| <b>Jeep B210B</b> | System Voltage High                                    |
| <b>Jeep B210C</b> | Battery Voltage Input                                  |
| <b>Jeep B210D</b> | Battery Voltage Low                                    |
| <b>Jeep B210E</b> | Battery Voltage High                                   |
| <b>Jeep B2112</b> | 5 Volt Supply Circuit Low                              |
| <b>Jeep B2113</b> | 5 Volt Supply Circuit High                             |
| <b>Jeep B211A</b> | Ignition Run/ACC/Spad Control Circuit Low              |
| <b>Jeep B211B</b> | Ignition Run/ACC/Spad Control Circuit High             |
| <b>Jeep B211E</b> | Ignition Run/ACC/Pad Control Circuit Low               |
| <b>Jeep B211F</b> | Ignition Run/ACC/Pad Control Circuit High              |
| <b>Jeep B2122</b> | Ignition Run Control 1 Circuit Low                     |
| <b>Jeep B2123</b> | Ignition Run Control Circuit High                      |
| <b>Jeep B2126</b> | Sensor Supply Voltage Low                              |
| <b>Jeep B2127</b> | Sensor Supply Voltage High                             |
| <b>Jeep B212C</b> | Ignition Run/Start Input Circuit Open                  |
| <b>Jeep B212D</b> | Ignition Run Only Input Circuit Open                   |
| <b>Jeep B212F</b> | Ignition Run/ACC Control Circuit Low                   |
| <b>Jeep B2133</b> | Ignition Run/Start (Remote Start) Control Circuit Low  |
| <b>Jeep B2134</b> | Ignition Run/Start (Remote Start) Control Circuit High |
| <b>Jeep B213F</b> | Ignition Start (Remote Start) Control Circuit Low      |
| <b>Jeep B2140</b> | Ignition Start (Remote Start) Control Circuit High     |
| <b>Jeep B2142</b> | Ignition Off Draw (IOD) Fuse Not Present               |

| CODES             | DEFINITION                                            |
|-------------------|-------------------------------------------------------|
| <b>Jeep B2181</b> | Heated Seat Module Power Supply Low                   |
| <b>Jeep B2182</b> | Heated Seat Module Power Supply High                  |
| <b>Jeep B2184</b> | Ignition Unlock Run/Start Control Circuit Low         |
| <b>Jeep B2185</b> | Ignition Unlock Run/Start Control Circuit High        |
| <b>Jeep B2188</b> | Ignition Start Control Circuit Low                    |
| <b>Jeep B2193</b> | Intelligent Battery Sensor Internal                   |
| <b>Jeep B219A</b> | Ignition Unlock Run/Start Control Circuit Overcurrent |
| <b>Jeep B219F</b> | Ignition Off Draw (IOD) Fuse Blown                    |
| <b>Jeep B21A1</b> | ECU Reset/Recovery Occurred                           |
| <b>Jeep B2201</b> | Calibration Mismatch                                  |
| <b>Jeep B2204</b> | ECU Configuration Mismatch                            |
| <b>Jeep B2205</b> | Original VIN Missing/Mismatch                         |
| <b>Jeep B2206</b> | Current VIN Missing / Mismatch                        |
| <b>Jeep B2207</b> | Occupant Restraint Controller Internal 1              |
| <b>Jeep B2208</b> | Occupant Restraint Controller Internal 2              |
| <b>Jeep B220B</b> | Occupant Restraint Controller Firing Stored Energy    |
| <b>Jeep B2211</b> | Light Rain Sensor Module Initialization Performance   |
| <b>Jeep B2213</b> | CCN Internal                                          |
| <b>Jeep B2214</b> | (HVAC) Climate Control Internal                       |
| <b>Jeep B2215</b> | Front Control Module Internal                         |
| <b>Jeep B2216</b> | Central Gateway Internal                              |
| <b>Jeep B2217</b> | EVIC/EOM/CMTC Internal                                |

| CODES             | DEFINITION                                                    |
|-------------------|---------------------------------------------------------------|
| <b>Jeep B2218</b> | Door Module Internal                                          |
| <b>Jeep B2219</b> | Door Module Internal                                          |
| <b>Jeep B221A</b> | (HSM) Heated Seat Module Internal                             |
| <b>Jeep B221C</b> | Memory Seat Module Internal                                   |
| <b>Jeep B221D</b> | Rain Sensor Module (RSM) Internal                             |
| <b>Jeep B221E</b> | Radio Internal - No Subtype Information                       |
| <b>Jeep B221F</b> | Amplifier Internal                                            |
| <b>Jeep B2224</b> | SKREEM Internal                                               |
| <b>Jeep B2225</b> | (SCM) Steering Column Module Internal                         |
| <b>Jeep B2227</b> | Sunroof ECU Internal                                          |
| <b>Jeep B2229</b> | SKREEM Internal - Skim Immobilizer                            |
| <b>Jeep B222A</b> | Vehicle Line Mismatch                                         |
| <b>Jeep B222B</b> | Vehicle Entertainment System Internal                         |
| <b>Jeep B222C</b> | Vehicle Configuration Not Programmed - No Subtype Information |
| <b>Jeep B222D</b> | ECU Unable To Configure/Configuration Not Learned             |
| <b>Jeep B222F</b> | Flash Write Performance                                       |
| <b>Jeep B2232</b> | (PTS) Parktronics Internal                                    |
| <b>Jeep B2233</b> | (PTS) Parktronics Front Display Internal                      |
| <b>Jeep B2234</b> | (PTS) Parktronics Rear Display Internal                       |
| <b>Jeep B223A</b> | Auto High Beam ECU Internal                                   |
| <b>Jeep B223B</b> | Vehicle Configuration Mismatch - No Subtype Information       |

| CODES             | DEFINITION                                              |
|-------------------|---------------------------------------------------------|
| <b>Jeep B223C</b> | Intrusion Transceiver Module Internal                   |
| <b>Jeep B224E</b> | Power Liftgate Module Internal                          |
| <b>Jeep B2254</b> | Column Lock Module Internal                             |
| <b>Jeep B2255</b> | Occupant Restraint Controller Roll Over Feature Disable |
| <b>Jeep B225C</b> | Compass Module Internal                                 |
| <b>Jeep B2286</b> | Calibration Not Learned/Lost Calibration                |
| <b>Jeep B2287</b> | Satellite Video Receiver Internal                       |
| <b>Jeep B228A</b> | ECU Not Initialized                                     |
| <b>Jeep B2298</b> | Rain Sensor Over Temperature                            |
| <b>Jeep B2299</b> | Rear Camera Module Internal                             |
| <b>Jeep B229B</b> | Passive Entry Module (PEM) Internal                     |
| <b>Jeep B22A4</b> | Adaptive Front Lighting System Not Calibrated           |
| <b>Jeep B22A9</b> | ECU Internal Performance                                |
| <b>Jeep B2300</b> | Wiper Mode Switch Input Circuit Performance             |
| <b>Jeep B2304</b> | Wiper Park Switch Input Circuit Low                     |
| <b>Jeep B2305</b> | Wiper Park Switch Input Circuit High                    |
| <b>Jeep B230A</b> | Rear Wiper Switch Input Circuit Low                     |
| <b>Jeep B230D</b> | Rear Wiper Park Switch Input Circuit Low (Stuck Low)    |
| <b>Jeep B230E</b> | Rear Wiper Park Switch Input Circuit High (Stuck High)  |
| <b>Jeep B2310</b> | Rear Washer Switch Input Circuit Low                    |
| <b>Jeep B2313</b> | Wiper On/Off Control Circuit Low                        |
| <b>Jeep B2314</b> | Wiper On/Off Control Circuit High                       |

| CODES             | DEFINITION                                   |
|-------------------|----------------------------------------------|
| <b>Jeep B2315</b> | Wiper On/Off Control Circuit Open            |
| <b>Jeep B2317</b> | Wiper Hi/Low Control Circuit Low             |
| <b>Jeep B2318</b> | Wiper Hi/Low Control Circuit High            |
| <b>Jeep B2319</b> | Wiper Hi/Low Control Circuit Open            |
| <b>Jeep B231F</b> | Front/Rear Washer Motor Control Circuit Low  |
| <b>Jeep B2320</b> | Front/Rear Washer Motor Control Circuit High |
| <b>Jeep B2323</b> | Headlamp Washer Motor Control Circuit Low    |
| <b>Jeep B2324</b> | Headlamp Washer Motor Control Circuit High   |
| <b>Jeep B2325</b> | Headlamp Washer Motor Control Circuit Open   |
| <b>Jeep B2328</b> | Washer Fluid Level Sensor Input Circuit High |
| <b>Jeep B2329</b> | Rain Sensor Optical Path 1 Performance       |
| <b>Jeep B232A</b> | Rain Sensor Optical Path 2 Performance       |
| <b>Jeep B232B</b> | Rain Sensor Optical Path 3 Performance       |
| <b>Jeep B232C</b> | Rain Sensor Optical Path 4 Performance       |
| <b>Jeep B232E</b> | Rear Washer Switch - Stuck                   |
| <b>Jeep B2336</b> | Horn Control Circuit Low                     |
| <b>Jeep B2337</b> | Horn Control Circuit High                    |
| <b>Jeep B2338</b> | Horn Control Circuit Open                    |
| <b>Jeep B2339</b> | Horn Switch Stuck                            |
| <b>Jeep B235A</b> | ECU in-Plant Mode                            |
| <b>Jeep B2367</b> | Window Washer Motor 1 Control Circuit        |
| <b>Jeep B2368</b> | Window Washer Motor 1 Control Circuit Low    |

| CODES             | DEFINITION                                      |
|-------------------|-------------------------------------------------|
| <b>Jeep B2369</b> | Window Washer Motor 1 Control Circuit High      |
| <b>Jeep B236A</b> | Window Washer Motor 1 Control Circuit Open      |
| <b>Jeep B2371</b> | Horn Control Circuit Overcurrent                |
| <b>Jeep B2372</b> | High Beam Switch Circuit                        |
| <b>Jeep B2374</b> | Washer Switch Input Circuit                     |
| <b>Jeep B2375</b> | Mist Switch Input Circuit                       |
| <b>Jeep B2376</b> | Rear Wiper Switch Input Circuit                 |
| <b>Jeep B2377</b> | Rear Washer Switch Input Circuit                |
| <b>Jeep B2378</b> | Flash To Pass Switch Circuit                    |
| <b>Jeep B23AA</b> | Implausible Data Received From Rain Sensor      |
| <b>Jeep B23BB</b> | Stop/Start Disable Switch 1 Circuit Open        |
| <b>Jeep B23BC</b> | Stop/Start Disable Switch 1 Circuit Performance |
| <b>Jeep B23BD</b> | Stop/Start Disable Switch 1 Circuit Low         |
| <b>Jeep B23BE</b> | Stop/Start Disable Switch 1 Circuit High        |
| <b>Jeep B23BF</b> | Stop/Start Disable Switch 2 Circuit Open        |
| <b>Jeep B23C0</b> | Stop/Start Disable Switch 2 Circuit Performance |
| <b>Jeep B23C1</b> | Stop/Start Disable Switch 2 Circuit Low         |
| <b>Jeep B23C2</b> | Stop/Start Disable Switch 2 Circuit High        |
| <b>Jeep B23C3</b> | Stop/Start Disable Switch 1/2 Correlation       |
| <b>Jeep B2598</b> | Door Module Front Left                          |
| <b>Jeep B2599</b> | Door Module Front Right                         |
| <b>Jeep B259A</b> | Front Left Door Handle Sense                    |

| CODES             | DEFINITION                                                      |
|-------------------|-----------------------------------------------------------------|
| <b>Jeep B259B</b> | Front Right Door Handle Sense                                   |
| <b>Jeep B259E</b> | Trunk/Liftgate Door Handle Lock Sense                           |
| <b>Jeep B25A3</b> | Front Left Door Handle Sensor                                   |
| <b>Jeep B25A4</b> | Front Right Door Handle Sensor                                  |
| <b>Jeep B25A7</b> | Trunk/Liftgate Handle Sensor                                    |
| <b>Jeep B25AB</b> | Liftgate Unlock Control Circuit Low                             |
| <b>Jeep B25AE</b> | Liftgate Unlock Control Circuit High                            |
| <b>Jeep B25BC</b> | Left Front Door Ajar Switch Stuck Closed                        |
| <b>Jeep B25C7</b> | Driver Door Ajar Switch 2 Circuit Low                           |
| <b>Jeep B25C8</b> | Driver Door Ajar Switch 2 Circuit High                          |
| <b>Jeep B25C9</b> | Driver Door Ajar Switch 2 Stuck Closed                          |
| <b>Jeep B25CB</b> | Driver Door Ajar Switch 1/Driver Door Ajar Switch 2 Correlation |
| <b>Jeep B2722</b> | ORC Unlocked - All Deployment Disabled                          |
| <b>Jeep B2734</b> | Passenger Occupant Detector Sensor Fault                        |
| <b>Jeep B273F</b> | Airbag Signal Test Failed                                       |
| <b>Jeep B2746</b> | Left Side Satellite Pressure Sensor 4 Internal                  |
| <b>Jeep B2749</b> | Right Side Satellite Pressure Sensor 4 Internal                 |
| <b>Jeep B275B</b> | Airbag Telltale                                                 |
| <b>Jeep B2805</b> | HID Headlamp Control Circuit Low                                |
| <b>Jeep B2807</b> | HID Headlamp Control Circuit Open                               |
| <b>Jeep B280B</b> | Rear Camera Video Input                                         |



| CODES             | DEFINITION                                                                   |
|-------------------|------------------------------------------------------------------------------|
| <b>Jeep B2830</b> | Driver Blind Spot Warning Indicator Control-Circuit Short To Battery Or Open |
| <b>Jeep B2854</b> | Implausible Data Received From AHBM                                          |
| <b>Jeep C1008</b> | Brake Fluid Level Circuit High                                               |
| <b>Jeep C100A</b> | Left Front Wheel Speed Sensor Circuit                                        |
| <b>Jeep C1011</b> | Left Front Wheel Speed Sensor Signal Erratic Performance                     |
| <b>Jeep C1014</b> | Left Front Wheel Speed Comparative Performance                               |
| <b>Jeep C1015</b> | Right Front Wheel Speed Sensor Circuit                                       |
| <b>Jeep C101C</b> | Right Front Wheel Speed Sensor Signal Erratic Performance                    |
| <b>Jeep C1020</b> | Left Rear Wheel Speed Sensor Circuit                                         |
| <b>Jeep C1027</b> | Left Rear Wheel Speed Sensor Signal Erratic Performance                      |
| <b>Jeep C102A</b> | Left Rear Wheel Speed Comparative Performance                                |
| <b>Jeep C102B</b> | Right Rear Wheel Speed Sensor Circuit                                        |
| <b>Jeep C1032</b> | Right Rear Wheel Speed Sensor Signal Erratic Performance                     |
| <b>Jeep C1035</b> | Right Rear Wheel Speed Comparative Performance                               |
| <b>Jeep C1041</b> | Left Front Tone Wheel Performance                                            |
| <b>Jeep C1042</b> | Right Front Tone Wheel Performance                                           |
| <b>Jeep C1043</b> | Left Rear Tone Wheel Performance                                             |
| <b>Jeep C1044</b> | Right Rear Tone Wheel Performance                                            |
| <b>Jeep C1046</b> | Left Front Wheel Pressure Phase Monitoring                                   |
| <b>Jeep C1047</b> | Right Front Wheel Pressure Phase Monitoring                                  |

| CODES             | DEFINITION                                        |
|-------------------|---------------------------------------------------|
| <b>Jeep C1048</b> | Left Rear Wheel Pressure Phase Monitoring         |
| <b>Jeep C1049</b> | Right Rear Wheel Pressure Phase Monitoring        |
| <b>Jeep C1073</b> | Abs Pump Motor Control Circuit                    |
| <b>Jeep C1078</b> | Tire Revolutions Range Performance                |
| <b>Jeep C107B</b> | Wheel Speed Comparative Performance               |
| <b>Jeep C1090</b> | Abs Brake Lamp Control Circuit Low                |
| <b>Jeep C1091</b> | Abs Brake Lamp Control Circuit High               |
| <b>Jeep C1217</b> | XBW Rule Violation 11                             |
| <b>Jeep C121A</b> | Steering Angle Sensor Not Initialized             |
| <b>Jeep C121C</b> | Torque Request Signal Denied                      |
| <b>Jeep C121D</b> | Brake Pressure Sensor Circuit                     |
| <b>Jeep C121E</b> | Brake Pressure Sensor Comparative Performance     |
| <b>Jeep C1231</b> | Drive Test: Steering Angle Sensor                 |
| <b>Jeep C1232</b> | Drive Test: Pressure Sensor                       |
| <b>Jeep C1234</b> | Drive Test: Sensor Cluster Installation           |
| <b>Jeep C1235</b> | Drive Test: Test Active                           |
| <b>Jeep C1238</b> | Drive Test: Unsuccessful                          |
| <b>Jeep C1239</b> | Emission Rolls Test Active                        |
| <b>Jeep C123A</b> | ESP System Sensors Calibration                    |
| <b>Jeep C123B</b> | ESP System Control Too Long                       |
| <b>Jeep C123C</b> | Dynamics Sensor Mounting/Installation Performance |
| <b>Jeep C123F</b> | Steering Angle Sensor Comparative Performance     |

| CODES             | DEFINITION                                         |
|-------------------|----------------------------------------------------|
| <b>Jeep C1240</b> | Steering Angle Sensor Angle Overtravel Performance |
| <b>Jeep C1242</b> | G Sensor Input Signal Performance                  |
| <b>Jeep C1243</b> | G Sensor Not Initialized                           |
| <b>Jeep C124B</b> | XBW Rule Violation 01                              |
| <b>Jeep C124C</b> | ACC Disabled Due To ESP                            |
| <b>Jeep C124F</b> | ESP Request Denied From ACC                        |
| <b>Jeep C125E</b> | ACC Sensor Adjustment Required                     |
| <b>Jeep C1266</b> | ACC Sensor Blinded                                 |
| <b>Jeep C1268</b> | XBW Rule Violation 02                              |
| <b>Jeep C1269</b> | XBW Rule Violation 03                              |
| <b>Jeep C126A</b> | XBW Rule Violation 04                              |
| <b>Jeep C126B</b> | XBW Rule Violation 05                              |
| <b>Jeep C126C</b> | XBW Rule Violation 06                              |
| <b>Jeep C126D</b> | XBW Rule Violation 07                              |
| <b>Jeep C126E</b> | XBW Rule Violation 08                              |
| <b>Jeep C126F</b> | XBW Rule Violation 09                              |
| <b>Jeep C1270</b> | XBW Rule Violation 10                              |
| <b>Jeep C1277</b> | ACC Disable Due To TCM                             |
| <b>Jeep C127A</b> | ESP Did Not Respond To Deceleration Request        |
| <b>Jeep C1400</b> | Transfer Case Range Select Switch Performance      |
| <b>Jeep C1401</b> | Transfer Case Range Select Switch Circuit Low      |
| <b>Jeep C1402</b> | Transfer Case Range Select Switch Circuit High     |

| CODES             | DEFINITION                                              |
|-------------------|---------------------------------------------------------|
| <b>Jeep C1403</b> | Transfer Case Range Position Sensor Performance         |
| <b>Jeep C1404</b> | Transfer Case Range Position Sensor Circuit Low         |
| <b>Jeep C1405</b> | Transfer Case Range Position Sensor Circuit High        |
| <b>Jeep C1406</b> | Transfer Case Brake Performance                         |
| <b>Jeep C1407</b> | Transfer Case Brake Control Circuit Low                 |
| <b>Jeep C1408</b> | Transfer Case Brake Control Circuit High                |
| <b>Jeep C140A</b> | Transfer Case Motor Performance                         |
| <b>Jeep C140D</b> | Transfer Case Motor Control Circuit Open                |
| <b>Jeep C140E</b> | Transfer Case Motor Blocked                             |
| <b>Jeep C140F</b> | Transfer Case Range Position Sensor Erratic Performance |
| <b>Jeep C1413</b> | 4 Hi/Lo Select Switch Circuit Stuck                     |
| <b>Jeep C1414</b> | Neutral Select Switch Circuit Stuck                     |
| <b>Jeep C1415</b> | Transfer Case Motor Current Performance                 |
| <b>Jeep C1417</b> | Front Differential Control Circuit Low                  |
| <b>Jeep C1418</b> | Front Differential Control Circuit High                 |
| <b>Jeep C141A</b> | Front Differential Control Circuit Current Performance  |
| <b>Jeep C141B</b> | Front Differential Clutch Performance                   |
| <b>Jeep C141D</b> | Rear Differential Control Circuit Low                   |
| <b>Jeep C141E</b> | Rear Differential Control Circuit High                  |
| <b>Jeep C1420</b> | Rear Differential Control Circuit Current Performance   |
| <b>Jeep C1421</b> | Rear Differential Clutch Performance                    |
| <b>Jeep C1438</b> | Transfer Case Differential Clutch Worn                  |

| CODES             | DEFINITION                                            |
|-------------------|-------------------------------------------------------|
| <b>Jeep C1444</b> | Transfer Case Motor Overuse                           |
| <b>Jeep C1472</b> | Transfer Case Clutch Control Circuit Performance      |
| <b>Jeep C1476</b> | Transfer Case Clutch Position Out Of Range            |
| <b>Jeep C148D</b> | Rear Differential Clutch Wear Limit Exceeded          |
| <b>Jeep C1490</b> | Rear Differential Actuator Initialization Failure     |
| <b>Jeep C14A3</b> | XBW Rule Violation                                    |
| <b>Jeep C14A4</b> | Sensor Adjustment Required                            |
| <b>Jeep C14A5</b> | Sensor Blinded                                        |
| <b>Jeep C1501</b> | Tire Pressure Sensor 1 Internal                       |
| <b>Jeep C1502</b> | Tire Pressure Sensor 2 Internal                       |
| <b>Jeep C1503</b> | Tire Pressure Sensor 3 Internal                       |
| <b>Jeep C1504</b> | Tire Pressure Sensor 4 Internal                       |
| <b>Jeep C1505</b> | Tire Pressure Sensor 5 Internal                       |
| <b>Jeep C1506</b> | Left Front Tire Pressure Trigger Module Performance   |
| <b>Jeep C1507</b> | Right Front Tire Pressure Trigger Module Performance  |
| <b>Jeep C1509</b> | Right Rear Tire Pressure Trigger Module Performance   |
| <b>Jeep C150A</b> | Left Front Tire Pressure Trigger Module Voltage High  |
| <b>Jeep C150B</b> | Right Front Tire Pressure Trigger Module Voltage High |
| <b>Jeep C150C</b> | Right Rear Tire Pressure Trigger Module Voltage High  |
| <b>Jeep C150D</b> | Right Rear Tire Pressure Trigger Module Voltage High  |
| <b>Jeep C151C</b> | Tire Pressure Sensors Missing                         |
| <b>Jeep C151D</b> | Tire Pressure Sensor Location Undetermined            |

| CODES             | DEFINITION                                               |
|-------------------|----------------------------------------------------------|
| <b>Jeep C156E</b> | Ride Height System Calibration Performance               |
| <b>Jeep C1597</b> | TPM System Deactivated - Winter Mode                     |
| <b>Jeep C15A1</b> | Unable To Obtain Desired Ride Height                     |
| <b>Jeep C15A2</b> | Ride Height System Unlevel                               |
| <b>Jeep C15A3</b> | Ride Height System Manually Switch Off                   |
| <b>Jeep C15A4</b> | Power Steering Assist Inhibited - Vehicle Speed Too High |
| <b>Jeep C15A7</b> | Air Suspension Up Button Stuck                           |
| <b>Jeep C15A8</b> | Air Suspension Down Button Stuck                         |
| <b>Jeep C15A9</b> | Height Sensor Mechanical Performance                     |
| <b>Jeep C15AA</b> | Air Leak During Vent                                     |
| <b>Jeep C15AB</b> | Air Leak During Fill                                     |
| <b>Jeep C15AE</b> | Compressor Pressure Line Leak                            |
| <b>Jeep C15C1</b> | EPS Mechanical Performance                               |
| <b>Jeep C15CB</b> | Front Axle Tire Pressure Placard Value Implausible       |
| <b>Jeep C15CC</b> | Rear Axle Tire Pressure Placard Value Implausible        |
| <b>Jeep C15D6</b> | Run Flat Tire Pressure Below Threshold                   |
| <b>Jeep C15D8</b> | Mismatch Tire Size                                       |
| <b>Jeep C15D9</b> | Low Air Mass                                             |
| <b>Jeep C15DB</b> | EPS Disabled                                             |
| <b>Jeep C167E</b> | Front Headlamp Leveling Sensor Circuit Low               |
| <b>Jeep C2100</b> | Battery Voltage Low                                      |
| <b>Jeep C2101</b> | Battery Voltage High                                     |

| CODES             | DEFINITION                                            |
|-------------------|-------------------------------------------------------|
| <b>Jeep C2109</b> | Drivetrain Supply Voltage Circuit Low                 |
| <b>Jeep C2111</b> | Drivetrain Sensor Supply Circuit Low                  |
| <b>Jeep C2112</b> | Drivetrain Sensor Supply Circuit High                 |
| <b>Jeep C2113</b> | Drivetrain Sensor Supply Voltage Circuit Open         |
| <b>Jeep C2114</b> | Dynamics Sensor Supply Voltage Low                    |
| <b>Jeep C2115</b> | Dynamics Sensor Supply Voltage High                   |
| <b>Jeep C2116</b> | ABS Pump Motor Supply Low Voltage                     |
| <b>Jeep C211B</b> | Ignition Run/Start Input                              |
| <b>Jeep C2128</b> | ECU Reset/Recovery Occured                            |
| <b>Jeep C2200</b> | Anti-Lock Brake Module Internal                       |
| <b>Jeep C2201</b> | FDCM/DTCM Internal                                    |
| <b>Jeep C2202</b> | Original VIN Mismatch / Missing                       |
| <b>Jeep C2205</b> | Steering Angle Sensor Internal                        |
| <b>Jeep C2206</b> | Vehicle Configuration Mismatch                        |
| <b>Jeep C220C</b> | Active Suspension Module Internal                     |
| <b>Jeep C220D</b> | Electrical Powered Hydraulic Steering Module Internal |
| <b>Jeep C2210</b> | ECU Overtemperature                                   |
| <b>Jeep C2212</b> | ECU In - Plant Mode Active                            |
| <b>Jeep C2217</b> | Electric Power Steering Module Internal               |
| <b>Jeep C2219</b> | ECU Unable To Configure/Configuration Not Learned     |
| <b>Jeep C221C</b> | ECU Flash Required                                    |
| <b>Jeep C221F</b> | ECU NOT INITIALIZED                                   |

| CODES             | DEFINITION                                                  |
|-------------------|-------------------------------------------------------------|
| <b>Jeep C2220</b> | Rear Differential ECU Internal                              |
| <b>Jeep C2221</b> | ELSD DTC Present                                            |
| <b>Jeep C2223</b> | ECU Configuration Mismatch                                  |
| <b>Jeep C2225</b> | PCM Disabled ECU                                            |
| <b>Jeep C2226</b> | TCM Disabled ECU                                            |
| <b>Jeep C2227</b> | ABS Disabled ECU                                            |
| <b>Jeep C2300</b> | RDM Classification Not Valid - No Subtype Information       |
| <b>Jeep C230A</b> | Neutral Indicator Control Circuit Low                       |
| <b>Jeep C230B</b> | Neutral Indicator Control Circuit High                      |
| <b>Jeep C2312</b> | TRAC/ESP OFF Switch Stuck                                   |
| <b>Jeep C2315</b> | ACC Disable Due To PCM Fault                                |
| <b>Jeep C2316</b> | Terrain Switch Stuck                                        |
| <b>Jeep P1004</b> | Short Runner Valve Control Performance                      |
| <b>Jeep P1005</b> | Manifold Tuning Valve Control Performance                   |
| <b>Jeep P1009</b> | Humidity Sensor Module                                      |
| <b>Jeep P101A</b> | Cylinder 1 Oil Supply Solenoid Valve Return Control Circuit |
| <b>Jeep P101B</b> | Cylinder 2 Oil Supply Solenoid Valve Return Control Circuit |
| <b>Jeep P101C</b> | Cylinder 3 Oil Supply Solenoid Valve Return Control Circuit |
| <b>Jeep P101D</b> | Cylinder 4 Oil Supply Solenoid Valve Return Control Circuit |
| <b>Jeep P1021</b> | Cylinder 1 Oil Supply Solenoid Valve Component Damage       |



| CODES             | DEFINITION                                                      |
|-------------------|-----------------------------------------------------------------|
| <b>Jeep P1022</b> | Cylinder 2 Oil Supply Solenoid Valve Component Damage           |
| <b>Jeep P1023</b> | Cylinder 3 Oil Supply Solenoid Valve Component Damage           |
| <b>Jeep P1024</b> | Cylinder 4 Oil Supply Solenoid Valve Component Damage           |
| <b>Jeep P1025</b> | Cylinder 1 Oil Supply Solenoid Valve Under Voltage              |
| <b>Jeep P1026</b> | Cylinder 1 Oil Supply Solenoid Valve Over Voltage               |
| <b>Jeep P1027</b> | Cylinder 2 Oil Supply Solenoid Valve Under Voltage              |
| <b>Jeep P1028</b> | Cylinder 2 Oil Supply Solenoid Valve Over Voltage               |
| <b>Jeep P1029</b> | Cylinder 3 Oil Supply Solenoid Valve Under Voltage              |
| <b>Jeep P102A</b> | Cylinder 3 Oil Supply Solenoid Valve Over Voltage               |
| <b>Jeep P102B</b> | Cylinder 4 Oil Supply Solenoid Valve Under Voltage              |
| <b>Jeep P102C</b> | Cylinder 4 Oil Supply Solenoid Valve Over Voltage               |
| <b>Jeep P1031</b> | Cylinder 1 Oil Supply Solenoid Valve Driver Voltage Implausible |
| <b>Jeep P1032</b> | Cylinder 2 Oil Supply Solenoid Valve Driver Voltage Implausible |
| <b>Jeep P1033</b> | Cylinder 3 Oil Supply Solenoid Valve Driver Voltage Implausible |
| <b>Jeep P1034</b> | Cylinder 4 Oil Supply Solenoid Valve Driver Voltage Implausible |
| <b>Jeep P1035</b> | Cylinder 1 Oil Supply Solenoid Valve Open Circuit               |
| <b>Jeep P1036</b> | Cylinder 1 Oil Supply Solenoid Valve Driver Short To Battery    |
| <b>Jeep P1037</b> | Cylinder 1 Oil Supply Solenoid Valve Driver Short To Ground     |
| <b>Jeep P1038</b> | Cylinder 2 Oil Supply Solenoid Valve Driver Open Circuit        |

| CODES             | DEFINITION                                                          |
|-------------------|---------------------------------------------------------------------|
| <b>Jeep P1039</b> | Cylinder 2 Oil Supply Solenoid Valve Driver Short To Battery        |
| <b>Jeep P103A</b> | Cylinder 2 Oil Supply Solenoid Valve Driver Short To Ground         |
| <b>Jeep P103B</b> | Cylinder 3 Oil Supply Solenoid Valve Driver Open Circuit            |
| <b>Jeep P103C</b> | Cylinder 3 Oil Supply Solenoid Valve Driver Short To Battery        |
| <b>Jeep P103D</b> | Cylinder 3 Oil Supply Solenoid Valve Driver Short To Ground         |
| <b>Jeep P103E</b> | Cylinder 4 Oil Supply Solenoid Valve Driver Open Circuit            |
| <b>Jeep P103F</b> | Cylinder 4 Oil Supply Solenoid Valve Driver Short To Battery        |
| <b>Jeep P1040</b> | Cylinder 4 Oil Supply Solenoid Valve Short To Ground                |
| <b>Jeep P1041</b> | Implausible Data From Cylinder 1 Oil Supply Solenoid Valve Received |
| <b>Jeep P1042</b> | Implausible Data From Cylinder 2 Oil Supply Solenoid Valve Received |
| <b>Jeep P1043</b> | Implausible Data From Cylinder 3 Oil Supply Solenoid Valve Received |
| <b>Jeep P1044</b> | Implausible Data From Cylinder 4 Oil Supply Solenoid Valve Received |
| <b>Jeep P1045</b> | Cylinder 1 Oil Supply Solenoid Valve Voltage Out Of Range           |
| <b>Jeep P1046</b> | Cylinder 1 Oil Supply Solenoid Valve Overcurrent                    |
| <b>Jeep P1047</b> | Cylinder 2 Oil Supply Solenoid Valve Voltage Out Of Range           |
| <b>Jeep P1048</b> | Cylinder 2 Oil Supply Solenoid Valve Overcurrent                    |
| <b>Jeep P1049</b> | Cylinder 3 Oil Supply Solenoid Valve Voltage Out Of Range           |

| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Jeep P104A</b> | Cylinder 3 Oil Supply Solenoid Valve Overcurrent          |
| <b>Jeep P104B</b> | Cylinder 4 Oil Supply Solenoid Valve Voltage Out Of Range |
| <b>Jeep P104C</b> | Cylinder 4 Oil Supply Solenoid Valve Overcurrent          |
| <b>Jeep P1050</b> | Intake Valve Control Solenoid 1 Circuit/Open              |
| <b>Jeep P1051</b> | Intake Valve Control Solenoid 1 Circuit Low               |
| <b>Jeep P1052</b> | Intake Valve Control Solenoid 1 Circuit High              |
| <b>Jeep P1053</b> | Intake Valve Control Solenoid 2 Circuit/Open              |
| <b>Jeep P1054</b> | Intake Valve Control Solenoid 2 Circuit Low               |
| <b>Jeep P1055</b> | Intake Valve Control Solenoid 2 Circuit High              |
| <b>Jeep P1056</b> | Intake Valve Control Solenoid 3 Circuit/Open              |
| <b>Jeep P1057</b> | Intake Valve Control Solenoid 3 Circuit Low               |
| <b>Jeep P1058</b> | Intake Valve Control Solenoid 3 Circuit High              |
| <b>Jeep P1059</b> | Intake Valve Control Solenoid 4 Circuit/Open              |
| <b>Jeep P105A</b> | Intake Valve Control Solenoid 4 Circuit Low               |
| <b>Jeep P105B</b> | Intake Valve Control Solenoid 4 Circuit High              |
| <b>Jeep P105C</b> | Intake Valve Stuck in Low Lift Position                   |
| <b>Jeep P105D</b> | Intake Valve Stuck in High Lift Position                  |
| <b>Jeep P1061</b> | Cylinder 1 Oil Supply Solenoid Valve Stuck                |
| <b>Jeep P1062</b> | Cylinder 2 Oil Supply Solenoid Valve Stuck                |
| <b>Jeep P1063</b> | Cylinder 3 Oil Supply Solenoid Valve Stuck                |
| <b>Jeep P1064</b> | Cylinder 4 Oil Supply Solenoid Valve Stuck                |

| CODES             | DEFINITION                                                        |
|-------------------|-------------------------------------------------------------------|
| <b>Jeep P1065</b> | Cylinder 1 Oil Supply Solenoid Valve Switch On Time Out Of Range  |
| <b>Jeep P1066</b> | Cylinder 1 Oil Supply Solenoid Valve Switch Off Time Out Of Range |
| <b>Jeep P1067</b> | Cylinder 2 Oil Supply Solenoid Valve Switch On Time Out Of Range  |
| <b>Jeep P1068</b> | Cylinder 2 Oil Supply Solenoid Valve Switch Off Time Out Of Range |
| <b>Jeep P1069</b> | Cylinder 3 Oil Supply Solenoid Valve Switch On Time Out Of Range  |
| <b>Jeep P106A</b> | Cylinder 3 Oil Supply Solenoid Valve Switch Off Time Out Of Range |
| <b>Jeep P106B</b> | Cylinder 4 Oil Supply Solenoid Valve Switch On Time Out Of Range  |
| <b>Jeep P106C</b> | Cylinder 4 Oil Supply Solenoid Valve Switch Off Time Out Of Range |
| <b>Jeep P1070</b> | Intake Valve Control Solenoid 1 Range/Performance                 |
| <b>Jeep P1071</b> | Intake Valve Control Solenoid 2 Range/Performance                 |
| <b>Jeep P1072</b> | Intake Valve Control Solenoid 3 Range/Performance                 |
| <b>Jeep P1073</b> | Intake Valve Control Solenoid 4 Range/Performance                 |
| <b>Jeep P1101</b> | ACM Crash Signal Received                                         |
| <b>Jeep P1102</b> | Viscous/Cabin Heater Relay Error                                  |
| <b>Jeep P1115</b> | General Temperature Rationality                                   |
| <b>Jeep P1128</b> | Closed Loop Fueling Not Achieved - Bank 1 Upstream                |
| <b>Jeep P1129</b> | Closed Loop Fueling Not Achieved - Bank 2 Upstream                |
| <b>Jeep P112A</b> | O2 Sensor 1/1 Pumping Undercurrent                                |
| <b>Jeep P112B</b> | O2 Sensor 1/1 Pumping Overcurrent                                 |

| CODES             | DEFINITION                                             |
|-------------------|--------------------------------------------------------|
| <b>Jeep P112C</b> | O2 Sensor 2/1 Pumping Undercurrent                     |
| <b>Jeep P112D</b> | O2 Sensor 2/1 Pumping Overcurrent                      |
| <b>Jeep P112E</b> | O2 Sensor 1/1 Performance                              |
| <b>Jeep P112F</b> | O2 Sensor 2/1 Performance                              |
| <b>Jeep P1131</b> | Glow Plug Module Voltage Supply                        |
| <b>Jeep P1132</b> | Glow Plug Module Internal Fault                        |
| <b>Jeep P1135</b> | Glow Plug Module Control Circuit Fault                 |
| <b>Jeep P113D</b> | O2 Sensor 1/1 Slow Response (High Frequency)           |
| <b>Jeep P113E</b> | O2 Sensor 2/1 Slow Response (High Frequency)           |
| <b>Jeep P1140</b> | Vacuum Reservoir Solenoid Open Or Short-To-Ground      |
| <b>Jeep P1142</b> | Fuel Pressure Solenoid Open Or Short-To-Ground Circuit |
| <b>Jeep P1155</b> | Fuel Rail Pressure Too High Malfunction                |
| <b>Jeep P1159</b> | Improper Start Attempt                                 |
| <b>Jeep P1160</b> | Ignition Voltage Improper Signal                       |
| <b>Jeep P1167</b> | Capacitor Voltage Problem                              |
| <b>Jeep P1168</b> | ECM Communication Error                                |
| <b>Jeep P1169</b> | ECM A/D Converter Error                                |
| <b>Jeep P1170</b> | Fuel System Lean Signal Plausibility Failure           |
| <b>Jeep P1171</b> | Fuel System Lean Signal Incorrect After Event          |
| <b>Jeep P1172</b> | Fuel System Rich Signal Plausibility Failure           |
| <b>Jeep P1173</b> | Fuel System Rich Signal Incorrect After Event          |
| <b>Jeep P1185</b> | General Pressure Sensor Correlation                    |

| CODES             | DEFINITION                                              |
|-------------------|---------------------------------------------------------|
| <b>Jeep P1191</b> | Missing Rail Bleed Missing Calibration                  |
| <b>Jeep P1192</b> | Missing Fuel Prime Missing Calibration                  |
| <b>Jeep P1193</b> | Intake Air Temperature Sensor Circuit High Input        |
| <b>Jeep P1195</b> | O2 (B1 S1) Circuit Insufficient Activity                |
| <b>Jeep P1196</b> | O2 (B2 S1) Circuit Insufficient Activity                |
| <b>Jeep P1197</b> | O2 (B1 S2) Circuit Insufficient Activity                |
| <b>Jeep P1200</b> | Multiple Injector Failure Detected                      |
| <b>Jeep P1205</b> | Fuel Pump Control Module Internal Performance           |
| <b>Jeep P1206</b> | Fuel Pump Control Module Open Circuit To Fuel Pump      |
| <b>Jeep P120A</b> | Fuel Pump Control Module "B" Internal Performance       |
| <b>Jeep P120B</b> | Fuel Pump Control Module "B" Open Circuit To Fuel Pump  |
| <b>Jeep P1212</b> | Engine Oil Temperature High - RPM Limited               |
| <b>Jeep P1220</b> | Excessive Cycling Of Reductant Line Air Purging Control |
| <b>Jeep P1221</b> | Excessive Cycling Of Reductant Pump Inlet Defrosting    |
| <b>Jeep P1222</b> | Excessive Cycling Of Reductant Pump Outlet Defrosting   |
| <b>Jeep P1239</b> | Engine Oil Temperature Too Low                          |
| <b>Jeep P1250</b> | Vacuum Reservoir Solenoid Open Circuit                  |
| <b>Jeep P1251</b> | Vacuum Reservoir Solenoid Short-To-Ground Circuit       |
| <b>Jeep P1252</b> | Vacuum Reservoir Solenoid Short Circuit                 |
| <b>Jeep P125D</b> | Door Switch From Wire - Wrong Value                     |
| <b>Jeep P1270</b> | Intake Manifold Runner (Swirl) Performance              |
| <b>Jeep P1273</b> | A/C Control Circuit 2 High                              |

| CODES             | DEFINITION                                                                                           |
|-------------------|------------------------------------------------------------------------------------------------------|
| <b>Jeep P1275</b> | A/C Control Circuit 2 Overcurrent                                                                    |
| <b>Jeep P1277</b> | Plausibility Check Vsensing Short To Gound Or Open Circuit During Crank                              |
| <b>Jeep P1278</b> | Plausibility Check Relay1 And Relay2 Stuck Closed Or Short Circuit To Battery Vsensing At Ignitionon |
| <b>Jeep P1279</b> | Plausibility Check Relay1 Or Relay2 Stuck Open Cranking Missed                                       |
| <b>Jeep P127A</b> | Starter Control Circuit 2 Overcurrent                                                                |
| <b>Jeep P127C</b> | Fuel Pump Control Circuit 2 Low                                                                      |
| <b>Jeep P127D</b> | Fuel Pump Control Circuit 2 High                                                                     |
| <b>Jeep P127E</b> | Fuel Pump Control Circuit 2 Open                                                                     |
| <b>Jeep P127F</b> | Fuel Pump Control Circuit 2 Overcurrent                                                              |
| <b>Jeep P1281</b> | Engine Is Cold Too Long                                                                              |
| <b>Jeep P1282</b> | Fuel Pump Relay Control Circuit Malfunction                                                          |
| <b>Jeep P1286</b> | NOx Sensor 1/1 Zero Offset Too High                                                                  |
| <b>Jeep P1287</b> | NOx Sensor 1/1 Zero Offset Too Low                                                                   |
| <b>Jeep P1288</b> | NOx Sensor 1/2 Zero Offset Too High                                                                  |
| <b>Jeep P1289</b> | NOx Sensor 1/2 Zero Offset Too Low                                                                   |
| <b>Jeep P128B</b> | TCM Power Control Circuit 2 Low                                                                      |
| <b>Jeep P128C</b> | TCM Power Control Circuit 2 High                                                                     |
| <b>Jeep P128D</b> | TCM Power Control Circuit 2 Open                                                                     |
| <b>Jeep P128E</b> | TCM Power Control Circuit 2 Overcurrent                                                              |
| <b>Jeep P1294</b> | Target Idle Speed Not Reached                                                                        |
| <b>Jeep P1296</b> | EGR Slow Response - Increasing Flow                                                                  |

| CODES             | DEFINITION                                                               |
|-------------------|--------------------------------------------------------------------------|
| <b>Jeep P1297</b> | EGR Slow Response - Decreasing Flow                                      |
| <b>Jeep P1299</b> | Vacuum Leak Present With IAC Valve Fully Seated                          |
| <b>Jeep P129C</b> | Inverter Control Circuit High                                            |
| <b>Jeep P129E</b> | Inverter Control Circuit Overcurrent                                     |
| <b>Jeep P1300</b> | Crankshaft Position Learn Out Of Range                                   |
| <b>Jeep P130A</b> | Misfire 200 Component Or System Over Temperature                         |
| <b>Jeep P1388</b> | Auto Shutdown Relay Control Circuit Malfunction                          |
| <b>Jeep P1389</b> | No Auto Shutdown Relay Output Voltage To PCM                             |
| <b>Jeep P1390</b> | Timing Belt Skipped One Tooth Or More                                    |
| <b>Jeep P1391</b> | CKP Or CMP Sensor Signal Intermittent                                    |
| <b>Jeep P1398</b> | Misfire Adaptive Numerator At Limit                                      |
| <b>Jeep P1400</b> | Aftermarket Calibration Detected/Warranty Coverage Confirmation Required |
| <b>Jeep P1404</b> | EGR Close Position Performance                                           |
| <b>Jeep P1411</b> | Cylinder 1 Reactivation Control Performance                              |
| <b>Jeep P1414</b> | Cylinder 4 Reactivation Control Performance                              |
| <b>Jeep P1416</b> | Cylinder 6 Reactivation Control Performance                              |
| <b>Jeep P1417</b> | Cylinder 7 Reactivation Control Performance                              |
| <b>Jeep P141B</b> | Starter Control 1 Circuit Performance                                    |
| <b>Jeep P141C</b> | Starter Control 2 Circuit Performance                                    |
| <b>Jeep P141D</b> | Starter Relay Feedback Open Circuit Performance                          |
| <b>Jeep P1452</b> | Differential Pressure Sensor Hose Performance                            |
| <b>Jeep P1453</b> | Differential Pressure Sensor Hose Blocked                                |



| CODES             | DEFINITION                                               |
|-------------------|----------------------------------------------------------|
| <b>Jeep P1454</b> | Differential Pressure Sensor Flow Too High               |
| <b>Jeep P1456</b> | Fuel Tank Pressure Sensor Circuit Low                    |
| <b>Jeep P1457</b> | Fuel Tank Pressure Sensor Circuit High                   |
| <b>Jeep P1480</b> | Positive Crankcase Ventilation Solenoid Circuit Failure  |
| <b>Jeep P1481</b> | EVAP Leak Detection Monitor Pinched Hose Detected        |
| <b>Jeep P1486</b> | EVAP Leak Detection Monitor Pinched Hose Detected        |
| <b>Jeep P1487</b> | After Run Coolant Pump Control Circuit Open              |
| <b>Jeep P1488</b> | After Run Coolant Pump Control Circuit Low               |
| <b>Jeep P1489</b> | After Run Coolant Pump Control Circuit High              |
| <b>Jeep P1490</b> | After Run Coolant Pump Performance                       |
| <b>Jeep P1491</b> | After Run Coolant Pump Circuit High                      |
| <b>Jeep P1492</b> | Battery Temperature Sensor Circuit High Input            |
| <b>Jeep P1493</b> | Battery Temperature Sensor Circuit Low Input             |
| <b>Jeep P1494</b> | EVAP Leak Detection Pump Switch Or Mechanical Fault      |
| <b>Jeep P1495</b> | Left Front Seatbelt Switch Circuit High                  |
| <b>Jeep P1496</b> | Left Front Seatbelt Switch Circuit Low                   |
| <b>Jeep P1498</b> | No CCD Messages Received From The TCM                    |
| <b>Jeep P1499</b> | Radiator (Hydraulic) Fan Solenoid Circuit Failure        |
| <b>Jeep P1500</b> | ECU Configuration Mismatch                               |
| <b>Jeep P1501</b> | Vehicle Speed Sensor No. 1/2 Drive Wheel Correlation     |
| <b>Jeep P1502</b> | Vehicle Speed Sensor No. 1/2 Non-Drive Wheel Correlation |
| <b>Jeep P1506</b> | Unexpected Speed Limiter Deactivation                    |

| CODES             | DEFINITION                                                                            |
|-------------------|---------------------------------------------------------------------------------------|
| <b>Jeep P1507</b> | Speed Limiter: Vehicle Speed Increment Without Set Activation                         |
| <b>Jeep P1508</b> | Implausibility Between Vehicle Speed And Speed Limiter Control                        |
| <b>Jeep P150D</b> | Cold Start Rough Idle - Open Throttle Start                                           |
| <b>Jeep P1513</b> | Starter Request Switch Stuck                                                          |
| <b>Jeep P1515</b> | Plausibility Check Relay1 Stuck Closed Or Vsensing Short To Battery In Engine Running |
| <b>Jeep P1518</b> | Plausibility Check Relay2 Stuck Closed Or Vsensing Short To Battery In Engine Running |
| <b>Jeep P1521</b> | Incorrect Engine Oil Type                                                             |
| <b>Jeep P1523</b> | VVA Low Oil Pressure                                                                  |
| <b>Jeep P1524</b> | Oil Pressure Out Of Range - Camshaft Advance/Retard Disabled                          |
| <b>Jeep P152A</b> | Engine Hood Switch Ajar While Driving                                                 |
| <b>Jeep P152C</b> | Engine Hood Switch 2 Circuit Range/Performance                                        |
| <b>Jeep P152D</b> | Engine Hood Switch 2 Circuit Low                                                      |
| <b>Jeep P152E</b> | Engine Hood Switch 2 Circuit High                                                     |
| <b>Jeep P152F</b> | Engine Hood Switch 2 / Engine Hood Switch 1 Correlation                               |
| <b>Jeep P1572</b> | Brake Pedal Stuck On                                                                  |
| <b>Jeep P1573</b> | Brake Pedal Stuck Off                                                                 |
| <b>Jeep P1593</b> | Speed Control Switch 1/2 Stuck                                                        |
| <b>Jeep P1594</b> | Charging System Voltage Too High                                                      |
| <b>Jeep P1595</b> | Speed Control Solenoid Circuit Failure                                                |
| <b>Jeep P1596</b> | Speed Control Switch Continuous High Input                                            |

| CODES             | DEFINITION                                                     |
|-------------------|----------------------------------------------------------------|
| <b>Jeep P1597</b> | Speed Control Switch Continuous Low Input                      |
| <b>Jeep P1598</b> | A/C Pressure Sensor Circuit High Input                         |
| <b>Jeep P1599</b> | A/C Pressure Sensor Circuit Low Input                          |
| <b>Jeep P1601</b> | Internal TCM Computer Error                                    |
| <b>Jeep P1602</b> | PCM Not Programmed                                             |
| <b>Jeep P1603</b> | Powertrain Control Module Internal Dual-Port Ram Communication |
| <b>Jeep P1604</b> | PCM Internal Dual-Port Ram Read/Write Integrity Failure        |
| <b>Jeep P1607</b> | PCM Internal Shutdown Timer Rationality                        |
| <b>Jeep P1609</b> | Internal Control Module Engine Oil Temperature Performance     |
| <b>Jeep P1610</b> | Supercharger Bypass Valve Position Sensor 1 Circuit Low        |
| <b>Jeep P1611</b> | Supercharger Bypass Valve Position Sensor 1 Circuit High       |
| <b>Jeep P1614</b> | ECU Reset-Recovery Occurred                                    |
| <b>Jeep P1616</b> | Supercharger Bypass Valve Position Sensor 2 Circuit Low        |
| <b>Jeep P1617</b> | Supercharger Bypass Valve Position Sensor 2 Circuit High       |
| <b>Jeep P1618</b> | Sensor Reference Voltage 1 Erratic                             |
| <b>Jeep P161B</b> | Battery Disconnect / TCM Internal                              |
| <b>Jeep P1620</b> | Supercharger Bypass Valve Control Circuit Open                 |
| <b>Jeep P1621</b> | O2 Sensor Reference Voltage Circuit Low                        |
| <b>Jeep P1622</b> | O2 Sensor Reference Voltage Circuit High                       |
| <b>Jeep P1627</b> | Supercharger Bypass Valve Position Sensor 1/2 Correlation      |
| <b>Jeep P1628</b> | Sensor Reference Voltage 2 Erratic                             |

| CODES             | DEFINITION                                                                                       |
|-------------------|--------------------------------------------------------------------------------------------------|
| <b>Jeep P1629</b> | TCM Internal - Solenoid Supply                                                                   |
| <b>Jeep P162A</b> | Supercharger Bypass Valve Actuator Control System - Max PWM Exceeded                             |
| <b>Jeep P162B</b> | Supercharger Bypass Valve Actuator Control System - Temporary PWM/RPM Max Exceeded               |
| <b>Jeep P162C</b> | Supercharger Bypass Valve Control Circuit                                                        |
| <b>Jeep P1631</b> | TCM Internal- Processor Clock Performance                                                        |
| <b>Jeep P1632</b> | TCM Internal - Test Internal Watchdog Performance                                                |
| <b>Jeep P1633</b> | TCM Internal - Test External Watchdog Performance                                                |
| <b>Jeep P1634</b> | TCM Internal Internal Watchdog Performance                                                       |
| <b>Jeep P1636</b> | TCM Internal- External Watchdog Performance                                                      |
| <b>Jeep P1637</b> | TCM Internal-Eeprom Performance                                                                  |
| <b>Jeep P1638</b> | Dual Port RAM - Component Internal Failure                                                       |
| <b>Jeep P1639</b> | TCM Internal-CAN 2 RAM Performance                                                               |
| <b>Jeep P1643</b> | Supercharger Bypass Valve Actuator Control System - Stuck Closed                                 |
| <b>Jeep P1644</b> | Incorrect Variant/Configuration                                                                  |
| <b>Jeep P1645</b> | Supercharger Bypass Valve Actuator Control System - Unable To Close                              |
| <b>Jeep P1648</b> | Glow Plug Module Internal                                                                        |
| <b>Jeep P1649</b> | Glow Plug Module Power Supply Circuit                                                            |
| <b>Jeep P1652</b> | Serial Communication Link Malfunction                                                            |
| <b>Jeep P165B</b> | Intelligent Alternator Module Functional Test General Electrical Failure Circuit Short To Ground |
| <b>Jeep P1660</b> | Emergency Stop Fuel Shut-Off Solenoid                                                            |

| CODES             | DEFINITION                                              |
|-------------------|---------------------------------------------------------|
| <b>Jeep P1661</b> | Sensor Ground Reference Circuit                         |
| <b>Jeep P1665</b> | Supercharger Bypass Valve Control System - Ice Blockage |
| <b>Jeep P1666</b> | Cruise Control Module Internal                          |
| <b>Jeep P1679</b> | Calibration Not Learned                                 |
| <b>Jeep P167A</b> | Calibration Mismatch                                    |
| <b>Jeep P1682</b> | Charging System Voltage Too Low                         |
| <b>Jeep P1683</b> | Speed Control Relay Or Driver Circuit Malfunction       |
| <b>Jeep P1684</b> | Battery Has Been Disconnected                           |
| <b>Jeep P1685</b> | Smart Key Immobilizer Module Invalid Key                |
| <b>Jeep P1686</b> | EGR Actuator Control Circuit Low - Positive Side        |
| <b>Jeep P1687</b> | No Cluster Bus Messages                                 |
| <b>Jeep P1688</b> | EGR Actuator Control Circuit High - Positive Side       |
| <b>Jeep P1689</b> | EGR Actuator Control Circuit Low - Negative Side        |
| <b>Jeep P168A</b> | EGR Actuator Control Circuit High - Negative Side       |
| <b>Jeep P1690</b> | Reductant Injection Valve Circuit Low - Positive Side   |
| <b>Jeep P1691</b> | Reductant Injection Valve Circuit High - Positive Side  |
| <b>Jeep P1692</b> | Reductant Injection Valve Circuit Low - Negative Side   |
| <b>Jeep P1693</b> | Reductant Injection Valve Circuit High - Negative Side  |
| <b>Jeep P1694</b> | No PCM Bus Messages                                     |
| <b>Jeep P1695</b> | No BCM Bus Messages                                     |
| <b>Jeep P1696</b> | EEPROM Memory Write Denied Invalid                      |
| <b>Jeep P1697</b> | EMR (SRI) Mileage Not Stored                            |

| CODES             | DEFINITION                                                                    |
|-------------------|-------------------------------------------------------------------------------|
| <b>Jeep P1698</b> | No CCD Messages Received From The TCM                                         |
| <b>Jeep P16A0</b> | ETC Motor Error Position                                                      |
| <b>Jeep P16A1</b> | Motorized Throttle Self Learning Low Battery Unexpected Operation             |
| <b>Jeep P16A2</b> | ETC Motor Self-Learning (Limp Home Position)                                  |
| <b>Jeep P16A3</b> | ETC Motor Self-Learning (Mechanical Throttle Closure)                         |
| <b>Jeep P16A4</b> | ETC Motor Self Learning (Spring Closure)                                      |
| <b>Jeep P16A5</b> | ETC Motor Self Learning (Spring Opening)                                      |
| <b>Jeep P16AA</b> | Speed Control Disabled Due To High Acceleration                               |
| <b>Jeep P16AB</b> | Speed Control Disabled Due To Excessive Deceleration                          |
| <b>Jeep P16F0</b> | Mgs Communication Fault -K1 And Ppv2-Ppv2-Ppvs - Invalid Serial Data Received |
| <b>Jeep P1702</b> | Primary Oil Pressure Sensor / Secondary Oil Pressure Sensor Correlation       |
| <b>Jeep P1703</b> | Brake Switch From Wire - Circuit Open                                         |
| <b>Jeep P1704</b> | Input Speed Sensor 1 Overspeed                                                |
| <b>Jeep P1705</b> | Input Speed Sensor 2 Overspeed                                                |
| <b>Jeep P1713</b> | Restricted Manual Valve In T2 Range                                           |
| <b>Jeep P1715</b> | A/T Pulse Generator Assembly Circuit Malfunction                              |
| <b>Jeep P1716</b> | Bus Communication Failure With The PCM                                        |
| <b>Jeep P1717</b> | Bus Communication Failure With The MIC                                        |
| <b>Jeep P1718</b> | EEPROM Integrity Failure                                                      |
| <b>Jeep P1719</b> | A/T Skip Shift Solenoid Control Circuit Malfunction                           |
| <b>Jeep P1720</b> | Output Speed Sensor-Wheel Speed Rationality                                   |

| CODES             | DEFINITION                                                   |
|-------------------|--------------------------------------------------------------|
| <b>Jeep P1723</b> | Lock Up / Select Control Circuit                             |
| <b>Jeep P1725</b> | Transmission Range Sensor C Circuit Low                      |
| <b>Jeep P1726</b> | Transmission Range Sensor C Circuit High                     |
| <b>Jeep P1727</b> | Transmission Range Sensor D Circuit Low                      |
| <b>Jeep P1728</b> | Transmission Range Sensor D Circuit High                     |
| <b>Jeep P1729</b> | Transmission Ratio Control Circuit                           |
| <b>Jeep P1731</b> | Incorrect Gear Engaged                                       |
| <b>Jeep P1732</b> | Throttle Actuator Control Motor Circuit Low - Positive Side  |
| <b>Jeep P1733</b> | Throttle Actuator Control Motor Circuit High - Positive Side |
| <b>Jeep P1734</b> | Throttle Actuator Control Motor Circuit Low - Negative Side  |
| <b>Jeep P1735</b> | Throttle Actuator Control Motor Circuit High - Negative Side |
| <b>Jeep P1736</b> | Gear Ratio Error In 2nd Prime                                |
| <b>Jeep P1738</b> | A/T High Temperature Operation Activated                     |
| <b>Jeep P1739</b> | A/T Power Up Circuit At Speed                                |
| <b>Jeep P1740</b> | TCM Internal Malfunction                                     |
| <b>Jeep P1742</b> | TCM Internal Malfunction                                     |
| <b>Jeep P1743</b> | TCM Internal Malfunction                                     |
| <b>Jeep P1744</b> | A/T Shift Solenoid 'A' Control Circuit Low Input             |
| <b>Jeep P1745</b> | A/T Shift Solenoid 'A' Control Circuit High Input            |
| <b>Jeep P1746</b> | A/T Shift Solenoid 'B' Control Circuit Low Input             |

| CODES             | DEFINITION                                             |
|-------------------|--------------------------------------------------------|
| <b>Jeep P1747</b> | A/T Shift Solenoid 'B' Control Circuit High Input      |
| <b>Jeep P1748</b> | A/T TCC Solenoid 'C' Control Circuit Low Input         |
| <b>Jeep P1749</b> | A/T Shift Solenoid 'C' Control Circuit High Input      |
| <b>Jeep P1756</b> | A/T Governor Pressure Not Equal To Target At 15-20 PSI |
| <b>Jeep P1757</b> | A/T Governor Pressure Above 3 PSI In Gear At 0 MPH     |
| <b>Jeep P1762</b> | A/T Governor Pressure Sensor Offset Volts Too High/Low |
| <b>Jeep P1763</b> | A/T Governor Pressure Sensor Signal Too High           |
| <b>Jeep P1764</b> | A/T Governor Pressure Sensor Signal Too Low            |
| <b>Jeep P1765</b> | A/T Transmission Relay Circuit Malfunction             |
| <b>Jeep P1767</b> | A/T Transmission Relay Circuit Malfunction             |
| <b>Jeep P1768</b> | A/T Transmission Relay Output Always Off               |
| <b>Jeep P176D</b> | Transmission Fluid Temperature Too High                |
| <b>Jeep P1775</b> | A/T Solenoid Switch Latched In TCC Position            |
| <b>Jeep P1776</b> | A/T Solenoid Switch Latched In Low/Reverse Position    |
| <b>Jeep P1781</b> | A/T Overdrive Pressure Switch Circuit Malfunction      |
| <b>Jeep P1782</b> | A/T Overdrive Pressure Switch Circuit Malfunction      |
| <b>Jeep P1784</b> | A/T Additional L/R Pressure Switch Circuit Malfunction |
| <b>Jeep P1788</b> | A/T Additional 2/4 Pressure Switch Circuit Malfunction |
| <b>Jeep P1789</b> | A/T Overdrive/2/4 Pressure Switch Circuit Malfunction  |
| <b>Jeep P1790</b> | A/T Malfunction Immediately After Shift Event          |
| <b>Jeep P1791</b> | A/T Loss Of Prime Malfunction                          |
| <b>Jeep P1792</b> | Battery Was Disconnected                               |



| CODES             | DEFINITION                                                      |
|-------------------|-----------------------------------------------------------------|
| <b>Jeep P1793</b> | Torque Management Request Circuit Malfunction                   |
| <b>Jeep P1794</b> | A/T Speed Sensor Ground Circuit Malfunction                     |
| <b>Jeep P1795</b> | Transmission Control Module Internal Malfunction                |
| <b>Jeep P1796</b> | A/T Additional AutoStick Input Circuit Malfunction              |
| <b>Jeep P1797</b> | A/T Manual Shift Overheat Malfunction                           |
| <b>Jeep P1798</b> | A/T Transmission Fluid Is Burnt Or Contaminated                 |
| <b>Jeep P1799</b> | A/T Calculated Oil Temperature In Use Malfunction               |
| <b>Jeep P1830</b> | Clutch Override Relay Control Circuit Malfunction               |
| <b>Jeep P1861</b> | Siphon Line Disconnected                                        |
| <b>Jeep P186F</b> | First And Neutral Gear Position Learning Signal Compare Failure |
| <b>Jeep P1897</b> | LVL2 RPM FAIL - NO POST                                         |
| <b>Jeep P1899</b> | A/T Park Neutral Switch Stuck in Park Position or In Gear       |
| <b>Jeep P1915</b> | Transmission Inhibited Remote Start                             |
| <b>Jeep P1946</b> | Fire Prevention System Crash Event Detected                     |
| <b>Jeep P198A</b> | AWD System Performance                                          |
| <b>Jeep P1B13</b> | Parkbywire Unintended Out Of Park Position                      |
| <b>Jeep P1B14</b> | Park By Wire Unintended Park Position                           |
| <b>Jeep P1C4E</b> | ABS DTC Present                                                 |
| <b>Jeep P1C57</b> | Reductant Control Module Shutdown - Crash Event Detected        |
| <b>Jeep P1C73</b> | Park Switch Circuit Stuck                                       |
| <b>Jeep P1C82</b> | Auto Shift Manual Mode Circuit Signal Stuck                     |

| CODES             | DEFINITION                                                       |
|-------------------|------------------------------------------------------------------|
| <b>Jeep P1C8C</b> | System Voltage                                                   |
| <b>Jeep P1C97</b> | Gear Position Sensor 1st-3rd - Circuit Short To Battery Or Open  |
| <b>Jeep P1C98</b> | Gear Position Sensor 1st-3rd - Circuit Short To Ground           |
| <b>Jeep P1C99</b> | Gear Position Sensor 1st-3rd - Signal Frequency Incorrect        |
| <b>Jeep P1C9B</b> | Gear Position Sensor 2nd-4th - Circuit Short To Battery Or Open  |
| <b>Jeep P1C9C</b> | Gear Position Sensor 2nd-4th - Circuit Short To Ground           |
| <b>Jeep P1C9D</b> | Gear Position Sensor 2nd-4th - Signal Frequency Incorrect        |
| <b>Jeep P1C9F</b> | Gear Position Sensor 5th-Rm - Circuit Short To Battery Or Open   |
| <b>Jeep P1CA0</b> | Gear Position Sensor 5th-Rm - Circuit Short To Ground            |
| <b>Jeep P1CA1</b> | Gear Position Sensor 5th-Rm - Signal Frequency Incorrect         |
| <b>Jeep P1CA3</b> | Gear Position Sensor 6th - Circuit Short To Battery Or Open      |
| <b>Jeep P1CA4</b> | Gear Position Sensor 6th - Circuit Short To Ground               |
| <b>Jeep P1CA5</b> | Gear Position Sensor 6th - Signal Frequency Incorrect            |
| <b>Jeep P1CA7</b> | Ignition Solenoid Control Circuit (Short To Battery Or Open)     |
| <b>Jeep P1CA8</b> | Ignition Solenoid Control Circuit (Short To Ground)              |
| <b>Jeep P1CA9</b> | K1 Electrovalve Specific Fault - Circuit Short To Battery        |
| <b>Jeep P1CAA</b> | K1 Electrovalve Specific Fault - Circuit Voltage Below Threshold |
| <b>Jeep P1CAB</b> | K1 Electrovalve Specific Fault - Circuit Open                    |
| <b>Jeep P1CAC</b> | K1 Electrovalve Specific Fault - General Electrical Failure      |

| CODES             | DEFINITION                                                                                                 |
|-------------------|------------------------------------------------------------------------------------------------------------|
| <b>Jeep P1CAD</b> | 1st-3rd-5th Disengaged - Actuator Stuck Closed                                                             |
| <b>Jeep P1CAE</b> | 2nd-4th-6th Disengaged - Actuator Stuck Closed                                                             |
| <b>Jeep P1CAF</b> | 1st-3rd-5th Disengaged - Actuator Slipping                                                                 |
| <b>Jeep P1CB0</b> | 2nd-4th-6th Disengaged - Actuator Slipping                                                                 |
| <b>Jeep P1CB1</b> | 1st-3rd Engaged - Actuator Stuck Open                                                                      |
| <b>Jeep P1CB2</b> | 2nd-4th Engaged - Actuator Stuck Open                                                                      |
| <b>Jeep P1CB3</b> | 5th-Rm Engaged - Actuator Stuck Open                                                                       |
| <b>Jeep P1CB4</b> | 6th Engaged - Actuator Stuck Open                                                                          |
| <b>Jeep P1CB6</b> | Gear Shift Actuator 1 Circuit High                                                                         |
| <b>Jeep P1CBD</b> | Oil Leak Or Overheating Solenoid Valves -Pump System - Event Information                                   |
| <b>Jeep P1CBE</b> | Pump Always On - Circuit Current Above Threshold                                                           |
| <b>Jeep P1CBF</b> | Electropump Drive Unit -Feedback - Signal Calculation Failure                                              |
| <b>Jeep P1CC0</b> | Pump Always Off - Circuit Voltage Below Threshold                                                          |
| <b>Jeep P1CC1</b> | Unwanted Neutral Disengage - Mechanical Failures                                                           |
| <b>Jeep P1CC2</b> | K1 Clutch Unwanted Closing - Performance Or Incorrect Operation                                            |
| <b>Jeep P1CC3</b> | Clutch 2 Temperature Too High                                                                              |
| <b>Jeep P1CC4</b> | K2 Unwanted Opening - Mechanical Linkage Failure - Performance Or Incorrect Operation                      |
| <b>Jeep P1CC7</b> | Trasmission Control Unit Faulty Microprocessor -Mmp- Low Voltage - Circuit Voltage Below Threshold         |
| <b>Jeep P1CC8</b> | Trasmission Control Unit Faulty Safety Microprocessor - Smp- Low Voltage - Circuit Voltage Below Threshold |
| <b>Jeep P1CC9</b> | Unable To Engage Gear                                                                                      |

| CODES             | DEFINITION                                                                           |
|-------------------|--------------------------------------------------------------------------------------|
| <b>Jeep P1CCA</b> | Clutches Low Transmission - Performance Or Incorrect Operation                       |
| <b>Jeep P1CCB</b> | Excessive Hydraulic Fluid Leakage                                                    |
| <b>Jeep P1CCD</b> | Gearbox Init Failed - Component Internal Failure                                     |
| <b>Jeep P1CCE</b> | SDU Feedback - Circuit Short To Battery                                              |
| <b>Jeep P1CEA</b> | Boost Side EVAP Purge System Performance                                             |
| <b>Jeep P1CEC</b> | Variable Valve Solenoid Valve Cold Start Closing Position 1 Timing Over-Retard       |
| <b>Jeep P1CED</b> | Variable Valve Timing Solenoid Valve Cold Start Closing Position Timing Over-Advance |
| <b>Jeep P1CF3</b> | Battery Temperature Sensor Out Of Range Low                                          |
| <b>Jeep P1CF4</b> | Battery Temperature Sensor Out Of Range High                                         |
| <b>Jeep P1D20</b> | Multi Module Handshake Failure                                                       |
| <b>Jeep P1D25</b> | Shift Control Rationality                                                            |
| <b>Jeep P1D30</b> | Oil Viscosity Too Low                                                                |
| <b>Jeep P1D32</b> | Unwanted 1st-4th-5th Engaged During Opposite Disengagement - Actuator Stuck Closed   |
| <b>Jeep P1D33</b> | Selftuning Kiss Point Routine - Not Configured                                       |
| <b>Jeep P1D34</b> | Selftuning EOL Routine - Not Configured                                              |
| <b>Jeep P1D59</b> | Supply Sensor A -Vs1 - Circuit Voltage Out Of Range                                  |
| <b>Jeep P1D5A</b> | Supply Sensor B -Vs2 - Circuit Voltage Out Of Range                                  |
| <b>Jeep P1D5B</b> | Supply Sensor C -Vs3 - Circuit Voltage Out Of Range                                  |
| <b>Jeep P1D5C</b> | Sensor Common Ground Gndsens3 - Circuit Open                                         |
| <b>Jeep P1D5D</b> | Sensor Common Ground Gndsens1 And Gndsens2 - Circuit Open                            |

| CODES             | DEFINITION                                                                 |
|-------------------|----------------------------------------------------------------------------|
| <b>Jeep P1D5E</b> | Battery Voltage Line1 -Vehicle Connector - Circuit Short To Ground Or Open |
| <b>Jeep P1D5F</b> | Battery Voltage Line2 -Vehicle Connector - Circuit Short To Ground Or Open |
| <b>Jeep P1D60</b> | Battery Voltage Line3 -Vehicle Connector - Circuit Short To Ground Or Open |
| <b>Jeep P1D61</b> | Power Supply -+15 - Circuit Short To Battery                               |
| <b>Jeep P1D65</b> | Cylinder 1 Oil Supply Solenoid Valve Performance                           |
| <b>Jeep P1D66</b> | Cylinder 2 Oil Supply Solenoid Valve Performance                           |
| <b>Jeep P1D67</b> | Cylinder 3 Oil Supply Solenoid Valve Performance                           |
| <b>Jeep P1D68</b> | Cylinder 4 Oil Supply Solenoid Valve Performance                           |
| <b>Jeep P1D6A</b> | Mechanical Out Of Range On 1st-3rd Actuator - Mechanical Failures          |
| <b>Jeep P1D6B</b> | Mechanical Out Of Range On K1 Clutch - Signal Compare Failure              |
| <b>Jeep P1D6C</b> | Clutches Fading - Component Or System Over Temperature                     |
| <b>Jeep P1D73</b> | Active Grill Shutter (AGS) Performance                                     |
| <b>Jeep P1D74</b> | Mechanical Out Of Range On 2sn-4th Actuator - Mechanical Failures          |
| <b>Jeep P1D75</b> | Mechanical Out Of Range On 5th-Rm Actuator - Mechanical Failures           |
| <b>Jeep P1D76</b> | Mechanical Out Of Range On 6th Actuator - Mechanical Failures              |
| <b>Jeep P1D77</b> | Park Solenoid Range-Performance                                            |
| <b>Jeep P1D78</b> | Park Solenoid Circuit Low                                                  |
| <b>Jeep P1D79</b> | Park Solenoid Circuit High                                                 |

| CODES             | DEFINITION                                                |
|-------------------|-----------------------------------------------------------|
| <b>Jeep P1D7F</b> | ETC Self-Learning Failure                                 |
| <b>Jeep P1D80</b> | Internal Control Module EEPROM Error                      |
| <b>Jeep P1D81</b> | Downstream Lambda Probe Functional Test Signal Stuck Low  |
| <b>Jeep P1D82</b> | Downstream Lambda Probe Functional Test Signal Stuck High |
| <b>Jeep P1D83</b> | Implausible Engine Oil Temperature Signal Received        |
| <b>Jeep P1D8A</b> | Park Pawl Solenoid Circuit Low                            |
| <b>Jeep P1D8B</b> | Park Pawl Solenoid Circuit High                           |
| <b>Jeep P1D8C</b> | Park Pawl Solenoid Circuit Open                           |
| <b>Jeep P1D8D</b> | Park Sense Circuit Low                                    |
| <b>Jeep P1D8E</b> | Park Sense Circuit High                                   |
| <b>Jeep P1D8F</b> | Incorrect Gear Ratio Clutch 1 Defective                   |
| <b>Jeep P1D90</b> | Incorrect Gear Ratio Clutch 2 Defective                   |
| <b>Jeep P1D91</b> | Incorrect Gear Ratio Clutch 3 Defective                   |
| <b>Jeep P1D92</b> | Incorrect Gear Ratio Clutch 4 Defective                   |
| <b>Jeep P1D93</b> | Incorrect Gear Ratio Clutch 5 Defective                   |
| <b>Jeep P1D94</b> | TCM Internal SBW Calibration Mismatch                     |
| <b>Jeep P1D95</b> | TCM Clutch Failure Undetermined                           |
| <b>Jeep P1D96</b> | Incorrect Gear Ratio Clutch A Or B Defective              |
| <b>Jeep P1D97</b> | Incorrect Gear Ratio Clutch A Or D Defective              |
| <b>Jeep P1D98</b> | Incorrect Gear Ratio Clutch B Or D Defective              |
| <b>Jeep P1D99</b> | Incorrect Gear Ratio Clutch B Or E Defective              |

| CODES             | DEFINITION                                     |
|-------------------|------------------------------------------------|
| <b>Jeep P1D9A</b> | Incorrect Gear Ratio Clutch C Or D Defective   |
| <b>Jeep P1D9B</b> | Incorrect Gear Ratio: Clutch A Or E Defective  |
| <b>Jeep P1D9C</b> | Incorrect Gear Ratio Clutch A Or C Defective   |
| <b>Jeep P1D9D</b> | Incorrect Gear Ratio Clutch B Or C Defective   |
| <b>Jeep P1D9E</b> | Incorrect Gear Ratio Clutch C Or E Defective   |
| <b>Jeep P1D9F</b> | Incorrect Gear Ratio Clutch D Or E Defective   |
| <b>Jeep P1DA0</b> | Incorrect Gear Ratio Clutch A B Or C Defective |
| <b>Jeep P1DA1</b> | Incorrect Gear Ratio Clutch A B Or E Defective |
| <b>Jeep P1DA2</b> | Incorrect Gear Ratio Clutch B C Or E Defective |
| <b>Jeep P1DA3</b> | Incorrect Gear Ratio Clutch B D Or E Defective |
| <b>Jeep P1DA4</b> | Incorrect Gear Ratio Clutch B C Or D Defective |
| <b>Jeep P1DA5</b> | Incorrect Gear Ratio Clutch C D Or E Defective |
| <b>Jeep P1DA6</b> | Incorrect Gear Ratio Clutch A C Or D Defective |
| <b>Jeep P1DA7</b> | Incorrect Gear Ratio Clutch A D Or E Defective |
| <b>Jeep P1DA8</b> | Incorrect Gear Ratio Clutch A B Or D Defective |
| <b>Jeep P1DA9</b> | Transmission Fluid Temperature Rationality     |
| <b>Jeep P1DAA</b> | Trans Temp Undetermined                        |
| <b>Jeep P1DAB</b> | Vehicle Speed Undetermined                     |
| <b>Jeep P1DAC</b> | Engine Speed Undetermined                      |
| <b>Jeep P1DAD</b> | Input Shaft-Output Shaft Direction Correlation |
| <b>Jeep P1DAE</b> | Position Valve Stuck 2nd Gear Trans Limp In    |
| <b>Jeep P1DAF</b> | Incompatible Limp In Action Requested          |

| CODES             | DEFINITION                                                                        |
|-------------------|-----------------------------------------------------------------------------------|
| <b>Jeep P1DB0</b> | Implausible Torque Request Signal Sent                                            |
| <b>Jeep P1DB1</b> | TCM System Voltage Excessively Low                                                |
| <b>Jeep P1DB2</b> | Actuator Supply Voltage A Circuit                                                 |
| <b>Jeep P1DB3</b> | TCM ECU Reset-Recovery Occurred                                                   |
| <b>Jeep P1DB6</b> | Output Shaft Speed Wheel Speed Correlation                                        |
| <b>Jeep P1DB7</b> | Torque Converter Clutch Performance                                               |
| <b>Jeep P1DB8</b> | Unintended Torque Applied While In Neutral                                        |
| <b>Jeep P1DB9</b> | TCM ECU Reset Extended Low Voltage                                                |
| <b>Jeep P1DC6</b> | TCM Not Programmed                                                                |
| <b>Jeep P1DC7</b> | Clutch Temp Threshold Achieved Shift Time Reduction                               |
| <b>Jeep P1DC8</b> | Clutch Temp Threshold Achieved Autostick Inhibit                                  |
| <b>Jeep P1DC9</b> | Clutch Temp Threshold Achieved Skip Shift Down Inhibit                            |
| <b>Jeep P1DCA</b> | Park Sense Circuit Open                                                           |
| <b>Jeep P1DCD</b> | TCM Monitoring Processor Performance Multiple Clutches Locked Up                  |
| <b>Jeep P1DCE</b> | TCM Monitoring Processor Performance Incorrect Driving Direction                  |
| <b>Jeep P1DCF</b> | TCM Monitoring Processor Performance Unallowed Park Engagement Due To ABS Failure |
| <b>Jeep P1DD0</b> | TCM Monitoring Processor Performance Unallowed Park Engagement                    |
| <b>Jeep P1DD1</b> | Input-Turbine Speed Sensor 1 Gradient Fault                                       |
| <b>Jeep P1DD2</b> | Torque Request Signal From TCM Denied                                             |
| <b>Jeep P1DDC</b> | TCM Monitoring Processor Performance Unallowed Reverse Engagement                 |



| CODES             | DEFINITION                                                      |
|-------------------|-----------------------------------------------------------------|
| <b>Jeep P1DDD</b> | TCM Monitoring Performance Unable To Disengage Drive Or Reverse |
| <b>Jeep P1DDE</b> | Ignition Run/Start Input 1/2 Correlation                        |
| <b>Jeep P1DEB</b> | Incorrect Gear Displayed Due To Incorrect Gear Ratio            |
| <b>Jeep P1DF3</b> | ECU Not Initialized                                             |
| <b>Jeep P1DF7</b> | Actual Decrease Of Engine Torque Low                            |
| <b>Jeep P1DF8</b> | Actual Decrease Of Engine Torque High                           |
| <b>Jeep P1DF9</b> | Actual Increase Of Engine Torque Low                            |
| <b>Jeep P1DFA</b> | Actual Increase Of Engine Torque High                           |
| <b>Jeep P1E08</b> | Stop/Start Disabled - Airbag Deployment                         |
| <b>Jeep P1E09</b> | Closed Loop Fueling Not Achieved - Bank 1 Downstream            |
| <b>Jeep P1E0A</b> | Closed Loop Fueling Not Achieved - Bank 2 Downstream            |
| <b>Jeep P1E0C</b> | Empty Fuel Tank                                                 |
| <b>Jeep P1E23</b> | Incorrect Gear Ratio Clutch 6 Defective                         |
| <b>Jeep P1E26</b> | Internal Control Module Cooled EGR Temperature Performance      |
| <b>Jeep P1E27</b> | EGR 1 High Side Control Circuit Low                             |
| <b>Jeep P1E28</b> | EGR 1 High Side Control Circuit High                            |
| <b>Jeep P3032</b> | Barometric Pressure Sensor Performance Plausibility             |
| <b>Jeep U1000</b> | CAN B BUS (+) Circuit                                           |
| <b>Jeep U1001</b> | CAN B BUS (-) Circuit                                           |
| <b>Jeep U1004</b> | CAN C BUS Transmit Performance                                  |
| <b>Jeep U1008</b> | Lin 1 Bus                                                       |

| CODES             | DEFINITION                                                               |
|-------------------|--------------------------------------------------------------------------|
| <b>Jeep U1009</b> | Lin 2 Bus                                                                |
| <b>Jeep U1015</b> | Internal CAN A Communication Bus Off                                     |
| <b>Jeep U103C</b> | KIN/IGNM Communication                                                   |
| <b>Jeep U1045</b> | Lin 3 Bus                                                                |
| <b>Jeep U1101</b> | Lost Communication With PTS Display-Rear 1                               |
| <b>Jeep U1102</b> | Lost Communication With Left Headlamp Leveling Control Module            |
| <b>Jeep U1103</b> | Lost Communication With Right Headlamp Leveling Control Module           |
| <b>Jeep U1104</b> | CAN C BUS CRC Performance                                                |
| <b>Jeep U1105</b> | CAN B Signal Missing                                                     |
| <b>Jeep U1106</b> | CAN C Mute - Signal Missing                                              |
| <b>Jeep U1107</b> | ECU In Single-Wire Mode                                                  |
| <b>Jeep U1108</b> | Additional CAN B ECU Detected                                            |
| <b>Jeep U1109</b> | Engine Status -From Engine Control Module - Signal Not Available         |
| <b>Jeep U110A</b> | Lost Communication With SCM - CAN-C                                      |
| <b>Jeep U110B</b> | Lost Engine Coolant Message                                              |
| <b>Jeep U110C</b> | Lost Fuel Level Message                                                  |
| <b>Jeep U110D</b> | Lost Communication With Security Siren (Stop/Start Diesel)               |
| <b>Jeep U110E</b> | Lost Ambient Temperature Message                                         |
| <b>Jeep U110F</b> | Lost Fuel Volume Message                                                 |
| <b>Jeep U1110</b> | Minimum Engine Torque -From Engine Control Module - Signal Not Available |

| CODES             | DEFINITION                                                                     |
|-------------------|--------------------------------------------------------------------------------|
| <b>Jeep U1111</b> | Maximum Engine Torque -From Engine Control Module - Signal Not Available       |
| <b>Jeep U1112</b> | Engine Torque -From Engine Control Module - Signal Not Available               |
| <b>Jeep U1113</b> | Ignition Status -From Body Control Module - Signal Not Available               |
| <b>Jeep U1114</b> | Remot Start Activation Status -From Body Control Module - Signal Not Available |
| <b>Jeep U1115</b> | Lost Communication With Right Front Tire Pressure Trigger Module               |
| <b>Jeep U1117</b> | Lost Communication With Right Rear Tire Pressure Trigger Module                |
| <b>Jeep U1118</b> | Lost Engine Message                                                            |
| <b>Jeep U1119</b> | Lost FCM Message                                                               |
| <b>Jeep U1120</b> | Lost Wheel Distance Message                                                    |
| <b>Jeep U1121</b> | Lost Communication With LIN ECU 1                                              |
| <b>Jeep U1122</b> | Lost Communication With LIN ECU 2                                              |
| <b>Jeep U112B</b> | Lost Communication With PTS Display-Front 1                                    |
| <b>Jeep U112D</b> | Lost Communication With EVIC Steering Wheel Switches                           |
| <b>Jeep U1132</b> | Generator Communication                                                        |
| <b>Jeep U1133</b> | Lost Stop/Start Switch 1 Message                                               |
| <b>Jeep U1134</b> | Lost Stop/Start Switch 2 Message                                               |
| <b>Jeep U113B</b> | Lost Communication With Switch Bank Module                                     |
| <b>Jeep U113D</b> | Lost Communication With Master Power Window Switch                             |
| <b>Jeep U113E</b> | Lost Communication With Intelligent Battery Sensor                             |
| <b>Jeep U1141</b> | Lost ESP Torque Request Message                                                |

| CODES             | DEFINITION                                                                     |
|-------------------|--------------------------------------------------------------------------------|
| <b>Jeep U1145</b> | Lost Communication With Keyless Go Security Module                             |
| <b>Jeep U1146</b> | Lost Communication With External Memory                                        |
| <b>Jeep U1147</b> | Additional CAN Interior BUS ECU Detected                                       |
| <b>Jeep U1148</b> | Additional CAN C BUS ECU Detected                                              |
| <b>Jeep U1149</b> | Lost Communication With Multi-Function Switch                                  |
| <b>Jeep U114C</b> | Lost Communication With PRNDL Display                                          |
| <b>Jeep U1158</b> | Lost Communication With Satellite Video Receiver (SDARV)                       |
| <b>Jeep U1159</b> | Lost Communication With Automatic Sway Bar System (ASBS) Module                |
| <b>Jeep U1175</b> | Lost Ignition Status Message                                                   |
| <b>Jeep U1176</b> | Lost Communication With Emergency Alert Module                                 |
| <b>Jeep U1186</b> | Lost Communication With Adaptive Cruise Control Module                         |
| <b>Jeep U1190</b> | Lost Communication With Humidity Sensor                                        |
| <b>Jeep U1191</b> | Lost Communication With Upper Switch Bank                                      |
| <b>Jeep U1192</b> | Lost Communication With Lower Switch Bank                                      |
| <b>Jeep U1193</b> | Lost Communication With Driver Side Blind Spot Sensor                          |
| <b>Jeep U1194</b> | Lost Communication With Passenger Side Blind Spot Sensor                       |
| <b>Jeep U1197</b> | Security Seed Response Not Received From ECM/PCM                               |
| <b>Jeep U1199</b> | Lost Hood Ajar Switch Voltage Message                                          |
| <b>Jeep U119E</b> | Lost Communication W/Left Pedestrian Protection Satellite Acceleration Sensor  |
| <b>Jeep U119F</b> | Lost Communication W/Right Pedestrian Protection Satellite Acceleration Sensor |

| CODES             | DEFINITION                                                                      |
|-------------------|---------------------------------------------------------------------------------|
| <b>Jeep U11A0</b> | Lost Communication W/Center-Pedestrian Protection Satellite Acceleration Sensor |
| <b>Jeep U11A3</b> | Lost Brake Pressure Sensor 1 Message                                            |
| <b>Jeep U11A4</b> | Lost Brake Pressure Sensor 2 Message                                            |
| <b>Jeep U11AD</b> | Lost Communication W/Left Side Satellite Impact Sensor 4                        |
| <b>Jeep U11B0</b> | Lost Communication W/Right Side Satellite Impact Sensor 4                       |
| <b>Jeep U11B7</b> | Lost Communication With Terrain Switch                                          |
| <b>Jeep U11B8</b> | Lost Communication With Integrated Center Stack (ICS)                           |
| <b>Jeep U11B9</b> | Lost Communication With RF Hub                                                  |
| <b>Jeep U11BB</b> | Lost Communication With Video Routing Module                                    |
| <b>Jeep U11BC</b> | Brake Switch Signal - Not Valid                                                 |
| <b>Jeep U11C0</b> | Manual Shift Lever Signal Received -Tip - Signal Invalid                        |
| <b>Jeep U11C2</b> | Lost Transmission Message                                                       |
| <b>Jeep U11C3</b> | ESM Lost Communication With TCM On D-PT CAN                                     |
| <b>Jeep U11C6</b> | Engine Friction Torque -From Engine Control Module - Signal Not Available       |
| <b>Jeep U11C7</b> | Lost Maximum Engine Torque Message                                              |
| <b>Jeep U11C8</b> | Engine Water Temperature - Signal Invalid                                       |
| <b>Jeep U11C9</b> | Lost Left Front Wheel Speed Meassage                                            |
| <b>Jeep U11CA</b> | Lost Right Front Wheel Speed Meassage                                           |
| <b>Jeep U11CB</b> | Lost Left Rear Wheel Speed Meassage                                             |
| <b>Jeep U11CC</b> | Lost Right Rear Wheel Speed Meassage                                            |

| CODES             | DEFINITION                                                                 |
|-------------------|----------------------------------------------------------------------------|
| <b>Jeep U11CD</b> | Lost Both Rear Wheel Speed Messages                                        |
| <b>Jeep U11CE</b> | Vehicle Lateral Acceleration - Signal Invalid                              |
| <b>Jeep U11CF</b> | Vehicle Longitudinal Acceleration - Signal Invalid                         |
| <b>Jeep U11D0</b> | Lost Ignition Key Status Message                                           |
| <b>Jeep U11D1</b> | Engine Limphome Status -From Engine Control Module - Signal Not Available  |
| <b>Jeep U11D2</b> | Ambient Temperature - Signal Invalid                                       |
| <b>Jeep U11D4</b> | Gas Pedal Position -From Engine Control Module - Signal Not Available      |
| <b>Jeep U11D5</b> | Driver Power Request -From Engine Control Module - Signal Not Available    |
| <b>Jeep U11D6</b> | Lost Engine Status Message                                                 |
| <b>Jeep U11D7</b> | Lost Low Traction Message                                                  |
| <b>Jeep U11D9</b> | Lost Engine Off Time Message                                               |
| <b>Jeep U11DA</b> | Brake Torque Level Master Cylinder Pressure - Invalid Serial Data Received |
| <b>Jeep U11DD</b> | Body Control Module Signal Invalid                                         |
| <b>Jeep U11DE</b> | Lost Speed Control Message                                                 |
| <b>Jeep U11E2</b> | Pressure Atmospheric - Invalid Serial Data Received                        |
| <b>Jeep U11E3</b> | TCM Lost Communication With ESM On DPT CAN                                 |
| <b>Jeep U11E4</b> | CAN Communication Messages Missing                                         |
| <b>Jeep U11F9</b> | Engine Did Not Respond To ACC Torque Request                               |
| <b>Jeep U11FA</b> | Lost Communication With Right Blind Spot Sensor                            |
| <b>Jeep U11FB</b> | Lost Communication With Left Blind Spot Sensor                             |

| CODES             | DEFINITION                                                                                        |
|-------------------|---------------------------------------------------------------------------------------------------|
| <b>Jeep U1207</b> | Lost Communication With Terrain Switch Bank Module                                                |
| <b>Jeep U120C</b> | Lost Brake Booster Signal                                                                         |
| <b>Jeep U120D</b> | Lost Rolls Mode Signal                                                                            |
| <b>Jeep U120E</b> | Lost Communication With Comfort Seat And Wheel Module                                             |
| <b>Jeep U120F</b> | Invalid Data Received From Intelligent Alternator Module<br>Circuit Component Protection Time Out |
| <b>Jeep U1215</b> | Lost Communication With Forward Facing Camera                                                     |
| <b>Jeep U121E</b> | Lost Communication With Steering Wheel Cruise Control Switch                                      |
| <b>Jeep U1221</b> | Lost Communication With Left Headlamp Module                                                      |
| <b>Jeep U1267</b> | No Valid Data From ESM On CAN-C Or CAN-DPT                                                        |
| <b>Jeep U12A3</b> | Lost Communication With PM Sensor                                                                 |
| <b>Jeep U12A7</b> | Lost Communication With Display Screen Module                                                     |
| <b>Jeep U12AE</b> | Lost Communication With Central Vision Processing Module                                          |
| <b>Jeep U1400</b> | Lost Communication With Body Control Module                                                       |
| <b>Jeep U1401</b> | Implausible Engine Speed Signal Received                                                          |
| <b>Jeep U1402</b> | Implausible Engine Temperature Signal Received                                                    |
| <b>Jeep U1403</b> | Implausible Fuel Level Signal Received                                                            |
| <b>Jeep U1404</b> | Implausible Static Engine Torque Signal Received                                                  |
| <b>Jeep U1405</b> | Implausible Minimum Engine Torque Signal Received                                                 |
| <b>Jeep U1406</b> | Implausible Maximum Engine Torque Signal Received                                                 |
| <b>Jeep U1407</b> | Implausible Engine Torque Request Signal Received                                                 |

| CODES             | DEFINITION                                                                  |
|-------------------|-----------------------------------------------------------------------------|
| <b>Jeep U1408</b> | Implausible Brake Signal Received                                           |
| <b>Jeep U1409</b> | Implausible Left Front Wheel Speed Signal Received                          |
| <b>Jeep U140A</b> | Implausible Right Front Wheel Speed Signal Received                         |
| <b>Jeep U140B</b> | Implausible Left Rear Wheel Speed Signal Received                           |
| <b>Jeep U140C</b> | Implausible Right Rear Wheel Speed Signal Received                          |
| <b>Jeep U140D</b> | Implausible Wheel Speed Signals Received                                    |
| <b>Jeep U140E</b> | Implausible Vehicle Configuration Data Received                             |
| <b>Jeep U140F</b> | Implausible Engine Variant Data                                             |
| <b>Jeep U1410</b> | Implausible/Missing FCM Variant Data                                        |
| <b>Jeep U1411</b> | Implausible Fuel Volume Signal Received                                     |
| <b>Jeep U1412</b> | Implausible Vehicle Speed Signal Received                                   |
| <b>Jeep U1413</b> | Implausible Odometer Signal Received                                        |
| <b>Jeep U1414</b> | Implausible/Missing ECU Configuration Data                                  |
| <b>Jeep U1415</b> | Implausible/Missing Vehicle Configuration Data                              |
| <b>Jeep U1416</b> | Implausible Security Siren Signal Received                                  |
| <b>Jeep U1417</b> | Implausible Left Wheel Distance Signal Received                             |
| <b>Jeep U1418</b> | Implausible Right Wheel Distance Signal Received                            |
| <b>Jeep U141E</b> | Implausible Data Received From Cruise Control Switch                        |
| <b>Jeep U1420</b> | Shift Lever Position Request -From Gear Shift Module - Signal Not Available |
| <b>Jeep U1421</b> | Implausible Ignition Key OFF Time Received                                  |
| <b>Jeep U1424</b> | Implausible Engine Torque Signal Received                                   |
| <b>Jeep U1425</b> | Implausible Pedal Position Signal Received                                  |



| CODES             | DEFINITION                                                                     |
|-------------------|--------------------------------------------------------------------------------|
| <b>Jeep U1426</b> | Implausible TCC Slip Request Signal Received                                   |
| <b>Jeep U1428</b> | Implausible Engine Torque Signal Received                                      |
| <b>Jeep U1429</b> | Received Engine Torque Signal Stuck                                            |
| <b>Jeep U142A</b> | PRNDL Signal -From Gear Shift Module - Signal Invalid                          |
| <b>Jeep U1430</b> | Implausible Data Received From Comfort Seat And Wheel Module                   |
| <b>Jeep U1431</b> | Implausible ACC Torque Message Received                                        |
| <b>Jeep U1432</b> | Implausible Cabin Temperature Signal Received                                  |
| <b>Jeep U1437</b> | Intake Air Temperature From ECM - Signal Not Available                         |
| <b>Jeep U1438</b> | ABS Module-Implausible Vehicle Configuration Received                          |
| <b>Jeep U1440</b> | Implausible Transfer Case Ratio High Received                                  |
| <b>Jeep U1445</b> | Implausible Data Received From Display Screen Module                           |
| <b>Jeep U1446</b> | Implausible Heated Steering Wheel Temperature Message Received                 |
| <b>Jeep U1447</b> | Implausible Data Received From SCM                                             |
| <b>Jeep U1449</b> | Implausible ERS Message Received                                               |
| <b>Jeep U1450</b> | Implausible DTCM Torque Message Received                                       |
| <b>Jeep U1454</b> | Implausible Data Received From The Gated Park Switch                           |
| <b>Jeep U145D</b> | Implausible DATA Received From TCM On D-PT                                     |
| <b>Jeep U145E</b> | Implausible Police Configuration                                               |
| <b>Jeep U1460</b> | Engine Idle Reference Speed -From Engine Control Module - Signal Not Available |
| <b>Jeep U1461</b> | Implausible Data Received From ESM On DPT                                      |
| <b>Jeep U1464</b> | Implausible Data Received From EPS Steering Torque                             |

| CODES             | DEFINITION                                                            |
|-------------------|-----------------------------------------------------------------------|
| <b>Jeep U1465</b> | Implausible Driver Shift Request Signal Received                      |
| <b>Jeep U1466</b> | Implausible Driver Shift Request Signal Received On DPT CAN           |
| <b>Jeep U1467</b> | Implausible Driver Shift Request Signal Received On CAN And DPT CAN   |
| <b>Jeep U1469</b> | Implausible Gear Shift Position Signal Sent DPT CAN-CAN               |
| <b>Jeep U1477</b> | Implausible Paddle Shifter Data Received                              |
| <b>Jeep U1478</b> | Implausible Data Received From Emergency Alert Module                 |
| <b>Jeep U1479</b> | Implausible Data Received From Shifter Mechanical Failure             |
| <b>Jeep U147B</b> | Implausible Data Received From Battery Monitor Module                 |
| <b>Jeep U147D</b> | Implausible Data Received From Right Blind Spot Sensor                |
| <b>Jeep U147E</b> | Implausible Data Received From Left Blind Spot Sensor                 |
| <b>Jeep U1480</b> | Implausible Data Received From Integrated Center Stack                |
| <b>Jeep U1489</b> | Implausible Data Received From RF Hub                                 |
| <b>Jeep U148C</b> | Implausible Data Received From Stop/Start Button                      |
| <b>Jeep U148D</b> | Implausible Data Received From Forward Facing Camera                  |
| <b>Jeep U1490</b> | Speed Limiter By Driver Reversible Shut Off Due To Plausibility Check |
| <b>Jeep U1501</b> | Implausible Message Data Length Received From PCM                     |
| <b>Jeep U1502</b> | Implausible Message Data Length Received From TCM                     |
| <b>Jeep U1503</b> | Implausible Message Data Length Received From FCM                     |
| <b>Jeep U1504</b> | Implausible Message Data Length Received From Steering Angle Sensor   |
| <b>Jeep U1506</b> | Brake System Module Faulty Wrong Data Length Code                     |

| CODES             | DEFINITION                                                                   |
|-------------------|------------------------------------------------------------------------------|
| <b>Jeep U1507</b> | Implausible Engine Temperature Message Data Length Received                  |
| <b>Jeep U1508</b> | Shift Lever Position Request -From Gear Shift Module - Signal Invalid        |
| <b>Jeep U1509</b> | Implausible Engine Variant Message Data Length Received                      |
| <b>Jeep U150A</b> | Body Control Module Faulty Wrong Data Length Code                            |
| <b>Jeep U1519</b> | Implausible Data Received From Video Routing Module                          |
| <b>Jeep U1600</b> | ECU Application Software Mismatch                                            |
| <b>Jeep U1601</b> | ECU Application Software Code 1 Missing Or Corrupted                         |
| <b>Jeep U160B</b> | ECU Boot Software 1 Missing Or Corrupted                                     |
| <b>Jeep U1701</b> | Engine1 (From Engine Control Module) Missing Message                         |
| <b>Jeep U1915</b> | Engine1 - From Engine Control Module - CRC-MC In Fault Or Missing Message    |
| <b>Jeep U1916</b> | Engine3 - From Engine Control Module - CRC-MC In Fault Or Missing Message    |
| <b>Jeep U1917</b> | Engine4 - From Engine Control Module - CRC-MC In Fault Or Missing Message    |
| <b>Jeep U1918</b> | Mot_Transm1 -From Engine Control Module - CRC-MC In Fault Or Missing Message |
| <b>Jeep U1930</b> | Dcsm_Operationalmodests Sna Plausibility                                     |
| <b>Jeep U1932</b> | BCM-Command Operational Mode STS (Sna) Plausibility                          |
| <b>Jeep U1933</b> | Bcm_Command (From Body Control Module) Missing Message                       |
| <b>Jeep U1934</b> | Bcm_Command From BCM And Body2 From BCM Missing Message                      |
| <b>Jeep U1935</b> | Brake 3 From Brake System Module Missing Message                             |

| CODES             | DEFINITION                                                                    |
|-------------------|-------------------------------------------------------------------------------|
| <b>Jeep U1939</b> | Cluster 2 From Instrument Panel Control Missing Message                       |
| <b>Jeep U193A</b> | Sccmcrsctrl Cruise Message From Body Control Module Missing Message           |
| <b>Jeep U193B</b> | Bsmysrdata From Brake System Module Missing Message                           |
| <b>Jeep U193C</b> | Bcm_Command (From BCM) And Engine1 (From ECM) Missing Message                 |
| <b>Jeep U1950</b> | BCM Command (From Body Control Module) Message CRC Or Message Counter Fault   |
| <b>Jeep U1952</b> | Brake 1 From Brake System Module CRC Or Message Counter Error                 |
| <b>Jeep U1954</b> | Brake2 (From Brake System Module) - CRC/MC In Fault Or Missing Message        |
| <b>Jeep U1956</b> | Brake 3 From Brake System Module CRC Or Message Counter Error                 |
| <b>Jeep U1958</b> | BSM YRS Data From Brake System Module CRC Or Message Counter Error            |
| <b>Jeep U1960</b> | Engine1 From Engine Control Module Message CRC Or Message Counter Fault       |
| <b>Jeep U1962</b> | Engine3 (From Engine Control Module) - CRC/MC In Fault Or Missing Message     |
| <b>Jeep U1964</b> | Engine4 (From Engine Control Module) - CRC/MC In Fault Or Missing Message     |
| <b>Jeep U196C</b> | Mot_Transm1 (From Engine Control Module) - CRC/MC In Fault Or Missing Message |
| <b>Jeep U196E</b> | Mot_Transm2 (From Engine Control Module) - CRC/MC In Fault Or Missing Message |
| <b>Jeep U1970</b> | Mot_Transm3 (From Engine Control Module) - CRC/MC In Fault Or Missing Message |

| CODES             | DEFINITION                                                                          |
|-------------------|-------------------------------------------------------------------------------------|
| <b>Jeep U1974</b> | SC (From Dual Clutch Shifter Module) - CRC/MC In Fault Or Missing Message           |
| <b>Jeep U197C</b> | Transm2 From Transmission Control Module (TCM) Message CRC Or Message Counter Fault |
| <b>Jeep U1982</b> | Wheel_Info (From Brake System Module) - CRC/MC In Fault Or Missing Message          |
| <b>Jeep U1984</b> | Wheel Speed From Brake System Module CRC Or Message Counter Error                   |
| <b>Jeep U1986</b> | SCCM Crs Ctrl Cruise Message From Body Control Module CRC Or Message Counter Error  |
| <b>Jeep U2916</b> | Mot_Transm2 -From Engine Control Module - CRC-MC In Fault Or Missing Message        |
| <b>Jeep U2917</b> | Mot_Transm3 -From Engine Control Module - CRC-MC In Fault Or Missing Message        |
| <b>Jeep U2918</b> | Mot_Transm4 -From Engine Control Module - CRC-MC In Fault Or Missing Message        |
| <b>Jeep U2920</b> | Bcm_Command -From Body Control Module - CRC-MC In Fault Or Missing Message          |
| <b>Jeep U2921</b> | Body2 -From Body Control Module - CRC-MC In Fault Or Missing Message                |
| <b>Jeep U2923</b> | Body4 -From Body Control Module - CRC-MC In Fault Or Missing Message                |
| <b>Jeep U2926</b> | Brake_Transm1 -From Brake System Module - CRC-MC In Fault Or Missing Message        |
| <b>Jeep U2927</b> | Brake1 -From Brake System Module - CRC-MC In Fault Or Missing Message               |
| <b>Jeep U2928</b> | Brake2 -From Brake System Module - CRC-MC In Fault Or Missing Message               |
| <b>Jeep U2929</b> | Brake8 -From Brake System Module - CRC-MC In Fault Or Missing Message               |

| CODES             | DEFINITION                                                                  |
|-------------------|-----------------------------------------------------------------------------|
| <b>Jeep U2930</b> | Bsm_Yrs_Data -From Brake System Module - CRC-MC In Fault Or Missing Message |
| <b>Jeep U2931</b> | Wheel_Info -From Brake System Module - CRC-MC In Fault Or Missing Message   |
| <b>Jeep U2932</b> | Wheel_Speed -From Brake System Module - CRC-MC In Fault Or Missing Message  |
| <b>Jeep U3017</b> | Control Module Timer-Clock Performance                                      |
| <b>Kia B1101</b>  | SRSCM Input Voltage High                                                    |
| <b>Kia B1102</b>  | SRSCM Input Voltage Low                                                     |
| <b>Kia B1105</b>  | Sliding Door Reference Voltage Fault                                        |
| <b>Kia B1200</b>  | Humidity Sensor Open                                                        |
| <b>Kia B1201</b>  | Humidity Sensor Short (Low)                                                 |
| <b>Kia B1202</b>  | Heater Water Temperature Sensor Open (High)                                 |
| <b>Kia B1203</b>  | Heater Water Temperature Sensor Short(Low)                                  |
| <b>Kia B1204</b>  | Air Mix Potentiometer Open (Low)-Passenger                                  |
| <b>Kia B1205</b>  | Air Mix Potentiometer Short (High)-Passenger                                |
| <b>Kia B1206</b>  | Direction Potentiometer Open (Low)-Passenger                                |
| <b>Kia B1207</b>  | Direction Potentiometer Short (High)-Passenger                              |
| <b>Kia B1208</b>  | Intake Potentiometer Open (Low)                                             |
| <b>Kia B1209</b>  | Intake Potentiometer Short (High)                                           |
| <b>Kia B1223</b>  | Tailgate VSS Fault                                                          |
| <b>Kia B1233</b>  | In-Car Temperature Sensor Short (Low)                                       |
| <b>Kia B1234</b>  | In-Car Temperature Sensor Open (High)                                       |
| <b>Kia B1237</b>  | Ambient Temperature Sensor Short (Low)                                      |

| CODES            | DEFINITION                                                 |
|------------------|------------------------------------------------------------|
| <b>Kia B1238</b> | Ambient Temperature Sensor Open (High)                     |
| <b>Kia B1241</b> | Evaporator Sensor Short (Low)                              |
| <b>Kia B1242</b> | Evaporator Sensor Open (High)                              |
| <b>Kia B1245</b> | Air Mix Potentiometer Open (Low)-Driver                    |
| <b>Kia B1246</b> | Air Mix Potentiometer Short (High)-Driver                  |
| <b>Kia B1249</b> | Direction Potentiometer Open (Low)-Driver                  |
| <b>Kia B1250</b> | Direction Potentiometer Short (High)-Driver                |
| <b>Kia B1260</b> | Air Mix Potentiometer Open (Low)-Console                   |
| <b>Kia B1261</b> | Air Mix Potentiometer Short (High)-Console                 |
| <b>Kia B1262</b> | Direction Potentiometer Open (Low)-Console                 |
| <b>Kia B1263</b> | Direction Potentiometer Short (High)-Console               |
| <b>Kia B1270</b> | Sliding Door Optical Sensor-1 Output Stuck High            |
| <b>Kia B1271</b> | Tailgate Optical Sensor-1 Output Stuck Low                 |
| <b>Kia B1272</b> | Sliding Door Optical Sensor-2 Output Stuck High            |
| <b>Kia B1273</b> | Tailgate Optical Sensor-2 Output Stuck Low                 |
| <b>Kia B1274</b> | Sliding Door Broken Cable(PSD Only)                        |
| <b>Kia B1282</b> | Air Conditioner > Humidity Sensor Open (High) - AUTO Defog |
| <b>Kia B1284</b> | Direction Potentiometer Short (High) - Auto Defog          |
| <b>Kia B1322</b> | Weight Classification System Sensor circuit fault          |
| <b>Kia B1324</b> | Weight Classification System communication error           |
| <b>Kia B1325</b> | Weight Classification System Sensor wrong ID               |
| <b>Kia B1326</b> | DFIS Harness Short To Ground                               |

| CODES            | DEFINITION                        |
|------------------|-----------------------------------|
| <b>Kia B1327</b> | DFIS Harness Short To Power       |
| <b>Kia B1328</b> | DFIS Harness Fault                |
| <b>Kia B1329</b> | DFIS To SRSCM Communication Error |
| <b>Kia B1330</b> | DFIS With Wrong ID                |
| <b>Kia B1331</b> | PFIS Harness Short To Ground      |
| <b>Kia B1332</b> | PFIS Harness Short To Power       |
| <b>Kia B1333</b> | PFIS Harness Fault                |
| <b>Kia B1334</b> | PFIS To SRSCM Communication Error |
| <b>Kia B1335</b> | PFIS With Wrong ID                |
| <b>Kia B1338</b> | Front impact sensor defect        |
| <b>Kia B1339</b> | Front Impact Sensor Fault         |
| <b>Kia B1346</b> | DAB Circuit Resistance Is High    |
| <b>Kia B1347</b> | DAB Circuit Resistance Is Low     |
| <b>Kia B1348</b> | DAB Circuit Short To Ground       |
| <b>Kia B1349</b> | DAB Circuit Short To Power        |
| <b>Kia B1352</b> | PAB Circuit Resistance Is High    |
| <b>Kia B1353</b> | PAB Circuit Resistance Is Low     |
| <b>Kia B1354</b> | PAB Circuit Short To Ground       |
| <b>Kia B1355</b> | PAB Circuit Short To Power        |
| <b>Kia B1361</b> | DBPT Circuit Resistance Too High  |
| <b>Kia B1362</b> | DBPT Circuit Resistance Too Low   |
| <b>Kia B1363</b> | DBPT Circuit Short To Ground      |



| CODES            | DEFINITION                                                         |
|------------------|--------------------------------------------------------------------|
| <b>Kia B1364</b> | DBPT Circuit Short To Power                                        |
| <b>Kia B1367</b> | PBPT Circuit Resistance Too High                                   |
| <b>Kia B1368</b> | PBPT Circuit Resistance Too Low                                    |
| <b>Kia B1369</b> | PBPT Circuit Short To Ground                                       |
| <b>Kia B1370</b> | PBPT Circuit Short To Power                                        |
| <b>Kia B1378</b> | DSAB Circuit Resistance Too High                                   |
| <b>Kia B1379</b> | DSAB Circuit Resistance Too Low                                    |
| <b>Kia B1380</b> | DSAB Circuit Short To Ground                                       |
| <b>Kia B1381</b> | DSAB Circuit Short To Power                                        |
| <b>Kia B1382</b> | PSAB Circuit Resistance Too High                                   |
| <b>Kia B1383</b> | PSAB Circuit Resistance Too Low                                    |
| <b>Kia B1384</b> | PSAB Short To Ground                                               |
| <b>Kia B1385</b> | PSAB Circuit Short To Power                                        |
| <b>Kia B1387</b> | Driver Seat Position Sensor (STPS) Harness Short                   |
| <b>Kia B1388</b> | Driver Seat Track Position Sensor Open or Short to Power           |
| <b>Kia B1389</b> | Seat Track Position Sensor (STPS) Malfunction                      |
| <b>Kia B1395</b> | Firing Circuit Harness Short To Each Other                         |
| <b>Kia B1396</b> | STPS(Seat Track Position Sensor)-Driver Open or Short to Ground    |
| <b>Kia B1397</b> | STPS(Seat Track Position Sensor)-Driver Short or Short to Battery  |
| <b>Kia B1398</b> | STPS(Seat Track Position Sensor)-Passenger Open or Short to Ground |

| CODES            | DEFINITION                                                           |
|------------------|----------------------------------------------------------------------|
| <b>Kia B1399</b> | STPS(Seat Track Position Sensor)-Passenger Short or Short to Battery |
| <b>Kia B1400</b> | Driver Front Side Impact Sensor(FSIS) Circuit Fault                  |
| <b>Kia B1401</b> | Driver Front Side Impact Sensor(FSIS) Circuit Short To Ground        |
| <b>Kia B1402</b> | Driver Front Side Impact Sensor(FSIS) Circuit Short To Power         |
| <b>Kia B1403</b> | Passenger Front Side Impact Sensor(FSIS) Circuit Fault               |
| <b>Kia B1404</b> | Passenger Front Side Impact Sensor(FSIS) Circuit Short To Ground     |
| <b>Kia B1405</b> | Passenger Front Side Impact Sensor(FSIS) Circuit Short To Power      |
| <b>Kia B1406</b> | Passenger Presence Detection Defect                                  |
| <b>Kia B1409</b> | Satellite left side communication error                              |
| <b>Kia B1410</b> | Satellite right side communication error                             |
| <b>Kia B1412</b> | SIS(Side Impact Sensor)Rear-Driver Communication error               |
| <b>Kia B1413</b> | SIS(Side Impact Sensor)Rear-Passenger Communication error            |
| <b>Kia B1414</b> | Driver Front Side Impact Sensor(FSIS) Wrong ID                       |
| <b>Kia B1415</b> | Passenger Front Side Impact Sensor(FSIS) Wrong ID                    |
| <b>Kia B1418</b> | SIS (Side Impact Sensor) Rear-Driver Defect                          |
| <b>Kia B1419</b> | SIS(Side Impact Sensor)Rear-Passenger Defect                         |
| <b>Kia B1447</b> | Passenger Occupant Detecting System (PODS) ECU Defective             |
| <b>Kia B1448</b> | Passenger Occupant Detecting System (PODS) Circuit Fault             |

| CODES            | DEFINITION                                                       |
|------------------|------------------------------------------------------------------|
| <b>Kia B1449</b> | Passenger Occupant Detecting System (PODS) Communication Error   |
| <b>Kia B1450</b> | Passenger Occupant Detecting System (PODS) Wrong ID              |
| <b>Kia B1473</b> | Driver Curtain Airbag (CAB) Circuit Resistance High              |
| <b>Kia B1474</b> | Driver Curtain Airbag (CAB) Circuit Resistance Low               |
| <b>Kia B1475</b> | Driver Curtain Airbag (CAB) Circuit Short To Ground              |
| <b>Kia B1476</b> | Driver Curtain Airbag (CAB) Circuit Short To Power               |
| <b>Kia B1477</b> | Passenger Curtain Airbag (CAB) Circuit Resistance High           |
| <b>Kia B1478</b> | Passenger Curtain Airbag (CAB) Circuit Resistance Low            |
| <b>Kia B1479</b> | Passenger Curtain Airbag (CAB) Circuit Short To Ground           |
| <b>Kia B1480</b> | Passenger Curtain Airbag (CAB) Circuit Short To Power            |
| <b>Kia B1481</b> | Driver Airbag Module (DAB) Circuit Resistance High               |
| <b>Kia B1482</b> | Driver Airbag Module (DAB) Circuit Resistance Low                |
| <b>Kia B1483</b> | DAB Circuit Short To Ground                                      |
| <b>Kia B1484</b> | DAB Circuit Short To Power                                       |
| <b>Kia B1485</b> | Passenger Airbag Module (PAB) Circuit Resistance High            |
| <b>Kia B1486</b> | Passenger Airbag Module (PAB) Circuit Resistance Low             |
| <b>Kia B1487</b> | PAB Circuit Short To Ground                                      |
| <b>Kia B1488</b> | PAB Circuit Short To Power                                       |
| <b>Kia B1489</b> | PODS(Passenger Occupant Detecting System) ECU Defect             |
| <b>Kia B1490</b> | PODS(Passenger Occupant Detecting System) Sensor(Bladder) Defect |
| <b>Kia B1493</b> | PODS(Passenger Occupant Detecting System) Communication error    |

| CODES            | DEFINITION                                                        |
|------------------|-------------------------------------------------------------------|
| <b>Kia B1494</b> | PODS(Passenger Occupant Detecting System) Wrong ID                |
| <b>Kia B1495</b> | BTS(Belt-Tension Sensor) Defect                                   |
| <b>Kia B1511</b> | Driver Belt Buckle Switch (BBS) Circuit Open Or Short To Power    |
| <b>Kia B1512</b> | Driver Belt Buckle Switch (BBS) Circuit Short To Ground           |
| <b>Kia B1513</b> | Passenger Belt Buckle Switch (BBS) Circuit Open Or Short To Power |
| <b>Kia B1514</b> | Passenger Belt Buckle Switch (BBS) Circuit Short To Ground        |
| <b>Kia B1515</b> | Driver Belt Buckle Switch (BBS) Defect                            |
| <b>Kia B1516</b> | Passenger Belt Buckle Switch (BBS) Defect                         |
| <b>Kia B1517</b> | Driver Belt Buckle Switch (BBS) Changes Frequently                |
| <b>Kia B1518</b> | Passenger Belt Buckle Switch (BBS) Changes Frequently             |
| <b>Kia B1521</b> | Buckle Switch Driver Short or Short to Battery                    |
| <b>Kia B1522</b> | Buckle Switch Driver Open or Short to Ground                      |
| <b>Kia B1523</b> | Buckle Switch Passenger short or short to Battery                 |
| <b>Kia B1524</b> | Buckle Switch Passenger Open or Short to Ground                   |
| <b>Kia B1580</b> | Sliding Door Ignition Start Switch Short High                     |
| <b>Kia B1585</b> | Tailgate Latch Switch Failure                                     |
| <b>Kia B1586</b> | Sliding Door Chime Open Or Short High                             |
| <b>Kia B1588</b> | Right Front Wiper/Washer MF Switch                                |
| <b>Kia B1589</b> | Right Rear Wiper/Washer MF Switch                                 |
| <b>Kia B1590</b> | Light Multifunction Switch Error                                  |
| <b>Kia B1591</b> | Turn Signal Multifunction Switch Error                            |

| CODES            | DEFINITION                           |
|------------------|--------------------------------------|
| <b>Kia B1602</b> | CAN BUS Physical Error               |
| <b>Kia B1603</b> | CAN Communication Bus Off            |
| <b>Kia B1605</b> | CAN Time-out DDM                     |
| <b>Kia B1606</b> | CAN Time-out ADM                     |
| <b>Kia B1607</b> | CAN Time-out P/SEAT                  |
| <b>Kia B1611</b> | CAN Time-out FAM                     |
| <b>Kia B1612</b> | RAM Communication Lost & Bus Failure |
| <b>Kia B1613</b> | CAN Time-out CLU                     |
| <b>Kia B1620</b> | SRSCM Fault                          |
| <b>Kia B1621</b> | Sliding Door ECU Fault               |
| <b>Kia B1624</b> | EEPROM Failure                       |
| <b>Kia B1627</b> | EEPROM Corruption                    |
| <b>Kia B1628</b> | Module Configuration Conflict        |
| <b>Kia B1645</b> | Tailgate Drive Unit Failure          |
| <b>Kia B1646</b> | S/W Rescue Mode                      |
| <b>Kia B1647</b> | VAS Circuit Fault                    |
| <b>Kia B1650</b> | DAB or PAB deployed                  |
| <b>Kia B1651</b> | DSAB,DRSAB,DCAB deployed             |
| <b>Kia B1652</b> | PSAB,PRSAB,PCAB deployed             |
| <b>Kia B1655</b> | Crash Is Recorded                    |
| <b>Kia B1657</b> | If Any BPT Is Deployed               |
| <b>Kia B1658</b> | Crash Is Recorded In SRSCM           |

| CODES            | DEFINITION                                               |
|------------------|----------------------------------------------------------|
| <b>Kia B1670</b> | Crash Is Recorded In SRSCM                               |
| <b>Kia B1690</b> | Network Fail (Hi-CAN)                                    |
| <b>Kia B1711</b> | Knee airbag – Driver resistance too High                 |
| <b>Kia B1712</b> | Knee airbag – Driver resistance too Low                  |
| <b>Kia B1713</b> | Knee airbag – Driver resistance circuit short to Ground  |
| <b>Kia B1714</b> | Knee airbag – Driver resistance circuit short to Battery |
| <b>Kia B1722</b> | Curtain Airbag (CAB) Circuit Fault                       |
| <b>Kia B1723</b> | Curtain Airbag (CAB) Circuit Fault                       |
| <b>Kia B1724</b> | Curtain Airbag (CAB) Circuit Short To Ground             |
| <b>Kia B1725</b> | Curtain Airbag (CAB) Circuit Short To Power              |
| <b>Kia B1726</b> | Curtain Airbag (CAB) Circuit Fault                       |
| <b>Kia B1727</b> | Curtain Airbag (CAB) Circuit Fault                       |
| <b>Kia B1728</b> | Curtain Airbag (CAB) Circuit Short To Ground             |
| <b>Kia B1729</b> | Curtain Airbag (CAB) Circuit Short To Power              |
| <b>Kia B1748</b> | P-SIS Front-Passenger Communication Error                |
| <b>Kia B1910</b> | Outside Mirror - Left Horizontal Motor or Sensor Error   |
| <b>Kia B1911</b> | Outside Mirror - Left Vertical Motor or Sensor Error     |
| <b>Kia B1912</b> | Outside Mirror - Right horizontal Motor or Sensor        |
| <b>Kia B1913</b> | Outside Mirror - Right vertical Motor or Sensor          |
| <b>Kia B1952</b> | Outside Mirror Defogger Error                            |
| <b>Kia B1954</b> | Slide Motor Or Sensor Error                              |
| <b>Kia B1955</b> | Recline Motor Or Sensor Error                            |

| CODES            | DEFINITION                                       |
|------------------|--------------------------------------------------|
| <b>Kia B1956</b> | Front Height Motor Or Sensor Error               |
| <b>Kia B1957</b> | Rear Height Motor Or Sensor Error                |
| <b>Kia B1958</b> | Brake Pedal Sensor Signal Fault                  |
| <b>Kia B2115</b> | Rear Defog Relay Fail                            |
| <b>Kia B2119</b> | Windshield Defog Relay Fail                      |
| <b>Kia B2330</b> | Driver Door Lock Actuator Error                  |
| <b>Kia B2331</b> | Driver Door Unlock Actuator Error                |
| <b>Kia B2332</b> | Assistant Door Lock Actuator Error               |
| <b>Kia B2333</b> | Assistant Door Unlock Actuator Error             |
| <b>Kia B2405</b> | Air Mix Motor (REAR)                             |
| <b>Kia B2406</b> | Air Mix Motor-Driver                             |
| <b>Kia B2408</b> | Intake Motor                                     |
| <b>Kia B2409</b> | Direction Control Motor-Driver                   |
| <b>Kia B2411</b> | Direction Control Motor-Console                  |
| <b>Kia B2415</b> | Air Mix Door Motor-Passenger                     |
| <b>Kia B2416</b> | Direction Control Motor-Passenger                |
| <b>Kia B2420</b> | Sliding Door Drive Motor Open                    |
| <b>Kia B2421</b> | Sliding Door Drive Motor Short High              |
| <b>Kia B2422</b> | Sliding Door Drive Motor Short Low               |
| <b>Kia B2423</b> | Sliding Door Clutch Open Or Short High           |
| <b>Kia B2424</b> | Sliding Door Clutch Short Low                    |
| <b>Kia B2425</b> | Sliding Door Pinch strip(PSD) open or Stuck High |

| CODES            | DEFINITION                                                                |
|------------------|---------------------------------------------------------------------------|
| <b>Kia B2426</b> | Tailgate Left pinch strip stuck Low                                       |
| <b>Kia B2427</b> | Tailgate Right Pinch Strip Open Or Stuck High                             |
| <b>Kia B2428</b> | Tailgate Right Pinch Strip Stuck Low                                      |
| <b>Kia B2429</b> | Mirror Folding Circuit Short                                              |
| <b>Kia B2441</b> | Right Rear Wiper Park Position Detect Fail                                |
| <b>Kia B2450</b> | Tailgate Unlatch or Cinch Motor short High                                |
| <b>Kia B2451</b> | Sliding Door Unlatch or Cinch Motor (PTG) / Unlatch Motor (PSD) Short Low |
| <b>Kia B2452</b> | Tailgate Cinch motor open (PTG Only)                                      |
| <b>Kia B2455</b> | Safety Power Window Motor Power Feed Error                                |
| <b>Kia B2456</b> | Seat Motor Sensor Vcc Error                                               |
| <b>Kia B2457</b> | Pedal Motor Sensor Vcc Error                                              |
| <b>Kia B2500</b> | Air Bag Warning Light Circuit Fault                                       |
| <b>Kia B2502</b> | Telltale Indicator Light Circuit Malfunction                              |
| <b>Kia B2503</b> | Warning indicator circuit open or short to GND                            |
| <b>Kia B2504</b> | Warning indicator circuit open or short to GND                            |
| <b>Kia B2507</b> | Telltale Lamp circuit Fault                                               |
| <b>Kia B2508</b> | Telltale Lamp circuit Fault                                               |
| <b>Kia B2521</b> | Brake Circuit Open or Fuse Fail                                           |
| <b>Kia B2524</b> | Brake Lamp Open                                                           |
| <b>Kia B2525</b> | Illumination Circuit Short                                                |
| <b>Kia B2529</b> | Driver Door Courtesy Lamp Error                                           |
| <b>Kia B2533</b> | Assistant Door Courtesy Lamp Error                                        |



| CODES            | DEFINITION                                  |
|------------------|---------------------------------------------|
| <b>Kia B2535</b> | Right Turn Signal Lamp Short to Ground      |
| <b>Kia B2537</b> | Right Turn Signal Lamp Open                 |
| <b>Kia B2539</b> | Left Turn Signal Lamp Short to Ground       |
| <b>Kia B2541</b> | Left Turn Signal Lamp Open                  |
| <b>Kia B2543</b> | Right Head Lamp(Low Beam) Short to Ground   |
| <b>Kia B2545</b> | Right Head Lamp(High Beam) Circuit Open     |
| <b>Kia B2547</b> | Left Headlamp (High Beam) Short to Ground   |
| <b>Kia B2549</b> | Left Headlamp (High Beam) Open              |
| <b>Kia B2551</b> | Right Head Lamp (Low Beam) Short to Ground  |
| <b>Kia B2553</b> | Right Head Lamp (Low Beam) Circuit Open     |
| <b>Kia B2555</b> | Left Headlamp (Low Beam) Short to Ground    |
| <b>Kia B2557</b> | Left Headlamp (Low Beam) Open               |
| <b>Kia B2559</b> | Right Front Fog Lamp Short to Ground        |
| <b>Kia B2561</b> | Right Front Fog Lamp Open                   |
| <b>Kia B2563</b> | Left Front Fog Lamp Circuit Short to Ground |
| <b>Kia B2565</b> | Left Front Fog Lamp Open                    |
| <b>Kia B2571</b> | Right Park Lamp Short to Ground             |
| <b>Kia B2573</b> | Right Park Lamp Open                        |
| <b>Kia B2575</b> | Left Park Lamp Short to Ground              |
| <b>Kia B2577</b> | Left Park Lamp Open                         |
| <b>Kia B2579</b> | Right Rear Tail Marker Lamp Short to Ground |
| <b>Kia B2581</b> | Right Rear Tail Marker Lamp Open            |

| CODES            | DEFINITION                                              |
|------------------|---------------------------------------------------------|
| <b>Kia B2583</b> | Left Rear Tail Marker Lamp Short to Ground              |
| <b>Kia B2585</b> | Left Rear Tail Marker Lamp Open                         |
| <b>Kia B2587</b> | Back Up Lamp Short to Ground                            |
| <b>Kia B2589</b> | Back Up Lamp Open                                       |
| <b>Kia B2598</b> | Right Rear Blower Switch Illumination Circuit Ground    |
| <b>Kia B2599</b> | Rear Blower Switch Illumination Circuit Short to Ground |
| <b>Kia B2800</b> | MM CAN Bus Off Error                                    |
| <b>Kia B2837</b> | GPS Module Connection Error                             |
| <b>Kia B2859</b> | CDMA Modem Fail                                         |
| <b>Kia B2860</b> | Microphone Fail                                         |
| <b>Kia C1101</b> | Battery Voltage Low or Battery Voltage High             |
| <b>Kia C1102</b> | Battery Voltage Low                                     |
| <b>Kia C1107</b> | ECS ECM Generator "L" Terminal Voltage Is High          |
| <b>Kia C1108</b> | ECS ECM Generator "L" Terminal Voltage Is Low           |
| <b>Kia C1112</b> | ABS Sensor Supply Voltage                               |
| <b>Kia C1121</b> | TPMS Sensor 1 Battery Voltage Low                       |
| <b>Kia C1122</b> | TPMS Sensor 2 Battery Voltage Low                       |
| <b>Kia C1123</b> | TPMS Sensor 3 Battery Voltage Low                       |
| <b>Kia C1124</b> | TPMS Sensor 4 Battery Voltage Low                       |
| <b>Kia C1126</b> | TPMS Receiver Battery Voltage Low                       |
| <b>Kia C1127</b> | TPMS Receiver Battery Voltage High                      |
| <b>Kia C1200</b> | Left Front Wheel Speed Sensor Signal Open/Short         |

| CODES            | DEFINITION                                                           |
|------------------|----------------------------------------------------------------------|
| <b>Kia C1201</b> | Left Front Wheel Speed Sensor Range/Performance/Intermittent         |
| <b>Kia C1202</b> | Left Front Wheel Speed Sensor Signal Invalid/No Signal               |
| <b>Kia C1203</b> | Right Front Wheel Speed Sensor Signal Open/Short                     |
| <b>Kia C1204</b> | Right Front Wheel Speed Sensor Signal Range/Performance/Intermittent |
| <b>Kia C1205</b> | Right Front Wheel Speed Sensor Signal Invalid/No Signal              |
| <b>Kia C1206</b> | Left Rear Wheel Speed Sensor Signal Open/Short                       |
| <b>Kia C1207</b> | Left Rear Wheel Speed Sensor Signal Range/Performance/Intermittent   |
| <b>Kia C1208</b> | Left Rear Wheel Speed Sensor Signal Invalid/No Signal                |
| <b>Kia C1209</b> | Right Rear Wheel Speed Sensor Signal Open/Short                      |
| <b>Kia C1210</b> | Right Rear Wheel Speed Sensor Signal Range/Performance/Intermittent  |
| <b>Kia C1211</b> | Right Rear Wheel Speed Sensor Signal Invalid/No Signal               |
| <b>Kia C1212</b> | Vehicle Speed Sensor Faulty                                          |
| <b>Kia C1213</b> | Wheel Speed Sensor Fault                                             |
| <b>Kia C1235</b> | Primary Brake Pressure Sensor Signal Out Of Range                    |
| <b>Kia C1236</b> | Secondary Brake Pressure Sensor Signal Out Of Range                  |
| <b>Kia C1237</b> | Brake Pressure Sensor Voltage Out Of Range, Noise Or Checksum Error  |
| <b>Kia C1240</b> | Second Speed Input Fault                                             |
| <b>Kia C1259</b> | Steering Wheel Angular Velocity Sensor Faulty                        |
| <b>Kia C1260</b> | Steering Wheel Angle Sensor Signal Implausible                       |
| <b>Kia C1261</b> | Steering Angle Sensor Out Of Range                                   |

| CODES            | DEFINITION                                                      |
|------------------|-----------------------------------------------------------------|
| <b>Kia C1274</b> | Longitudinal G Sensor Open/Short                                |
| <b>Kia C1275</b> | Longitudinal G Sensor Range/Performance error                   |
| <b>Kia C1278</b> | G Sensor Disconnected                                           |
| <b>Kia C1279</b> | G Sensor Short To Ground                                        |
| <b>Kia C1281</b> | G Sensor Faulty                                                 |
| <b>Kia C1282</b> | Sensor Cluster Signal Out Of Range                              |
| <b>Kia C1283</b> | Yaw Rate & Lateral G sensor                                     |
| <b>Kia C1300</b> | TPMS System Not Functioning (High Interference)                 |
| <b>Kia C1306</b> | TPMS System Not Functioning Due To High Interference (Internal) |
| <b>Kia C1312</b> | Sensor 1 Failed To Learn or Learned But No Messages             |
| <b>Kia C1313</b> | Sensor 2 Failed To Learn or Learned But No Messages             |
| <b>Kia C1314</b> | Sensor 3 Failed To Learn or Learned But No Messages             |
| <b>Kia C1315</b> | Sensor 4 Failed To Learn or Learned But No Messages             |
| <b>Kia C1317</b> | Wheel Sensor 1 Wrong Type Installed                             |
| <b>Kia C1318</b> | Wheel Sensor 2 Wrong Type Installed                             |
| <b>Kia C1319</b> | Wheel Sensor 3 Wrong Type Installed                             |
| <b>Kia C1320</b> | Wheel Sensor 4 Wrong Type Installed                             |
| <b>Kia C1322</b> | Wheel Sensor 1 High Temperature                                 |
| <b>Kia C1323</b> | Wheel Sensor 2 High Temperature                                 |
| <b>Kia C1324</b> | Wheel Sensor 3 High Temperature                                 |
| <b>Kia C1325</b> | Wheel Sensor 4 High Temperature                                 |
| <b>Kia C1332</b> | TPMS Sensor 1 Internal Fault                                    |

| CODES            | DEFINITION                                                        |
|------------------|-------------------------------------------------------------------|
| <b>Kia C1333</b> | TPMS Sensor 2 Internal Fault                                      |
| <b>Kia C1334</b> | TPMS Sensor 3 Internal Fault                                      |
| <b>Kia C1335</b> | TPMS Sensor 4 Internal Fault                                      |
| <b>Kia C1341</b> | ECU Did Not Receive From Left Front WE Sensor Due To LFI Trigger  |
| <b>Kia C1342</b> | ECU Did Not Receive From Right Front WE Sensor Due To LFI Trigger |
| <b>Kia C1343</b> | ECU Did Not Receive From Left Rear WE Sensor Due To LFI Trigger   |
| <b>Kia C1344</b> | ECU Did Not Receive From Right Rear WE Sensor Due To LFI Trigger  |
| <b>Kia C1503</b> | Brake Light Switch Circuit Open Or Short                          |
| <b>Kia C1513</b> | Brake Light Switch Implausible                                    |
| <b>Kia C1526</b> | DBC Switch Error                                                  |
| <b>Kia C1604</b> | HECU Hardware Error                                               |
| <b>Kia C1605</b> | CAN Hardware Error                                                |
| <b>Kia C1611</b> | HECU CAN Communication Error                                      |
| <b>Kia C1612</b> | HECU No TCU CAN Message                                           |
| <b>Kia C1613</b> | HECU CAN communcation                                             |
| <b>Kia C1616</b> | HECU CAN BUS Off                                                  |
| <b>Kia C1623</b> | CAN Time-out Steering Angle Sensor                                |
| <b>Kia C1625</b> | CAN Time-out ABS/ESC(ESP)                                         |
| <b>Kia C1626</b> | ESC Signal Error                                                  |
| <b>Kia C1627</b> | CAN Time-Out 4WD                                                  |

| CODES            | DEFINITION                                                  |
|------------------|-------------------------------------------------------------|
| <b>Kia C1647</b> | CAN Hardware Error - Sensor Channel                         |
| <b>Kia C1660</b> | TPMS Receiver Has Not Received Any RF Messages              |
| <b>Kia C1661</b> | TPMS Receiver Problem Reading Or Writing To EEPROM          |
| <b>Kia C1664</b> | TPMS Receiver Has Not Received Any RF Messages              |
| <b>Kia C1665</b> | TPMS Receiver Power Supply Circuit Short To Power Or Ground |
| <b>Kia C1666</b> | TPMS Receiver Power Supply Circuit Short To Power Or Ground |
| <b>Kia C1668</b> | Internal Failure Detection                                  |
| <b>Kia C1692</b> | CAN Time-out VSM                                            |
| <b>Kia C1693</b> | CAN Signal Error VSM                                        |
| <b>Kia C1700</b> | HECU Pin Coding Fault                                       |
| <b>Kia C1702</b> | HECU Variant Code Fault                                     |
| <b>Kia C1704</b> | EPS ECU Fail-Safe Relay Fail                                |
| <b>Kia C1705</b> | EPS ECU Precharge Circuit Fault                             |
| <b>Kia C2112</b> | HECU Solenoid Relay Voltage Output Fault                    |
| <b>Kia C2124</b> | Relay On, Voltage Low or Relay Off, Voltage High            |
| <b>Kia C2212</b> | Left Front Solenoid Disconnected                            |
| <b>Kia C2227</b> | Brake Disc Temperature                                      |
| <b>Kia C2308</b> | Valve Circuit Fault                                         |
| <b>Kia C2312</b> | HECU Valve Fault                                            |
| <b>Kia C2316</b> | HECU Fault                                                  |
| <b>Kia C2320</b> | HECU Fault                                                  |

| CODES            | DEFINITION                                                   |
|------------------|--------------------------------------------------------------|
| <b>Kia C2324</b> | HECU Fault                                                   |
| <b>Kia C2328</b> | HECU Fault                                                   |
| <b>Kia C2332</b> | HECU Fault                                                   |
| <b>Kia C2336</b> | HECU Fault                                                   |
| <b>Kia C2366</b> | HECU Fault                                                   |
| <b>Kia C2370</b> | HECU Fault                                                   |
| <b>Kia C2372</b> | HECU Fault                                                   |
| <b>Kia C2374</b> | HECU Fault                                                   |
| <b>Kia C2380</b> | Solenoid Valve Drive Circuit                                 |
| <b>Kia C2400</b> | Motor Fault - Motor Not Running                              |
| <b>Kia C2401</b> | EPS Motor circuit                                            |
| <b>Kia C2402</b> | ABS Pump Motor Voltage Fault                                 |
| <b>Kia C2412</b> | EPS Motor Short or Open                                      |
| <b>Kia C2413</b> | EPS Motor Current fail (current over)                        |
| <b>Kia C2510</b> | TREAD/Wheel Location/DTC Warning Lamp Circuit Short To Power |
| <b>Kia C2511</b> | TREAD/Wheel Location/DTC Warning Lamp Circuit Short To Power |
| <b>Kia C2512</b> | TREAD/Wheel Location/DTC Warning Lamp Circuit Short To Power |
| <b>Kia C2513</b> | TREAD/Wheel Location/DTC Warning Lamp Circuit Short To Power |
| <b>Kia C2514</b> | TREAD/Wheel Location/DTC Warning Lamp Circuit Short To Power |
| <b>Kia C2515</b> | TREAD/Wheel Location/DTC Warning Lamp Circuit Short To Power |

| CODES            | DEFINITION                                                                       |
|------------------|----------------------------------------------------------------------------------|
| <b>Kia P1102</b> | HO2S-11 (Bank 1 Sensor 1) Heater Circuit High Input                              |
| <b>Kia P1105</b> | HO2S-12 (Bank 1 Sensor 2) Heater Circuit High Input                              |
| <b>Kia P1106</b> | Manifold Absolute Pressure Sensor Circuit Short-Intermittent High Input          |
| <b>Kia P1107</b> | Manifold Absolute Pressure Sensor Circuit Short-Intermittent Low Input           |
| <b>Kia P1111</b> | Intake Air Temperature Sensor Circuit Short- Intermittent High Input             |
| <b>Kia P1112</b> | Intake Air Temperature Sensor Circuit Short- Intermittent Low Input              |
| <b>Kia P1114</b> | Engine Coolant temperature Sensor Circuit- Intermittent Low Input                |
| <b>Kia P1115</b> | Engine Coolant temperature Sensor Circuit- Intermittent High Input               |
| <b>Kia P1117</b> | HO2S-11 (Bank 1 Sensor 1) Heater Circuit Low Input                               |
| <b>Kia P1121</b> | THROTTLE POSITION SIGNAL CIRCUIT MALFUNCTION                                     |
| <b>Kia P1123</b> | Long Term F/T Adaptive Air System Low                                            |
| <b>Kia P1124</b> | Long Term F/T Adaptive Air System High                                           |
| <b>Kia P1127</b> | Long Term F/T Multiplier Air System Low                                          |
| <b>Kia P1128</b> | Long Term F/T Multiplier Air System High                                         |
| <b>Kia P1140</b> | Load Calculation Cross Check                                                     |
| <b>Kia P1151</b> | Electronic Throttle System Sub Accelerator Position Sensor 2 Circuit Malfunction |
| <b>Kia P1154</b> | HO2S-21 (Bank 2 Sensor 1) Transition Time Switch                                 |
| <b>Kia P1159</b> | VICS Valve Circuit Malfunction                                                   |
| <b>Kia P1166</b> | HO2S-11 Controller Adaptive Test (Bank 1)                                        |



| CODES            | DEFINITION                                                            |
|------------------|-----------------------------------------------------------------------|
| <b>Kia P1167</b> | HO2S-11 Controller Adaptive Test (Bank 2)                             |
| <b>Kia P1170</b> | HO2S-11 (Bank 1 Sensor 1) Circuit Stuck at Mid-Range                  |
| <b>Kia P1192</b> | ETS Limp home Target Following Malfunction                            |
| <b>Kia P1193</b> | ETS Limp home Low RPM                                                 |
| <b>Kia P1194</b> | ETS Limp home TPS2 Malfunction                                        |
| <b>Kia P1195</b> | EGR Boost Or Pressure Sensor Circuit Malfunction                      |
| <b>Kia P1196</b> | Ignition Switch Start Circuit Malfunction                             |
| <b>Kia P1213</b> | Fuel Injector 1 Circuit High Input                                    |
| <b>Kia P1214</b> | Fuel Injector 2 Circuit High Input                                    |
| <b>Kia P1215</b> | Fuel Injector 3 Circuit High Input                                    |
| <b>Kia P1216</b> | Fuel Injector 4 Circuit High Input                                    |
| <b>Kia P1225</b> | Fuel Injector 1 Circuit Low Input                                     |
| <b>Kia P1226</b> | Fuel Injector 2 Circuit Low Input                                     |
| <b>Kia P1227</b> | Fuel Injector 3 Circuit Low Input                                     |
| <b>Kia P1228</b> | Fuel Injector 4 Circuit Low Input                                     |
| <b>Kia P1229</b> | Pressure Regulator Control Solenoid Circuit Malfunction               |
| <b>Kia P1295</b> | Electronic Throttle Control (ETC) System Malfunction-Power Management |
| <b>Kia P1307</b> | Chassis Acceleration Sensor Range/Performance                         |
| <b>Kia P1308</b> | Chassis Acceleration Sensor Low Input                                 |
| <b>Kia P1309</b> | Chassis Acceleration Sensor High Input                                |
| <b>Kia P1330</b> | Spark Timing Adjustment Circuit Malfunction                           |
| <b>Kia P1345</b> | No SGC (CMP) Signal To PCM                                            |

| CODES            | DEFINITION                                               |
|------------------|----------------------------------------------------------|
| <b>Kia P1372</b> | Segment Time Acquisition Incorrect                       |
| <b>Kia P1386</b> | Knock Sensor Control Zero Test                           |
| <b>Kia P1401</b> | EGR Control Solenoid Circuit Signal Low                  |
| <b>Kia P1402</b> | EGR Valve Position Sensor Circuit Malfunction            |
| <b>Kia P1403</b> | Leak Detection Module Solenoid Valve Circuit Malfunction |
| <b>Kia P1404</b> | Leak Detection Module Heater Malfunction                 |
| <b>Kia P1410</b> | EVAP Purge Solenoid Circuit High Input                   |
| <b>Kia P1412</b> | EGR Differential Pressure Sensor Low Input Condition:    |
| <b>Kia P1413</b> | EGR Differential Pressure Sensor High Input              |
| <b>Kia P1425</b> | EVAP Purge Solenoid Circuit Low Input                    |
| <b>Kia P1440</b> | EVAP Canister Control System Vent Circuit Malfunction    |
| <b>Kia P1446</b> | Leak Detection Pump Solenoid Circuit Malfunction         |
| <b>Kia P1447</b> | Leak Detection Pump Control Circuit Malfunction          |
| <b>Kia P1448</b> | Leak Detection Module Malfunction                        |
| <b>Kia P1449</b> | Canister Drain Cut Valve Solenoid Circuit Malfunction    |
| <b>Kia P1450</b> | Excessive EVAP System Vacuum Leak                        |
| <b>Kia P1455</b> | Fuel Tank Sending Unit Circuit Malfunction               |
| <b>Kia P1458</b> | Air Conditioning Compressor Clutch Circuit Malfunction   |
| <b>Kia P1485</b> | EGR Solenoid Valve (Vacuum) Circuit Malfunction          |
| <b>Kia P1486</b> | EGR Solenoid Valve (Vent) Circuit Malfunction            |
| <b>Kia P1487</b> | EGR Boost Sensor Solenoid Circuit Malfunction            |
| <b>Kia P1496</b> | EGR Stepper Motor 1 Circuit Malfunction                  |

| CODES            | DEFINITION                                              |
|------------------|---------------------------------------------------------|
| <b>Kia P1497</b> | EGR Stepper Motor 2 Circuit Malfunction                 |
| <b>Kia P1498</b> | EGR Stepper Motor 3 Circuit Malfunction                 |
| <b>Kia P1499</b> | EGR Stepper Motor 4 Circuit Malfunction                 |
| <b>Kia P1500</b> | Vehicle Speed Sensor Performance                        |
| <b>Kia P1505</b> | IAC Valve Opening Coil Signal Low                       |
| <b>Kia P1506</b> | IAC Valve Opening Coil Signal High                      |
| <b>Kia P1507</b> | IAC Valve Closing Coil Signal Low                       |
| <b>Kia P1508</b> | IAC Valve Closing Coil Signal High                      |
| <b>Kia P1510</b> | Idle Air Control Valve Opening Coil Signal High         |
| <b>Kia P1511</b> | Idle Charge Actuator Signal Incorrect (Coil 2)          |
| <b>Kia P1513</b> | Idle Air Control Valve Opening Coil Signal Low          |
| <b>Kia P1515</b> | A/T To M/T Codification                                 |
| <b>Kia P1523</b> | Throttle Actuator Control System - Throttle Valve Stuck |
| <b>Kia P1529</b> | Customer Snapshot Request Error                         |
| <b>Kia P1550</b> | Knock Sensor Evaluation IC                              |
| <b>Kia P1552</b> | Idle Air Control Valve Closing Coil Signal Low          |
| <b>Kia P1553</b> | Idle Air Control Valve Closing Coil Signal High         |
| <b>Kia P1560</b> | System Voltage                                          |
| <b>Kia P1586</b> | A/T TO M/T CODIFICATION                                 |
| <b>Kia P1602</b> | Serial Communication Problem With TCM                   |
| <b>Kia P1606</b> | Chassis Accelerator Sensor Signal Performance           |
| <b>Kia P1608</b> | PCM Internal Fault                                      |

| CODES            | DEFINITION                                           |
|------------------|------------------------------------------------------|
| <b>Kia P1610</b> | Non-Immobilizer-EMS connected to an Immobilizer      |
| <b>Kia P1611</b> | MIL Request Circuit Low Input                        |
| <b>Kia P1613</b> | Engine Control Unit Self-Test Failed                 |
| <b>Kia P1614</b> | MIL Request Circuit High Input                       |
| <b>Kia P1616</b> | Chassis Accelerator Sensor Signal Low Input          |
| <b>Kia P1617</b> | Chassis Accelerator Sensor Signal High Input         |
| <b>Kia P161B</b> | PCM Internal Error- Torque Calculating               |
| <b>Kia P1624</b> | MIL Request Circuit (TCM To PCM) Circuit Malfunction |
| <b>Kia P1625</b> | Cooling Fan High Relay Circuit Malfunction           |
| <b>Kia P1631</b> | Generator Voltage Detection Circuit Malfunction      |
| <b>Kia P1632</b> | Generator Battery Detection Circuit Malfunction      |
| <b>Kia P1633</b> | Battery Overcharge Detected                          |
| <b>Kia P1634</b> | Generator 'B' Circuit Open Malfunction               |
| <b>Kia P1640</b> | Main Relay Malfunction                               |
| <b>Kia P1642</b> | Non-Immobilizer EMS Connected to Immobilizer         |
| <b>Kia P1655</b> | Unused Power Stage 'B' Circuit Malfunction           |
| <b>Kia P1660</b> | Unused Power Stage 'A' Circuit Malfunction           |
| <b>Kia P1665</b> | Power Group Stage 'A' Circuit Malfunction            |
| <b>Kia P1670</b> | Power Group Stage 'B' Circuit Malfunction            |
| <b>Kia P1673</b> | Cooling Fan Circuit Malfunction                      |
| <b>Kia P1674</b> | Transponder Status Error                             |
| <b>Kia P1675</b> | Transponder Programming Error                        |

| CODES            | DEFINITION                                                 |
|------------------|------------------------------------------------------------|
| <b>Kia P1676</b> | SMARTRA Message Error                                      |
| <b>Kia P1677</b> | Immobilizer-EMS VIN Data Error (EMS has different VIN)     |
| <b>Kia P1678</b> | Immobilizer-EMS No Request ( EMS data line open, no immo.) |
| <b>Kia P1679</b> | Immobilizer-EMS Data Fail (Data frame, CS, Message error)  |
| <b>Kia P1688</b> | Immobilizer Lock                                           |
| <b>Kia P1690</b> | SMARTRA Error                                              |
| <b>Kia P1691</b> | Antenna Error                                              |
| <b>Kia P1692</b> | Immobilizer Lamp Error                                     |
| <b>Kia P1693</b> | Transponder No Response Error/Invalid Response             |
| <b>Kia P1694</b> | ECM Signal Error                                           |
| <b>Kia P1695</b> | EEPROM Error                                               |
| <b>Kia P1696</b> | Authentication Fail                                        |
| <b>Kia P1697</b> | Hi-Scan Message Error                                      |
| <b>Kia P1698</b> | Immobilizer-Invalid TP (TP has different PIN)              |
| <b>Kia P1699</b> | Twice IG ON over trial                                     |
| <b>Kia P169A</b> | SMARTRA Authentication Fail                                |
| <b>Kia P1700</b> | Overdrive (O/D) Off Lamp Circuit Malfunction               |
| <b>Kia P1716</b> | Steering Wheel Angle Sensor-Input Signal Malfunction       |
| <b>Kia P1717</b> | Steering Wheel Angle Sensor 1-Input Signal                 |
| <b>Kia P1718</b> | Steering Wheel Angle Sensor 2-Input Signal                 |
| <b>Kia P1719</b> | Steering Wheel Angle Sensor N-Input Signal                 |

| CODES            | DEFINITION                                         |
|------------------|----------------------------------------------------|
| <b>Kia P1723</b> | TCM A/T Control Relay Line Circuit Malfunction     |
| <b>Kia P1725</b> | EEPROM CHECKSUM error                              |
| <b>Kia P1726</b> | Throttle Position Sensor(TPS) Input-Loss of Signal |
| <b>Kia P1727</b> | Throttle Position Signal Abnormality               |
| <b>Kia P1728</b> | EMC-Open or Short to Battery                       |
| <b>Kia P1729</b> | EMC-Short to Ground                                |
| <b>Kia P1730</b> | Front Speed Sensor Low Voltage                     |
| <b>Kia P1731</b> | Front Speed Sensor High Voltage                    |
| <b>Kia P1732</b> | Rear Speed Sensor Low Voltage                      |
| <b>Kia P1733</b> | Rear Speed Sensor High Voltage                     |
| <b>Kia P1734</b> | Speed Sensor Reference - Low Input                 |
| <b>Kia P1735</b> | Speed Sensor Reference - High Input                |
| <b>Kia P1736</b> | Shift Motor-Open or Short to Battery               |
| <b>Kia P1737</b> | Shift Motor-Open or Short to Ground                |
| <b>Kia P1738</b> | 4WD ECU Invalid Part Number                        |
| <b>Kia P1739</b> | General Position Encoder Fault                     |
| <b>Kia P1740</b> | Position 1 - Short To Ground                       |
| <b>Kia P1741</b> | Position 2 - Short To Ground                       |
| <b>Kia P1742</b> | Position 3 - Short To Ground                       |
| <b>Kia P1743</b> | Position 4 - Short To Ground                       |
| <b>Kia P1764</b> | ECU-ITM CAN Communication Line                     |
| <b>Kia P1765</b> | TCS-ITM CAN Communication Line                     |

| CODES              | DEFINITION                                                                                               |
|--------------------|----------------------------------------------------------------------------------------------------------|
| <b>Kia P1766</b>   | CAN Communication Bus Off                                                                                |
| <b>Kia P1767</b>   | CAN ABS Loss of Signal                                                                                   |
| <b>Kia P1780</b>   | Transmission Control Spark Advance Circuit Malfunction                                                   |
| <b>Kia P1794</b>   | Direct Battery Circuit Open Malfunction                                                                  |
| <b>Kia P1795</b>   | 4x4 Low Switch Signal Circuit Malfunction                                                                |
| <b>Kia P1797</b>   | A/T Park Neutral Range Switch Circuit Malfunction                                                        |
| <b>Kia P1800</b>   | Engine Torque Circuit Malfunction                                                                        |
| <b>Kia U1139</b>   | DIS AMP Unit Fan Operation Error - no plug put or line open(Fan is not running although it should be on) |
| <b>Lexus B1200</b> | MPX Body ECU Stop                                                                                        |
| <b>Lexus B1204</b> | Driver Side Seat Switch ECU Communication Stop                                                           |
| <b>Lexus B1205</b> | AFS ECU Communication Stop                                                                               |
| <b>Lexus B1206</b> | P/W Master Switch Communication Stop                                                                     |
| <b>Lexus B1207</b> | Certification ECU Communication Malfunction                                                              |
| <b>Lexus B1210</b> | Power ECU Stop                                                                                           |
| <b>Lexus B1211</b> | Driver Door ECU Communication Stop                                                                       |
| <b>Lexus B1212</b> | Front Passenger Door ECU Communication Stop                                                              |
| <b>Lexus B1213</b> | Tilt and Telescopic ECU Communication Stop                                                               |
| <b>Lexus B1214</b> | Short to B+ in Door System Communication Bus Malfunction                                                 |
| <b>Lexus B1215</b> | Short to GND in Door System Communication Bus Malfunction                                                |
| <b>Lexus B1216</b> | Rear Door ECU RH Communication Stop                                                                      |
| <b>Lexus B1217</b> | Rear Door ECU LH Communication Stop                                                                      |

| CODES              | DEFINITION                                                            |
|--------------------|-----------------------------------------------------------------------|
| <b>Lexus B1247</b> | Tire Pressure Monitor Receiver Communication Stop                     |
| <b>Lexus B1262</b> | A/C ECU Communication Stop                                            |
| <b>Lexus B1263</b> | Luggage Room Junction Block ECU Communication Stop                    |
| <b>Lexus B1266</b> | Short to B+ in Instrument Panel System Communication Bus Malfunction  |
| <b>Lexus B1267</b> | Short to GND in Instrument Panel System Communication Bus Malfunction |
| <b>Lexus B1271</b> | Combination Meter ECU Communication Stop                              |
| <b>Lexus B1272</b> | Power Seat ECU Communication Stop                                     |
| <b>Lexus B1273</b> | Sliding Roof ECU Communication Stop                                   |
| <b>Lexus B1278</b> | Combination Switch ECU Communication Stop                             |
| <b>Lexus B1279</b> | Rain Sensor Communication Stop                                        |
| <b>Lexus B1280</b> | Left Side Junction Block ECU Communication Stop                       |
| <b>Lexus B1281</b> | Airbag ECU Communication Stop                                         |
| <b>Lexus B1289</b> | Passenger Seat ECU Communication Stop                                 |
| <b>Lexus B1291</b> | Short to B+ in Light System Communication Bus Malfunction             |
| <b>Lexus B1292</b> | Short to GND in Light System Communication Bus Malfunction            |
| <b>Lexus B1296</b> | Front Light ECU Communication Stop                                    |
| <b>Lexus B1297</b> | Clearance Sonar ECU Communication Stop                                |
| <b>Lexus B2271</b> | Ignition Hold Monitor Malfunction                                     |
| <b>Lexus B2275</b> | STSW Monitor Malfunction                                              |
| <b>Lexus B2277</b> | Detecting Vehicle Submersion                                          |



| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Lexus B2282</b> | Vehicle Speed Signal Malfunction                        |
| <b>Lexus B2286</b> | Runnable Signal Malfunction                             |
| <b>Lexus B2412</b> | Headlight Swivel Motor LH Malfunction                   |
| <b>Lexus B2779</b> | Engine Starter Communication Malfunction                |
| <b>Lexus B2784</b> | Antenna Coil Open / Short                               |
| <b>Lexus B278A</b> | Short To GND In Immobilizer System Power Source Circuit |
| <b>Lexus B2790</b> | ID BOX EEPROM Malfunction                               |
| <b>Lexus B2799</b> | Engine Immobiliser System Malfunction                   |
| <b>Lexus B279A</b> | Theft Deterrent System Communication Line High Fixation |
| <b>Lexus B279C</b> | Theft Deterrent System Presence Detection               |
| <b>Lexus P1100</b> | Barometric Pressure Sensor Circuit Malfunction          |
| <b>Lexus P1115</b> | General Temperature Sensor Performance                  |
| <b>Lexus P1120</b> | Accelerator Pedal Position Sensor Circuit Malfunction   |
| <b>Lexus P1121</b> | ETCS Accelerator Pedal Position Sensor Performance      |
| <b>Lexus P1125</b> | Throttle Control Motor Circuit Malfunction              |
| <b>Lexus P1126</b> | Magnetic Clutch Circuit Malfunction                     |
| <b>Lexus P1127</b> | ETCS Actuator Power Source Circuit Malfunction          |
| <b>Lexus P1128</b> | Throttle Control Motor Lock Malfunction                 |
| <b>Lexus P1129</b> | Electric Throttle Control System (ETCS) Malfunction     |
| <b>Lexus P1130</b> | A/F Sensor-11 (Bank 1 Sensor 1) Circuit Malfunction     |
| <b>Lexus P1133</b> | A/F Sensor-11 (Bank 1 Sensor 1) Slow Response           |

| CODES              | DEFINITION                                                 |
|--------------------|------------------------------------------------------------|
| <b>Lexus P1135</b> | A/F Sensor-11 (Bank 1 Sensor 1) Heater Circuit Malfunction |
| <b>Lexus P1150</b> | A/F Sensor-21 (Bank 2 Sensor 1) Circuit Malfunction        |
| <b>Lexus P1153</b> | A/F Sensor-21 (Bank 2 Sensor 1) Slow Response              |
| <b>Lexus P1155</b> | A/F Sensor-21 (Bank 2 Sensor 1) Heater Circuit Malfunction |
| <b>Lexus P1170</b> | Port Injector Fuel Performance                             |
| <b>Lexus P117B</b> | Direct Injector Fuel Performance                           |
| <b>Lexus P1192</b> | Intake Air Temperature Sensor Circuit Low Input            |
| <b>Lexus P1193</b> | Intake Air Temperature Sensor Circuit High Input           |
| <b>Lexus P1195</b> | O2 (B1 S1) Circuit Insufficient Activity                   |
| <b>Lexus P1196</b> | O2 (B2 S1) Circuit Insufficient Activity                   |
| <b>Lexus P1197</b> | O2 (B1 S2) Circuit Insufficient Activity                   |
| <b>Lexus P1200</b> | Fuel Pump Relay/ECU Circuit Malfunction                    |
| <b>Lexus P1235</b> | High Pressure Fuel Pump Circuit                            |
| <b>Lexus P1276</b> | Port Injector Circuit No. 1                                |
| <b>Lexus P1277</b> | Port Injector Circuit No. 2                                |
| <b>Lexus P1278</b> | Port Injector Circuit No. 3                                |
| <b>Lexus P1279</b> | Port Injector Circuit No. 4                                |
| <b>Lexus P127A</b> | Port Injector Circuit No. 5                                |
| <b>Lexus P127B</b> | Port Injector Circuit No. 6                                |
| <b>Lexus P1281</b> | Engine Is Cold Too Long                                    |
| <b>Lexus P1282</b> | Fuel Pump Relay Control Circuit Malfunction                |

| CODES              | DEFINITION                                           |
|--------------------|------------------------------------------------------|
| <b>Lexus P1289</b> | Manifold Tuning Valve Control Circuit Malfunction    |
| <b>Lexus P1294</b> | Target Idle Speed Not Reached                        |
| <b>Lexus P1296</b> | 5-Volt VREF Supply Not Present                       |
| <b>Lexus P1297</b> | No Change In MAP Signal From Start To Run Transition |
| <b>Lexus P1299</b> | Vacuum Leak Present With IAC Valve Fully Seated      |
| <b>Lexus P1300</b> | Igniter Circuit Malfunction                          |
| <b>Lexus P1305</b> | Igniter No. 2 Circuit Malfunction                    |
| <b>Lexus P1310</b> | Igniter No. 3 Circuit Malfunction                    |
| <b>Lexus P1315</b> | Igniter No. 4 Circuit Malfunction                    |
| <b>Lexus P1320</b> | Igniter No. 5 Circuit Malfunction                    |
| <b>Lexus P1325</b> | Igniter No. 6 Circuit Malfunction                    |
| <b>Lexus P1330</b> | Igniter No. 7 Circuit Malfunction                    |
| <b>Lexus P1335</b> | Crankshaft Position Sensor Circuit Malfunction       |
| <b>Lexus P1340</b> | Igniter No. 8 Circuit Malfunction                    |
| <b>Lexus P1388</b> | Auto Shutdown Relay Control Circuit Malfunction      |
| <b>Lexus P1389</b> | No Auto Shutdown Relay Output Voltage To PCM         |
| <b>Lexus P1390</b> | Timing Belt Skipped One Tooth Or More                |
| <b>Lexus P1391</b> | CKP Or CMP Sensor Signal Intermittent                |
| <b>Lexus P1398</b> | Misfire Adaptive Numerator At Limit                  |
| <b>Lexus P1400</b> | Sub-Throttle Position Sensor Circuit Malfunction     |
| <b>Lexus P1401</b> | Sub-Throttle Position Sensor Range/Performance       |
| <b>Lexus P1405</b> | Turbo Pressure Sensor Circuit Malfunction            |

| CODES              | DEFINITION                                              |
|--------------------|---------------------------------------------------------|
| <b>Lexus P1406</b> | Turbo Pressure Sensor Circuit Malfunction               |
| <b>Lexus P1410</b> | EGR Valve Position Sensor Circuit Malfunction           |
| <b>Lexus P1411</b> | EGR Valve Position Sensor Range/Performance             |
| <b>Lexus P1480</b> | Positive Crankcase Ventilation Solenoid Circuit Failure |
| <b>Lexus P1481</b> | EVAP Leak Detection Monitor Pinched Hose Detected       |
| <b>Lexus P1486</b> | EVAP Leak Detection Monitor Pinched Hose Detected       |
| <b>Lexus P1489</b> | High Speed Radiator Fan Relay Circuit Malfunction       |
| <b>Lexus P1490</b> | Low Speed Radiator Fan Relay Circuit Malfunction        |
| <b>Lexus P1491</b> | Radiator Fan Control Relay Circuit Malfunction          |
| <b>Lexus P1492</b> | Battery Temperature Sensor Circuit High Input           |
| <b>Lexus P1493</b> | Battery Temperature Sensor Circuit Low Input            |
| <b>Lexus P1494</b> | EVAP Leak Detection Pump Switch Or Mechanical Fault     |
| <b>Lexus P1495</b> | Leak Detection Pump Solenoid Circuit Malfunction        |
| <b>Lexus P1496</b> | 5-Volt VREF Supply Voltage Too Low                      |
| <b>Lexus P1498</b> | No CCD Messages Received From The TCM                   |
| <b>Lexus P1499</b> | Radiator (Hydraulic) Fan Solenoid Circuit Failure       |
| <b>Lexus P1500</b> | Starter Signal Circuit Malfunction                      |
| <b>Lexus P1511</b> | Turbo Boost Pressure Low Malfunction                    |
| <b>Lexus P1512</b> | Turbo Boost Pressure High Malfunction                   |
| <b>Lexus P1520</b> | Stop Light Switch Circuit Malfunction                   |
| <b>Lexus P1525</b> | Cruise Control Switch Circuit Malfunction               |
| <b>Lexus P1566</b> | Cruise Control Main Switch Circuit Malfunction          |

| CODES              | DEFINITION                                                                   |
|--------------------|------------------------------------------------------------------------------|
| <b>Lexus P1570</b> | Radar Sensor Malfunction                                                     |
| <b>Lexus P1572</b> | Improper Aiming of Radar Sensor Beam Axis                                    |
| <b>Lexus P1593</b> | Speed Control Switch Stuck Operation                                         |
| <b>Lexus P1594</b> | Charging System Voltage Too High                                             |
| <b>Lexus P1595</b> | Speed Control Solenoid Circuit Failure                                       |
| <b>Lexus P1596</b> | Speed Control Switch Continuous High Input                                   |
| <b>Lexus P1597</b> | Speed Control Switch Continuous Low Input                                    |
| <b>Lexus P1598</b> | A/C Pressure Sensor Circuit High Input                                       |
| <b>Lexus P1599</b> | A/C Pressure Sensor Circuit Low Input                                        |
| <b>Lexus P1600</b> | PCM Battery Backup Circuit Malfunction                                       |
| <b>Lexus P1602</b> | PCM Not Programmed                                                           |
| <b>Lexus P1603</b> | Powertrain Control Module Internal Dual-Port Ram Communication               |
| <b>Lexus P1604</b> | PCM Internal Dual-Port Ram Read/Write Integrity Failure                      |
| <b>Lexus P1605</b> | Knock Control CPU Malfunction                                                |
| <b>Lexus P1607</b> | Cruise Control Input Processor                                               |
| <b>Lexus P1615</b> | Communication Error from Distance Control ECU to Engine Control Module (ECM) |
| <b>Lexus P1616</b> | Communication Error from ECM to Distance Control ECU                         |
| <b>Lexus P1617</b> | Distance Control ECU Malfunction                                             |
| <b>Lexus P1630</b> | Communication Error from VSC to ECM                                          |
| <b>Lexus P1631</b> | Communication Error from ECM to VSC                                          |
| <b>Lexus P1633</b> | Engine Throttle Control System Circuit Malfunction                           |

| CODES              | DEFINITION                                         |
|--------------------|----------------------------------------------------|
| <b>Lexus P1652</b> | Serial Communication Link Malfunction              |
| <b>Lexus P1682</b> | Charging System Voltage Too Low                    |
| <b>Lexus P1683</b> | Speed Control Relay Or Driver Circuit Malfunction  |
| <b>Lexus P1684</b> | Battery Has Been Disconnected                      |
| <b>Lexus P1685</b> | Smart Key Immobilizer Module Invalid Key           |
| <b>Lexus P1686</b> | No SKIM Bus Messages Received                      |
| <b>Lexus P1687</b> | No Cluster Bus Messages                            |
| <b>Lexus P1694</b> | No PCM Bus Messages                                |
| <b>Lexus P1695</b> | No BCM Bus Messages                                |
| <b>Lexus P1696</b> | PCM EEPROM Write Operation Denied/Invalid          |
| <b>Lexus P1697</b> | PCM Failure (EMR/SRI Mileage Not Stored)           |
| <b>Lexus P1698</b> | No CCD Messages Received From The TCM              |
| <b>Lexus P1700</b> | Vehicle Speed Sensor '2' Circuit Malfunction       |
| <b>Lexus P1705</b> | A/T Direct Clutch Speed Sensor Circuit Malfunction |
| <b>Lexus P1715</b> | A/T Pulse Generator Assembly Circuit Malfunction   |
| <b>Lexus P1716</b> | Bus Communication Failure With The PCM             |
| <b>Lexus P1717</b> | Bus Communication Failure With The MIC             |
| <b>Lexus P1718</b> | TCM Internal Malfunction                           |
| <b>Lexus P1738</b> | A/T High Temperature Operation Activated           |
| <b>Lexus P1739</b> | A/T Power Up Circuit At Speed                      |
| <b>Lexus P1740</b> | TCM Internal Malfunction                           |
| <b>Lexus P1742</b> | TCM Internal Malfunction                           |

| CODES              | DEFINITION                                             |
|--------------------|--------------------------------------------------------|
| <b>Lexus P1743</b> | TCM Internal Malfunction                               |
| <b>Lexus P1744</b> | A/T Shift Solenoid 'A' Control Circuit Low Input       |
| <b>Lexus P1745</b> | A/T Shift Solenoid 'A' Control Circuit High Input      |
| <b>Lexus P1746</b> | A/T Shift Solenoid 'B' Control Circuit Low Input       |
| <b>Lexus P1747</b> | A/T Shift Solenoid 'B' Control Circuit High Input      |
| <b>Lexus P1748</b> | A/T TCC Solenoid 'C' Control Circuit Low Input         |
| <b>Lexus P1749</b> | A/T Shift Solenoid 'C' Control Circuit High Input      |
| <b>Lexus P1756</b> | A/T Governor Pressure Not Equal To Target At 15-20 PSI |
| <b>Lexus P1757</b> | A/T Governor Pressure Above 3 PSI In Gear At 0 MPH     |
| <b>Lexus P1762</b> | A/T Governor Pressure Sensor Offset Volts Too High/Low |
| <b>Lexus P1763</b> | A/T Governor Pressure Sensor Signal Too High           |
| <b>Lexus P1764</b> | A/T Governor Pressure Sensor Signal Too Low            |
| <b>Lexus P1765</b> | A/T Linear Shift Solenoid Circuit Malfunction          |
| <b>Lexus P1767</b> | A/T Transmission Relay Circuit Malfunction             |
| <b>Lexus P1768</b> | A/T Transmission Relay Output Always Off               |
| <b>Lexus P1775</b> | A/T Solenoid Switch Latched In TCC Position            |
| <b>Lexus P1776</b> | A/T Solenoid Switch Latched In Low/Reverse Position    |
| <b>Lexus P1780</b> | Park/Neutral Position Switch Circuit Malfunction       |
| <b>Lexus P1781</b> | A/T Overdrive Pressure Switch Circuit Malfunction      |
| <b>Lexus P1782</b> | A/T Overdrive Pressure Switch Circuit Malfunction      |
| <b>Lexus P1784</b> | A/T Additional L/R Pressure Switch Circuit Malfunction |
| <b>Lexus P1788</b> | A/T Additional 2/4 Pressure Switch Circuit Malfunction |

| CODES              | DEFINITION                                                |
|--------------------|-----------------------------------------------------------|
| <b>Lexus P1789</b> | A/T Overdrive/2/4 Pressure Switch Circuit Malfunction     |
| <b>Lexus P1790</b> | A/T Malfunction Immediately After Shift Event             |
| <b>Lexus P1791</b> | A/T Loss Of Prime Malfunction                             |
| <b>Lexus P1792</b> | Battery Was Disconnected                                  |
| <b>Lexus P1793</b> | TCM TRD Link Communication Error                          |
| <b>Lexus P1794</b> | A/T Speed Sensor Ground Circuit Malfunction               |
| <b>Lexus P1795</b> | Transmission Control Module Internal Malfunction          |
| <b>Lexus P1796</b> | A/T Additional AutoStick Input Circuit Malfunction        |
| <b>Lexus P1797</b> | A/T Manual Shift Overheat Malfunction                     |
| <b>Lexus P1798</b> | A/T Transmission Fluid Is Burnt Or Contaminated           |
| <b>Lexus P1799</b> | A/T Calculated Oil Temperature In Use Malfunction         |
| <b>Lexus P1899</b> | A/T Park Neutral Switch Stuck in Park Position or In Gear |
| <b>Lexus U1003</b> | Lost Communication with Can Gateway Module                |
| <b>Lexus U1101</b> | Lost Communication with Distance Control ECU              |
| <b>Lexus U1102</b> | Lost Communication with Radar Sensor                      |
| <b>Lexus U1108</b> | Lost Communication with Front Active Stabilizer ECU       |
| <b>Lexus U1109</b> | Lost Communication with Rear Active Stabilizer ECU        |
| <b>Mazda B1013</b> | Seat Weight Sensor Calibration Error                      |
| <b>Mazda B1014</b> | Rain Sensor/Auto Light Sensor Malfunction                 |
| <b>Mazda B1016</b> | Jump Start Control Module Fault                           |
| <b>Mazda B1031</b> | SDARS Satellite Antenna Open                              |
| <b>Mazda B1032</b> | SDARS Satellite Antenna Short                             |



| CODES              | DEFINITION                                                                              |
|--------------------|-----------------------------------------------------------------------------------------|
| <b>Mazda B1046</b> | Driver-Side Curtain Air Bag Module And Other Air Bag Module Circuits Short              |
| <b>Mazda B1047</b> | Driver-Side Side Air Bag Module And Other Air Bag Module Circuits Short                 |
| <b>Mazda B1048</b> | Passenger-Side Air Bag Module (Inflator No.1) And Other Air Bag Module Circuits Short   |
| <b>Mazda B1049</b> | Passenger-Side Pre-Tensioner Seat Belt And Other Air Bag Module Circuits Short          |
| <b>Mazda B104B</b> | Driver-Side Side Air Bag Sensor No.1 And Other Sensor Circuits Short To Power Supply    |
| <b>Mazda B104C</b> | Passenger-Side Side Air Bag Sensor No.1 And Other Sensor Circuits Short To Power Supply |
| <b>Mazda B104D</b> | Crash Zone Sensor And Other Sensor Circuits Short To Power Supply                       |
| <b>Mazda B104E</b> | Driver-Side Side Air Bag Sensor No.1 Circuit Open Or Short                              |
| <b>Mazda B104F</b> | Passenger-Side Side Air Bag Sensor No.1 (Internal Circuit Abnormal)                     |
| <b>Mazda B1050</b> | Passenger-Side Side Air Bag Sensor No.1 Circuit Open Or Short                           |
| <b>Mazda B1051</b> | Driver-Side Side Air Bag Sensor No.1 (Internal Circuit Abnormal)                        |
| <b>Mazda B1054</b> | Driver-Side Pre-Tensioner Seat Belt And Other Air Bag Module Circuits Short             |
| <b>Mazda B1055</b> | Passenger-Side Side Air Bag Module And Other Air Bag Module Circuits Short              |
| <b>Mazda B1056</b> | Passenger-Side Curtain Air Bag Module And Other Air Bag Module Circuits Short           |
| <b>Mazda B1057</b> | Driver-Side Air Bag Module (Inflator No.1) And Other Air Bag Module Circuits Short      |

| CODES              | DEFINITION                                                                             |
|--------------------|----------------------------------------------------------------------------------------|
| <b>Mazda B1058</b> | Driver-Side Air Bag Module (Inflator No.2) And Other Air Bag Module Circuits Short     |
| <b>Mazda B1059</b> | Passenger-Side Air Bag Module (Inflator No.2) And Other Air Bag Module Circuits Short  |
| <b>Mazda B105A</b> | SAS Control Module Activation (Deployment) Control Frequency Error                     |
| <b>Mazda B105B</b> | Short To The Driver-Side Side Air Bag Sensor No.2 Circuit And Other Sensor Circuits    |
| <b>Mazda B105F</b> | Short To The Passenger-Side Side Air Bag Sensor No.2 Circuit And Other Sensor Circuits |
| <b>Mazda B106A</b> | TPMS Sensor Pressure Range Bit Incorrect State                                         |
| <b>Mazda B106B</b> | Tire Pressure Sensor Low Battery                                                       |
| <b>Mazda B106C</b> | Tire Pressure Monitor System (TPMS) Low Frequency Subsystem Fault                      |
| <b>Mazda B106D</b> | TPMS Initiators Not Configured                                                         |
| <b>Mazda B106E</b> | Solid State Driver Disabled Due to Short Circuit                                       |
| <b>Mazda B106F</b> | Module Disabled Due to External Fault                                                  |
| <b>Mazda B1093</b> | Steering Lock Unit Communication Error                                                 |
| <b>Mazda B110C</b> | Driver-Side Side Air Bag Sensor No.2 Circuit Short To Power Supply Or Body Ground      |
| <b>Mazda B110D</b> | Passenger-Side Side Air Bag Sensor No.2 Circuit Short To Power Supply Or Body Ground   |
| <b>Mazda B110E</b> | Driver-Side Side Air Bag Sensor No.2 ID Mismatch                                       |
| <b>Mazda B110F</b> | Passenger-Side Side Air Bag Sensor No.2 ID Mismatch                                    |
| <b>Mazda B1117</b> | Audio Steering Wheel Button Stuck                                                      |
| <b>Mazda B1119</b> | Audio Disc DVD Player Thermal Shutdown                                                 |
| <b>Mazda B1126</b> | Steering Lock Unit Internal Malfunction                                                |

| CODES              | DEFINITION                                                    |
|--------------------|---------------------------------------------------------------|
| <b>Mazda B1127</b> | Keyless Antenna (trunk)                                       |
| <b>Mazda B1128</b> | Keyless Antenna (Interior, Middle)                            |
| <b>Mazda B1129</b> | Keyless Antenna (CENTER)                                      |
| <b>Mazda B112A</b> | Keyless Antenna (Interior, Front)                             |
| <b>Mazda B1131</b> | Keyless Antenna (rear)                                        |
| <b>Mazda B1132</b> | Keyless Antenna (Exterior, LF)                                |
| <b>Mazda B1133</b> | Keyless Antenna (Exterior, RF)                                |
| <b>Mazda B1134</b> | Unprogrammed Card Key                                         |
| <b>Mazda B1136</b> | Audio Steering Wheel Switch #2 Circuit Failure                |
| <b>Mazda B1137</b> | Data Not Programmed                                           |
| <b>Mazda B1138</b> | Memory Full                                                   |
| <b>Mazda B1139</b> | Invalid Transmitter Identification Code                       |
| <b>Mazda B1140</b> | Map Disk Invalid                                              |
| <b>Mazda B1143</b> | Excessive Battery Contactor Close Requests                    |
| <b>Mazda B1144</b> | Driver-Side Side Air Bag Sensor No.2 Internal Malfunction     |
| <b>Mazda B1145</b> | Driver-Side Side Air Bag Sensor No.2 (Communication Error)    |
| <b>Mazda B1146</b> | Passenger-Side Side Air Bag Sensor No.2 Internal Malfunction  |
| <b>Mazda B1147</b> | Passenger-Side Side Air Bag Sensor No.2 (Communication Error) |
| <b>Mazda B1155</b> | Subwoofer #1 Short to Battery                                 |
| <b>Mazda B1158</b> | Subwoofer #2 Open                                             |
| <b>Mazda B1200</b> | Climate Control Pushbutton Circuit Failure                    |

| CODES              | DEFINITION                                                                         |
|--------------------|------------------------------------------------------------------------------------|
| <b>Mazda B1202</b> | Fuel Gauge Sender Unit Circuit Malfunction (Open Circuit)                          |
| <b>Mazda B1204</b> | Fuel Gauge Sender Unit Circuit Malfunction (Short To Ground)                       |
| <b>Mazda B1205</b> | EIC Switch-1 Assembly Circuit Failure                                              |
| <b>Mazda B1206</b> | EIC Switch-1 Assembly Circuit Open                                                 |
| <b>Mazda B1208</b> | EIC Switch-1 Assembly Circuit Short To Ground                                      |
| <b>Mazda B1213</b> | Only One Key ID Number Is Registered                                               |
| <b>Mazda B1231</b> | SAS Control Module Activation (Deployment) Control Freeze                          |
| <b>Mazda B1232</b> | Antenna Not Connected— Defective PATS Transceiver                                  |
| <b>Mazda B1239</b> | Air Flow Blend Door Driver Circuit Failure                                         |
| <b>Mazda B1251</b> | Passenger Compartment Temperature Sensor Circuit Open                              |
| <b>Mazda B1253</b> | Passenger Compartment Temperature Sensor Circuit Short (Body Ground)               |
| <b>Mazda B1255</b> | Air Temperature External Sensor Circuit Open                                       |
| <b>Mazda B1257</b> | Air Temperature External Sensor Circuit Short To Ground                            |
| <b>Mazda B129B</b> | Driver Blend Door Actuator, Drive Circuit(s) Shorted to Battery Voltage            |
| <b>Mazda B129C</b> | Driver Blend Door Actuator, Feedback Circuit Open or Shorted to Battery Voltage    |
| <b>Mazda B129D</b> | Driver Blend Door Actuator, Feedback Circuit Shorted to Ground                     |
| <b>Mazda B129F</b> | Passenger Blend Door Actuator, Drive Circuit(s) Shorted to Battery Voltage         |
| <b>Mazda B12A0</b> | Passenger Blend Door Actuator, Feedback Circuit Open or Shorted to Battery Voltage |

| CODES              | DEFINITION                                                               |
|--------------------|--------------------------------------------------------------------------|
| <b>Mazda B12A1</b> | Passenger Blend Door Actuator, Feedback Circuit Shorted to Ground        |
| <b>Mazda B12A2</b> | Passenger Blend Door Actuator, Slow or Door Obstructed                   |
| <b>Mazda B12A4</b> | Mode Door Actuator, Drive Circuit(s) Shorted to Battery Voltage          |
| <b>Mazda B12A5</b> | Mode Door Actuator, Feedback Circuit Open or Shorted to Battery Voltage  |
| <b>Mazda B12A6</b> | Mode Door Actuator, Feedback Circuit Shorted to Ground                   |
| <b>Mazda B12A7</b> | Mode Door Actuator, Slow or Door Obstructed                              |
| <b>Mazda B12A9</b> | Recirculation Door Actuator, Drive Circuit(s) Shorted to Battery Voltage |
| <b>Mazda B12AB</b> | Drivers Heated Seat Relay Drive Circuit Shorted to Battery Voltage       |
| <b>Mazda B12AC</b> | Drivers Heated Seat Relay Drive Circuit Open or Shorted to Ground        |
| <b>Mazda B12AD</b> | Drivers Heated Seat Relay Drive Circuit Open or Shorted to Ground        |
| <b>Mazda B12AE</b> | Passenger Heated Seat Relay Drive Circuit Open or Shorted to Ground      |
| <b>Mazda B12AF</b> | Front Blower Motor Relay Drive Circuit Shorted to Battery Voltage        |
| <b>Mazda B12B0</b> | Front Blower Motor Relay Drive Circuit Open or Shorted to Ground         |
| <b>Mazda B12B1</b> | Front Blower Motor PWM Drive Circuit Shorted to Battery Voltage          |
| <b>Mazda B12B2</b> | Front Blower Motor PWM Drive Circuit Open or Shorted to Ground           |

| CODES              | DEFINITION                                                               |
|--------------------|--------------------------------------------------------------------------|
| <b>Mazda B12B3</b> | Blend Door Actuator, Drive Circuit(s) Shorted to Battery Voltage         |
| <b>Mazda B12B5</b> | Blend Door Actuator, Feedback Circuit Open or Shorted to Battery Voltage |
| <b>Mazda B12B6</b> | Blend Door Actuator, Feedback Circuit Shorted to Ground                  |
| <b>Mazda B12B7</b> | Blend Door Actuator, Slow or Door Obstructed                             |
| <b>Mazda B12B8</b> | Blend Door Actuator, Slow or Door Obstructed                             |
| <b>Mazda B12B9</b> | Vref (5V) Drive Circuit Shorted to Battery Voltage                       |
| <b>Mazda B12BA</b> | Vref (5V) Drive Circuit Shorted to Ground                                |
| <b>Mazda B12BE</b> | Heated Backlight/Mirror Relay Drive Circuit Shorted to Battery Voltage   |
| <b>Mazda B12BF</b> | Heated Backlight/Mirror Relay Drive Circuit Open or Shorted to Ground    |
| <b>Mazda B1302</b> | Accessory Delay Relay Coil Circuit Failure                               |
| <b>Mazda B1304</b> | Accessory Delay Relay Coil Circuit Failure                               |
| <b>Mazda B1311</b> | Door Lock-Link Switch Circuit (Unlock) Failure                           |
| <b>Mazda B1317</b> | Battery Power Supply Voltage High                                        |
| <b>Mazda B1318</b> | Low Power Supply Circuit Voltage                                         |
| <b>Mazda B1320</b> | Driver Door Ajar Circuit Open                                            |
| <b>Mazda B1322</b> | Drive Door Ajar Circuit Short To Ground                                  |
| <b>Mazda B1328</b> | Passenger Door Ajar Circuit Open                                         |
| <b>Mazda B1330</b> | Passenger Door Ajar Circuit Short To Ground                              |
| <b>Mazda B1331</b> | Decklid Ajar Rear Door Circuit Failure                                   |
| <b>Mazda B1336</b> | Door Ajar RR Circuit Open                                                |

| CODES              | DEFINITION                                                     |
|--------------------|----------------------------------------------------------------|
| <b>Mazda B1342</b> | PCM Malfunction                                                |
| <b>Mazda B1352</b> | Ignition Key-In Circuit Failure                                |
| <b>Mazda B1472</b> | Lamp Headlamp Input Circuit Short to Ground                    |
| <b>Mazda B1483</b> | Brake Pedal Input Circuit Failure                              |
| <b>Mazda B1484</b> | Brake Switch System                                            |
| <b>Mazda B1485</b> | Brake Pedal Input Short to Battery                             |
| <b>Mazda B1506</b> | Turn Signal Right Circuit Short To Ground                      |
| <b>Mazda B1510</b> | Flash To Pass Switch Circuit Short to Ground                   |
| <b>Mazda B1520</b> | Bonnet Latch Switch Circuit Open                               |
| <b>Mazda B1572</b> | Door Ajar LR Circuit Open                                      |
| <b>Mazda B1578</b> | Lamp Park Input Circuit Short To Ground                        |
| <b>Mazda B1600</b> | The Key ID Number Data Cannot Be Read                          |
| <b>Mazda B1601</b> | The Instrument Cluster Has Detected Unregistered Key ID Number |
| <b>Mazda B1602</b> | The Instrument Cluster Cannot Read Key ID Number Data Normally |
| <b>Mazda B1614</b> | Rear Wiper Interval Switch Input Circuit Short To Ground       |
| <b>Mazda B1624</b> | Lamp Keypad Output Open Circuit                                |
| <b>Mazda B1626</b> | Lamp Keypad Output Short Circuit to Ground                     |
| <b>Mazda B1676</b> | Battery Pack Voltage Out of Range                              |
| <b>Mazda B1681</b> | No Detected Communication With The Coil Antenna                |
| <b>Mazda B1685</b> | Lamp Dome Input Circuit Failure                                |
| <b>Mazda B1688</b> | Lamp Dome Input Circuit Short to Ground                        |

| CODES              | DEFINITION                                                                          |
|--------------------|-------------------------------------------------------------------------------------|
| <b>Mazda B1696</b> | Autolamp On Circuit Short To Ground                                                 |
| <b>Mazda B1791</b> | Autolamp Sensor Input Circuit Open                                                  |
| <b>Mazda B1793</b> | Autolamp Sensor Input Circuit Short to Ground                                       |
| <b>Mazda B1868</b> | Air Bag Warning System Light Malfunction                                            |
| <b>Mazda B1869</b> | Lamp Air Bag Warning Indicator Circuit Open / Short to Body Ground                  |
| <b>Mazda B1870</b> | Lamp Air Bag Warning Indicator Circuit Short to Battery                             |
| <b>Mazda B1877</b> | Driver-Side Pre-Tensioner Seat Belt Circuit Resistance High                         |
| <b>Mazda B1878</b> | Driver-Side Pre-Tensioner Seat Belt Circuit Short To Power Supply                   |
| <b>Mazda B1879</b> | Driver-Side Pre-Tensioner Seat Belt Circuit Short To Body Ground                    |
| <b>Mazda B1881</b> | Passenger-Side Pre-Tensioner Seat Belt Circuit Resistance High                      |
| <b>Mazda B1882</b> | Passenger-Side Pre-Tensioner Seat Belt Circuit Short To Power Supply                |
| <b>Mazda B1883</b> | Passenger-Side Pre-Tensioner Seat Belt Circuit Short To Body Ground                 |
| <b>Mazda B1884</b> | Passenger Air Bag Deactivation (PAD) Indicator Circuit Open Or Short To Body Ground |
| <b>Mazda B1885</b> | Driver-Side Pre-Tensioner Seat Belt Circuit Resistance Low                          |
| <b>Mazda B1886</b> | Passenger-Side Pre-Tensioner Seat Belt Circuit Resistance Low                       |
| <b>Mazda B1890</b> | Passenger Air Bag Deactivation (PAD) Indicator Circuit Short To Power Supply        |
| <b>Mazda B1916</b> | Driver-Side Air Bag Module (Inflator No.1) Circuit Short To Power Supply            |



| CODES              | DEFINITION                                                                  |
|--------------------|-----------------------------------------------------------------------------|
| <b>Mazda B1921</b> | Air Bag Diagnostic Monitor Ground Circuit Open                              |
| <b>Mazda B1925</b> | Passenger-Side Air Bag Module (Inflator No.1) Circuit Short To Power Supply |
| <b>Mazda B1932</b> | Driver-Side Air Bag Module (Inflator No.1) Circuit Resistance High          |
| <b>Mazda B1933</b> | Passenger-Side Air Bag Module (Inflator No.1) Circuit Resistance High       |
| <b>Mazda B1934</b> | Driver-Side Air Bag Module (Inflator No.1) Circuit Resistance Low           |
| <b>Mazda B1935</b> | Passenger-Side Air Bag Module (Inflator No.1) Circuit Resistance Low        |
| <b>Mazda B1936</b> | Driver-Side Air Bag Module (Inflator No.1) Circuit Short To Body Ground     |
| <b>Mazda B1938</b> | Passenger-Side Air Bag Module (Inflator No.1) Circuit Short To Body Ground  |
| <b>Mazda B1992</b> | Driver-Side Side Air Bag Module Circuit Short To Power Supply               |
| <b>Mazda B1993</b> | Driver-Side Side Air Bag Module Circuit Short To Body Ground                |
| <b>Mazda B1994</b> | Driver-Side Side Air Bag Module Circuit Resistance High                     |
| <b>Mazda B1995</b> | Driver-Side Side Air Bag Module Circuit Resistance Low                      |
| <b>Mazda B1996</b> | Passenger-side Side Air Bag Module Circuit Short To Power Supply            |
| <b>Mazda B1997</b> | Passenger-side Side Air Bag Module Circuit Short To Body Ground             |
| <b>Mazda B1998</b> | Passenger-side Side Air Bag Module Circuit Resistance High                  |
| <b>Mazda B1999</b> | Passenger-side Side Air Bag Module Circuit Resistance Low                   |

| CODES              | DEFINITION                                                                           |
|--------------------|--------------------------------------------------------------------------------------|
| <b>Mazda B2008</b> | Wipers On Signal Circuit Short to Ground                                             |
| <b>Mazda B2031</b> | Left Corner Lamp Output Circuit Failure                                              |
| <b>Mazda B2032</b> | Right Corner Lamp Output Circuit Failure                                             |
| <b>Mazda B2044</b> | Left Rear Stop Lamp Circuit Short to Ground                                          |
| <b>Mazda B2045</b> | Left Rear Stop Lamp Circuit Open                                                     |
| <b>Mazda B2046</b> | Right Rear Stop Lamp Circuit Short to Ground                                         |
| <b>Mazda B2047</b> | Right Rear Stop Lamp Circuit Open                                                    |
| <b>Mazda B2048</b> | Left Rear Turn Lamp Circuit Short to Ground                                          |
| <b>Mazda B2049</b> | Left Rear Turn Lamp Circuit Open                                                     |
| <b>Mazda B2050</b> | Right Rear Turn Lamp Circuit Short to Ground                                         |
| <b>Mazda B2051</b> | Right Rear Turn Lamp Circuit Open                                                    |
| <b>Mazda B2071</b> | Hazard Switch Signal Short to Ground                                                 |
| <b>Mazda B2077</b> | Liftgate Ajar Sw Circuit Failure                                                     |
| <b>Mazda B2097</b> | Compass Module Failure                                                               |
| <b>Mazda B2100</b> | Door Driver Key Cylinder Switch Failure                                              |
| <b>Mazda B2103</b> | Coil Antenna Malfunction                                                             |
| <b>Mazda B2108</b> | Trunk Key Cylinder Switch Failure                                                    |
| <b>Mazda B2139</b> | ID Number Data In The PCM And The Instrument Cluster Do Not Match                    |
| <b>Mazda B2141</b> | Communication Error Between The Instrument Cluster and the PCM (data transfer error) |
| <b>Mazda B2143</b> | ID Registration Failure                                                              |
| <b>Mazda B2170</b> | Push Switch (Steering Lock Unit)                                                     |

| CODES              | DEFINITION                                                                  |
|--------------------|-----------------------------------------------------------------------------|
| <b>Mazda B2172</b> | Inertia Switch Input Circuit Open                                           |
| <b>Mazda B2204</b> | GPS Antenna Connection Open or Short                                        |
| <b>Mazda B2212</b> | Panel Dim Switch Out of Range                                               |
| <b>Mazda B2218</b> | Door Lock Switch Circuit Short To Ground                                    |
| <b>Mazda B2226</b> | Crash Zone Sensor Internal Circuit Disabled                                 |
| <b>Mazda B2227</b> | Crash Zone Sensor Communication Error                                       |
| <b>Mazda B2228</b> | Driver-side Air Bag Module (Inflator No.2) Circuit Short To Body Ground     |
| <b>Mazda B2229</b> | Passenger-side Air Bag Module (Inflator No.2) Circuit Short To Body Ground  |
| <b>Mazda B2230</b> | Driver-side Air Bag Module (Inflator No.2) Circuit Short To Power Supply    |
| <b>Mazda B2231</b> | Passenger-side Air Bag Module (Inflator No.2) Circuit Short To Power Supply |
| <b>Mazda B2232</b> | Driver-side Air Bag Module (Inflator No.2) Circuit Resistance High          |
| <b>Mazda B2233</b> | Passenger-side Air Bag Module (Inflator No.2) Circuit Resistance High       |
| <b>Mazda B2234</b> | Driver-side Air Bag Module (Inflator No.2) Circuit Resistance Low           |
| <b>Mazda B2235</b> | Passenger-side Air Bag Module (Inflator No.2) Circuit Resistance Low        |
| <b>Mazda B2254</b> | Front Fog Lamp Switch Failure                                               |
| <b>Mazda B2274</b> | Phone Transceiver Active Circuit Failure                                    |
| <b>Mazda B2276</b> | Less Than 2 Transmitters Programmed                                         |
| <b>Mazda B2277</b> | Electronic Power Steering Motor Malfunction                                 |
| <b>Mazda B2278</b> | Steering Shaft Torque Sensor Malfunction                                    |

| CODES              | DEFINITION                                               |
|--------------------|----------------------------------------------------------|
| <b>Mazda B227B</b> | Steering Shaft Position Sensor Malfunction               |
| <b>Mazda B2281</b> | Right Turn Switch Short to Ground                        |
| <b>Mazda B2282</b> | Left Turn Switch Short to Ground                         |
| <b>Mazda B2290</b> | Passenger Sensing System Malfunction                     |
| <b>Mazda B2384</b> | Audio Reverse Aid Mute Input Ckt. Failure                |
| <b>Mazda B2404</b> | Audio Steering Wheel Switch Circuit Fault                |
| <b>Mazda B2406</b> | Audio Disc CD Player Internal Fault                      |
| <b>Mazda B241A</b> | Touch Sensor Circuit Malfunction                         |
| <b>Mazda B2425</b> | Remote Keyless Entry Out of Synchronization              |
| <b>Mazda B2426</b> | Passenger Solar Radiation Sensor Circuit Open            |
| <b>Mazda B2427</b> | Passenger Solar Radiation Sensor Circuit Short to Ground |
| <b>Mazda B2431</b> | Key ID Number Registration Error                         |
| <b>Mazda B2477</b> | Module Configuration Error                               |
| <b>Mazda B2479</b> | Park Brake Switch Circuit Short to Ground                |
| <b>Mazda B2498</b> | Headlamp Switch Multiple Signals Input Active            |
| <b>Mazda B2572</b> | Brake Shift Interlock Output Circuit Failure             |
| <b>Mazda B2574</b> | Driver Door Lock Switch Short To Ground                  |
| <b>Mazda B2656</b> | DVD (Digital Versatile Disk) Error                       |
| <b>Mazda B2666</b> | Liftgate Release Switch Circuit Failure                  |
| <b>Mazda B2667</b> | Liftglass Release Switch Circuit Failure                 |
| <b>Mazda B266A</b> | Rotation Sensor Circuit Malfunction                      |
| <b>Mazda B266B</b> | Rotation Sensor A Circuit Malfunction                    |

| CODES              | DEFINITION                                                         |
|--------------------|--------------------------------------------------------------------|
| <b>Mazda B266C</b> | Rotation Sensor B Circuit Malfunction                              |
| <b>Mazda B266E</b> | Rotation Sensor Malfunction                                        |
| <b>Mazda B267A</b> | Half Latch Switch Circuit Malfunction                              |
| <b>Mazda B267B</b> | Full Latch Switch Circuit Malfunction                              |
| <b>Mazda B267C</b> | Return Switch Circuit Malfunction                                  |
| <b>Mazda B2699</b> | PLG Touch Sensor (LH) Circuit Malfunction                          |
| <b>Mazda B2700</b> | PLG Touch Sensor (RH) Circuit Malfunction                          |
| <b>Mazda B2701</b> | PLG Touch Sensor (LH) Circuit Malfunction                          |
| <b>Mazda B2702</b> | PLG Touch Sensor (RH) Circuit Malfunction                          |
| <b>Mazda B273A</b> | Liftgate Release Output Circuit Shorted to Ground                  |
| <b>Mazda B273B</b> | Liftgate Release Output Circuit Open or Shorted to Battery Voltage |
| <b>Mazda B2741</b> | Combined Sensor System                                             |
| <b>Mazda B2773</b> | Driver-Side Curtain Air Bag Module Circuit Resistance Low          |
| <b>Mazda B2774</b> | Driver-Side Curtain Air Bag Module Circuit Resistance High         |
| <b>Mazda B2775</b> | Driver-Side Curtain Air Bag Module Circuit Short To Body Ground    |
| <b>Mazda B2776</b> | Driver-Side Curtain Air Bag Module Circuit Short To Power Supply   |
| <b>Mazda B2777</b> | Passenger-Side Curtain Air Bag Module Circuit Resistance Low       |
| <b>Mazda B2778</b> | Passenger-Side Curtain Air Bag Module Circuit Resistance High      |
| <b>Mazda B2779</b> | Passenger-Side Curtain Air Bag Module Circuit Short To Body Ground |

| CODES              | DEFINITION                                                          |
|--------------------|---------------------------------------------------------------------|
| <b>Mazda B2780</b> | Passenger-Side Curtain Air Bag Module Circuit Short To Power Supply |
| <b>Mazda B2783</b> | Interior Humidity Sensor to DATC Short Circuit                      |
| <b>Mazda B2784</b> | Interior Humidity Sensor to DATC Open Circuit                       |
| <b>Mazda B2794</b> | 3rd Row Power Fold Circuit Failure                                  |
| <b>Mazda B2795</b> | Driver Solar Radiation Sensor Circuit Short to Ground               |
| <b>Mazda B2796</b> | Driver Solar Radiation Sensor Circuit Open                          |
| <b>Mazda B2821</b> | Closure Motor Circuit Malfunction                                   |
| <b>Mazda B2826</b> | Front Evaporator Temp Sensor Circuit Failure                        |
| <b>Mazda B2827</b> | Front Evaporator Temp Sensor Short to Ground                        |
| <b>Mazda B2844</b> | Ignition Fault                                                      |
| <b>Mazda B2855</b> | Crash Zone Sensor Circuit Short To Power Supply Or Body Ground      |
| <b>Mazda B2856</b> | Crash Zone Sensor System Communication Data Error                   |
| <b>Mazda B2868</b> | Wheel Unit No.1 Internal Malfunction                                |
| <b>Mazda B2869</b> | Wheel Unit No.2 Internal Malfunction                                |
| <b>Mazda B2870</b> | Wheel Unit No.3 Internal Malfunction                                |
| <b>Mazda B2871</b> | Wheel Unit No.4 Internal Malfunction                                |
| <b>Mazda B2872</b> | Tire Pressure Sensor Fault                                          |
| <b>Mazda B287A</b> | Tire Pressure System Fault                                          |
| <b>Mazda B2886</b> | Passenger-side Side Air Bag Sensor System Communication Data Error  |
| <b>Mazda B2887</b> | Driver-side Side Air Bag Sensor System Communication Data Error     |

| CODES              | DEFINITION                                                        |
|--------------------|-------------------------------------------------------------------|
| <b>Mazda B2900</b> | VIN Mismatched                                                    |
| <b>Mazda B2909</b> | Belt Tension Sensor Fault                                         |
| <b>Mazda B2913</b> | Audio Subwoofer Not Connected                                     |
| <b>Mazda B2924</b> | Audio Button Stuck                                                |
| <b>Mazda B2936</b> | PLG Motor Circuit Malfunction                                     |
| <b>Mazda B2937</b> | PLG Motor Circuit Malfunction                                     |
| <b>Mazda B2939</b> | Clutch Circuit Malfunction                                        |
| <b>Mazda B2947</b> | Global Opening/Closing Circuit Open                               |
| <b>Mazda B2949</b> | Global Opening/Closing Circuit Short to Battery                   |
| <b>Mazda B2950</b> | Air Conditioning System Fault                                     |
| <b>Mazda B2965</b> | Audio System Speaker Circuit Fault                                |
| <b>Mazda B297A</b> | Blend Door Actuator, Drive Circuit(s) Open                        |
| <b>Mazda B297B</b> | Blend Door Actuator, Drive Circuit(s) Shorted to Ground           |
| <b>Mazda B297C</b> | Blend Door Actuator, Drive Circuit(s) Shorted to Ground           |
| <b>Mazda B297D</b> | Driver Blend Door Actuator, Drive Circuit(s) Shorted to Ground    |
| <b>Mazda B297E</b> | Passenger Blend Door Actuator, Drive Circuit(s) Open              |
| <b>Mazda B297F</b> | Passenger Blend Door Actuator, Drive Circuit(s) Shorted to Ground |
| <b>Mazda B2982</b> | Parking Brake Switch Circuit Open                                 |
| <b>Mazda B298A</b> | Mode Door Actuator, Drive Circuit(s) Open                         |
| <b>Mazda B298B</b> | Mode Door Actuator, Drive Circuit(s) Shorted to Ground            |
| <b>Mazda B298C</b> | Recirc Door Actuator, Drive Circuit(s) Open                       |

| CODES              | DEFINITION                                               |
|--------------------|----------------------------------------------------------|
| <b>Mazda B298D</b> | Recirc Door Actuator, Drive Circuit(s) Shorted to Ground |
| <b>Mazda B29B7</b> | White Lighting Output Circuit Open                       |
| <b>Mazda B29B8</b> | White Lighting Output Circuit Short to Ground            |
| <b>Mazda B2A20</b> | Ignition Stuck In START                                  |
| <b>Mazda B2A21</b> | One or More Configuration Files Missing or Corrupt       |
| <b>Mazda B2A22</b> | Headlamp Off Circuit Open                                |
| <b>Mazda B2A23</b> | High Beam Input Circuit Short to Ground                  |
| <b>Mazda B2A24</b> | Turn Signal Input Circuit Failure                        |
| <b>Mazda B2A25</b> | Trim Panel Lock Switch Circuit Failure                   |
| <b>Mazda B2A27</b> | Right Front Turn Lamp Circuit Open                       |
| <b>Mazda B2A28</b> | Right Front Turn Lamp Circuit Short to Ground            |
| <b>Mazda B2A29</b> | Left Front Turn Lamp Circuit Open                        |
| <b>Mazda B2A2A</b> | Left Front Turn Lamp Circuit Short to Ground             |
| <b>Mazda B2A2B</b> | Left Corner Lamp Output Circuit Short to Ground          |
| <b>Mazda B2A2C</b> | Right Corner Lamp Output Circuit Short to Ground         |
| <b>Mazda B2A2D</b> | 3rd Row Power Fold Circuit Short to Ground               |
| <b>Mazda B2A2E</b> | Right Front Lamp Low Beam Circuit Open                   |
| <b>Mazda B2A2F</b> | Right Front Lamp Low Beam Circuit Short to Ground        |
| <b>Mazda B2A30</b> | Left Front Lamp Low Beam Circuit Open                    |
| <b>Mazda B2A31</b> | Left Front Lamp Low Beam Circuit Short to Ground         |
| <b>Mazda B2A32</b> | LED Backlighting Output Circuit Open                     |
| <b>Mazda B2A33</b> | LED Backlighting Output Circuit Short To Ground          |



| CODES              | DEFINITION                                                  |
|--------------------|-------------------------------------------------------------|
| <b>Mazda B2A35</b> | Interior Lighting Output Circuit Open                       |
| <b>Mazda B2A36</b> | Interior Lighting Output Circuit Short to Ground            |
| <b>Mazda B2A37</b> | Floor Lamp Output Circuit Open                              |
| <b>Mazda B2A38</b> | Floor Lamp Output Circuit Short to Ground                   |
| <b>Mazda B2A39</b> | Puddle Lamp Output Circuit Open                             |
| <b>Mazda B2A3A</b> | Puddle Lamp Output Circuit Short to Ground                  |
| <b>Mazda B2A4C</b> | Hybrid Battery Current Sensor Implausible (Failed in Range) |
| <b>Mazda C1095</b> | Pump Motor, Motor Relay System                              |
| <b>Mazda C1096</b> | Pump motor, motor relay system                              |
| <b>Mazda C1115</b> | Valve Relay System                                          |
| <b>Mazda C1117</b> | RPM Input Circuit Failure                                   |
| <b>Mazda C1118</b> | Traction Control Indicated Torque Reduction Circuit Failure |
| <b>Mazda C1119</b> | Traction Control Actual Torque Reduction Circuit Failure    |
| <b>Mazda C1125</b> | Brake Fluid Level Sensor Input Circuit Failure              |
| <b>Mazda C1145</b> | RF ABS Wheel-Speed Sensor (Open Circuit) System             |
| <b>Mazda C1148</b> | RF ABS Wheel Speed Sensor/Sensor Rotor                      |
| <b>Mazda C1155</b> | LF ABS Wheel-Speed Sensor (Open Circuit) System             |
| <b>Mazda C1158</b> | LF ABS Wheel Speed Sensor/Sensor Rotor                      |
| <b>Mazda C1165</b> | RR ABS Wheel-Speed Sensor (Open Circuit) System             |
| <b>Mazda C1168</b> | RR ABS Speed Sensor/Sensor Rotor                            |
| <b>Mazda C1175</b> | LR ABS Wheel-Speed Sensor (Open Circuit) System             |

| CODES              | DEFINITION                                                 |
|--------------------|------------------------------------------------------------|
| <b>Mazda C1178</b> | LR ABS Wheel Speed Sensor/Sensor Rotor                     |
| <b>Mazda C1185</b> | Valve Relay System                                         |
| <b>Mazda C1194</b> | LF Outlet Solenoid Valve System                            |
| <b>Mazda C1198</b> | LF Inlet Solenoid Valve System                             |
| <b>Mazda C1210</b> | RF Outlet Solenoid Valve System                            |
| <b>Mazda C1214</b> | RF Inlet Solenoid Valve System                             |
| <b>Mazda C1222</b> | ABS Wheel-Speed Sensor System                              |
| <b>Mazda C1233</b> | LF ABS Wheel-Speed Sensor/ABS Sensor Rotor System          |
| <b>Mazda C1234</b> | RF ABS Wheel-Speed Sensor/ABS Sensor Rotor System          |
| <b>Mazda C1235</b> | RR ABS Wheel-Speed Sensor/ABS Sensor Rotor System          |
| <b>Mazda C1236</b> | LR ABS Wheel-Speed Sensor/ABS Sensor Rotor System          |
| <b>Mazda C1242</b> | LR Outlet Solenoid Valve System                            |
| <b>Mazda C1246</b> | RR Outlet Solenoid Valve System                            |
| <b>Mazda C1250</b> | LR Inlet Solenoid Valve System                             |
| <b>Mazda C1254</b> | RR Inlet Solenoid Valve System                             |
| <b>Mazda C1266</b> | Valve Relay Power Supply                                   |
| <b>Mazda C1277</b> | Steering Wheel Angle 1 and 2 Circuit Failure               |
| <b>Mazda C1278</b> | Steering Angle Sensor System                               |
| <b>Mazda C1279</b> | Yaw Rate Sensor Circuit Failure                            |
| <b>Mazda C1280</b> | Yaw Rate Sensor In SAS Control Module Is Signal Error      |
| <b>Mazda C1281</b> | Lateral Accelerometer Circuit Failure                      |
| <b>Mazda C1282</b> | G Sensor (Lateral-G) In SAS Control Module Is Signal Error |

| CODES              | DEFINITION                                         |
|--------------------|----------------------------------------------------|
| <b>Mazda C1288</b> | Brake Fluid Pressure Sensor System                 |
| <b>Mazda C1295</b> | Steering Wheel Angle Sensor Internal Fault         |
| <b>Mazda C1307</b> | Steering Wheel Angle Sensor Encoder Ring Defective |
| <b>Mazda C1327</b> | Brake Fluid Level Sensor                           |
| <b>Mazda C1329</b> | RF Outlet Solenoid Valve Coil System               |
| <b>Mazda C1330</b> | LR outlet solenoid valve coil system               |
| <b>Mazda C1331</b> | RR Outlet Solenoid Valve Coil System               |
| <b>Mazda C1332</b> | LF Outlet Solenoid Valve Coil System               |
| <b>Mazda C1333</b> | LR Inlet Solenoid Valve Coil System                |
| <b>Mazda C1334</b> | LF Inlet Solenoid Valve Coil System                |
| <b>Mazda C1335</b> | RF Inlet Solenoid Valve Coil System                |
| <b>Mazda C1336</b> | RR Inlet Solenoid Valve Coil System                |
| <b>Mazda C1404</b> | RH Traction Control Solenoid Valve System          |
| <b>Mazda C1410</b> | LH Traction Control Solenoid Valve System          |
| <b>Mazda C1440</b> | Pressure Transducer Main/Primary Signal Faulted    |
| <b>Mazda C1441</b> | Steering Phase A Circuit Signal Is Not Sensed      |
| <b>Mazda C1442</b> | Steering Phase B Circuit Signal Is Not Sensed      |
| <b>Mazda C1443</b> | Steering Phase A Circuit Short to Ground           |
| <b>Mazda C1444</b> | Steering Phase B Circuit Short to Ground           |
| <b>Mazda C1446</b> | Brake Switch Circuit Failure                       |
| <b>Mazda C144A</b> | Steering Phase C Circuit Short to Ground           |
| <b>Mazda C144B</b> | Steering Phase Z Circuit Short to Ground           |

| CODES              | DEFINITION                                                               |
|--------------------|--------------------------------------------------------------------------|
| <b>Mazda C144C</b> | Steering Phase C Circuit Signal is Not Sensed                            |
| <b>Mazda C144D</b> | Steering Phase Z Circuit Signal is Not Sensed                            |
| <b>Mazda C1470</b> | TCS Functions Temporarily Disabled (Thermal Brake Protection)            |
| <b>Mazda C1516</b> | Combined Sensor System                                                   |
| <b>Mazda C1517</b> | Roll Rate Sensor Circuit Failure                                         |
| <b>Mazda C1527</b> | RH Traction Control Solenoid Valve Coil System                           |
| <b>Mazda C1528</b> | LH traction control solenoid valve coil system                           |
| <b>Mazda C1530</b> | RH Stability Control Solenoid Valve Coil System                          |
| <b>Mazda C1531</b> | LH Stability Control Solenoid Valve Coil System                          |
| <b>Mazda C1730</b> | Combined Sensor                                                          |
| <b>Mazda C1805</b> | Mismatched PCM and/or ABS-TC Module                                      |
| <b>Mazda C1862</b> | Contactor Circuit Failure                                                |
| <b>Mazda C1937</b> | Steering Angle Sensor System                                             |
| <b>Mazda C1941</b> | Zero Seat Weight Test Failure                                            |
| <b>Mazda C1946</b> | Seat Track Position Switch Circuit Open                                  |
| <b>Mazda C1947</b> | Seat Track Position Switch Circuit Short to Ground                       |
| <b>Mazda C1948</b> | Seat Track Position Switch Circuit Resistance Out of Range               |
| <b>Mazda C1950</b> | Combined Sensor (Forward G-Sensor)                                       |
| <b>Mazda C1957</b> | RH Stability Control Solenoid Valve System                               |
| <b>Mazda C1958</b> | LH Stability Control Solenoid Valve System                               |
| <b>Mazda C1963</b> | SAS Control Module (Yaw Rate Sensor Part) Initial Point Correction Error |

| CODES              | DEFINITION                                                          |
|--------------------|---------------------------------------------------------------------|
| <b>Mazda C1981</b> | Seat Track Position Sensor Circuit Open Or Short To Power Supply    |
| <b>Mazda C1982</b> | Seat Track Position Sensor Circuit Short To Power Supply            |
| <b>Mazda C1991</b> | DSC/ RSC Sensor (Abnormal Initialization) System                    |
| <b>Mazda C1992</b> | Vehicle Speed Circuit Failure                                       |
| <b>Mazda C1996</b> | Active Yaw and/or Roll Control Disabled                             |
| <b>Mazda C2000</b> | Steering Angle Sensor Not Calibrated                                |
| <b>Mazda C2769</b> | Longitudinal Acceleration Sensor Electrical Failure                 |
| <b>Mazda C2770</b> | G Sensor (Forward-G) In SAS Control Module Is Signal Error          |
| <b>Mazda C2777</b> | Sensor Cluster BUS Failure                                          |
| <b>Mazda C2778</b> | Sensor Power Supply Failure                                         |
| <b>Mazda C2780</b> | ECU in Manufacturer Sub-State                                       |
| <b>Mazda C3485</b> | Speed Wheel Sensor LR Input Circuit Failure                         |
| <b>Mazda P1000</b> | OBD II Monitor Testing Not Completed                                |
| <b>Mazda P1001</b> | Data Link Connector Circuit Malfunction                             |
| <b>Mazda P1100</b> | Mass Airflow Sensor Circuit Malfunction (Intermittent)              |
| <b>Mazda P1101</b> | Mass Air Flow Sensor Malfunction (Self-Test)                        |
| <b>Mazda P1102</b> | MAF Signal Inconsistent With TP Sensor (Too Low)                    |
| <b>Mazda P1103</b> | MAF Signal Inconsistent with Engine Speed (Too High)                |
| <b>Mazda P1110</b> | Intake Air Temperature Sensor Circuit Malfunction (Dynamic Chamber) |
| <b>Mazda P1112</b> | Intake Air Temperature Sensor Signal Circuit Malfunction            |
| <b>Mazda P1113</b> | Intake Air Temperature Sensor Circuit Malfunction                   |

| CODES              | DEFINITION                                                                             |
|--------------------|----------------------------------------------------------------------------------------|
| <b>Mazda P1114</b> | Intake Air Temperature Sensor Circuit Low Input                                        |
| <b>Mazda P1115</b> | Intake Air Temperature Sensor Circuit High Input                                       |
| <b>Mazda P1116</b> | Engine Coolant Temperature Sensor Circuit Malfunction (Self-Test)                      |
| <b>Mazda P1117</b> | Engine Coolant Temperature Sensor Circuit Malfunction                                  |
| <b>Mazda P1120</b> | Throttle Position (TP) Sensor A Out Of Range Low (Ratch Too Low)                       |
| <b>Mazda P1121</b> | Throttle Position Signal Not Consistent With MAF Signal                                |
| <b>Mazda P1122</b> | Throttle Position Signal Low Input (Stuck Closed)                                      |
| <b>Mazda P1123</b> | Throttle Position Signal High Input (Stuck Open)                                       |
| <b>Mazda P1124</b> | Throttle Position (TP) Sensor A Out Of Self-Test Range (Vehicles Without an IAC Valve) |
| <b>Mazda P1125</b> | Throttle Position Sensor Signal Circuit Malfunction                                    |
| <b>Mazda P1127</b> | HO2S-12 (Bank 1 Sensor 2) Heater Not Enabled (Self-Test)                               |
| <b>Mazda P1128</b> | HO2S-11 (Bank 1 Sensor 1) Signals Swapped (Self-Test)                                  |
| <b>Mazda P1129</b> | HO2S-12 (Bank 1 Sensor 2) Signals Swapped (Self-Test)                                  |
| <b>Mazda P1130</b> | HO2S-11 Fuel Control Limit Reached                                                     |
| <b>Mazda P1131</b> | HO2S-11 (Bank 1 Sensor 1) Indicates A/F Ratio Too Lean                                 |
| <b>Mazda P1132</b> | HO2S-11 (Bank 1 Sensor 1) Indicates A/F Ratio Too Rich                                 |
| <b>Mazda P1133</b> | HO2S-11 (Bank 1 Sensor 1) Indicates A/F Ratio Too Lean                                 |
| <b>Mazda P1134</b> | HO2S-11 (Bank 1 Sensor 1) Indicates A/F Ratio Too Lean                                 |
| <b>Mazda P1135</b> | HO2S-11 (Bank 1 Sensor 1) Heater Circuit Low Input                                     |
| <b>Mazda P1136</b> | HO2S-11 (Bank 1 Sensor 1) Heater Circuit High Input                                    |

| CODES              | DEFINITION                                                         |
|--------------------|--------------------------------------------------------------------|
| <b>Mazda P1137</b> | HO2S-12 Lack of Switching, Indicates Lean (Self-Test)              |
| <b>Mazda P1138</b> | HO2S-12 Lack of Switching, Indicates Rich (Self-Test)              |
| <b>Mazda P1141</b> | HO2S-12 (Bank 1 Sensor 2) Heater Circuit Low Input                 |
| <b>Mazda P1142</b> | HO2S-12 (Bank 1 Sensor 2) Heater Circuit High Input                |
| <b>Mazda P1143</b> | HO2S-22 Input Indicates A/F Ratio Too Lean (Self-Test)             |
| <b>Mazda P1144</b> | HO2S-22 (Bank 2 Sensor 2) Indicates A/F Ratio Too Rich (Self-Test) |
| <b>Mazda P1145</b> | Calculated Torque Error                                            |
| <b>Mazda P1150</b> | HO2S-21 (Bank 2 Sensor 1) Fuel Control Limit Reached               |
| <b>Mazda P1151</b> | HO2S-21 (Bank 1 Sensor 1) Indicates A/F Ratio Too Lean             |
| <b>Mazda P1152</b> | HO2S-21 (Bank 2 Sensor 1) Indicates A/F Ratio Too Rich             |
| <b>Mazda P1157</b> | HO2S-22 Lack of Switching, Indicates Lean (Self-Test)              |
| <b>Mazda P1158</b> | HO2S-22 Lack of Switching, Indicates Rich (Self-Test)              |
| <b>Mazda P115E</b> | Throttle Actuator Control Throttle Body Air Flow Trim At Max Limit |
| <b>Mazda P1168</b> | HO2S-22 Lack of Switching, Indicates Rich (Self-Test)              |
| <b>Mazda P1169</b> | HO2S-12 (Bank 1 Sensor 2) Circuit No Inversion                     |
| <b>Mazda P1170</b> | HO2S-11 (Bank 1 Sensor 1) Circuit No Inversion                     |
| <b>Mazda P1173</b> | HO2S-21 (Bank 2 Sensor 1) Circuit No Inversion                     |
| <b>Mazda P117A</b> | Engine Oil Over Temperature (Forced Limited Power)                 |
| <b>Mazda P1195</b> | EGR Boost Sensor Circuit Malfunction                               |
| <b>Mazda P1196</b> | Ignition Switch Start Circuit Malfunction                          |
| <b>Mazda P1233</b> | Fuel Pump Control Circuit Malfunction                              |

| CODES              | DEFINITION                                                          |
|--------------------|---------------------------------------------------------------------|
| <b>Mazda P1235</b> | Fuel Pump Control Circuit Malfunction                               |
| <b>Mazda P1236</b> | Fuel Pump Control Circuit Range/Performance                         |
| <b>Mazda P1237</b> | Fuel Pump Control Circuit Range/Performance                         |
| <b>Mazda P1244</b> | Generator / Regulator System                                        |
| <b>Mazda P1245</b> | Generator / Regulator System                                        |
| <b>Mazda P1246</b> | Fuel Pump Control Circuit Range/Performance                         |
| <b>Mazda P1250</b> | Pressure Regulator Control Solenoid Circuit Malfunction (Self-Test) |
| <b>Mazda P1251</b> | Pressure Regulator Control Solenoid Circuit Malfunction             |
| <b>Mazda P1252</b> | Pressure Regulator Control Solenoid 2 Circuit Malfunction           |
| <b>Mazda P1260</b> | Anti-Theft System Signal Detected, Engine Disabled                  |
| <b>Mazda P1270</b> | Engine RPM or Vehicle Speed Limit Reached                           |
| <b>Mazda P1285</b> | Cylinder Head Temperature Sensor - Engine Overheated                |
| <b>Mazda P1288</b> | Cylinder Head Temperature Sensor Circuit Malfunction (Self-Test)    |
| <b>Mazda P1289</b> | Cylinder Head Temperature Sensor Overheat Condition                 |
| <b>Mazda P128A</b> | Cylinder Head Temperature (CHT) Sensor Circuit Intermittent/Erratic |
| <b>Mazda P1290</b> | Cylinder Head Temperature Sensor Low Input                          |
| <b>Mazda P1299</b> | Cylinder Head Temperature Sensor High Input                         |
| <b>Mazda P1309</b> | Misfire Detection Monitor                                           |
| <b>Mazda P1336</b> | Camshaft Position (SGC) Sensor Circuit Malfunction                  |
| <b>Mazda P1345</b> | Camshaft Position (SGC) Sensor Circuit Malfunction                  |



| CODES              | DEFINITION                                                            |
|--------------------|-----------------------------------------------------------------------|
| <b>Mazda P1351</b> | IDM Signal Lost To PCM or Out Of Range                                |
| <b>Mazda P1352</b> | Ignition Coil 'A' Primary Circuit Malfunction                         |
| <b>Mazda P1353</b> | Ignition Coil 'B' Primary Circuit Malfunction                         |
| <b>Mazda P1354</b> | Ignition Coil 'C' Primary Circuit Malfunction                         |
| <b>Mazda P1358</b> | IDM Signal Circuit Malfunction                                        |
| <b>Mazda P1360</b> | Ignition Coil 'A' Secondary Circuit Malfunction                       |
| <b>Mazda P1361</b> | Ignition Coil 'B' Secondary Circuit Malfunction                       |
| <b>Mazda P1362</b> | Ignition Coil 'C' Secondary Circuit Malfunction                       |
| <b>Mazda P1364</b> | Ignition Coil Primary Circuit Malfunction                             |
| <b>Mazda P1365</b> | Ignition Coil Secondary Circuit Malfunction                           |
| <b>Mazda P1382</b> | Camshaft position (CMP) sensor                                        |
| <b>Mazda P1387</b> | Camshaft positions (CMP) sensor                                       |
| <b>Mazda P1390</b> | Octane Adjust Shorting Bar Circuit Open                               |
| <b>Mazda P1397</b> | System Voltage Out Of Self-Test Range                                 |
| <b>Mazda P1400</b> | EGR Valve Position Sensor Circuit Low Input (Self-Test)               |
| <b>Mazda P1401</b> | EGR Valve Position Sensor Circuit High Input (Self-Test)              |
| <b>Mazda P1402</b> | EGR Valve Position Sensor Circuit Malfunction                         |
| <b>Mazda P1405</b> | DPFE Sensor Upstream Hose Off or Plugged                              |
| <b>Mazda P1406</b> | DPFE Sensor Downstream Hose Off or Plugged                            |
| <b>Mazda P1407</b> | No EGR Flow Detected                                                  |
| <b>Mazda P1408</b> | Exhaust Gas Recirculation (EGR) Flow Out of Self-Test Range (Non-MIL) |
| <b>Mazda P1409</b> | EGR Vacuum Regulator Solenoid Circuit Malfunction                     |

| CODES              | DEFINITION                                                      |
|--------------------|-----------------------------------------------------------------|
| <b>Mazda P1410</b> | EGR Boost Sensor Solenoid Valve Stuck                           |
| <b>Mazda P1412</b> | EGR Boost Sensor Solenoid Valve Stuck                           |
| <b>Mazda P1432</b> | Thermostat Heater Control (THTRC)                               |
| <b>Mazda P1443</b> | EVAP System Purge Flow Malfunction                              |
| <b>Mazda P1444</b> | EVAP Purge Flow Sensor Circuit Low Input                        |
| <b>Mazda P1445</b> | EVAP Purge Flow Sensor Circuit Low Input                        |
| <b>Mazda P1446</b> | EVAP Purge Flow Sensor Circuit Low Input                        |
| <b>Mazda P1449</b> | Canister Drive Cut Valve Circuit Malfunction                    |
| <b>Mazda P144A</b> | Evaporative Emission System Purge Vapor Line Restricted/Blocked |
| <b>Mazda P1450</b> | EVAP Control System Excessive Vacuum Detected                   |
| <b>Mazda P1451</b> | Evaporative Emission System Vent Control Circuit                |
| <b>Mazda P1455</b> | Fuel Tank Level Sensor Circuit Malfunction                      |
| <b>Mazda P1456</b> | Fuel Tank Level Sensor Circuit Malfunction                      |
| <b>Mazda P1457</b> | Fuel Tank Level Sensor Circuit Malfunction                      |
| <b>Mazda P1459</b> | A/C Recirculation Switch Out of Self-Test Range                 |
| <b>Mazda P145E</b> | PCV Heater Control B Circuit                                    |
| <b>Mazda P1460</b> | Wide Open Throttle A/C Cutout Relay Circuit Malfunction         |
| <b>Mazda P1461</b> | A/C Pressure Sensor Circuit High Input                          |
| <b>Mazda P1462</b> | Air Conditioning Pressure (A/CP) Sensor Low Voltage Detected    |
| <b>Mazda P1463</b> | A/C Pressure Sensor Insufficient Pressure Change                |
| <b>Mazda P1464</b> | A/C Control Signal Circuit Malfunction (Self-Test)              |

| CODES              | DEFINITION                                           |
|--------------------|------------------------------------------------------|
| <b>Mazda P1465</b> | A/C Control Signal Circuit Malfunction (Self-Test)   |
| <b>Mazda P1469</b> | Low A/C Cycling Period                               |
| <b>Mazda P1473</b> | PCM – Cooling fan                                    |
| <b>Mazda P1474</b> | Fan Control Primary Circuit                          |
| <b>Mazda P1475</b> | Low Fan Relay Control Circuit Malfunction            |
| <b>Mazda P1476</b> | Low Fan Relay Control Circuit Malfunction            |
| <b>Mazda P1477</b> | Additional Fan Relay Circuit                         |
| <b>Mazda P1479</b> | High Fan Control Primary Circuit Malfunction         |
| <b>Mazda P1480</b> | Fan Secondary Low With Low Fan On                    |
| <b>Mazda P1481</b> | Condenser Fan Relay Control Circuit Malfunction      |
| <b>Mazda P1485</b> | EGR Vacuum Solenoid Circuit Malfunction              |
| <b>Mazda P1486</b> | EGR Vent Solenoid Circuit Malfunction                |
| <b>Mazda P1487</b> | EGR Boost Sensor Solenoid Circuit Malfunction        |
| <b>Mazda P1489</b> | PCV Heater Control Circuit                           |
| <b>Mazda P1496</b> | EGR Valve Stepper Motor Coil 1 Circuit Malfunction   |
| <b>Mazda P1497</b> | EGR Valve Stepper Motor Coil 2 Circuit Malfunction   |
| <b>Mazda P1498</b> | EGR Valve Stepper Motor Coil 3 Circuit Malfunction   |
| <b>Mazda P1499</b> | EGR Valve Stepper Motor Coil 4 Circuit Malfunction   |
| <b>Mazda P1500</b> | Vehicle Speed Sensor Intermittent Signal             |
| <b>Mazda P1501</b> | Vehicle Speed Sensor Circuit Malfunction (Self-Test) |
| <b>Mazda P1502</b> | VSS Signal Intermittent                              |
| <b>Mazda P1504</b> | Idle Air Control Solenoid Circuit Malfunction        |

| CODES              | DEFINITION                                                    |
|--------------------|---------------------------------------------------------------|
| <b>Mazda P1505</b> | Idle Air Control System at Adaptive Clip                      |
| <b>Mazda P1506</b> | Idle Air Control System RPM Higher Than Expected              |
| <b>Mazda P1507</b> | Idle Air Control System RPM Lower Than Expected               |
| <b>Mazda P1508</b> | Bypass Air Solenoid 1 Circuit Malfunction                     |
| <b>Mazda P1509</b> | Bypass Air Solenoid 2 Circuit Malfunction                     |
| <b>Mazda P1510</b> | Bypass Air Solenoid 2 Circuit Malfunction                     |
| <b>Mazda P1511</b> | Bypass Air Solenoid 2 Circuit Malfunction                     |
| <b>Mazda P1512</b> | Variable Timing Control System Malfunction                    |
| <b>Mazda P1516</b> | Neutral Switch Circuit Malfunction                            |
| <b>Mazda P1518</b> | Intake Manifold Runner Control Shutter Valve (Stuck Open)     |
| <b>Mazda P1519</b> | Intake Manifold Runner Control Shutter Valve (Stuck Open)     |
| <b>Mazda P1520</b> | Intake Manifold Runner Control Circuit Malfunction            |
| <b>Mazda P1521</b> | VRIS Solenoid 1 Circuit Malfunction                           |
| <b>Mazda P1522</b> | VRIS Solenoid 2 Circuit Malfunction                           |
| <b>Mazda P1523</b> | Variable Inertia Charging System Solenoid Circuit Malfunction |
| <b>Mazda P1524</b> | Charge Air Cooler Bypass Solenoid Circuit Malfunction         |
| <b>Mazda P1525</b> | ABV Vacuum Solenoid Circuit Malfunction                       |
| <b>Mazda P1526</b> | ABV Vent Solenoid Circuit Malfunction                         |
| <b>Mazda P1527</b> | Bypass Air Solenoid Circuit Malfunction                       |
| <b>Mazda P1537</b> | Bypass Air Solenoid Circuit Malfunction                       |
| <b>Mazda P1538</b> | Bypass Air Solenoid Circuit Malfunction                       |

| CODES              | DEFINITION                                           |
|--------------------|------------------------------------------------------|
| <b>Mazda P1540</b> | Air Bypass Valve System                              |
| <b>Mazda P1548</b> | Engine Air Filter Restriction                        |
| <b>Mazda P1549</b> | Air Bypass Valve System                              |
| <b>Mazda P1550</b> | Power Steering Pressure Switch Circuit Malfunction   |
| <b>Mazda P1562</b> | PCM +BB Voltage Low                                  |
| <b>Mazda P1565</b> | PCM +BB Voltage Low                                  |
| <b>Mazda P1566</b> | TCM +BB Voltage Low                                  |
| <b>Mazda P1567</b> | TCM +BB Voltage Low                                  |
| <b>Mazda P1568</b> | TCM +BB Voltage Low                                  |
| <b>Mazda P1569</b> | Variable Timing Control System Circuit Low Input     |
| <b>Mazda P1570</b> | Variable Timing Control System Circuit High Input    |
| <b>Mazda P1572</b> | Variable Timing Control System Circuit High Input    |
| <b>Mazda P1574</b> | TP sensor Output Incongruent                         |
| <b>Mazda P1575</b> | Pedal Position Out Of Self Test Range                |
| <b>Mazda P1577</b> | APP sensor Output Incongruent                        |
| <b>Mazda P1600</b> | PCM Malfunction                                      |
| <b>Mazda P1601</b> | PCM Communication Line to TCM Error                  |
| <b>Mazda P1602</b> | PCM Communication Line to TCM Error                  |
| <b>Mazda P1603</b> | Code Word Not Registered In The PCM                  |
| <b>Mazda P1604</b> | Key Identification Numbers Not Registered In The PCM |
| <b>Mazda P1605</b> | PCM Keep Alive Memory Test Error                     |
| <b>Mazda P1608</b> | PCM Output Device Circuit Malfunction                |

| CODES              | DEFINITION                                                          |
|--------------------|---------------------------------------------------------------------|
| <b>Mazda P1609</b> | Knock Sensor Integrated Circuit Malfunction                         |
| <b>Mazda P1621</b> | Key Identification Number Not Registered In The PCM                 |
| <b>Mazda P1622</b> | Key Identification Number Does Not Match In The PCM                 |
| <b>Mazda P1623</b> | Code Word or Key ID Number Read/Write Error in the PCM              |
| <b>Mazda P1624</b> | Immobilizer Communication Error                                     |
| <b>Mazda P1627</b> | PCM (ECM/TCS) Line Communication Error                              |
| <b>Mazda P1628</b> | PCM (ECM/TCS) ABV Line Communication Error                          |
| <b>Mazda P1630</b> | Generator Output Signal (No Output)                                 |
| <b>Mazda P1631</b> | Generator Output Signal (No Output)                                 |
| <b>Mazda P1632</b> | Battery Voltage Monitor Circuit Malfunction                         |
| <b>Mazda P1633</b> | PCM Long Term Memory Interruption                                   |
| <b>Mazda P1634</b> | Generator Battery Terminal Open Circuit Malfunction                 |
| <b>Mazda P1635</b> | Generator Battery Terminal Open Circuit Malfunction                 |
| <b>Mazda P1636</b> | Generator Battery Terminal Open Circuit Malfunction                 |
| <b>Mazda P1639</b> | Generator Battery Terminal Open Circuit Malfunction                 |
| <b>Mazda P163E</b> | TRID Block (Solenoid Strategy Data Programmed Into The PCM)         |
| <b>Mazda P163F</b> | TRID Block (Solenoid Characterization Data Programmed Into The PCM) |
| <b>Mazda P1640</b> | Powertrain DTCs Available in Another Module                         |
| <b>Mazda P1641</b> | Generator Battery Terminal Open Circuit Malfunction                 |
| <b>Mazda P1645</b> | Generator Battery Terminal Open Circuit Malfunction                 |
| <b>Mazda P1646</b> | Linear O2 Sensor Control Chip (Bank 1)                              |

| CODES              | DEFINITION                                                            |
|--------------------|-----------------------------------------------------------------------|
| <b>Mazda P1647</b> | Linear O2 Sensor Control Chip (Bank 2)                                |
| <b>Mazda P164A</b> | O2 Sensor Positive Current Trim Circuit Performance (Bank 1 Sensor 1) |
| <b>Mazda P164B</b> | O2 Sensor Positive Current Trim Circuit Performance (Bank 2 Sensor 1) |
| <b>Mazda P1650</b> | Power Steering Pressure Switch Circuit Malfunction (Self-Test)        |
| <b>Mazda P1651</b> | Power Steering Pressure Switch Circuit Malfunction                    |
| <b>Mazda P1652</b> | Power Steering Pressure Switch Circuit Malfunction                    |
| <b>Mazda P1674</b> | Control Module Software Corrupted                                     |
| <b>Mazda P1686</b> | Metering oil pump control circuit low flow side problem               |
| <b>Mazda P1687</b> | Metering oil pump control circuit high flow side problem              |
| <b>Mazda P1688</b> | Metering oil pump control circuit initial check problem               |
| <b>Mazda P1700</b> | Transaxle failure                                                     |
| <b>Mazda P1701</b> | Turbine Speed Sensor Circuit Malfunction                              |
| <b>Mazda P1702</b> | Transmission Range Sensor Circuit Malfunction                         |
| <b>Mazda P1703</b> | Brake Switch Circuit Malfunction (Self-Test)                          |
| <b>Mazda P1704</b> | Transmission Range Sensor Circuit Malfunction (Self-Test)             |
| <b>Mazda P1705</b> | Digital Transmission Range Sensor Circuit Malfunction (Self-Test)     |
| <b>Mazda P1707</b> | Transaxle Range Switch Circuit Malfunction                            |
| <b>Mazda P1708</b> | Transaxle Range Switch Circuit Malfunction                            |
| <b>Mazda P1709</b> | Clutch Pedal Position Switch Circuit Malfunction (Self-Test)          |

| CODES              | DEFINITION                                                         |
|--------------------|--------------------------------------------------------------------|
| <b>Mazda P1711</b> | Transaxle Fluid Temperature Sensor Circuit Malfunction (Self-Test) |
| <b>Mazda P1713</b> | Transaxle Fluid Temperature Sensor Circuit Malfunction             |
| <b>Mazda P1714</b> | Transmission Shift Solenoid 'A' Mechanical Malfunction             |
| <b>Mazda P1715</b> | Transmission Shift Solenoid 'B' Mechanical Malfunction             |
| <b>Mazda P1716</b> | Transmission Shift Solenoid 'C' Mechanical Malfunction             |
| <b>Mazda P1717</b> | Transmission Shift Solenoid 'D' Mechanical Malfunction             |
| <b>Mazda P1718</b> | Transaxle Fluid Temperature Sensor Circuit Malfunction             |
| <b>Mazda P1719</b> | Transaxle Fluid Temperature Sensor Circuit Malfunction             |
| <b>Mazda P1720</b> | Vehicle Speed Sensor Signal Error                                  |
| <b>Mazda P1721</b> | PCM – Shift solenoids error                                        |
| <b>Mazda P1722</b> | PCM – Shift Solenoids error                                        |
| <b>Mazda P1723</b> | PCM – Shift solenoids error                                        |
| <b>Mazda P1724</b> | PCM – Shift solenoids error                                        |
| <b>Mazda P1729</b> | Transmission 4x4 Low Switch Error                                  |
| <b>Mazda P1735</b> | PCM – Shift Solenoids error                                        |
| <b>Mazda P1736</b> | PCM – Shift Solenoids error                                        |
| <b>Mazda P1737</b> | PCM – Torque Converter Clutch (TCC) solenoid                       |
| <b>Mazda P1738</b> | PCM – Torque Converter Clutch (TCC) solenoid                       |
| <b>Mazda P1740</b> | Torque Converter Clutch Solenoid Malfunction (Mechanical)          |
| <b>Mazda P1741</b> | Torque Converter Clutch Control Circuit Malfunction                |
| <b>Mazda P1742</b> | Torque Converter Clutch Solenoid Circuit Malfunction               |



| CODES              | DEFINITION                                                       |
|--------------------|------------------------------------------------------------------|
| <b>Mazda P1743</b> | Torque Converter Clutch Solenoid Circuit Malfunction             |
| <b>Mazda P1744</b> | Torque Converter Clutch Mechanical Malfunction                   |
| <b>Mazda P1745</b> | Electronic Pressure Control Solenoid Circuit Malfunction         |
| <b>Mazda P1746</b> | Electronic Pressure Control Solenoid Circuit Malfunction         |
| <b>Mazda P1747</b> | Electronic Pressure Control Solenoid Circuit Malfunction         |
| <b>Mazda P1748</b> | Electronic Pressure Control Solenoid Circuit Malfunction         |
| <b>Mazda P1749</b> | Electronic Pressure Control Solenoid Circuit Malfunction         |
| <b>Mazda P1751</b> | Transmission Shift Solenoid 'A' Circuit Malfunction              |
| <b>Mazda P1752</b> | Transmission Shift Solenoid 'B' Circuit Malfunction              |
| <b>Mazda P1754</b> | Transmission Coast Clutch Solenoid Circuit Malfunction           |
| <b>Mazda P1756</b> | Transmission Shift Solenoid 'B' Circuit Malfunction              |
| <b>Mazda P1757</b> | Transmission Shift Solenoid 'B' Circuit Malfunction              |
| <b>Mazda P1760</b> | Electronic pressure control (EPC) solenoid                       |
| <b>Mazda P1761</b> | Transmission Shift Solenoid 'C' Circuit Malfunction              |
| <b>Mazda P1762</b> | Transmission SS3/SS4/OD Band Circuit Malfunction                 |
| <b>Mazda P1765</b> | Transmission 3-2 Timing Solenoid Circuit Malfunction             |
| <b>Mazda P1767</b> | Torque Converter Clutch Solenoid Circuit Malfunction (Self-Test) |
| <b>Mazda P1770</b> | Transaxle Overrunning Clutch Solenoid Circuit Malfunction        |
| <b>Mazda P1771</b> | TP Sensor Signal To TCM Circuit Malfunction (Open)               |
| <b>Mazda P1772</b> | TP Sensor Signal To TCM Circuit Malfunction (Shorted)            |
| <b>Mazda P1775</b> | Electronic pressure control (EPC) solenoid                       |

| CODES              | DEFINITION                                                  |
|--------------------|-------------------------------------------------------------|
| <b>Mazda P1776</b> | Electronic pressure control (EPC) solenoid                  |
| <b>Mazda P1777</b> | Electronic pressure control (EPC) solenoid                  |
| <b>Mazda P1780</b> | Transmission Control Switch Circuit Malfunction (Self-Test) |
| <b>Mazda P1781</b> | Transmission 4x4 Low Switch Circuit Malfunction             |
| <b>Mazda P1783</b> | Transmission Fluid Temperature Sensor Circuit High Input    |
| <b>Mazda P1788</b> | A/T 3-2T/CCS Circuit Malfunction                            |
| <b>Mazda P1789</b> | A/T 3-2T/CCS Circuit Malfunction                            |
| <b>Mazda P1790</b> | Throttle Position Sensor Signal Circuit Malfunction         |
| <b>Mazda P1792</b> | PCM to TCM Circuit Malfunction                              |
| <b>Mazda P1793</b> | Mass Air Flow (MAF/IAT) sensor                              |
| <b>Mazda P1794</b> | Battery Direct To PCM Circuit Malfunction                   |
| <b>Mazda P1795</b> | Idle Switch Circuit Malfunction                             |
| <b>Mazda P1797</b> | Clutch or Neutral Switch Circuit Malfunction                |
| <b>Mazda P1798</b> | Engine Coolant Temperature (ECT) sensor Malfunction         |
| <b>Mazda P1799</b> | Throttle Position (TP) sensor Malfunction                   |
| <b>Mazda P1824</b> | 4WD Control Module Malfunction                              |
| <b>Mazda P1825</b> | 4WD Control Module Malfunction                              |
| <b>Mazda P1879</b> | PCM – Timing/Coast Clutch (2-3T/CCS) solenoid               |
| <b>Mazda P1900</b> | Output Shaft Speed (OSS) Sensor Circuit Intermittent        |
| <b>Mazda P1901</b> | Turbine Shaft Speed (TSS) Sensor Circuit Intermittent       |
| <b>Mazda P1910</b> | Reverse Lamp Control Circuit/Open                           |

| CODES              | DEFINITION                                                       |
|--------------------|------------------------------------------------------------------|
| <b>Mazda P1921</b> | Transmission Range Signal                                        |
| <b>Mazda P1A03</b> | Drive Motor "A" Shutdown Circuit                                 |
| <b>Mazda P1A04</b> | Generator Shutdown Circuit                                       |
| <b>Mazda P1A05</b> | Desired Engine Speed Signal                                      |
| <b>Mazda P1A06</b> | Vehicle Mode Signal                                              |
| <b>Mazda P1A07</b> | Inverter High Voltage Performance                                |
| <b>Mazda P1A08</b> | Generator Mode Signal                                            |
| <b>Mazda P1A0A</b> | Immediate Shutdown Signal                                        |
| <b>Mazda P1A0C</b> | Hybrid Powertrain Control Module - Engine Disabled               |
| <b>Mazda P1A0D</b> | Hybrid Powertrain Control Module - Generator Disabled            |
| <b>Mazda P1A0E</b> | Hybrid Powertrain Control Module - Motor Disa                    |
| <b>Mazda P1A13</b> | Hybrid Powertrain Control Module - Regenerative Braking Disabled |
| <b>Mazda P1A14</b> | Hybrid Powertrain Control Module - Transmission Disabled         |
| <b>Mazda P1A1B</b> | Brake System Control Module - Forced Engine Running              |
| <b>Mazda U1020</b> | Data Circuit Malfunction                                         |
| <b>Mazda U1039</b> | Data Circuit Malfunction                                         |
| <b>Mazda U1040</b> | Data Circuit Malfunction                                         |
| <b>Mazda U1051</b> | Data Circuit Malfunction                                         |
| <b>Mazda U1131</b> | Data Circuit Malfunction                                         |
| <b>Mazda U1147</b> | Data Circuit Malfunction                                         |
| <b>Mazda U1262</b> | Data Circuit Malfunction                                         |

| CODES              | DEFINITION                                                                   |
|--------------------|------------------------------------------------------------------------------|
| <b>Mazda U1451</b> | Data Circuit Malfunction                                                     |
| <b>Mazda U1900</b> | CAN Communication Bus Fault — Receive Error                                  |
| <b>Mazda U1901</b> | Combined Sensor System (CAN2 line malfunction)                               |
| <b>Mazda U2012</b> | Torque Reduction (Engine Condition) Signal Line                              |
| <b>Mazda U2013</b> | Compass Module is Not Responding                                             |
| <b>Mazda U2017</b> | Driver-side Side Air Bag Sensor System Communication Error                   |
| <b>Mazda U2018</b> | Passenger-side Side Air Bag Sensor System Communication Error                |
| <b>Mazda U2021</b> | Engine Control System                                                        |
| <b>Mazda U2023</b> | Abnormal Message From PCM                                                    |
| <b>Mazda U2030</b> | Rain Sensor/Auto Lght Snsor Cmmunication Fault                               |
| <b>Mazda U2050</b> | No Application Present                                                       |
| <b>Mazda U2051</b> | One or More Calibration Files Missing/Corrupt                                |
| <b>Mazda U2064</b> | Warning Light Illumination Request Signal From Other Modules                 |
| <b>Mazda U210B</b> | Lost Communication Between Fuel Pump Control Module and Restraints Control   |
| <b>Mazda U2243</b> | Data Circuit Malfunction                                                     |
| <b>Mazda U2472</b> | Unexpected Ignition State                                                    |
| <b>Mazda U2473</b> | Unexpected Vehicle Speed (VSS)                                               |
| <b>Mazda U2510</b> | Communication Error Between The Instrument Cluster and The PCM (no response) |
| <b>Mazda U2511</b> | CAN — Data Mis-Match (Receive Data Does Not Match Expected)                  |
| <b>Mazda U2516</b> | CAN System Communication Error                                               |

| CODES                      | DEFINITION                                              |
|----------------------------|---------------------------------------------------------|
| <b>Mazda U2527</b>         | DSC/RSC HU/CM Communication Fault                       |
| <b>Mazda U2616</b>         | Wheel Unit No.1 (No response)                           |
| <b>Mazda U2617</b>         | Wheel Unit No.2 (No Response)                           |
| <b>Mazda U2618</b>         | Wheel Unit No.3 (No Response)                           |
| <b>Mazda U2619</b>         | Wheel Unit No.4 (No Response)                           |
| <b>Mazda U261A</b>         | CAN Data / Configuration Setup Mismatch                 |
| <b>Mercedes-Benz P1031</b> | Left and Right O2 Sensors, before TWC, Mispositioned    |
| <b>Mercedes-Benz P1177</b> | Oil Sensor Signal re Oil Temperature Implausible        |
| <b>Mercedes-Benz P1178</b> | Oil Sensor Signal re Oil Temperature Implausible        |
| <b>Mercedes-Benz P1179</b> | Oil Sensor Signal re Oil Temperature Implausible        |
| <b>Mercedes-Benz P1181</b> | Engine/Climate Control Electric Cooling Fan Malfunction |
| <b>Mercedes-Benz P1185</b> | Water in Engine Oil                                     |
| <b>Mercedes-Benz P1186</b> | Fuel Safety Shut-Off Recognized                         |
| <b>Mercedes-Benz P1225</b> | Resonance Intake Manifold Switchover Valve              |
| <b>Mercedes-Benz P1233</b> | Throttle Valve Malfunction                              |
| <b>Mercedes-Benz P1357</b> | Cylinder Cutoff (Function Chain)                        |
| <b>Mercedes-Benz P1358</b> | Exhaust Valve (Cyl. 5) Not Operated at Cylinder Cutoff  |

| CODES                          | DEFINITION                                             |
|--------------------------------|--------------------------------------------------------|
| <b>Mercedes-Benz<br/>P1359</b> | Exhaust Valve (Cyl. 2) Not Operated at Cylinder Cutoff |
| <b>Mercedes-Benz<br/>P1360</b> | Exhaust Valve (Cyl. 3) Not Operated at Cylinder Cutoff |
| <b>Mercedes-Benz<br/>P1361</b> | Exhaust Valve (Cyl. 8) Not Operated at Cylinder Cutoff |
| <b>Mercedes-Benz<br/>P1366</b> | Exhaust Flap Switchover Valve                          |
| <b>Mercedes-Benz<br/>P1380</b> | Intake Valve Not Operated at Cylinder Cutoff           |
| <b>Mercedes-Benz<br/>P1386</b> | Knock Sensor Control from ECM                          |
| <b>Mercedes-Benz<br/>P1400</b> | EGR Switchover Valve                                   |
| <b>Mercedes-Benz<br/>P1420</b> | AIR Pump Switchover Valve                              |
| <b>Mercedes-Benz<br/>P1453</b> | AIR Pump Relay Module                                  |
| <b>Mercedes-Benz<br/>P1491</b> | A/C Refrigerant System Pressure Too High               |
| <b>Mercedes-Benz<br/>P1542</b> | Pedal Value Sensor                                     |
| <b>Mercedes-Benz<br/>P1550</b> | A/C Compressor Torque Implausible                      |
| <b>Mercedes-Benz<br/>P1580</b> | EA/CC/ISC Actuator (Throttle Valve Actuator)           |
| <b>Mercedes-Benz<br/>P1584</b> | Stop Lamp Switch                                       |
| <b>Mercedes-Benz<br/>P1642</b> | Engine Control Module Incorrectly Coded                |

| CODES                      | DEFINITION                                                                |
|----------------------------|---------------------------------------------------------------------------|
| <b>Mercedes-Benz P1644</b> | Transmission Version Cannot Be Checked                                    |
| <b>Mercedes-Benz P1666</b> | Cylinder Cutoff Valve Does Not Open at Cutoff                             |
| <b>Mercedes-Benz P1681</b> | Crash Signal Not Plausible                                                |
| <b>Mercedes-Benz P1747</b> | CAN Signal from ETC                                                       |
| <b>Mercedes-Benz P1999</b> | Idle Speed Above or Below Limits                                          |
| <b>MINI P1104</b>          | Manifold Pressure Sensor Plausibility                                     |
| <b>MINI P1106</b>          | Manifold Pressure Too Low at Full Load for Low Engine Speed               |
| <b>MINI P1107</b>          | Manifold Pressure Too Low at Idle                                         |
| <b>MINI P1108</b>          | Manifold Pressure Too Low at Stable and in Full Load for Low Engine Speed |
| <b>MINI P1109</b>          | Manifold Pressure Too High During Deceleration                            |
| <b>MINI P1122</b>          | Accelerator Pedal Position Sensor 'D' Circuit Low Input                   |
| <b>MINI P1123</b>          | Accelerator Pedal Position Sensor 'D' Circuit High Input                  |
| <b>MINI P1125</b>          | Throttle/Pedal Position Sensor Circuit Plausibility Error                 |
| <b>MINI P1126</b>          | Throttle/Pedal Position Sensor Circuit Large Plausibility Error           |
| <b>MINI P1143</b>          | O2 Sensor Signal Stuck Lean Bank 1 Sensor 2                               |
| <b>MINI P1144</b>          | O2 Sensor Signal Stuck Rich Bank 1 Sensor 2                               |
| <b>MINI P115C</b>          | Mass Air Flow Rationality and Range Monitoring                            |
| <b>MINI P115D</b>          | Mass Air Flow Rationality and Range Monitoring                            |
| <b>MINI P1222</b>          | Accelerator Pedal Position Sensor 'E' Circuit Low Input                   |

| CODES             | DEFINITION                                                                             |
|-------------------|----------------------------------------------------------------------------------------|
| <b>MINI P1223</b> | Accelerator Pedal Position Sensor 'E' Circuit High Input                               |
| <b>MINI P1224</b> | Throttle Position Sensor D/E Voltage Correlation                                       |
| <b>MINI P1229</b> | Throttle/Pedal Position Sensor Adaptation Outside Tolerance                            |
| <b>MINI P1234</b> | Electrical Fuel Pump Circuit Short to Battery                                          |
| <b>MINI P1236</b> | Electrical Fuel Pump Short to Ground or Open Circuit                                   |
| <b>MINI P1320</b> | Misfire Detected Crankshaft Segment Adaptation                                         |
| <b>MINI P1321</b> | Misfire Crank Wheel Tooth Count                                                        |
| <b>MINI P1366</b> | Ignition Coilpack A Primary/Secondary Circuit Malfunction Open Circuit/Short to Ground |
| <b>MINI P1367</b> | Ignition Coilpack A Primary/Secondary Circuit Malfunction Open Circuit/Short to Ground |
| <b>MINI P1436</b> | EVAP Leak Detection Pump (LDP) Control Circuit Open                                    |
| <b>MINI P1437</b> | EVAP Emission Control LDP Circuit Malfunction Pump Problem                             |
| <b>MINI P143F</b> | EVAP System Canister Purge Valve Monitoring (CPV Malfunction)                          |
| <b>MINI P1442</b> | EVAP Leak Detection Pump Control Circuit Low                                           |
| <b>MINI P1443</b> | EVAP Leak Detection Pump Control Circuit High                                          |
| <b>MINI P144B</b> | Fuel Level Sensor Rationality Monitoring                                               |
| <b>MINI P1475</b> | EVAP Emission Control LDP Circuit Malfunction                                          |
| <b>MINI P1476</b> | EVAP Emission Control LDP Circuit Malfunction/Insufficient Vacuum                      |
| <b>MINI P1477</b> | EVAP Emission Control LDP Circuit Malfunction                                          |
| <b>MINI P1481</b> | Cooling Fans Circuit Short to Ground or Open Circuit                                   |
| <b>MINI P1482</b> | Cooling Fans Circuit Short to Battery                                                  |



| CODES             | DEFINITION                                                       |
|-------------------|------------------------------------------------------------------|
| <b>MINI P1484</b> | Cooling Fans Circuit Short to Ground or Open Circuit             |
| <b>MINI P1485</b> | Cooling Fans Circuit Short to Battery                            |
| <b>MINI P1496</b> | Air Intake System Leak (Block 3)                                 |
| <b>MINI P1600</b> | Internal Control Module Random Access Memory (RAM) Error         |
| <b>MINI P1607</b> | CAN Bus Error                                                    |
| <b>MINI P1611</b> | MIL Call-Up Circuit, Transmission Control Module Short to Ground |
| <b>MINI P1612</b> | INSTR Module Error                                               |
| <b>MINI P1613</b> | ASC Error                                                        |
| <b>MINI P1615</b> | SPI-Bus Error                                                    |
| <b>MINI P1656</b> | Timeout EWS (Electronic Immobilizer) Telegram                    |
| <b>MINI P1661</b> | Timeout EWS (Electronic Immobilizer) Telegram                    |
| <b>MINI P1679</b> | Monitoring of Torque Losses                                      |
| <b>MINI P1680</b> | Monitoring of A to D Conversion                                  |
| <b>MINI P1681</b> | Monitoring of Engine Speed                                       |
| <b>MINI P1682</b> | Idle Speed Control, Monitoring of the Proportional Derivative    |
| <b>MINI P1683</b> | Idle Speed Control, Monitoring of the Integral Part              |
| <b>MINI P1684</b> | Monitoring of Minimum Torque at Clutch                           |
| <b>MINI P1685</b> | Monitoring of Maximum Torque at Clutch                           |
| <b>MINI P1686</b> | Monitoring of Pedal Values                                       |
| <b>MINI P1687</b> | Monitoring of Throttle Position                                  |
| <b>MINI P1688</b> | Monitoring of Mass Airflow                                       |

| CODES                   | DEFINITION                                              |
|-------------------------|---------------------------------------------------------|
| <b>MINI P1689</b>       | Monitoring of Actual Indicated Engine Torque            |
| <b>MINI P1691</b>       | Monitoring of Engine Speed Limit in Limp Home           |
| <b>MINI P1692</b>       | Monitoring of Processor Calculations                    |
| <b>MINI P1693</b>       | Monitoring of Processor Calculations                    |
| <b>MINI P1698</b>       | ECU Functionality Incorrect                             |
| <b>MINI P1699</b>       | EPROM Checksum Incorrect                                |
| <b>MINI P1705</b>       | LED Drives Plausibility                                 |
| <b>MINI P1706</b>       | LED Drives Short Circuit                                |
| <b>MINI P1739</b>       | Clutch Solenoid Circuit Communication Error             |
| <b>MINI P1741</b>       | Clutch Solenoid Circuit Open Circuit                    |
| <b>MINI P1742</b>       | Clutch Solenoid Circuit Short Circuit                   |
| <b>MINI P1749</b>       | Secondary Pressure Solenoid Circuit Communication Error |
| <b>MINI P1751</b>       | Secondary Pressure Circuit Open Circuit                 |
| <b>MINI P1752</b>       | Secondary Pressure Solenoid Circuit Short Circuit       |
| <b>MINI P306D</b>       | Fuel System Monitoring-Lambda Adaptation                |
| <b>MINI P306E</b>       | Fuel System Monitoring-Lambda Adaptation                |
| <b>Mitsubishi B1000</b> | Control Panel Communication Error                       |
| <b>Mitsubishi B1001</b> | Interior Temperature Sensor System                      |
| <b>Mitsubishi B1002</b> | Heater air intake duct sensor system (open circuit)     |
| <b>Mitsubishi B1003</b> | Mode Dial SW Error                                      |
| <b>Mitsubishi B1011</b> | Ambient air temperature sensor system (short circuit)   |
| <b>Mitsubishi B1012</b> | Ambient air temperature sensor system (open circuit)    |

| CODES                   | DEFINITION                                                                                                |
|-------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>Mitsubishi B1018</b> | Temperature Control Dial SW Error                                                                         |
| <b>Mitsubishi B1021</b> | Air thermo sensor system (short circuit)                                                                  |
| <b>Mitsubishi B1022</b> | Air thermo sensor system (open circuit)                                                                   |
| <b>Mitsubishi B1031</b> | Air Thermo Sensor System                                                                                  |
| <b>Mitsubishi B1032</b> | Air Thermo Sensor System                                                                                  |
| <b>Mitsubishi B1034</b> | Ambient Air Temperature Sensor System                                                                     |
| <b>Mitsubishi B1035</b> | Ambient Air Temperature Sensor System                                                                     |
| <b>Mitsubishi B1041</b> | Air mixing damper control motor and potentiometer (potentiometer system shorted to its power supply)      |
| <b>Mitsubishi B1042</b> | Air mixing damper control motor and potentiometer (potentiometer system shorted to its ground)            |
| <b>Mitsubishi B1045</b> | Air mixing damper control motor and potentiometer (activating system failure)                             |
| <b>Mitsubishi B1061</b> | Mode selection damper control motor and potentiometer (potentiometer system shorted to its power supply)  |
| <b>Mitsubishi B1062</b> | Mode selection damper control motor and potentiometer (potentiometer system shorted to its ground)        |
| <b>Mitsubishi B1065</b> | Mode selection damper control motor and potentiometer (activating system failure)                         |
| <b>Mitsubishi B1079</b> | Refrigerant Leaks                                                                                         |
| <b>Mitsubishi B10C0</b> | Interior Temperature Sensor System                                                                        |
| <b>Mitsubishi B10C1</b> | Interior Temperature Sensor System (Open)                                                                 |
| <b>Mitsubishi B1400</b> | Driver's air bag module (1st squib) system fault 1 (short circuit between terminals of the squib circuit) |
| <b>Mitsubishi B1401</b> | Driver's air bag module (1st squib) system fault 2 (open in the squib circuit)                            |

| CODES                   | DEFINITION                                                                                                             |
|-------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Mitsubishi B1402</b> | Driver's air bag module (1st squib) system fault for ground circuit (short-circuited to ground)                        |
| <b>Mitsubishi B1403</b> | Driver's air bag module (1st squib) system fault for power supply circuit (short-circuited to power supply)            |
| <b>Mitsubishi B1404</b> | Driver's air bag module (1st squib ignition drive circuit) system detected short circuit                               |
| <b>Mitsubishi B1405</b> | Driver's air bag module (1st squib ignition drive circuit) system detected open circuit                                |
| <b>Mitsubishi B1406</b> | Front impact sensor (RH) system for fault 1                                                                            |
| <b>Mitsubishi B1407</b> | Front impact sensor (RH) power supply circuit system                                                                   |
| <b>Mitsubishi B1408</b> | Front impact sensor (RH) (squib) for power supply circuit                                                              |
| <b>Mitsubishi B1409</b> | Front impact sensor (RH) (squib) for communication system                                                              |
| <b>Mitsubishi B1410</b> | Passenger's (front) air bag module (1st squib) system fault 1 (short circuit between terminals of the squib circuit)   |
| <b>Mitsubishi B1411</b> | Passenger's (front) air bag module (1st squib) system fault 2 (open in the squib circuit)                              |
| <b>Mitsubishi B1412</b> | Passenger's (front) air bag module (1st squib) system fault for ground circuit (short-circuited to ground)             |
| <b>Mitsubishi B1413</b> | Passenger's (front) air bag module (1st squib) system fault for power supply circuit (short-circuited to power supply) |
| <b>Mitsubishi B1414</b> | Front passenger's air bag module (1st squib ignition drive circuit)                                                    |
| <b>Mitsubishi B1415</b> | Front passenger's air bag module (1st squib ignition drive circuit)                                                    |
| <b>Mitsubishi B1416</b> | Front impact sensor (LH) system for fault 1                                                                            |
| <b>Mitsubishi B1417</b> | Front impact sensor (LH) power supply circuit system                                                                   |

| CODES                   | DEFINITION                                                                                            |
|-------------------------|-------------------------------------------------------------------------------------------------------|
| <b>Mitsubishi B1418</b> | Front impact sensor (LH) (squib) communication Error                                                  |
| <b>Mitsubishi B1419</b> | Front impact sensor (LH) (squib) for communication system                                             |
| <b>Mitsubishi B1420</b> | Side-airbag module (RH) (squib) system fault 1 (short circuit between terminals of the squib circuit) |
| <b>Mitsubishi B1421</b> | Side-airbag module (RH) (squib) system fault 2 (open in the squib circuit)                            |
| <b>Mitsubishi B1422</b> | Side-airbag module (RH) (squib) system fault ground circuit (short-circuited to ground)               |
| <b>Mitsubishi B1423</b> | Side-airbag module (RH) (squib) system fault power supply circuit (short-circuited to power supply)   |
| <b>Mitsubishi B1424</b> | Side-airbag module (RH) (squib ignition drive circuit)                                                |
| <b>Mitsubishi B1425</b> | Side-airbag module (RH) (squib ignition drive circuit)                                                |
| <b>Mitsubishi B1426</b> | Side impact sensor (RH) system for fault 1                                                            |
| <b>Mitsubishi B1427</b> | Side impact sensor (RH) power supply circuit system                                                   |
| <b>Mitsubishi B1428</b> | Side impact sensor (RH) (squib) for power supply circuit                                              |
| <b>Mitsubishi B1429</b> | Side impact sensor (RH) (squib) for communication system                                              |
| <b>Mitsubishi B1430</b> | Side-airbag module (LH) (squib) system fault 1 (short circuit between terminals of the squib circuit) |
| <b>Mitsubishi B1431</b> | Side-airbag module (LH) (squib) system fault 2 (open in the squib circuit)                            |
| <b>Mitsubishi B1432</b> | Side-airbag module (LH) (squib) system fault ground circuit (short-circuited to ground)               |
| <b>Mitsubishi B1433</b> | Side-airbag module (LH) (squib) system fault power supply circuit (short-circuited to power supply)   |
| <b>Mitsubishi B1434</b> | Side-airbag module (LH) (squib ignition drive circuit)                                                |
| <b>Mitsubishi B1435</b> | Side-airbag module (LH) (squib ignition drive circuit)                                                |

| CODES                   | DEFINITION                                                                                                |
|-------------------------|-----------------------------------------------------------------------------------------------------------|
| <b>Mitsubishi B1436</b> | Side impact sensor (LH) system for fault 1                                                                |
| <b>Mitsubishi B1437</b> | Side impact sensor (LH) power supply circuit system                                                       |
| <b>Mitsubishi B1438</b> | Side impact sensor (LH) (squib) for power supply circuit                                                  |
| <b>Mitsubishi B1439</b> | Side impact sensor (LH) (squib) for communication system                                                  |
| <b>Mitsubishi B1440</b> | Curtain air bag module (RH) (squib) system fault 1 (short circuit between terminals of the squib circuit) |
| <b>Mitsubishi B1441</b> | Curtain air bag module (RH) (squib) system fault 2 (open in the squib circuit)                            |
| <b>Mitsubishi B1442</b> | Curtain air bag module (RH) (squib) system fault ground circuit (short-circuited to ground)               |
| <b>Mitsubishi B1443</b> | Curtain air bag module (RH) (squib) system fault ground circuit (short-circuited to ground)               |
| <b>Mitsubishi B1444</b> | Curtain air bag module (RH) (squib ignition drive circuit)                                                |
| <b>Mitsubishi B1445</b> | Curtain air bag module (RH) (squib ignition drive circuit)                                                |
| <b>Mitsubishi B1446</b> | Side Impact Sensor (Rear: RH) System for Fault                                                            |
| <b>Mitsubishi B1447</b> | Side Impact Sensor (Rear: RH) Power Supply Circuit System                                                 |
| <b>Mitsubishi B1448</b> | Side Impact Sensor (Rear: RH) (Squib) for Power Supply Circuit                                            |
| <b>Mitsubishi B1450</b> | Curtain Air Bag Module (LH) (Squib) System (Short Circuit between Squib Circuit Terminals)                |
| <b>Mitsubishi B1451</b> | Curtain Air Bag Module (LH) (Squib) System (Squib Circuit Open)                                           |
| <b>Mitsubishi B1452</b> | Curtain Air Bag Module (LH) (Squib) System (Squib Circuit Open)                                           |
| <b>Mitsubishi B1453</b> | Curtain Air bag Module (LH) (Squib) System (Shorted to Squib Circuit Power Supply)                        |

| CODES                   | DEFINITION                                                                                                   |
|-------------------------|--------------------------------------------------------------------------------------------------------------|
| <b>Mitsubishi B1454</b> | Curtain air bag module (LH) (squib ignition drive circuit)                                                   |
| <b>Mitsubishi B1455</b> | Curtain air bag module (LH) (squib ignition drive circuit)                                                   |
| <b>Mitsubishi B1457</b> | Side Impact Sensor (Rear: LH) Power Supply Circuit System                                                    |
| <b>Mitsubishi B1458</b> | Side Impact Sensor (Rear: LH) (Squib) for Power Supply Circuit                                               |
| <b>Mitsubishi B1460</b> | Seat belt pre-tensioner (RH) (squib) system fault 1 (short circuit between terminals of the squib circuit)   |
| <b>Mitsubishi B1461</b> | Seat belt pre-tensioner (RH) (squib) system fault 2 (open in the squib circuit)                              |
| <b>Mitsubishi B1462</b> | Seat belt pre-tensioner (RH) (squib) system fault for ground circuit (short-circuit to ground)               |
| <b>Mitsubishi B1463</b> | Seat belt pre-tensioner (RH) (squib) system fault for power supply circuit (short-circuited to power supply) |
| <b>Mitsubishi B1464</b> | Seat belt pre-tensioner (RH) (squib ignition drive circuit)                                                  |
| <b>Mitsubishi B1465</b> | Seat belt pre-tensioner (RH) (squib ignition drive circuit)                                                  |
| <b>Mitsubishi B1466</b> | Analog G-sensor                                                                                              |
| <b>Mitsubishi B1467</b> | Safing G-sensor (front air bag)                                                                              |
| <b>Mitsubishi B1468</b> | Safing G-sensor (front air bag)                                                                              |
| <b>Mitsubishi B1469</b> | Safing G-sensor (side-airbag)                                                                                |
| <b>Mitsubishi B1470</b> | Seat belt pre-tensioner (LH) (squib) system fault1 (short circuit between terminals of the squib circuit)    |
| <b>Mitsubishi B1471</b> | Seat belt pre-tensioner (LH) (squib) system fault 2 (open in the squib circuit)                              |
| <b>Mitsubishi B1472</b> | Seat belt pre-tensioner (LH) (squib) system fault for ground circuit (short-circuit to ground)               |
| <b>Mitsubishi B1473</b> | Seat belt pre-tensioner (LH) (squib) system fault for power supply circuit (short-circuited to power supply) |

| CODES                   | DEFINITION                                                                                                           |
|-------------------------|----------------------------------------------------------------------------------------------------------------------|
| <b>Mitsubishi B1474</b> | Seat belt pre-tensioner (LH) (squib ignition drive circuit)                                                          |
| <b>Mitsubishi B1475</b> | Seat belt pre-tensioner (LH) (squib ignition drive circuit)                                                          |
| <b>Mitsubishi B1476</b> | IG1 power supply circuit system (fuse No.3 circuit)                                                                  |
| <b>Mitsubishi B1477</b> | IG1 power supply circuit system (fuse No.2 circuit)                                                                  |
| <b>Mitsubishi B1478</b> | Capacitor                                                                                                            |
| <b>Mitsubishi B1479</b> | Capacitor                                                                                                            |
| <b>Mitsubishi B1480</b> | Driver's air bag module (2nd squib) system fault 1 (short circuit between terminals of the squib circuit)            |
| <b>Mitsubishi B1481</b> | Driver's air bag module (2nd squib) system fault 2 (open in the squib circuit)                                       |
| <b>Mitsubishi B1482</b> | Driver's air bag module (2nd squib) system fault for ground circuit (short-circuited to ground)                      |
| <b>Mitsubishi B1483</b> | Driver's air bag module (2nd squib) system fault for power supply circuit (Short-circuited to power supply)          |
| <b>Mitsubishi B1484</b> | Driver's air bag module (2nd squib ignition drive circuit)                                                           |
| <b>Mitsubishi B1485</b> | Driver's air bag module (2nd squib ignition drive circuit)                                                           |
| <b>Mitsubishi B1486</b> | Passenger seat belt warning light drive circuit system fault 2                                                       |
| <b>Mitsubishi B1487</b> | Passenger seat belt warning light drive circuit system fault 1 (Light does not illuminate).                          |
| <b>Mitsubishi B1488</b> | Passenger air bag OFF indicator light drive circuit system fault 2                                                   |
| <b>Mitsubishi B1489</b> | Passenger air bag OFF indicator light drive circuit system fault 1 Light does not switch off                         |
| <b>Mitsubishi B1490</b> | Passenger's (front) air bag module (2nd squib) system fault 1 (short circuit between terminals of the squib circuit) |



| CODES                   | DEFINITION                                                                                                             |
|-------------------------|------------------------------------------------------------------------------------------------------------------------|
| <b>Mitsubishi B1491</b> | Passenger's (Front) Air Bag Module (2nd Squib) System Fault 2 (Open In The Squib Circuit)                              |
| <b>Mitsubishi B1492</b> | Passenger's (front) air bag module (2nd squib) system fault for ground circuit (short-circuited to ground)             |
| <b>Mitsubishi B1493</b> | Passenger's (front) air bag module (2nd squib) system fault for power supply circuit (short-circuited to power supply) |
| <b>Mitsubishi B1494</b> | Front Passenger's Air Bag Module (2nd Squib Ignition Drive Circuit)                                                    |
| <b>Mitsubishi B1495</b> | Front passenger's air bag module (2nd squib ignition drive circuit)                                                    |
| <b>Mitsubishi B1496</b> | Non-volatile memory (EEPROM)                                                                                           |
| <b>Mitsubishi B1497</b> | Application Specific Integrated Circuit (For Frontal Activation)                                                       |
| <b>Mitsubishi B1498</b> | ROM or RAM                                                                                                             |
| <b>Mitsubishi B1499</b> | SRS-ECU air bag condition monitor detects deployed air bag                                                             |
| <b>Mitsubishi B1506</b> | Seat Slide Sensor System Fault 1 (Open In The Seat Slide Sensor Circuit)                                               |
| <b>Mitsubishi B1507</b> | Seat slide sensor system fault ground circuit (short-circuited to ground)                                              |
| <b>Mitsubishi B1508</b> | Seat slide sensor system fault power supply circuit (short-circuited to power supply)                                  |
| <b>Mitsubishi B1509</b> | Improper installation of SRS-ECU                                                                                       |
| <b>Mitsubishi B1519</b> | Connector lock system detects connector unlocked                                                                       |
| <b>Mitsubishi B1520</b> | Seat belt switch (LH) malfunction                                                                                      |
| <b>Mitsubishi B1521</b> | Seat belt switch (LH) circuit open (for Normal/Close terminal)                                                         |

| CODES                   | DEFINITION                                                                            |
|-------------------------|---------------------------------------------------------------------------------------|
| <b>Mitsubishi B1522</b> | Seat belt switch (LH) circuit (ground side) shorted (for Normal/Close terminal)       |
| <b>Mitsubishi B1523</b> | Seat belt switch (LH) circuit (power supply side) shorted (for Normal/Close terminal) |
| <b>Mitsubishi B1524</b> | Malfunction Of The Normal/Open Terminal Or Short Circuit In Its Harness               |
| <b>Mitsubishi B1525</b> | Seat belt switch (LH) circuit (ground side) shorted (for Normal/Open terminal)        |
| <b>Mitsubishi B1526</b> | Seat belt switch (LH) circuit (ground side) shorted (for Normal/Open terminal)        |
| <b>Mitsubishi B1527</b> | Seat Belt Switch (LH) Circuit Open (For Common Terminal)                              |
| <b>Mitsubishi B1528</b> | Seat belt switch (LH) circuit (ground side) shorted (for common terminal )            |
| <b>Mitsubishi B1529</b> | Seat belt switch (LH) circuit (power supply side) shorted (for common terminal)       |
| <b>Mitsubishi B1530</b> | Seat Belt Switch (RH) Malfunction                                                     |
| <b>Mitsubishi B1531</b> | Seat belt switch (RH) circuit open (for Normal/Close terminal)                        |
| <b>Mitsubishi B1532</b> | Seat belt switch (RH) circuit (ground side) shorted (for Normal/Close terminal)       |
| <b>Mitsubishi B1533</b> | Seat Belt Switch (RH) Circuit (Power Supply Side) Shorted (For Normal/Close Terminal) |
| <b>Mitsubishi B1534</b> | Seat belt switch (RH) circuit open (for Normal/Open terminal)                         |
| <b>Mitsubishi B1535</b> | Seat belt switch (RH) circuit (ground side) shorted (for Normal/Open terminal)        |
| <b>Mitsubishi B1536</b> | Seat Belt Switch (RH) Circuit (Power Supply Side) Shorted (For Normal/Open Terminal)  |
| <b>Mitsubishi B1537</b> | Seat belt switch (RH) circuit open (for common terminal)                              |

| CODES                   | DEFINITION                                                                      |
|-------------------------|---------------------------------------------------------------------------------|
| <b>Mitsubishi B1538</b> | Seat belt switch (RH) circuit (ground side) shorted (for common terminal)       |
| <b>Mitsubishi B1539</b> | Seat Belt Switch (RH) Circuit (Power Supply Side) Shorted (For Common Terminal) |
| <b>Mitsubishi B1540</b> | Occupant classification-ECU malfunction                                         |
| <b>Mitsubishi B1541</b> | Occupant classification-ECU calibration malfunction                             |
| <b>Mitsubishi B1542</b> | Occupant Classification Sensor (S1) Malfunction                                 |
| <b>Mitsubishi B1543</b> | Occupant classification sensor (S2) malfunction                                 |
| <b>Mitsubishi B1545</b> | Occupant classification-ECU for power supply circuit                            |
| <b>Mitsubishi B1546</b> | Occupant classification-ECU for communication system                            |
| <b>Mitsubishi B1548</b> | CAN communication impossible                                                    |
| <b>Mitsubishi B1549</b> | CAN communication error                                                         |
| <b>Mitsubishi B1552</b> | Changing of Power Supply                                                        |
| <b>Mitsubishi B1553</b> | Changing of Power Supply                                                        |
| <b>Mitsubishi B1554</b> | SG-BYPASS                                                                       |
| <b>Mitsubishi B1555</b> | SG-BYPASS                                                                       |
| <b>Mitsubishi B1556</b> | Seat slide sensor system for fault 2 (malfunction of seat slide sensor)         |
| <b>Mitsubishi B1557</b> | Application specific integrated circuit                                         |
| <b>Mitsubishi B1558</b> | Occupant Classification-ECU ID-Cord Malfunction                                 |
| <b>Mitsubishi B1761</b> | Vehicle Identification Number (VIN) code not programmed                         |
| <b>Mitsubishi B1A08</b> | Keyless/KOS key1 performance                                                    |
| <b>Mitsubishi B1A09</b> | Keyless/KOS key2 performance                                                    |

| CODES                   | DEFINITION                                                             |
|-------------------------|------------------------------------------------------------------------|
| <b>Mitsubishi B1A0A</b> | Keyless/KOS key3 performance                                           |
| <b>Mitsubishi B1A0B</b> | Keyless/KOS key4 performance                                           |
| <b>Mitsubishi B1A10</b> | Keyless/KOS key 1 low battery                                          |
| <b>Mitsubishi B1A11</b> | Keyless/KOS key 2 low                                                  |
| <b>Mitsubishi B1A12</b> | Keyless/KOS key 3 low battery                                          |
| <b>Mitsubishi B1A13</b> | Keyless/KOS Key 4 Low Battery                                          |
| <b>Mitsubishi B1A24</b> | Key ID not registered                                                  |
| <b>Mitsubishi B1A25</b> | Key ID unmatched                                                       |
| <b>Mitsubishi B1A28</b> | Engine control module authenticate error                               |
| <b>Mitsubishi B1A35</b> | Transponder read error                                                 |
| <b>Mitsubishi B1B78</b> | Passenger Seat Weight Sensor (front: LH) Performance                   |
| <b>Mitsubishi B1B79</b> | Passenger Seat Weight Sensor (Ground Side) Short-Circuited (Front: LH) |
| <b>Mitsubishi B1B7D</b> | Passenger Seat Weight Sensor (front: RH) Performance                   |
| <b>Mitsubishi B2101</b> | IG SW start POS. circuit low                                           |
| <b>Mitsubishi B2204</b> | Coding Data Mismatch                                                   |
| <b>Mitsubishi B2206</b> | VIN Code Mismatch                                                      |
| <b>Mitsubishi B2214</b> | Control Panel Failure                                                  |
| <b>Mitsubishi B222C</b> | Coding Not Completed                                                   |
| <b>Mitsubishi B223B</b> | Control Panel Improperly Assembled                                     |
| <b>Mitsubishi B2352</b> | Antenna Malfunction                                                    |
| <b>Mitsubishi B2400</b> | KOS Key Registration Malfunction                                       |
| <b>Mitsubishi B2401</b> | Keyless/KOS key ID not registered                                      |

| CODES                   | DEFINITION                                         |
|-------------------------|----------------------------------------------------|
| <b>Mitsubishi B2402</b> | Steering Lock Unit communication error (System ID) |
| <b>Mitsubishi B2403</b> | Steering Lock Unit communication. (CRC)            |
| <b>Mitsubishi B2404</b> | Steerin Unit Communication. (function code)        |
| <b>Mitsubishi B2405</b> | Steerin Unit Communication. (rolling code)         |
| <b>Mitsubishi B2406</b> | Steering Unit Communication. (PTC operate)         |
| <b>Mitsubishi B2408</b> | Steering Lock Unit comm. (solenoid)                |
| <b>Mitsubishi B2409</b> | Steering Unit Communication (No response)          |
| <b>Mitsubishi B240A</b> | Drives Side Antenna (outdoor) Open                 |
| <b>Mitsubishi B240B</b> | Passenger's Side antenna (outdoor) open            |
| <b>Mitsubishi B240D</b> | Front Antenna(indoor) Open                         |
| <b>Mitsubishi B240E</b> | RR Antenna (Indoor) Open                           |
| <b>Mitsubishi B2412</b> | LF Antenna Power Voltage                           |
| <b>Mitsubishi B2413</b> | Steering Lock Unit (power voltage)                 |
| <b>Mitsubishi B2415</b> | Receiver Antenna Module Power Voltage              |
| <b>Mitsubishi B2416</b> | KOS-ECU Internal Error                             |
| <b>Mitsubishi C1000</b> | Abnormality in Stoplight Switch Circuit            |
| <b>Mitsubishi C100A</b> | Abnormality In FL Wheel Speed Sensor Circuit       |
| <b>Mitsubishi C1011</b> | Abnormality in FL wheel speed sensor signal        |
| <b>Mitsubishi C1014</b> | Mutual monitoring of FL wheel speed sensor         |
| <b>Mitsubishi C1015</b> | Abnormality In FR Wheel Speed Sensor Circuit       |
| <b>Mitsubishi C101C</b> | Abnormality in FR wheel speed sensor signal        |
| <b>Mitsubishi C101F</b> | Mutual monitoring of FR wheel speed sensor         |

| CODES                   | DEFINITION                                                 |
|-------------------------|------------------------------------------------------------|
| <b>Mitsubishi C1020</b> | Abnormality In RL Wheel Speed Sensor Circuit               |
| <b>Mitsubishi C1027</b> | Abnormality in RL wheel speed sensor signal                |
| <b>Mitsubishi C102A</b> | Mutual monitoring of RL wheel speed sensor                 |
| <b>Mitsubishi C102B</b> | Abnormality In RR Wheel Speed Sensor Circuit               |
| <b>Mitsubishi C1032</b> | Abnormality in RR wheel speed sensor signal                |
| <b>Mitsubishi C1042</b> | Abnormality in periodical signal for FR wheel speed sensor |
| <b>Mitsubishi C1043</b> | Abnormality In Periodical Signal For RL Wheel Speed Sensor |
| <b>Mitsubishi C1044</b> | Abnormality In Periodical Signal For RR Wheel Speed Sensor |
| <b>Mitsubishi C1046</b> | FL wheel speed sensor control phase time exceeded          |
| <b>Mitsubishi C1047</b> | FR Wheel Speed Sensor Control Phase Time Exceeded          |
| <b>Mitsubishi C1048</b> | RL wheel speed sensor control phase time exceeded          |
| <b>Mitsubishi C1049</b> | RR wheel speed sensor control phase time exceeded          |
| <b>Mitsubishi C104B</b> | Abnormality in FL wheel inlet valve system                 |
| <b>Mitsubishi C104F</b> | Abnormality in FR wheel inlet valve system                 |
| <b>Mitsubishi C1053</b> | Abnormality in RL wheel inlet valve system                 |
| <b>Mitsubishi C1057</b> | Abnormality In RR Wheel Inlet Valve System                 |
| <b>Mitsubishi C105B</b> | Abnormality in RR wheel outlet valve system                |
| <b>Mitsubishi C105F</b> | Abnormality in FL wheel outlet valve system                |
| <b>Mitsubishi C1063</b> | Abnormality in FR wheel outlet valve system                |
| <b>Mitsubishi C1067</b> | Abnormality in RL wheel outlet valve system                |
| <b>Mitsubishi C1073</b> | Faulty motor drive circuit                                 |

| CODES                   | DEFINITION                                                                                |
|-------------------------|-------------------------------------------------------------------------------------------|
| <b>Mitsubishi C1200</b> | Abnormality In FL/RR Wheel Cut Valve System                                               |
| <b>Mitsubishi C1204</b> | Abnormality in FR/RL wheel cut valve system                                               |
| <b>Mitsubishi C1208</b> | Abnormality in FL/RR wheel suction valve system                                           |
| <b>Mitsubishi C120C</b> | Abnormality In FR/RL Wheel Suction Valve System                                           |
| <b>Mitsubishi C1210</b> | Abnormality In G & Yaw Rate Sensor                                                        |
| <b>Mitsubishi C1219</b> | Abnormality in Steering Wheel Sensor Signal                                               |
| <b>Mitsubishi C123A</b> | Abnormality in sensor calibration                                                         |
| <b>Mitsubishi C123B</b> | Prolonged operation of ASC                                                                |
| <b>Mitsubishi C123C</b> | Abnormality in lateral G and yaw rate output value (incorrect installation)               |
| <b>Mitsubishi C1242</b> | Abnormality In G And Yaw Rate Sensor (Abnormality In Longitudinal G Sensor Output Signal) |
| <b>Mitsubishi C1608</b> | Implausible diagnosis data (EEPROM failure)                                               |
| <b>Mitsubishi C2002</b> | Valve calibration not completed                                                           |
| <b>Mitsubishi C2003</b> | Control Parameter Not Implement                                                           |
| <b>Mitsubishi C2101</b> | Abnormality in battery voltage (high voltage)                                             |
| <b>Mitsubishi C2104</b> | Faulty valve power supply circuit                                                         |
| <b>Mitsubishi C2111</b> | Brake Fluid Pressure Sensor Power Supply Circuit (High input)                             |
| <b>Mitsubishi C2112</b> | Brake Fluid Pressure Sensor Power Supply Circuit (Low input)                              |
| <b>Mitsubishi C2114</b> | Abnormality in G and yaw rate sensor operation voltage (Low voltage)                      |
| <b>Mitsubishi C2115</b> | Abnormality In G And Yaw Rate Sensor Operation Voltage (High Voltage)                     |
| <b>Mitsubishi C2116</b> | Low or high power supply voltage in pump motor                                            |

| CODES                   | DEFINITION                                                                                        |
|-------------------------|---------------------------------------------------------------------------------------------------|
| <b>Mitsubishi C2200</b> | Abnormality in ASC-ECU                                                                            |
| <b>Mitsubishi C2203</b> | VIN Not Recorded                                                                                  |
| <b>Mitsubishi C2204</b> | Internal abnormality in G and yaw rate sensor                                                     |
| <b>Mitsubishi C2205</b> | Internal malfunction of steering wheel sensor                                                     |
| <b>Mitsubishi C2206</b> | Re-Execution Of Variant Coding                                                                    |
| <b>Mitsubishi P1020</b> | Mitsubishi Innovative Valve Timing and Lift Electronic Control System (MIVEC) Performance Problem |
| <b>Mitsubishi P1101</b> | Traction Control Vacuum Solenoid Circuit Malfunction                                              |
| <b>Mitsubishi P1102</b> | Traction Control Ventilation Solenoid Circuit Malfunction                                         |
| <b>Mitsubishi P1103</b> | Turbocharger Waste Gate Actuator Circuit Malfunction                                              |
| <b>Mitsubishi P1104</b> | Turbocharger Waste Gate Solenoid Circuit Malfunction                                              |
| <b>Mitsubishi P1105</b> | Fuel Pressure Solenoid Circuit Malfunction                                                        |
| <b>Mitsubishi P1231</b> | Active Stability Control Plausibility                                                             |
| <b>Mitsubishi P1232</b> | Fail Safe System                                                                                  |
| <b>Mitsubishi P1233</b> | Throttle Position Sensor (main) Plausibility                                                      |
| <b>Mitsubishi P1234</b> | Throttle Position Sensor (Sub) Plausibility                                                       |
| <b>Mitsubishi P1235</b> | Mass Airflow Sensor Plausibility                                                                  |
| <b>Mitsubishi P1236</b> | A/D Converter                                                                                     |
| <b>Mitsubishi P1237</b> | Accelerator Pedal Position Sensor Plausibility                                                    |
| <b>Mitsubishi P1238</b> | Mass Airflow Sensor Plausibility (Torque Monitor)                                                 |
| <b>Mitsubishi P1239</b> | Engine RPM Plausibility                                                                           |
| <b>Mitsubishi P1240</b> | Ignition Angle                                                                                    |
| <b>Mitsubishi P1241</b> | Torque Monitoring                                                                                 |



| CODES                   | DEFINITION                                                |
|-------------------------|-----------------------------------------------------------|
| <b>Mitsubishi P1242</b> | Fail Safe Control Monitor                                 |
| <b>Mitsubishi P1243</b> | Inquiry/Response Error                                    |
| <b>Mitsubishi P1245</b> | Cycle RAM Test (Engine)                                   |
| <b>Mitsubishi P1247</b> | CVT Plausibility                                          |
| <b>Mitsubishi P1294</b> | Target Idle Speed Not Reached                             |
| <b>Mitsubishi P1295</b> | TP Sensor 5-Volt Supply Circuit Malfunction               |
| <b>Mitsubishi P1296</b> | MAP Sensor 5-Volt Supply Circuit Malfunction              |
| <b>Mitsubishi P1297</b> | No Change In MAP From Start to Run                        |
| <b>Mitsubishi P1300</b> | Ignition Timing Adjustment Circuit Malfunction            |
| <b>Mitsubishi P1390</b> | Timing Belt Skipped One Tooth Or More                     |
| <b>Mitsubishi P1391</b> | Intermittent Loss of CKP or CMP Sensor Signal             |
| <b>Mitsubishi P1398</b> | Misfire Adaptive Numerator at Limit                       |
| <b>Mitsubishi P1400</b> | Manifold Differential Pressure Sensor Circuit Malfunction |
| <b>Mitsubishi P1443</b> | EVAP Purge Control Solenoid 2 Circuit Malfunction         |
| <b>Mitsubishi P1486</b> | EVAP Leak Monitor Pinched Hose Detected                   |
| <b>Mitsubishi P1487</b> | High Speed Condenser Fan Relay Circuit Malfunction        |
| <b>Mitsubishi P1489</b> | High Speed Condenser Fan Relay Circuit Malfunction        |
| <b>Mitsubishi P1490</b> | Low Speed Fan Relay Circuit Malfunction                   |
| <b>Mitsubishi P1492</b> | Battery Temperature Sensor High Signal                    |
| <b>Mitsubishi P1493</b> | Battery Temperature Sensor Low Signal                     |
| <b>Mitsubishi P1494</b> | EVAP Ventilation Switch Circuit Malfunction               |
| <b>Mitsubishi P1495</b> | EVAP Ventilation Solenoid Circuit Malfunction             |

| CODES                   | DEFINITION                                                                 |
|-------------------------|----------------------------------------------------------------------------|
| <b>Mitsubishi P1496</b> | 5-Volt Supply Output Too Low                                               |
| <b>Mitsubishi P1500</b> | Generator 'FR' Terminal Circuit Malfunction                                |
| <b>Mitsubishi P1506</b> | Idle Control System RPM Lower Than Expected At Low Temperature             |
| <b>Mitsubishi P1507</b> | Idle Control System RPM Higher Than Expected at Low Temperature            |
| <b>Mitsubishi P1530</b> | A/C1 Switch Circuit Intermittent                                           |
| <b>Mitsubishi P1590</b> | TC-SST-ECU To ECM Communication Error In Torque Reduction Request          |
| <b>Mitsubishi P1600</b> | PCM/TCM Serial Communication Link Malfunction                              |
| <b>Mitsubishi P1601</b> | Communication Malfunction (between PCM and Throttle Actuator Control Unit) |
| <b>Mitsubishi P1602</b> | Communication Malfunction (Between PCM Main Processor And System LSI)      |
| <b>Mitsubishi P1603</b> | Battery Backup Line Malfunction                                            |
| <b>Mitsubishi P1610</b> | Immobilizer System Malfunction                                             |
| <b>Mitsubishi P1637</b> | EEPROM System (DTC Storing Malfunction) (TC-SST)                           |
| <b>Mitsubishi P1676</b> | Coding incomplete (TC-SST)                                                 |
| <b>Mitsubishi P1696</b> | PCM EEPROM Write Denied                                                    |
| <b>Mitsubishi P1697</b> | PCM Malfunction - SRI Miles Not Stored                                     |
| <b>Mitsubishi P1698</b> | No CCD Messages Received From The TCM                                      |
| <b>Mitsubishi P1706</b> | Malfunction of Throttle Signal (CVT)                                       |
| <b>Mitsubishi P1710</b> | Malfunction Of Vehicle Speed Signal (CVT)                                  |
| <b>Mitsubishi P1715</b> | TCM Pulse Generator Circuit Malfunction                                    |
| <b>Mitsubishi P1720</b> | Pressure Control, Shift Control, TCC Solenoid Circuit Malfunction          |

| CODES                   | DEFINITION                                                                      |
|-------------------------|---------------------------------------------------------------------------------|
| <b>Mitsubishi P1723</b> | Abnormality In Speed Sensor System Function                                     |
| <b>Mitsubishi P1738</b> | A/T High Temperature Operations Activated                                       |
| <b>Mitsubishi P1740</b> | Malfunction of Lockup/Select Switching Solenoid Valve (CVT)                     |
| <b>Mitsubishi P1745</b> | Monitoring Of Percentage Change In Pulley Ratio (CVT)                           |
| <b>Mitsubishi P1750</b> | Pressure Control, Shift Control, TCC Solenoid Circuit Malfunction               |
| <b>Mitsubishi P1751</b> | A/T Control Relay Circuit Malfunction                                           |
| <b>Mitsubishi P1773</b> | Malfunction Of ABS (CVT)                                                        |
| <b>Mitsubishi P1777</b> | Malfunction of Stepper Motor                                                    |
| <b>Mitsubishi P1778</b> | Malfunction of Stepper Motor (CVT)                                              |
| <b>Mitsubishi P1791</b> | PCM ECT Level Signal To TCM Circuit Malfunction                                 |
| <b>Mitsubishi P1795</b> | TP Sensor Signal Circuit to TCM                                                 |
| <b>Mitsubishi P1802</b> | Shift Lever System (LIN communication malfunction)                              |
| <b>Mitsubishi P1803</b> | Shift Lever System (CAN, LIN Time-out Error)                                    |
| <b>Mitsubishi P1804</b> | Shift Fork Position Sensor 1 and 2 System (Power supply voltage low range out)  |
| <b>Mitsubishi P1805</b> | Shift Fork Position Sensor 1 and 2 System (Power supply voltage high range out) |
| <b>Mitsubishi P1806</b> | Shift Fork Position Sensor 3 and 4 System (Power supply voltage low range out)  |
| <b>Mitsubishi P1807</b> | Shift Fork Position Sensor 3 and 4 System (Power supply voltage high range out) |
| <b>Mitsubishi P1808</b> | TC-SST-ECU temperature, fluid temperature sensor system (Correlation error)     |
| <b>Mitsubishi P180C</b> | Clutch Pressure Cut Spool Sticking                                              |

| CODES                   | DEFINITION                                                   |
|-------------------------|--------------------------------------------------------------|
| <b>Mitsubishi P181B</b> | Clutch 1 (Pressure low range out)                            |
| <b>Mitsubishi P181C</b> | Clutch 1 (Pressure high range out)                           |
| <b>Mitsubishi P181E</b> | Clutch 2 (Pressure Low Range Out)                            |
| <b>Mitsubishi P181F</b> | Clutch 2 (Pressure high range out)                           |
| <b>Mitsubishi P1820</b> | Shift Fork Position Sensor 1 System (Voltage low range out)  |
| <b>Mitsubishi P1821</b> | Shift Fork Position Sensor 1 System (Voltage High Range Out) |
| <b>Mitsubishi P1822</b> | Shift Fork Position Sensor 1 System (Output range out)       |
| <b>Mitsubishi P1823</b> | Shift Fork Position Sensor 1 System (Neutral)                |
| <b>Mitsubishi P1824</b> | Shift Fork Position Sensor 1 System (Poor Performance)       |
| <b>Mitsubishi P1825</b> | Shift Fork Position Sensor 2 System (Voltage low range out)  |
| <b>Mitsubishi P1826</b> | Shift Fork Position Sensor 2 System (Voltage high range out) |
| <b>Mitsubishi P1828</b> | Shift Fork Position Sensor 2 System (Neutral)                |
| <b>Mitsubishi P1829</b> | Shift Fork Position Sensor 2 System (Poor performance)       |
| <b>Mitsubishi P182A</b> | Shift Fork Position Sensor 3 System (Voltage low range out)  |
| <b>Mitsubishi P182B</b> | Shift Fork Position Sensor 3 System (Voltage High Range Out) |
| <b>Mitsubishi P182C</b> | Shift Fork Position Sensor 3 System (Output range out)       |
| <b>Mitsubishi P182D</b> | Shift Fork Position Sensor 3 System (Neutral)                |
| <b>Mitsubishi P182E</b> | Shift Fork Position Sensor 3 System (Poor Performance)       |
| <b>Mitsubishi P1831</b> | Shift Fork Position Sensor 4 System (Voltage low range out)  |

| CODES                   | DEFINITION                                                   |
|-------------------------|--------------------------------------------------------------|
| <b>Mitsubishi P1832</b> | Shift Fork Position Sensor 4 System (Voltage high range out) |
| <b>Mitsubishi P1833</b> | Shift Fork Position Sensor 4 System (Output Range Out)       |
| <b>Mitsubishi P1834</b> | Shift Fork Position Sensor 4 System (Neutral)                |
| <b>Mitsubishi P1835</b> | Shift Fork Position Sensor 4 System (Poor performance)       |
| <b>Mitsubishi P1836</b> | Shift Fork 1 Malfunction                                     |
| <b>Mitsubishi P183D</b> | Shift Fork 2 Malfunction                                     |
| <b>Mitsubishi P1844</b> | Shift Fork 3 Malfunction                                     |
| <b>Mitsubishi P184B</b> | Shift Fork 4 Malfunction                                     |
| <b>Mitsubishi P1852</b> | Shift Fork 1 or 2 opposite direction movement                |
| <b>Mitsubishi P1855</b> | Shift Fork 3 or 4 opposite direction movement                |
| <b>Mitsubishi P1857</b> | Odd Number Gear Axle Interlock                               |
| <b>Mitsubishi P1858</b> | Even Number Gear Axle Interlock                              |
| <b>Mitsubishi P185D</b> | Clutch open not possible                                     |
| <b>Mitsubishi P1862</b> | High side 1 system (Overcurrent)                             |
| <b>Mitsubishi P1863</b> | High side 1 system (Open circuit)                            |
| <b>Mitsubishi P1864</b> | High side 1 system (Short to power supply)                   |
| <b>Mitsubishi P1866</b> | High side 2 system (Overcurrent)                             |
| <b>Mitsubishi P1867</b> | High side 2 system (Open circuit)                            |
| <b>Mitsubishi P1868</b> | High side 2 system (Short to power supply)                   |
| <b>Mitsubishi P186A</b> | High Side 3 System (Overcurrent)                             |
| <b>Mitsubishi P186B</b> | High side 3 system (Open circuit)                            |
| <b>Mitsubishi P186C</b> | High side 3 system (Short to power supply)                   |

| CODES                   | DEFINITION                                                       |
|-------------------------|------------------------------------------------------------------|
| <b>Mitsubishi P186D</b> | High Side 1 System (Voltage Low Range Out)                       |
| <b>Mitsubishi P186E</b> | High side 2 system (Voltage low range out)                       |
| <b>Mitsubishi P186F</b> | High side 3 system (Voltage low range out)                       |
| <b>Mitsubishi P1870</b> | Engine Torque Signal Abnormality                                 |
| <b>Mitsubishi P1871</b> | APS system (Signal abnormality)                                  |
| <b>Mitsubishi P1872</b> | Between shift lever and TC-SST system (Q-A function abnormality) |
| <b>Mitsubishi P1873</b> | Clutch 1 System (Pressure Abnormality)                           |
| <b>Mitsubishi P1874</b> | Clutch 2 System (Pressure abnormality)                           |
| <b>Mitsubishi P1875</b> | Damper Speed Sensor System (Poor performance)                    |
| <b>Mitsubishi P1876</b> | Gear Block 1st                                                   |
| <b>Mitsubishi P1877</b> | Gear Block 2nd                                                   |
| <b>Mitsubishi P1878</b> | Gear Block 3rd                                                   |
| <b>Mitsubishi P1879</b> | Gear Block 4th                                                   |
| <b>Mitsubishi P187A</b> | Gear Block 5th                                                   |
| <b>Mitsubishi P187B</b> | Gear Block 6th                                                   |
| <b>Mitsubishi P187C</b> | Gear Block Reverse                                               |
| <b>Mitsubishi P1880</b> | EOL Mode Active                                                  |
| <b>Mitsubishi P1881</b> | Twin Clutch SST Control Mode Switch System (Malfunction)         |
| <b>Mitsubishi P1885</b> | Shift Fork 1 Jump Out                                            |
| <b>Mitsubishi P1886</b> | Shift Fork 2 Jump Out                                            |
| <b>Mitsubishi P1887</b> | Shift Fork 3 Jump Out                                            |

| CODES                   | DEFINITION                                              |
|-------------------------|---------------------------------------------------------|
| <b>Mitsubishi P1888</b> | Shift Fork 4 Jump Out                                   |
| <b>Mitsubishi P1890</b> | Teach-In Not Completed                                  |
| <b>Mitsubishi P1899</b> | P/N Position/Transaxle Range Switch Circuit Malfunction |
| <b>Mitsubishi P1902</b> | Malfunction Of Engine System                            |
| <b>Mitsubishi P198D</b> | EEPROM System                                           |
| <b>Mitsubishi P198E</b> | Lever Position Sensor System                            |
| <b>Mitsubishi P198F</b> | Lever Position Sensor System                            |
| <b>Mitsubishi U1006</b> | Theft-alarm Siren LIN timeout                           |
| <b>Mitsubishi U1007</b> | Theft-alarm sensor LIN timeout                          |
| <b>Mitsubishi U1073</b> | Bus Off                                                 |
| <b>Mitsubishi U1102</b> | ABS-ECU Timeout                                         |
| <b>Mitsubishi U1108</b> | Combination Meter Timeout                               |
| <b>Mitsubishi U1109</b> | ETACS-ECU Timeout                                       |
| <b>Mitsubishi U1110</b> | A/C-ECU Timeout                                         |
| <b>Mitsubishi U1117</b> | Immobilizer-ECU Timeout                                 |
| <b>Mitsubishi U1180</b> | Combination Meter Time-out                              |
| <b>Mitsubishi U1415</b> | Coding incomplete/fail                                  |
| <b>Mitsubishi U1417</b> | Coding Data Malfunction                                 |
| <b>Mitsubishi U1425</b> | Data Error (TC-SST)                                     |
| <b>Mitsubishi U150B</b> | Column Switch (checksum error)                          |
| <b>Mitsubishi U1512</b> | Lighting control sensor checksum error                  |
| <b>Mitsubishi U1514</b> | Bit Error (LIN)                                         |

| CODES               | DEFINITION                                            |
|---------------------|-------------------------------------------------------|
| <b>Nissan B1017</b> | SRS Occupant System Malfunction                       |
| <b>Nissan B1018</b> | SRS Left Occupant System Malfunction                  |
| <b>Nissan B1019</b> | Left Occupant Classification System (OCS) Malfunction |
| <b>Nissan B1020</b> | SRS Occupant System Malfunction                       |
| <b>Nissan B1021</b> | SRS Occupant System Malfunction                       |
| <b>Nissan B1022</b> | SRS Occupant System Malfunction                       |
| <b>Nissan B1023</b> | SRS Passenger A/B Indicator Circuit                   |
| <b>Nissan B1033</b> | Crash Zone Sensor                                     |
| <b>Nissan B1034</b> | Crash Zone Sensor                                     |
| <b>Nissan B1035</b> | Crash Zone Sensor                                     |
| <b>Nissan B1049</b> | SRS Driver Airbag Module                              |
| <b>Nissan B1050</b> | SRS Driver Airbag Module                              |
| <b>Nissan B1051</b> | SRS Driver Airbag Module                              |
| <b>Nissan B1052</b> | SRS Driver Airbag Module                              |
| <b>Nissan B1054</b> | SRS Driver Airbag Module                              |
| <b>Nissan B1055</b> | SRS Driver Airbag Module                              |
| <b>Nissan B1056</b> | SRS Driver Airbag Module                              |
| <b>Nissan B1057</b> | SRS Driver Airbag Module                              |
| <b>Nissan B1065</b> | SRS Passenger Airbag Assist A/B Module Circuit        |
| <b>Nissan B1066</b> | SRS Passenger Airbag Assist A/B Module Circuit        |
| <b>Nissan B1067</b> | SRS Passenger Airbag Assist A/B Module Circuit        |
| <b>Nissan B1068</b> | SRS Passenger Airbag Assist A/B Module Circuit        |



| CODES               | DEFINITION                                        |
|---------------------|---------------------------------------------------|
| <b>Nissan B1070</b> | SRS Passenger Airbag Assist A/B Module Circuit    |
| <b>Nissan B1071</b> | SRS Passenger Airbag Assist A/B Module Circuit    |
| <b>Nissan B1072</b> | SRS Passenger Airbag Assist A/B Module Circuit    |
| <b>Nissan B1073</b> | SRS Passenger Airbag Assist A/B Module Circuit    |
| <b>Nissan B1081</b> | RF Seat Belt Pre-Tensioner Circuit                |
| <b>Nissan B1082</b> | RF Seat Belt Pre-Tensioner                        |
| <b>Nissan B1083</b> | RF Seat Belt Pre-Tensioner Circuit                |
| <b>Nissan B1084</b> | RF Seat Belt Pre-Tensioner Circuit                |
| <b>Nissan B1086</b> | LF Seat Belt Pre-Tensioner Circuit                |
| <b>Nissan B1087</b> | LF Seat Belt Pre-Tensioner Circuit                |
| <b>Nissan B1088</b> | LF Seat Belt Pre-Tensioner Circuit                |
| <b>Nissan B1089</b> | LF Seat Belt Pre-Tensioner Circuit                |
| <b>Nissan B1113</b> | SRS Right Airbag (Satellite) Sensor               |
| <b>Nissan B1114</b> | SRS Right Airbag (Satellite) Sensor               |
| <b>Nissan B1115</b> | SRS Right Airbag (Satellite) Sensor Communication |
| <b>Nissan B1118</b> | SRS Left Airbag (Satellite) Sensor                |
| <b>Nissan B1119</b> | SRS Left Airbag (Satellite) Sensor                |
| <b>Nissan B1120</b> | SRS Left Airbag (Satellite) Sensor                |
| <b>Nissan B1129</b> | SRS RF Side Airbag Module Circuit                 |
| <b>Nissan B1130</b> | SRS RF Side Airbag Module Circuit                 |
| <b>Nissan B1131</b> | SRS RF Side Airbag Module Circuit                 |
| <b>Nissan B1132</b> | SRS RF Side Airbag Module                         |

| CODES               | DEFINITION                                  |
|---------------------|---------------------------------------------|
| <b>Nissan B1134</b> | SRS Left Front Side Airbag Module           |
| <b>Nissan B1135</b> | SRS LF Side Airbag Module                   |
| <b>Nissan B1136</b> | SRS LF Side Airbag Module                   |
| <b>Nissan B1137</b> | LF Side Airbag Module                       |
| <b>Nissan B1145</b> | Right Curtain Airbag Circuit                |
| <b>Nissan B1146</b> | Right Curtain Airbag Circuit                |
| <b>Nissan B1147</b> | Right Curtain Airbag Circuit                |
| <b>Nissan B1148</b> | Right Curtain Airbag Module Circuit         |
| <b>Nissan B1150</b> | SRS Left Side Curtain Airbag Module Circuit |
| <b>Nissan B1151</b> | SRS Left Side Curtain Airbag Module Circuit |
| <b>Nissan B1152</b> | SRS Left Curtain Airbag Module Circuit      |
| <b>Nissan B1153</b> | SRS Left Curtain Airbag Module Circuit      |
| <b>Nissan B1177</b> | RF Seat Belt Pre-Tensioner Circuit Open     |
| <b>Nissan B1178</b> | RF Seat Belt Pre-Tensioner Circuit Short    |
| <b>Nissan B1179</b> | RF Seat Belt Pre-Tensioner Circuit Short    |
| <b>Nissan B1180</b> | RF Seat Belt Pre-Tensioner Circuits Shorted |
| <b>Nissan B1193</b> | RF Curtain Airbag Module Circuit Open       |
| <b>Nissan B1194</b> | RF Curtain Airbag Module Circuit Short      |
| <b>Nissan B1195</b> | RF Curtain Airbag Module Circuit Short      |
| <b>Nissan B1196</b> | LF Curtain Airbag Module Circuits Shorted   |
| <b>Nissan B1198</b> | LF Curtain Airbag Module Circuit Open       |
| <b>Nissan B1199</b> | LF Curtain Airbag Module Circuit Short      |

| CODES               | DEFINITION                                              |
|---------------------|---------------------------------------------------------|
| <b>Nissan B1200</b> | LF Curtain Airbag Module Circuit Short                  |
| <b>Nissan B1201</b> | LF Curtain Airbag Module Circuits Shorted               |
| <b>Nissan B1209</b> | SRS Components Deployed - Frontal Collision             |
| <b>Nissan B1210</b> | SRS Side and/or Curtain Airbag(s) Deployed              |
| <b>Nissan B1211</b> | Rollover Detection                                      |
| <b>Nissan B2013</b> | DTC Detection Logic: ID Discord IMMU-STRG or I-KEY-STRG |
| <b>Nissan B2014</b> | DTC Detection Logic (Steering): Chain of STRG-IMMU      |
| <b>Nissan B2098</b> | DTC Detection Logic (Ignition Relay On)                 |
| <b>Nissan B2099</b> | DTC Detection Logic (Ignition Relay Off)                |
| <b>Nissan B2108</b> | DTC Detection Logic (Steering Lock Relay On)            |
| <b>Nissan B2109</b> | DTC Detection Logic (Steering Lock Relay Off)           |
| <b>Nissan B210A</b> | DTC Detection Logic (Steering Lock State)               |
| <b>Nissan B210B</b> | DTC Detection Logic (Starter Control Relay On)          |
| <b>Nissan B210C</b> | DTC Detection Logic (Starter Control Relay Off)         |
| <b>Nissan B210D</b> | DTC Detection Logic (Starter Relay On)                  |
| <b>Nissan B210E</b> | DTC Detection Logic (Starter Relay Off)                 |
| <b>Nissan B210F</b> | DTC Detection Logic (Interlock/PNP Switch On)           |
| <b>Nissan B2110</b> | DTC Detection Logic (Interlock/PNP Switch)              |
| <b>Nissan B2190</b> | DTC Detection Logic (Anti-Theft Antenna Amp)            |
| <b>Nissan B2191</b> | DTC Detection Logic (Detection of Key)                  |
| <b>Nissan B2192</b> | DTC Detection Logic (ID Discord, IMMU-ECM)              |
| <b>Nissan B2193</b> | DTC Detection Logic (Chain of ECM-IMMU)                 |

| CODES               | DEFINITION                                       |
|---------------------|--------------------------------------------------|
| <b>Nissan B2194</b> | ID Discord - IMMU-I-KEY                          |
| <b>Nissan B2195</b> | DTC Detection Logic (Chain of ECM-IMMU)          |
| <b>Nissan B2205</b> | Vehicle Speed Circuit                            |
| <b>Nissan B2552</b> | Intelligent Key Unit                             |
| <b>Nissan B2553</b> | Ignition Relay                                   |
| <b>Nissan B2555</b> | DTC Detection Logic (Stop Lamp)                  |
| <b>Nissan B2556</b> | PUSH-BUTTON IGNITION SWITCH                      |
| <b>Nissan B2557</b> | VEHICLE SPEED                                    |
| <b>Nissan B2560</b> | DTC Detection Logic (Starter Control Relay)      |
| <b>Nissan B2562</b> | Low Voltage                                      |
| <b>Nissan B2563</b> | BCM High Voltage                                 |
| <b>Nissan B2578</b> | A/C In-Car Sensor Circuit                        |
| <b>Nissan B2579</b> | In-Car Sensor Circuit                            |
| <b>Nissan B257B</b> | Ambient Temperature Sensor Circuit               |
| <b>Nissan B257C</b> | Ambient Temperature Sensor Circuit               |
| <b>Nissan B2581</b> | A/C Evaporator Temperature Sensor                |
| <b>Nissan B2582</b> | A/C Evaporator Temperature Sensor                |
| <b>Nissan B2590</b> | ID Discord - BCM-I-KEY                           |
| <b>Nissan B2601</b> | Shift Position                                   |
| <b>Nissan B2602</b> | Shift Position                                   |
| <b>Nissan B2603</b> | Shift Position Status                            |
| <b>Nissan B2604</b> | Transmission Range, Shift Position or PNP Switch |

| CODES               | DEFINITION                                       |
|---------------------|--------------------------------------------------|
| <b>Nissan B2605</b> | Transmission Range, Shift Position or PNP Switch |
| <b>Nissan B2606</b> | Steering Lock Relay                              |
| <b>Nissan B2607</b> | Steering Lock Relay                              |
| <b>Nissan B2608</b> | Starter Relay                                    |
| <b>Nissan B2609</b> | Steering Status                                  |
| <b>Nissan B260A</b> | Ignition Relay                                   |
| <b>Nissan B260B</b> | Steering Lock Unit                               |
| <b>Nissan B260C</b> | Steering Lock Unit                               |
| <b>Nissan B260D</b> | Steering Lock Unit                               |
| <b>Nissan B260F</b> | Interruption of Engine Status Signal             |
| <b>Nissan B2612</b> | Steering Status                                  |
| <b>Nissan B2617</b> | Starter Relay Circuit                            |
| <b>Nissan B2619</b> | BCM                                              |
| <b>Nissan B261A</b> | Push-Button Ignition Switch                      |
| <b>Nissan B261E</b> | Vehicle Type                                     |
| <b>Nissan B2621</b> | Inside Antenna                                   |
| <b>Nissan B2622</b> | Inside Antenna 2 Circuit                         |
| <b>Nissan B2623</b> | Inside Key Antenna 3                             |
| <b>Nissan B2630</b> | Sunload Sensor                                   |
| <b>Nissan B2631</b> | Sunload Sensor                                   |
| <b>Nissan B2632</b> | A/C Air Mix Door Actuator                        |
| <b>Nissan B2633</b> | A/C Air Mix Door Actuator                        |

| CODES               | DEFINITION                            |
|---------------------|---------------------------------------|
| <b>Nissan B2634</b> | A/C Air Mix Door Actuator (Passenger) |
| <b>Nissan B2635</b> | A/C Air Mix Door Actuator (Passenger) |
| <b>Nissan B2636</b> | A/C Mode Door Actuator                |
| <b>Nissan B2637</b> | A/C Bi-Level Door Failure             |
| <b>Nissan B2638</b> | Defrost/Foot Door 1 Failure           |
| <b>Nissan B2639</b> | Defrost Door Failure                  |
| <b>Nissan B263D</b> | Fresh Air Intake Door Failure         |
| <b>Nissan B263E</b> | 20% Fresh Air Intake Door Failure     |
| <b>Nissan B263F</b> | Recirc Air Door Failure               |
| <b>Nissan B2640</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2641</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2642</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2643</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2644</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2645</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2646</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2647</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2648</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B2649</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B264A</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B264C</b> | Electric Compressor (Hybrid)          |
| <b>Nissan B264D</b> | Electric Compressor (Hybrid)          |

| CODES               | DEFINITION                      |
|---------------------|---------------------------------|
| <b>Nissan B264E</b> | Electric Compressor (Hybrid)    |
| <b>Nissan B264F</b> | Electric Compressore (Hybrid)   |
| <b>Nissan B2651</b> | Electric Compressor (Hybrid)    |
| <b>Nissan B2652</b> | Electric Compressor (Hybrid)    |
| <b>Nissan B2653</b> | Electric Compressor (Hybrid)    |
| <b>Nissan B2654</b> | Defrost/Foot Door 2 Failure     |
| <b>Nissan B2655</b> | Bi-Level Door 2 Failure         |
| <b>Nissan B2656</b> | A/C Fresh Air Door Failure      |
| <b>Nissan B26E8</b> | Clutch Interlock Switch         |
| <b>Nissan B26E9</b> | Steering Status                 |
| <b>Nissan B26EA</b> | Key Registration                |
| <b>Nissan B2700</b> | Front Sonar Sensor              |
| <b>Nissan B2701</b> | Front Sonar Sensor Circuit      |
| <b>Nissan B2702</b> | Front Sonar Sensor              |
| <b>Nissan B2703</b> | Front Sonar Sensor Circuit      |
| <b>Nissan B2704</b> | Rear Sonar Sensor               |
| <b>Nissan B2705</b> | Rear Sonar Sensor Circuit       |
| <b>Nissan B2706</b> | Rear Sonar Sensor               |
| <b>Nissan B2707</b> | Rear Sonar Sensor Circuit       |
| <b>Nissan B2708</b> | Rear Inner Sonar Sensor         |
| <b>Nissan B2709</b> | Rear Inner Sonar Sensor Circuit |
| <b>Nissan B270A</b> | Rear Inner Sonar Sensor         |

| CODES               | DEFINITION                                      |
|---------------------|-------------------------------------------------|
| <b>Nissan B270B</b> | Rear Inner Sonar Sensor Circuit                 |
| <b>Nissan B270C</b> | Front Inner Sonar Sensor                        |
| <b>Nissan B270D</b> | Front Inner Sonar Sensor Circuit                |
| <b>Nissan B270E</b> | Front Inner Sonar Sensor                        |
| <b>Nissan B270F</b> | Front Inner Sonar Sensor Circuit                |
| <b>Nissan B2878</b> | A/C In-Car Sensor Out of Range (Low)            |
| <b>Nissan C1101</b> | ABS RR Wheel Speed Sensor 1                     |
| <b>Nissan C1102</b> | ABS LR Wheel Speed Sensor 1                     |
| <b>Nissan C1103</b> | ABS RF Wheel Speed Sensor 1                     |
| <b>Nissan C1104</b> | ABS LF Wheel Speed Sensor 1                     |
| <b>Nissan C1105</b> | ABS RR Wheel Speed Sensor 2                     |
| <b>Nissan C1106</b> | ABS LR Wheel Speed Sensor 2                     |
| <b>Nissan C1107</b> | ABS RF Wheel Speed Sensor 2                     |
| <b>Nissan C1108</b> | ABS LF Wheel Speed Sensor 2                     |
| <b>Nissan C1109</b> | Battery Voltage [Abnormal]                      |
| <b>Nissan C1110</b> | ABS Controller and Electric Unit (Control Unit) |
| <b>Nissan C1111</b> | ABS Pump Motor                                  |
| <b>Nissan C1113</b> | Longitudinal G Sensor                           |
| <b>Nissan C1115</b> | ABS Wheel Speed Sensor Signal Abnormal          |
| <b>Nissan C1116</b> | Stop Lamp Switch                                |
| <b>Nissan C1120</b> | LF In ABS Solenoid                              |
| <b>Nissan C1121</b> | LF Out ABS Solenoid                             |



| CODES               | DEFINITION                                  |
|---------------------|---------------------------------------------|
| <b>Nissan C1122</b> | RF In ABS Solenoid                          |
| <b>Nissan C1123</b> | RF Out ABS Solenoid                         |
| <b>Nissan C1124</b> | LR In ABS Solenoid                          |
| <b>Nissan C1125</b> | LR Out ABS Solenoid                         |
| <b>Nissan C1126</b> | RR In ABS Solenoid                          |
| <b>Nissan C1127</b> | RR Out ABS Solenoid                         |
| <b>Nissan C1130</b> | Engine Signal 1                             |
| <b>Nissan C1131</b> | Engine Signal 2                             |
| <b>Nissan C1132</b> | Engine Signal 3                             |
| <b>Nissan C1133</b> | Engine Signal 4                             |
| <b>Nissan C1134</b> | Engine Signal 5                             |
| <b>Nissan C1136</b> | Engine Signal 6                             |
| <b>Nissan C1140</b> | ABS Actuator Relay System                   |
| <b>Nissan C1142</b> | ABS Pressure Sensor Circuit                 |
| <b>Nissan C1143</b> | Steering Angle Sensor                       |
| <b>Nissan C1144</b> | Steering Angle Sensor Incomplete Adjustment |
| <b>Nissan C1145</b> | Yaw Rate Sensor                             |
| <b>Nissan C1146</b> | Yaw Side G Sensor Circuit                   |
| <b>Nissan C1155</b> | Brake Fluid Low                             |
| <b>Nissan C1156</b> | Steering Angle Sensor CAN Communication     |
| <b>Nissan C1160</b> | ABS Decel G Sensor Set                      |
| <b>Nissan C1163</b> | Steering Angle Sensor Safe Mode             |

| CODES               | DEFINITION                    |
|---------------------|-------------------------------|
| <b>Nissan C1164</b> | ABS Cut Valve 1               |
| <b>Nissan C1165</b> | ABS Cut Valve 2               |
| <b>Nissan C1166</b> | ABS Suction Valve 1 System    |
| <b>Nissan C1167</b> | ABS Suction Valve 2 System    |
| <b>Nissan C1170</b> | Variant Coding                |
| <b>Nissan C1176</b> | Stop Lamp Switch 2            |
| <b>Nissan C1178</b> | ABS Active Booster            |
| <b>Nissan C1179</b> | ABS Delta S Sensor            |
| <b>Nissan C1181</b> | ABS Active Booster            |
| <b>Nissan C1184</b> | ABS Active Booster            |
| <b>Nissan C1189</b> | ABS Active Boostere           |
| <b>Nissan C11A0</b> | Yaw Rate Sensor Calibration   |
| <b>Nissan C1231</b> | Steering Angle Sensor Circuit |
| <b>Nissan C1232</b> | G Sensor Stuck 2              |
| <b>Nissan C1234</b> | Yaw Rate Sensor               |
| <b>Nissan C1243</b> | G Sensor                      |
| <b>Nissan C1244</b> | G Sensor Circuit              |
| <b>Nissan C1245</b> | G Sensor Output               |
| <b>Nissan C1271</b> | RF Speed Output               |
| <b>Nissan C1272</b> | LF Speed Output               |
| <b>Nissan C1273</b> | RR Wheel Speed Output         |
| <b>Nissan C1274</b> | LR Wheel Speed Output         |

| CODES               | DEFINITION                                     |
|---------------------|------------------------------------------------|
| <b>Nissan C1275</b> | RF Wheel Speed Output High                     |
| <b>Nissan C1276</b> | LF Wheel Speed Output High                     |
| <b>Nissan C1277</b> | RR Wheel Speed Output High                     |
| <b>Nissan C1278</b> | LR Wheel Speed Output High                     |
| <b>Nissan C1279</b> | Acceleration Sensor Output Voltage Malfunction |
| <b>Nissan C1290</b> | Steering Angle Set Point                       |
| <b>Nissan C1300</b> | ABS ECU                                        |
| <b>Nissan C1310</b> | ABS HV System                                  |
| <b>Nissan C1311</b> | ABS Main Relay 1 Open                          |
| <b>Nissan C1312</b> | ABS Main Relay 1 Short                         |
| <b>Nissan C1313</b> | ABS Main Relay 2 Open                          |
| <b>Nissan C1314</b> | ABS Main Relay 2 Short                         |
| <b>Nissan C1336</b> | G Sensor Calibration                           |
| <b>Nissan C1345</b> | Brake Linear Valve Calibration                 |
| <b>Nissan C1346</b> | ABS Stroke Sensor Calibration                  |
| <b>Nissan C1368</b> | Brake Linear Standard Value                    |
| <b>Nissan C1381</b> | Yaw Rate/G Sensor Power                        |
| <b>Nissan C1392</b> | ABS Stroke Sensor Set                          |
| <b>Nissan C1601</b> | Battery Power Supply (Hybrid)                  |
| <b>Nissan C1604</b> | EPS Torque Sensor                              |
| <b>Nissan C1606</b> | EPS Motor                                      |
| <b>Nissan C1607</b> | Steering EPS EEPROM                            |

| CODES               | DEFINITION                                               |
|---------------------|----------------------------------------------------------|
| <b>Nissan C1608</b> | Steering EPS Control Unit                                |
| <b>Nissan C1609</b> | Vehicle Speed Signal                                     |
| <b>Nissan C1613</b> | EPS Torque Sensor Calibration                            |
| <b>Nissan C16A0</b> | Hybrid Vehicle Control ECU                               |
| <b>Nissan C16A1</b> | EPS DC/DC Converter                                      |
| <b>Nissan C16A2</b> | EPS Motor Angle Sensor Initialization                    |
| <b>Nissan C1704</b> | LF Low Pressure Signal                                   |
| <b>Nissan C1705</b> | RF Low Pressure Signal                                   |
| <b>Nissan C1706</b> | RR Low Pressure Signal                                   |
| <b>Nissan C1707</b> | LR Low Pressure Signal                                   |
| <b>Nissan C1708</b> | Data From LF Transmitter Cannot Be Received.             |
| <b>Nissan C1709</b> | Data From RF Transmitter Cannot Be Received.             |
| <b>Nissan C1710</b> | Data From RR Transmitter Cannot Be Received.             |
| <b>Nissan C1711</b> | Data From LR Transmitter Cannot Be Received.             |
| <b>Nissan C1712</b> | Checksum Data From LF Transmitter is Malfunctioning      |
| <b>Nissan C1713</b> | Checksum Data from RF Transmitter is Malfunctioning.     |
| <b>Nissan C1714</b> | Checksum Data from RR Transmitter is Malfunctioning.     |
| <b>Nissan C1715</b> | Checksum Data from LR Transmitter is Malfunctioning.     |
| <b>Nissan C1716</b> | Air Pressure Data from LF Transmitter is Malfunctioning. |
| <b>Nissan C1717</b> | Air Pressure Data from RF Transmitter is Malfunctioning. |
| <b>Nissan C1718</b> | Air Pressure Data from RR Transmitter is Malfunctioning. |
| <b>Nissan C1719</b> | Air Pressure Data from LR Transmitter is Malfunctioning. |

| CODES               | DEFINITION                                                      |
|---------------------|-----------------------------------------------------------------|
| <b>Nissan C1720</b> | Function Code Data from LF Transmitter is Malfunctioning.       |
| <b>Nissan C1721</b> | Function Code Data from RF Transmitter is Malfunctioning.       |
| <b>Nissan C1722</b> | Function Code Data from RR Transmitter is Malfunctioning.       |
| <b>Nissan C1723</b> | Function Code Data from LR Transmitter is Malfunctioning.       |
| <b>Nissan C1724</b> | Battery Voltage of LF Transmitter Drops.                        |
| <b>Nissan C1725</b> | Battery Voltage of RF Transmitter Drops.                        |
| <b>Nissan C1726</b> | Battery Voltage of RR Transmitter Drops.                        |
| <b>Nissan C1727</b> | Battery Voltage of LR Transmitter Drops.                        |
| <b>Nissan C1729</b> | Vehicle Speed Signal is in Error                                |
| <b>Nissan C1730</b> | TPMS Malfunction in BCM.                                        |
| <b>Nissan C1735</b> | Ignition Signal                                                 |
| <b>Nissan C1801</b> | Vehicle Height Sensor                                           |
| <b>Nissan C1802</b> | Suspension Compressor Relay                                     |
| <b>Nissan C1803</b> | Suspension Compressor Exhaust Solenoid                          |
| <b>Nissan C1804</b> | Suspension Height Adjusting Malfunction                         |
| <b>Nissan C1805</b> | Suspension Height Adjusting Malfunction                         |
| <b>Nissan C1806</b> | Suspension Height Sensor Locking Malfunction                    |
| <b>Nissan C1807</b> | Suspension Height Sensor 5V Malfunction                         |
| <b>Nissan C1808</b> | Suspension Compressor - Integral Time Malfunction Supplying Air |
| <b>Nissan P101D</b> | A/F Sensor Heater Circuit Performance Bank 1 Sensor 1 Stuck ON  |

| CODES               | DEFINITION                                                                           |
|---------------------|--------------------------------------------------------------------------------------|
| <b>Nissan P102D</b> | O2 Sensor Heater Circuit Performance Bank 1 Sensor 2 Stuck ON                        |
| <b>Nissan P1065</b> | PCM Backup Circuit Malfunction                                                       |
| <b>Nissan P106A</b> | Evaporative Emission System Pressure Sensor - Manifold Absolute Pressure Correlation |
| <b>Nissan P1102</b> | Mass Airflow Sensor Signal Range/Performance                                         |
| <b>Nissan P1105</b> | MAP/BARO Switch Solenoid Valve                                                       |
| <b>Nissan P1108</b> | Manifold Absolute Pressure Sensor Circuit Malfunction                                |
| <b>Nissan P1110</b> | Intake Valve Timing Control Performance                                              |
| <b>Nissan P1111</b> | Intake Valve Timing Control Circuit Malfunction                                      |
| <b>Nissan P1121</b> | Electronic Throttle Control Actuator Malfunction                                     |
| <b>Nissan P1122</b> | Electronic Throttle Control Actuator Malfunction                                     |
| <b>Nissan P1124</b> | Electronic Throttle Control Actuator Relay High Input                                |
| <b>Nissan P1126</b> | Thermostat Malfunction (Stuck Open)                                                  |
| <b>Nissan P1128</b> | Electronic Throttle Control Actuator Motor Circuit Malfunction                       |
| <b>Nissan P1130</b> | Swirl Control Solenoid Valve System Malfunction                                      |
| <b>Nissan P1131</b> | Swirl Control Solenoid Valve Circuit Malfunction                                     |
| <b>Nissan P1132</b> | Swirl Control Valve Circuit Malfunction                                              |
| <b>Nissan P1135</b> | Intake Valve Timing Control System Malfunction (Bank 2)                              |
| <b>Nissan P1136</b> | Intake Valve Timing Control Circuit Malfunction (Bank 2)                             |
| <b>Nissan P1137</b> | Swirl Control Valve Control Position Sensor Circuit Malfunction                      |
| <b>Nissan P1138</b> | Swirl Control Valve Control Performance                                              |

| CODES               | DEFINITION                                                   |
|---------------------|--------------------------------------------------------------|
| <b>Nissan P1140</b> | Intake Valve Timing Control Position Sensor Circuit (Bank 1) |
| <b>Nissan P1143</b> | HO2S-11 (Bank 1 Sensor 1) Lean Shift Monitoring (Bank 1)     |
| <b>Nissan P1144</b> | HO2S-11 (Bank 1 Sensor 1) Rich Shift Monitoring (Bank 1)     |
| <b>Nissan P1145</b> | Intake Valve Timing Control Position Sensor Circuit (Bank 2) |
| <b>Nissan P1146</b> | HO2S-12 (Bank 1 Sensor 2) Lean Shift Monitoring (Bank 1)     |
| <b>Nissan P1147</b> | HO2S-12 (Bank 1 Sensor 2) Rich Shift Monitoring (Bank 1)     |
| <b>Nissan P1148</b> | Closed Loop Control Function (Includes Hybrid Models)        |
| <b>Nissan P1163</b> | HO2S-21 (Bank 2 Sensor 1) Lean Shift Monitoring (Bank 2)     |
| <b>Nissan P1164</b> | HO2S-21 (Bank 2 Sensor 1) Rich Shift Monitoring (Bank 2)     |
| <b>Nissan P1166</b> | HO2S-22 (Bank 2 Sensor 2) Lean Shift Monitoring (Bank 2)     |
| <b>Nissan P1167</b> | HO2S-22 (Bank 2 Sensor 2) Rich Shift Monitoring (Bank 2)     |
| <b>Nissan P1168</b> | Closed Loop Control Function (Bank 2)                        |
| <b>Nissan P1186</b> | LF Seat Belt Pre-Tensioner Circuit Open                      |
| <b>Nissan P1187</b> | LF Seat Belt Pre-Tensioner Circuit Short                     |
| <b>Nissan P1188</b> | LF Seat Belt Pre-Tensioner Circuit Short                     |
| <b>Nissan P1189</b> | LF Seat Belt Pre-Tensioner Circuit Short                     |
| <b>Nissan P1195</b> | Engine Does Not Start (Hybrid)                               |
| <b>Nissan P1196</b> | Engine Lacks Power (Hybrid)                                  |
| <b>Nissan P1197</b> | Fuel Run Out (Hybrid)                                        |
| <b>Nissan P1211</b> | TCS Control Unit                                             |

| CODES               | DEFINITION                                                             |
|---------------------|------------------------------------------------------------------------|
| <b>Nissan P1212</b> | TCS Communication Line                                                 |
| <b>Nissan P1217</b> | Engine Over Temperature (Overheat) (Includes Hybrid Models)            |
| <b>Nissan P1220</b> | Fuel Pump Control Module (FPCM)                                        |
| <b>Nissan P1225</b> | Closed Throttle Position Learning Performance (Includes Hybrid Models) |
| <b>Nissan P1226</b> | Closed Throttle Position Learning Performance (Includes Hybrid Models) |
| <b>Nissan P1227</b> | Accelerator Pedal Position Sensor Circuit Low Input                    |
| <b>Nissan P1228</b> | Accelerator Pedal Position Sensor Circuit High Input                   |
| <b>Nissan P1229</b> | Accelerator Pedal Position Sensor 2 Power Circuit Short                |
| <b>Nissan P1271</b> | A/F Sensor-11 (Bank 1 Sensor 1) Circuit Malfunction                    |
| <b>Nissan P1272</b> | Air Fuel Sensor (Bank 1 Sensor 1) High Input                           |
| <b>Nissan P1273</b> | Air Fuel Sensor (Bank 1 Sensor 1) Circuit Lean Shift                   |
| <b>Nissan P1274</b> | Air Fuel Sensor (Bank 1 Sensor 1) Circuit Rich Shift                   |
| <b>Nissan P1275</b> | Air Fuel Sensor (Bank 1 Sensor 1) Slow Response                        |
| <b>Nissan P1276</b> | Air Fuel Sensor (B1 S1) Lack Of Activity Detected                      |
| <b>Nissan P1277</b> | Air Fuel Sensor (Bank 1 Sensor 1) Heater Circuit Malfunction           |
| <b>Nissan P1320</b> | Ignition Control Signal Circuit Malfunction                            |
| <b>Nissan P1335</b> | Crankshaft Position Reference Sensor Circuit Malfunction               |
| <b>Nissan P1336</b> | Crankshaft Position Sensor Circuit Malfunction                         |
| <b>Nissan P1400</b> | EGR/EVAP Control Solenoid Circuit Malfunction                          |
| <b>Nissan P1401</b> | EGR Temperature Sensor Circuit Malfunction                             |



| CODES               | DEFINITION                                                                 |
|---------------------|----------------------------------------------------------------------------|
| <b>Nissan P1402</b> | EGR System Malfunction Detected (Open)                                     |
| <b>Nissan P1421</b> | Cold Start Emission Reduction Strategy Monitoring (Includes Hybrid Models) |
| <b>Nissan P1440</b> | EVAP Canister System Small Leak (0.040) Detected                           |
| <b>Nissan P1441</b> | Vacuum Cut Valve Bypass Valve Circuit Malfunction                          |
| <b>Nissan P1442</b> | EVAP System Small Leak (0.040") Detected                                   |
| <b>Nissan P1443</b> | Canister Control Vacuum Switch Circuit Malfunction                         |
| <b>Nissan P1444</b> | Canister Purge Volume Control Valve Circuit Malfunction                    |
| <b>Nissan P1445</b> | EVAP Canister Purge Volume Control Valve Malfunction                       |
| <b>Nissan P1446</b> | EVAP Canister Vent Valve Malfunction (Closed)                              |
| <b>Nissan P1447</b> | EVAP Control System Purge Flow Malfunction                                 |
| <b>Nissan P1448</b> | EVAP Canister Vent Control Valve Malfunction (Open)                        |
| <b>Nissan P1456</b> | EVAP System Very Small Leak (0.020") Detected                              |
| <b>Nissan P1464</b> | Fuel Level Sensor Circuit High Input                                       |
| <b>Nissan P1490</b> | EVAP Vacuum Cut Valve Bypass Valve Circuit Malfunction                     |
| <b>Nissan P1491</b> | EVAP Vacuum Cut Valve/Bypass Circuit                                       |
| <b>Nissan P1492</b> | EVAP Canister Purge Control Solenoid Circuit Malfunction                   |
| <b>Nissan P1493</b> | EVAP Canister Purge Control Solenoid Performance (Open)                    |
| <b>Nissan P1550</b> | Battery Current Sensor Circuit Range/Performance                           |
| <b>Nissan P1551</b> | Battery Current Sensor Circuit Low Input                                   |
| <b>Nissan P1552</b> | Battery Current Sensor Circuit High Input                                  |
| <b>Nissan P1553</b> | Battery Current Sensor Performance                                         |

| CODES               | DEFINITION                                                     |
|---------------------|----------------------------------------------------------------|
| <b>Nissan P1554</b> | Battery Current Sensor Performance                             |
| <b>Nissan P1564</b> | ASCD Steering Switch Malfunction (Includes Hybrid Models)      |
| <b>Nissan P1568</b> | ASCD Command Valve Circuit Malfunction                         |
| <b>Nissan P1571</b> | Radar Sensor Malfunction                                       |
| <b>Nissan P1572</b> | Improper Aiming of Radar Sensor Beam Axis                      |
| <b>Nissan P1574</b> | ASCD Vehicle Speed Sensor Malfunction (Includes Hybrid Models) |
| <b>Nissan P1575</b> | Warning Buzzer Malfunction                                     |
| <b>Nissan P1578</b> | Brake System Malfunction                                       |
| <b>Nissan P1605</b> | A/T Diagnosis Communication Line Malfunction                   |
| <b>Nissan P1610</b> | NATS Antenna Amp. or Lock Mode                                 |
| <b>Nissan P1611</b> | ID Discord -- IMMU-ECM                                         |
| <b>Nissan P1612</b> | Chain of ECM-IMMU                                              |
| <b>Nissan P1613</b> | NATS ECM INT CIRC-IMMU:                                        |
| <b>Nissan P1614</b> | Chain of IMMU-ECM                                              |
| <b>Nissan P1615</b> | Difference of Key                                              |
| <b>Nissan P1616</b> | Communication Error from ECM to Distance Control ECU           |
| <b>Nissan P1617</b> | Distance Control ECU Malfunction                               |
| <b>Nissan P1630</b> | Communication Error from VSC to ECM                            |
| <b>Nissan P1631</b> | Communication Error from ECM to VSC                            |
| <b>Nissan P1701</b> | Transmission Control Module (Power Supply)                     |
| <b>Nissan P1705</b> | Throttle Position/Accelerator Pedal Position Sensor Circuit    |

| CODES               | DEFINITION                                            |
|---------------------|-------------------------------------------------------|
| <b>Nissan P1706</b> | Park Neutral Position Switch Circuit Malfunction      |
| <b>Nissan P1710</b> | A/T Fluid Temperature Sensor Circuit                  |
| <b>Nissan P1715</b> | Input Speed Sensor (Primary Speed Sensor/TCM Output)  |
| <b>Nissan P1716</b> | A/T Turbine Revolution Sensor Circuit Malfunction:    |
| <b>Nissan P1720</b> | A/T (TCM) Vehicle Speed Sensor Circuit Malfunction    |
| <b>Nissan P1721</b> | Vehicle Speed Signal                                  |
| <b>Nissan P1722</b> | Vehicle Speed Signal Circuit                          |
| <b>Nissan P1723</b> | CVT Speed Sensor Circuit                              |
| <b>Nissan P1726</b> | Throttle Control Signal Circuit                       |
| <b>Nissan P1730</b> | A/T Interlock                                         |
| <b>Nissan P1731</b> | A/T 1st Engine Braking                                |
| <b>Nissan P1740</b> | Lock-Up Select Solenoid Valve                         |
| <b>Nissan P1745</b> | Line Pressure Control                                 |
| <b>Nissan P1752</b> | Input Clutch Solenoid Valve                           |
| <b>Nissan P1754</b> | A/T I/C Solenoid Valve Circuit Malfunction:           |
| <b>Nissan P1757</b> | Front Brake Solenoid Valve                            |
| <b>Nissan P1759</b> | A/T FR/B Solenoid Valve Performance:                  |
| <b>Nissan P1760</b> | A/T Overrun Clutch Solenoid Valve Circuit Malfunction |
| <b>Nissan P1762</b> | Direct Clutch Solenoid Valve                          |
| <b>Nissan P1764</b> | A/T D/C Solenoid Valve Circuit Malfunction            |
| <b>Nissan P1767</b> | High & Low Reverse Clutch Solenoid Valve              |
| <b>Nissan P1769</b> | A/T HLR/C Solenoid Valve Circuit Malfunction:         |

| CODES               | DEFINITION                                                          |
|---------------------|---------------------------------------------------------------------|
| <b>Nissan P1772</b> | Low Coast Brake Solenoid Valve                                      |
| <b>Nissan P1774</b> | Low Coast Brake Solenoid Valve Function                             |
| <b>Nissan P1775</b> | A/T Torque Converter Clutch Solenoid Circuit Low Input              |
| <b>Nissan P1776</b> | A/T Torque Converter Clutch Solenoid Circuit High Input             |
| <b>Nissan P1777</b> | Step Motor Circuit                                                  |
| <b>Nissan P1778</b> | Step Motor Circuit Malfunction                                      |
| <b>Nissan P1800</b> | VIAS Control Solenoid Valve Circuit Malfunction                     |
| <b>Nissan P1805</b> | Brake Switch Signal Malfunction (Includes Hybrid Models)            |
| <b>Nissan P1900</b> | Cooling Fan Control Circuit Malfunction                             |
| <b>Nissan P3004</b> | Power Cable Malfunction                                             |
| <b>Nissan P3190</b> | Poor Engine Power                                                   |
| <b>Nissan P3191</b> | Engine Does Not Start                                               |
| <b>Nissan P3193</b> | Fuel Run Out                                                        |
| <b>Nissan U1000</b> | CAN Communication Line                                              |
| <b>Nissan U1001</b> | CAN Communication Line (Includes Hybrid models)                     |
| <b>Nissan U1010</b> | Control Unit (CAN) - BCM                                            |
| <b>Nissan U1020</b> | Lost Communication with Hybrid Vehicle (HV) Control System (Hybrid) |
| <b>Nissan U1021</b> | Invalid Data Received from Hybrid Vehicle Control ECU (Hybrid)      |
| <b>Nissan U1022</b> | Lost Communication with Brake ECU                                   |
| <b>Nissan U1023</b> | Invalid Data Received from Brake ECU                                |
| <b>Nissan U1200</b> | AV Control Unit                                                     |

| CODES               | DEFINITION                           |
|---------------------|--------------------------------------|
| <b>Nissan U1201</b> | AV Control Unit                      |
| <b>Nissan U1202</b> | AV Control Unit                      |
| <b>Nissan U1204</b> | GPS Comm                             |
| <b>Nissan U1205</b> | GPS ROM                              |
| <b>Nissan U1206</b> | GPS RAM                              |
| <b>Nissan U1207</b> | GPS RTC                              |
| <b>Nissan U1216</b> | AV Control Unit                      |
| <b>Nissan U1217</b> | AV Control Unit (Bluetooth Module)   |
| <b>Nissan U1218</b> | AV Control Unit - HDD Connection     |
| <b>Nissan U1219</b> | AV Control Module - HDD Read         |
| <b>Nissan U121A</b> | AV Control Unit (HDD Write)          |
| <b>Nissan U121B</b> | AV Control Unit (HDD Comm)           |
| <b>Nissan U121C</b> | AV Control Unit (HDD Access)         |
| <b>Nissan U121D</b> | AV Control Unit (DSP Connection)     |
| <b>Nissan U121E</b> | AV Control Unit                      |
| <b>Nissan U121F</b> | AV Control Unit                      |
| <b>Nissan U1220</b> | AV Control Unit - XM                 |
| <b>Nissan U1225</b> | AV Control Unit (USB Controller)     |
| <b>Nissan U1227</b> | AV Control Unit (DVD Comm)           |
| <b>Nissan U1228</b> | AV Control Unit (Sub CPU Conn)       |
| <b>Nissan U1229</b> | AV Control Unit (iPod Certification) |
| <b>Nissan U122A</b> | AV Control Unit (Config Unfinish)    |

| CODES               | DEFINITION                                             |
|---------------------|--------------------------------------------------------|
| <b>Nissan U122E</b> | AV Control Unit (Built-in Audio Conn)                  |
| <b>Nissan U1240</b> | AV Switch Connection                                   |
| <b>Nissan U1243</b> | Display Unit                                           |
| <b>Nissan U1244</b> | GPS Antenna                                            |
| <b>Nissan U1250</b> | Camera Control Unit                                    |
| <b>Nissan U1255</b> | Satellite Radio Tuner                                  |
| <b>Nissan U1258</b> | Satellite Radio Antenna                                |
| <b>Nissan U1263</b> | USB                                                    |
| <b>Nissan U1300</b> | AV Communication Circuit                               |
| <b>Nissan U1310</b> | AV Control Unit                                        |
| <b>RAM B105C</b>    | Recirculation Door Travel Range Too Small              |
| <b>RAM B105D</b>    | Recirculation Door Travel Range Too Large              |
| <b>RAM B10B2</b>    | A/C Cool Down Test Performance                         |
| <b>RAM B11C3</b>    | Front Mode Door 1 Travel Range Too Small               |
| <b>RAM B11C4</b>    | Front Mode Door 1 Travel Range Too Large               |
| <b>RAM B11C6</b>    | Front Mode Door-2 Travel Range Too Small               |
| <b>RAM B11C7</b>    | Front Mode Door-2 Travel Range Too Large               |
| <b>RAM B11C9</b>    | Right Temperature Door Travel Too Small                |
| <b>RAM B11CA</b>    | Right Temperature Door Travel Too Large                |
| <b>RAM B11CC</b>    | Main/Left Temperature Door Travel Too Small            |
| <b>RAM B11CD</b>    | Main/Left Temperature Door Travel Too Large            |
| <b>RAM B11D3</b>    | A/C Cooldown Test Performance - Compressor Not Engaged |

| CODES            | DEFINITION                                                |
|------------------|-----------------------------------------------------------|
| <b>RAM B11D5</b> | A/C Cooldown Test Performance - EVAP Temp Sensor Error    |
| <b>RAM B1423</b> | VES DVD Read Error / Inoperable Disc                      |
| <b>RAM B1424</b> | Improper DVD - Wrong Region                               |
| <b>RAM B142B</b> | VES Unit High Temperature                                 |
| <b>RAM B1431</b> | Bluetooth Antenna Internal Performance                    |
| <b>RAM B1441</b> | VES Eject Input Button Stuck                              |
| <b>RAM B1464</b> | Channel 1 Audio Speaker Output Circuit Shorted Together   |
| <b>RAM B1469</b> | Channel 2 Audio Speaker Output Circuit Shorted Together   |
| <b>RAM B146E</b> | Channel 3 Audio Speaker Output Circuit Shorted Together   |
| <b>RAM B1473</b> | Channel 4 Audio Speaker Output Circuit Shorted Together   |
| <b>RAM B1478</b> | Channel 5 Audio Speaker Output - Circuit Shorted Together |
| <b>RAM B147D</b> | Channel 6 Audio Speaker Output - Circuit Shorted Together |
| <b>RAM B1482</b> | Channel 7 Audio Speaker Output Circuit Shorted Together   |
| <b>RAM B1487</b> | Channel 8 Audio Speaker Output - Circuit Shorted Together |
| <b>RAM B1488</b> | Cabin EQ Mismatch Performance                             |
| <b>RAM B14DF</b> | DVD Player Region Configuration Mismatch                  |
| <b>RAM B156D</b> | Low Voltage Differential Signal LVDS Video Cable          |
| <b>RAM B156F</b> | WiFi Antenna                                              |

| CODES     | DEFINITION                                        |
|-----------|---------------------------------------------------|
| RAM B157E | Touch Screen Locked                               |
| RAM B1612 | Panel Illumination Control                        |
| RAM B17F3 | Auto High Beam System Aim                         |
| RAM B17FB | Auto High Beam Camera View Blocked                |
| RAM B18B5 | Master Switch - Front Left Window Switch - Stuck  |
| RAM B18B6 | Master Switch - Front Right Window Switch - Stuck |
| RAM B18B7 | Master Switch - Rear Left Window Switch - Stuck   |
| RAM B18B8 | Master Switch - Rear Right Window Switch - Stuck  |
| RAM B1A08 | RKE Fob 1 Performance                             |
| RAM B1A09 | RKE Fob 2 Performance                             |
| RAM B1A0A | RKE Fob 3 Performance                             |
| RAM B1A0B | RKE Fob 4 Performance                             |
| RAM B1A0C | RKE Fob 5 Performance                             |
| RAM B1A0D | RKE Fob 6 Performance                             |
| RAM B1A0E | RKE Fob 7 Performance                             |
| RAM B1A0F | RKE Fob 8 Performance                             |
| RAM B1A10 | RKE Fob 1 Battery Low                             |
| RAM B1A11 | RKE Fob 2 Battery Low                             |
| RAM B1A12 | RKE Fob 3 Battery Low                             |
| RAM B1A13 | RKE Fob 4 Battery Low                             |
| RAM B1A14 | RKE Fob 5 Battery Low                             |
| RAM B1A15 | RKE Fob 6 Battery Low                             |



| CODES            | DEFINITION                                            |
|------------------|-------------------------------------------------------|
| <b>RAM B1A16</b> | RKE Fob 7 Battery Low                                 |
| <b>RAM B1A17</b> | RKE Fob 8 Battery Low                                 |
| <b>RAM B1A24</b> | Key Not Programmed                                    |
| <b>RAM B1A25</b> | Invalid Key                                           |
| <b>RAM B1A28</b> | ECM Mismatch With Skim                                |
| <b>RAM B1A35</b> | Unidentified Key Communication Error                  |
| <b>RAM B1A8F</b> | IGNM Photo Position Failure                           |
| <b>RAM B1D5B</b> | Adjustable Pedal Switch Circuit Performance           |
| <b>RAM B1D67</b> | Adjustable Pedal Control Circuit Performance          |
| <b>RAM B1D7B</b> | Seat Horizontal Motor Control Circuit Performance     |
| <b>RAM B1D7F</b> | Seat Front Vertical Motor Control Circuit Performance |
| <b>RAM B1D83</b> | Seat Rear Vertical Motor Control Circuit Performance  |
| <b>RAM B1D87</b> | Seat Backrest Motor Control - Circuit Performance     |
| <b>RAM B1E64</b> | Left Mirror Select Switch - Stuck                     |
| <b>RAM B1E65</b> | Right Mirror Select Switch - Stuck                    |
| <b>RAM B1F07</b> | Auxiliary Switch Bank Module Internal                 |
| <b>RAM B1F08</b> | Terrain Switch Bank Module Internal                   |
| <b>RAM B210A</b> | System Voltage Low                                    |
| <b>RAM B210B</b> | System Voltage High                                   |
| <b>RAM B210D</b> | Battery Voltage Low                                   |
| <b>RAM B210E</b> | Battery Voltage High                                  |
| <b>RAM B2193</b> | Intelligent Battery Sensor Internal                   |

| CODES            | DEFINITION                                          |
|------------------|-----------------------------------------------------|
| <b>RAM B21A1</b> | ECU Reset/Recovery Occurred                         |
| <b>RAM B2204</b> | ECU Configuration Mismatch                          |
| <b>RAM B2205</b> | Original VIN Missing/Mismatch                       |
| <b>RAM B2206</b> | Current VIN Missing / Mismatch                      |
| <b>RAM B2207</b> | Occupant Restraint Controller Internal 1            |
| <b>RAM B2208</b> | Occupant Restraint Controller Internal 2            |
| <b>RAM B220B</b> | Occupant Restraint Controller Firing Stored Energy  |
| <b>RAM B2211</b> | Light Rain Sensor Module Initialization Performance |
| <b>RAM B2216</b> | Central Gateway Internal                            |
| <b>RAM B221A</b> | (HSM) Heated Seat Module Internal                   |
| <b>RAM B221D</b> | Rain Sensor Module (RSM) Internal                   |
| <b>RAM B221E</b> | Radio Internal                                      |
| <b>RAM B221F</b> | Amplifier Internal                                  |
| <b>RAM B222A</b> | Vehicle Line Mismatch                               |
| <b>RAM B222B</b> | Vehicle Entertainment System Internal               |
| <b>RAM B222C</b> | Vehicle Configuration Not Programmed                |
| <b>RAM B222D</b> | ECU Unable To Configure/Configuration Not Learned   |
| <b>RAM B2232</b> | (PTS) Parktronics Internal                          |
| <b>RAM B2233</b> | (PTS) Parktronics Front Display 1 Internal          |
| <b>RAM B2234</b> | (PTS) Parktronics Rear Display 1 Internal           |
| <b>RAM B223A</b> | Auto High Beam ECU Internal                         |
| <b>RAM B223B</b> | Vehicle Configuration Mismatch                      |

| CODES            | DEFINITION                                              |
|------------------|---------------------------------------------------------|
| <b>RAM B2255</b> | Occupant Restraint Controller Roll Over Feature Disable |
| <b>RAM B225C</b> | Compass Module Internal                                 |
| <b>RAM B2298</b> | Rain Sensor Over Temperature                            |
| <b>RAM B2299</b> | Rear Camera Module Internal                             |
| <b>RAM B22A9</b> | ECU Internal Performance                                |
| <b>RAM B232E</b> | Rear Washer Switch — Stuck                              |
| <b>RAM B235A</b> | ECU In-Plant Mode                                       |
| <b>RAM B23AA</b> | Implausible Data Received From Rain Sensor              |
| <b>RAM B25A9</b> | Front Driver Door Handle Sense                          |
| <b>RAM B25AA</b> | Front Passenger Door Handle Sense                       |
| <b>RAM B2722</b> | ORC Unlocked - All Deployment Disabled                  |
| <b>RAM B273F</b> | Airbag Signal Test Failed                               |
| <b>RAM B275B</b> | Airbag Telltale                                         |
| <b>RAM B280B</b> | NTSC Video Input                                        |
| <b>RAM B2854</b> | Implausible Data Received From AHBM                     |
| <b>RAM C1078</b> | Tire Revolutions Range Performance                      |
| <b>RAM C10C7</b> | Electronic Trailer Brake Control Output                 |
| <b>RAM C10C9</b> | Electronic Trailer Brake Manual Lever Failsafe Circuit  |
| <b>RAM C10CC</b> | ESC Sensors                                             |
| <b>RAM C1219</b> | Steering Angle Sensor Erratic Performance               |
| <b>RAM C121A</b> | Steering Angle Sensor Not Initialized                   |
| <b>RAM C121C</b> | Torque Request Signal Denied                            |

| CODES            | DEFINITION                                       |
|------------------|--------------------------------------------------|
| <b>RAM C1239</b> | Emission Rolls Test Active                       |
| <b>RAM C123F</b> | Steering Angle Sensor Comparative Performance    |
| <b>RAM C1241</b> | Steering Angle Sensor Velocity Performance       |
| <b>RAM C1400</b> | Transfer Case Range Select Switch                |
| <b>RAM C1404</b> | Transfer Case Range Position Sensor Circuit Low  |
| <b>RAM C1405</b> | Transfer Case Range Position Sensor Circuit High |
| <b>RAM C1407</b> | Transfer Case Brake Control Circuit Low          |
| <b>RAM C1408</b> | Transfer Case Brake Control Circuit High         |
| <b>RAM C140A</b> | Transfer Case Motor Performance                  |
| <b>RAM C140D</b> | Transfer Case Motor Control Circuit Open         |
| <b>RAM C140E</b> | Transfer Case Motor Blocked                      |
| <b>RAM C1415</b> | Transfer Case Motor Current Performance          |
| <b>RAM C1444</b> | Transfer Case Motor Overuse                      |
| <b>RAM C1456</b> | AWD Clutch Power Control Circuit Low             |
| <b>RAM C1457</b> | AWD Clutch Power Control Circuit High            |
| <b>RAM C145D</b> | AWD Clutch Power /Return Control Circuit Open    |
| <b>RAM C1464</b> | Front Axle Disconnect Control Circuit Low        |
| <b>RAM C1465</b> | Front Axle Disconnect Control Circuit High       |
| <b>RAM C1472</b> | Transfer Case Clutch Control Circuit Performance |
| <b>RAM C1477</b> | Transfer Case Clutch Over Temperature            |
| <b>RAM C147B</b> | Front Axle Disconnect Sensor Circuit Performance |
| <b>RAM C147C</b> | Front Axle Disconnect Power Circuit Low          |

| CODES            | DEFINITION                                              |
|------------------|---------------------------------------------------------|
| <b>RAM C147D</b> | Front Axle Disconnect Power Supply Circuit High         |
| <b>RAM C1480</b> | Transfer Case Range Digital Position Sensor Performance |
| <b>RAM C151C</b> | Tire Pressure Sensors Missing                           |
| <b>RAM C151D</b> | Tire Pressure Sensor Location Undetermined              |
| <b>RAM C156E</b> | Ride Height System Calibration Performance              |
| <b>RAM C1570</b> | Duplicate Tire Pressure Sensor Ids                      |
| <b>RAM C1597</b> | TPM System Deactivated - Winter Mode                    |
| <b>RAM C15A1</b> | Unable To Obtain Desired Ride Height                    |
| <b>RAM C15CB</b> | Front Axle Tire Pressure Placard Value Implausible      |
| <b>RAM C15CC</b> | Rear Axle Tire Pressure Placard Value Implausible       |
| <b>RAM C15D6</b> | Run Flat Tire Pressure Below Threshold                  |
| <b>RAM C15D9</b> | Low Air Mass                                            |
| <b>RAM C15DA</b> | Payload Limit Exceeded                                  |
| <b>RAM C2100</b> | Battery Voltage Low                                     |
| <b>RAM C2101</b> | Battery Voltage High                                    |
| <b>RAM C2111</b> | Sensor Supply 1 Voltage Circuit Low                     |
| <b>RAM C2112</b> | Sensor Supply 1 Voltage Circuit High                    |
| <b>RAM C2201</b> | FDCM/DTCM Internal                                      |
| <b>RAM C2202</b> | Original VIN Mismatch / Missing                         |
| <b>RAM C2205</b> | Steering Angle Sensor Internal                          |
| <b>RAM C2206</b> | Vehicle Configuration Mismatch                          |
| <b>RAM C220C</b> | Active Suspension Module Internal                       |

| CODES     | DEFINITION                                           |
|-----------|------------------------------------------------------|
| RAM C2212 | ECU In-Plant Mode                                    |
| RAM C2213 | Trailer Brake Module Internal                        |
| RAM C2214 | ITBM Not Calibrated                                  |
| RAM C221C | ECU Flash Required                                   |
| RAM P1004 | Short Runner Valve Control Performance               |
| RAM P1115 | General Temperature Rationality                      |
| RAM P1123 | PTO System Performance                               |
| RAM P1128 | Closed Loop Fueling Not Achieved - Bank 1 Upstream   |
| RAM P1129 | Closed Loop Fueling Not Achieved - Bank 2 Upstream   |
| RAM P113D | O2 Sensor 1/1 Slow Response (High Frequency)         |
| RAM P113E | O2 Sensor 2/1 Slow Response (High Frequency)         |
| RAM P1191 | Inlet Air Temperature Sensor Rational/Performance    |
| RAM P1192 | Inlet Air Temperature Sensor Circuit Low             |
| RAM P1193 | Inlet Air Temperature Sensor Circuit High            |
| RAM P11CB | NOx Sensor Performance - Signal High Bank 1 Sensor 1 |
| RAM P1207 | Generator 2 Control Circuit Open                     |
| RAM P1208 | Generator 2 Control Circuit Short To Ground          |
| RAM P1209 | Generator 2 Control Circuit Short To Battery         |
| RAM P1210 | Generator 2 Control Circuit Performance              |
| RAM P1211 | Generator 2 Control Circuit Erratic                  |
| RAM P1239 | Engine Oil Temperature Too Low                       |
| RAM P1240 | Generator 2 Voltage Sensor Circuit Short To Ground   |

| CODES            | DEFINITION                                                           |
|------------------|----------------------------------------------------------------------|
| <b>RAM P1241</b> | Generator 2 Voltage Sensor Circuit Short To Battery                  |
| <b>RAM P1242</b> | Generator 2 System Performance                                       |
| <b>RAM P125A</b> | Power Enable Control Circuit Low                                     |
| <b>RAM P1300</b> | Crankshaft Position Learn Out Of Range                               |
| <b>RAM P1404</b> | EGR Close Position Performance                                       |
| <b>RAM P1411</b> | Cylinder 1 Reactivation Control Performance                          |
| <b>RAM P1414</b> | Cylinder 4 Reactivation Control Performance                          |
| <b>RAM P1416</b> | Cylinder 6 Reactivation Control Performance                          |
| <b>RAM P1417</b> | Cylinder 7 Reactivation Control Performance                          |
| <b>RAM P1451</b> | Diesel Particulate Filter System Performance                         |
| <b>RAM P1456</b> | Fuel Tank Pressure Sensor Circuit Low                                |
| <b>RAM P1457</b> | Fuel Tank Pressure Sensor Circuit High                               |
| <b>RAM P1473</b> | Intake Air Diverter Valve Circuit Shorted To Ground                  |
| <b>RAM P1474</b> | Intake Air Diverter Valve Circuit Shorted To Battery                 |
| <b>RAM P1475</b> | Intake Air Diverter Valve Out Of Calibration/ Missing Calibration    |
| <b>RAM P1477</b> | Intake Air Diverter Valve Position Sensor Circuit Shorted To Ground  |
| <b>RAM P1478</b> | Intake Air Diverter Valve Position Sensor Circuit Shorted To Battery |
| <b>RAM P1484</b> | Catalyst Overheat Detection                                          |
| <b>RAM P1507</b> | Crankcase Filter Restriction                                         |
| <b>RAM P1521</b> | Incorrect Engine Oil Type                                            |

| CODES            | DEFINITION                                                   |
|------------------|--------------------------------------------------------------|
| <b>RAM P1524</b> | Oil Pressure Out Of Range - Camshaft Advance/Retard Disabled |
| <b>RAM P1572</b> | Brake Pedal Stuck On                                         |
| <b>RAM P1573</b> | Brake Pedal Stuck Off                                        |
| <b>RAM P1593</b> | Speed Control Switch 1/2 Stuck                               |
| <b>RAM P1607</b> | PCM Internal Shutdown Timer Rationality                      |
| <b>RAM P1618</b> | Sensor Reference Voltage 1 Erratic                           |
| <b>RAM P1621</b> | O2 Sensor Reference Voltage Circuit Low                      |
| <b>RAM P1622</b> | O2 Sensor Reference Voltage Circuit High                     |
| <b>RAM P1628</b> | Sensor Reference Voltage 2 Erratic                           |
| <b>RAM P1644</b> | Incorrect Variant/Configuration                              |
| <b>RAM P1679</b> | Calibration Not Learned                                      |
| <b>RAM P1696</b> | EEPROM Memory Write Denied/Invalid                           |
| <b>RAM P1697</b> | EMR (SRI) Mileage Not Stored                                 |
| <b>RAM P1715</b> | Restricted Manual Valve In T3 Range                          |
| <b>RAM P1718</b> | EEPROM Integrity Failure                                     |
| <b>RAM P1720</b> | Output Speed Sensor-Wheel Speed Rationality                  |
| <b>RAM P1721</b> | Intelligent Alternator Module Circuit                        |
| <b>RAM P1722</b> | Intelligent Alternator Module Mechanical Performance         |
| <b>RAM P1724</b> | Intelligent Alternator Module Over Temperature               |
| <b>RAM P1731</b> | Incorrect Gear Engaged                                       |
| <b>RAM P1775</b> | Solenoid Switch Valve Latched In TCC Position                |
| <b>RAM P1776</b> | Solenoid Switch Valve Latched In LR Position                 |



| CODES            | DEFINITION                                                 |
|------------------|------------------------------------------------------------|
| <b>RAM P1794</b> | Speed Sensor Ground Error                                  |
| <b>RAM P1C4E</b> | Fault In ABS/ESP Module                                    |
| <b>RAM P1C54</b> | SCR NOx Catalyst Missing                                   |
| <b>RAM P1C55</b> | NOx Sensor Intermittent - Bank 1 Sensor 1                  |
| <b>RAM P1C56</b> | NOx Sensor Intermittent - Bank 1 Sensor 2                  |
| <b>RAM P1C70</b> | SCR Error Detected - Engine Disabled                       |
| <b>RAM P1CEF</b> | Cold Climate Turbo Protection Engine DE-Rate Mode          |
| <b>RAM P1CF3</b> | Battery Temperature Sensor Out Of Range Low                |
| <b>RAM P1CF4</b> | Battery Temperature Sensor Out Of Range High               |
| <b>RAM P1E09</b> | Closed Loop Fueling Not Achieved - Bank 1 Downstream       |
| <b>RAM P1E0A</b> | Closed Loop Fueling Not Achieved - Bank 2 Downstream       |
| <b>RAM P1E1C</b> | Reductant System Wake Up Circuit High                      |
| <b>RAM P1E1E</b> | Positive Engagement Switch Circuit Shorted To Ground       |
| <b>RAM P1E1F</b> | PTO Pressure Switch Circuit Short To Ground                |
| <b>RAM P1E26</b> | Internal Control Module Cooled EGR Temperature Performance |
| <b>RAM P1E27</b> | EGR 1 High Side Control Circuit Low                        |
| <b>RAM P1E28</b> | EGR 1 High Side Control Circuit High                       |
| <b>RAM U1008</b> | Lin 1 Bus                                                  |
| <b>RAM U1009</b> | Lin 2 Bus                                                  |
| <b>RAM U103C</b> | KIN/IGNM Communication                                     |
| <b>RAM U1045</b> | Lin 3 Bus                                                  |
| <b>RAM U1101</b> | Lost Communication With PTS Display - Rear 1               |

| CODES            | DEFINITION                                               |
|------------------|----------------------------------------------------------|
| <b>RAM U110A</b> | Loss Of Communications With SCM CAN C                    |
| <b>RAM U110C</b> | Lost Fuel Level Message                                  |
| <b>RAM U110E</b> | Lost Ambient Temperature Message                         |
| <b>RAM U110F</b> | Lost Fuel Volume Message                                 |
| <b>RAM U1110</b> | Lost Vehicle Speed Message                               |
| <b>RAM U1111</b> | Lost Odometer Message                                    |
| <b>RAM U1120</b> | Lost Wheel Distance Message                              |
| <b>RAM U112B</b> | Lost Communication With PTS Display - Front 1            |
| <b>RAM U112C</b> | Lost Communication With Transfer Case Switch Bank Module |
| <b>RAM U112D</b> | Lost Communication With EVIC Steering Wheel Switches     |
| <b>RAM U113B</b> | Lost Communication With Switch Bank Module               |
| <b>RAM U113D</b> | Lost Communication With Master Power Window Switch       |
| <b>RAM U113E</b> | Lost Communication With Intelligent Battery Sensor       |
| <b>RAM U1141</b> | Lost ESP Torque Request Message                          |
| <b>RAM U1176</b> | Lost Communication With Emergency Alert Module           |
| <b>RAM U1186</b> | Lost Communication With Adaptive Cruise Control Module   |
| <b>RAM U1197</b> | Security Seed Response Not Received From ECM/PCM         |
| <b>RAM U11B8</b> | Lost Communication With Integrated Center Stack (ICS)    |
| <b>RAM U11B9</b> | Lost Communication With RF Hub                           |
| <b>RAM U11BB</b> | Lost Communication With Video Routing Module             |
| <b>RAM U11BC</b> | Lost Brake Switch Message                                |

| CODES            | DEFINITION                                                      |
|------------------|-----------------------------------------------------------------|
| <b>RAM U11C1</b> | Reductant Control Module Received Implausible Data From ECM/PCM |
| <b>RAM U11C2</b> | Lost Transmission Message                                       |
| <b>RAM U11E8</b> | Lost Communication With EPS Steering Torque Message             |
| <b>RAM U11FA</b> | Lost Communication With Right Blind Spot Sensor                 |
| <b>RAM U11FB</b> | Lost Communication With Left Blind Spot Sensor                  |
| <b>RAM U1207</b> | Lost Communication With Terrain Switch Bank Module              |
| <b>RAM U120E</b> | Lost Communication With Comfort Seat And Wheel Module           |
| <b>RAM U1215</b> | Lost Communication With Forward Facing Camera                   |
| <b>RAM U12A4</b> | Lost Communication With Ammonia Sensor                          |
| <b>RAM U12A7</b> | Lost Communication With Display Screen Module                   |
| <b>RAM U12AE</b> | Lost Communication With Central Vision Processing Module        |
| <b>RAM U1400</b> | Implausible TPS Signal Received                                 |
| <b>RAM U1401</b> | Implausible Engine Speed Signal Received                        |
| <b>RAM U1402</b> | Implausible Engine Temperature Signal Received                  |
| <b>RAM U1403</b> | Implausible Fuel Level Signal Received                          |
| <b>RAM U1407</b> | Implausible Engine Torque Request Signal Received               |
| <b>RAM U1408</b> | Implausible Brake Signal Received                               |
| <b>RAM U1409</b> | Implausible Left Front Wheel Speed Signal Received              |
| <b>RAM U140A</b> | Implausible Right Front Wheel Speed Signal Received             |
| <b>RAM U140B</b> | Implausible Left Rear Wheel Speed Signal Received               |
| <b>RAM U140C</b> | Implausible Right Rear Wheel Speed Signal Received              |

| CODES            | DEFINITION                                                     |
|------------------|----------------------------------------------------------------|
| <b>RAM U140D</b> | Implausible Wheel Speed Signals Received                       |
| <b>RAM U140E</b> | Implausible Vehicle Configuration Data Received                |
| <b>RAM U1411</b> | Implausible Fuel Volume Signal Received                        |
| <b>RAM U1412</b> | Implausible Vehicle Speed Signal Received                      |
| <b>RAM U1415</b> | Implausible/Missing Vehicle Configuration Data                 |
| <b>RAM U1417</b> | Implausible Left Wheel Distance Signal Received                |
| <b>RAM U1418</b> | Implausible Right Wheel Distance Signal Received               |
| <b>RAM U1420</b> | Implausible Electronic Gear Select Signal Received             |
| <b>RAM U1421</b> | Implausible Ignition Key Off Time Received                     |
| <b>RAM U1424</b> | Implausible Engine Torque Signal Received                      |
| <b>RAM U1428</b> | Inaccurate Engine Torque Received                              |
| <b>RAM U142A</b> | Implausible PRNDL Signal Received                              |
| <b>RAM U1430</b> | Implausible Data Received From Comfort Seat And Wheel Module   |
| <b>RAM U1439</b> | Implausible- Missing Programmed Axle Ratio                     |
| <b>RAM U1440</b> | Implausible Transfer Case Ratio High Received                  |
| <b>RAM U1441</b> | Implausible Transfer Case Ratio Low Received                   |
| <b>RAM U1445</b> | Implausible Data Received From Display Screen Module           |
| <b>RAM U1446</b> | Implausible Heated Steering Wheel Temperature Message Received |
| <b>RAM U1449</b> | Implausible ERS Message Received                               |
| <b>RAM U1454</b> | Implausible Data Received From The Gated Park Switch           |
| <b>RAM U145E</b> | Implausible Police Configuration                               |

| CODES             | DEFINITION                                             |
|-------------------|--------------------------------------------------------|
| <b>RAM U147D</b>  | Implausible Data Received From Right Blind Spot Sensor |
| <b>RAM U147E</b>  | Implausible Data Received From Left Blind Spot Sensor  |
| <b>RAM U1480</b>  | Implausible Data Received From Integrated Center Stack |
| <b>RAM U1491</b>  | Implausible Fuel Level 2 Signal Received               |
| <b>RAM U1519</b>  | Implausible Data Received From Video Routing Module    |
| <b>RAM U1601</b>  | ECU Application Software Code 1 Missing Or Corrupted   |
| <b>RAM U3017</b>  | Control Module Timer/Clock Performance                 |
| <b>Saab B1000</b> | Electronic Control Unit (ECU) Performance              |
| <b>Saab B1017</b> | Output Driver Module Performance                       |
| <b>Saab B1390</b> | Device Voltage Reference Input 1 Circuit               |
| <b>Saab B1397</b> | Device Voltage Reference Output Circuit Low            |
| <b>Saab B1487</b> | Generator L-Terminal Circuit Low                       |
| <b>Saab B1488</b> | Generator L-Terminal Circuit High                      |
| <b>Saab B1492</b> | Generator F-Terminal Circuit Low                       |
| <b>Saab B1516</b> | Battery Current Sensor Performance                     |
| <b>Saab B1530</b> | Discard Passenger Presence System 1                    |
| <b>Saab B1550</b> | Mirror LF/RF Select Switch Circuit                     |
| <b>Saab B1720</b> | Mirror Up and Down Control Switch Circuit              |
| <b>Saab B1721</b> | Mirror Left and Right Control Switch Circuit           |
| <b>Saab B1723</b> | Mirror Motor Control Circuit 1 Performance             |
| <b>Saab B1724</b> | Mirror Motor Control Circuit 2 Performance             |
| <b>Saab B1735</b> | Driver Seat Front Up Switch Circuit Malfunction        |

| CODES             | DEFINITION                                               |
|-------------------|----------------------------------------------------------|
| <b>Saab B1740</b> | Driver Seat Front Down Switch Circuit Malfunction        |
| <b>Saab B1745</b> | Driver Seat Rear Up Switch Circuit Malfunction           |
| <b>Saab B1750</b> | Driver Seat Rear Down Switch Circuit Malfunction         |
| <b>Saab B1755</b> | Driver Seat Assembly Forward Switch Circuit Malfunction  |
| <b>Saab B1760</b> | Driver Seat Assembly Rearward Switch Circuit Malfunction |
| <b>Saab B1815</b> | Driver Seat Recline Forward Switch Circuit Malfunction   |
| <b>Saab B1820</b> | Driver Seat Recline Rearward Switch Circuit Malfunction  |
| <b>Saab B1825</b> | Driver Seat Recline Position Sensor Circuit              |
| <b>Saab B1830</b> | Driver Seat Lumbar Forward Switch Circuit                |
| <b>Saab B1835</b> | Driver Seat Lumbar Rearward Switch Circuit               |
| <b>Saab B1850</b> | Driver Seat Lumbar Horizontal Position Sensor Circuit    |
| <b>Saab B2355</b> | Driver Seat Front Vertical Position Sensor Circuit       |
| <b>Saab B2365</b> | Driver Seat Rear Vertical Position Sensor Circuit        |
| <b>Saab B2375</b> | Driver Seat Horizontal Position Sensor Circuit           |
| <b>Saab B2425</b> | Driver Seat Heater Circuit                               |
| <b>Saab B2430</b> | Passenger Seat Heater Circuit                            |
| <b>Saab B2435</b> | Driver Seat Back Heater Sensor Circuit                   |
| <b>Saab B2440</b> | Passenger Seat Back Heater Sensor Circuit                |
| <b>Saab B2485</b> | Wireless Communication Antenna Circuit (Bluetooth)       |
| <b>Saab B2815</b> | Steering Wheel Controls Illegal Resistance Value         |
| <b>Saab B2947</b> | Security System Sensor Power Circuit Low                 |
| <b>Saab B2948</b> | Security System Sensor Power Circuit High                |

| CODES             | DEFINITION                                                         |
|-------------------|--------------------------------------------------------------------|
| <b>Saab B2955</b> | Security System Sensor Data Circuit                                |
| <b>Saab B2960</b> | Security System Sensor Data Incorrect but Valid                    |
| <b>Saab P1086</b> | Tumble Generated Valve Position Sensor Circuit Low                 |
| <b>Saab P1087</b> | Tumble Generated Valve Position Sensor Circuit High                |
| <b>Saab P1088</b> | Tumble Generated Valve Position Sensor Circuit Low                 |
| <b>Saab P1090</b> | Tumble Generated Valve System 1 (valve open)                       |
| <b>Saab P1092</b> | Tumble Generated Valve System 2 (valve open)                       |
| <b>Saab P1094</b> | Tumble Generated Valve Signal 1 Circuit Malfunction                |
| <b>Saab P1095</b> | Tumble Generated Valve Signal 1 Circuit Malfunction (short)        |
| <b>Saab P1096</b> | Tumble Generated Valve Signal 2 Circuit Malfunction (open)         |
| <b>Saab P1097</b> | Tumble Generated Valve Signal 2 Circuit Malfunction (short)        |
| <b>Saab P1101</b> | Intake Air Flow System Performance                                 |
| <b>Saab P1105</b> | Charge Air Absolute Pressure Sensor Circuit Performance Problem    |
| <b>Saab P1106</b> | Charge Air Absolute Pressure Sensor Circuit Performance Problem    |
| <b>Saab P1107</b> | Charge Air Absolute Pressure Sensor Circuit Short to Ground / Open |
| <b>Saab P1108</b> | Charge Air Absolute Pressure Sensor Circuit Short to B+            |
| <b>Saab P1110</b> | Charge Air Bypass Valve Performance Problems                       |
| <b>Saab P1131</b> | O2 Sensor Circuit Lean                                             |
| <b>Saab P1132</b> | O2 Sensor Circuit Rich                                             |
| <b>Saab P1133</b> | HO2S Insufficient Switching Sensor 1                               |

| CODES             | DEFINITION                                                               |
|-------------------|--------------------------------------------------------------------------|
| <b>Saab P1134</b> | A/F Sensor Micro-Computer Problem                                        |
| <b>Saab P1135</b> | O2S Heater Circuit Current Low                                           |
| <b>Saab P1136</b> | O2S Heater Circuit Current High                                          |
| <b>Saab P1137</b> | O2S Low Voltage During Power Enrichment                                  |
| <b>Saab P1141</b> | O2S Heater Circuit Malfunction                                           |
| <b>Saab P1142</b> | O2S Heater Circuit Malfunction                                           |
| <b>Saab P1152</b> | O2 Sensor Circuit Range/Performance Low                                  |
| <b>Saab P1153</b> | O2 Sensor Circuit Range/Performance High                                 |
| <b>Saab P1154</b> | O2 Sensor Circuit Range/Performance Low                                  |
| <b>Saab P1155</b> | O2 Sensor Circuit Range/Performance High                                 |
| <b>Saab P1160</b> | Return Spring Failure                                                    |
| <b>Saab P1171</b> | Short Term Fuel Trim Max Value Air/Fuel Lean                             |
| <b>Saab P1172</b> | Short Term Fuel Trim Max Value Air/Fuel Rich                             |
| <b>Saab P1174</b> | Fuel Trim Cylinder Balance Bank 1                                        |
| <b>Saab P1175</b> | Fuel Trim Cylinder Balance Bank 2                                        |
| <b>Saab P1181</b> | Long Term Fuel Trim Max Value Air/Fuel Lean                              |
| <b>Saab P1182</b> | Long Term Fuel Trim Max Value Air/Fuel Lean                              |
| <b>Saab P1230</b> | Throttle Position Sensor 1 and 2 Circuit Sum Out of Range                |
| <b>Saab P1231</b> | Throttle Position Sensor 1 and 2 Circuit Sum Out of Range (No Limp Home) |
| <b>Saab P1240</b> | Throttle Motor Circuit Shorted                                           |
| <b>Saab P1251</b> | Throttle Motor Full Pulse Width Modulation in Closing Direction          |



| CODES             | DEFINITION                                                                        |
|-------------------|-----------------------------------------------------------------------------------|
| <b>Saab P1252</b> | Throttle Motor Full Pulse Width Modulation in Open Direction and No Motor Current |
| <b>Saab P1253</b> | Throttle Motor Full Pulse Width Modulation in Open Direction During Cranking      |
| <b>Saab P1260</b> | Throttle Return Spring Too Low Force                                              |
| <b>Saab P1261</b> | Throttle Binding                                                                  |
| <b>Saab P1263</b> | Throttle Moved Manually When Engine Was Running                                   |
| <b>Saab P1264</b> | Throttle Open When Pedal Is Released                                              |
| <b>Saab P1300</b> | Misfire Detected (High Temperature Exhaust Gas)                                   |
| <b>Saab P1301</b> | Cylinder 1 Misfire Detected                                                       |
| <b>Saab P1302</b> | Cylinder 2 Misfire Detected                                                       |
| <b>Saab P1303</b> | Cylinder 3 Misfire Detected                                                       |
| <b>Saab P1304</b> | Cylinder 4 Misfire Detected                                                       |
| <b>Saab P1310</b> | Ignition Discharge Module Not Powered, Bank 1                                     |
| <b>Saab P1312</b> | Combustion Detection Cylinder 1/2 Open Circuit / Short to B+                      |
| <b>Saab P1334</b> | Combustion Detection Cylinder 3/4 Open Circuit / Short to B+                      |
| <b>Saab P1336</b> | CKP Sensor System Variation Not Learned                                           |
| <b>Saab P1362</b> | ICM Control Circuit High Input                                                    |
| <b>Saab P1380</b> | Misfire Detected, Rough Road Data Not Available                                   |
| <b>Saab P1381</b> | Misfire Detected - No Communication with Brake Control Module                     |
| <b>Saab P1390</b> | Random Misfire Detected Catalyst Damaging Fuel Level Low                          |

| CODES             | DEFINITION                                                                    |
|-------------------|-------------------------------------------------------------------------------|
| <b>Saab P1391</b> | Cylinder 1 Misfire Detected Catalyst Damaging. Fuel Level Low                 |
| <b>Saab P1392</b> | Cylinder 2 Misfire Detected Catalyst Damaging. Fuel Level Low                 |
| <b>Saab P1393</b> | Cylinder 3 Misfire Detected Catalyst Damaging. Fuel Level Low                 |
| <b>Saab P1394</b> | Cylinder 4 Misfire Detected Catalyst Damaging. Fuel Level Low                 |
| <b>Saab P1400</b> | Cold Start Emission Reduction Control System                                  |
| <b>Saab P1410</b> | Secondary Air Injection System Switching Valve Stuck Open                     |
| <b>Saab P1415</b> | Secondary Air Injection System (Bank 1) Malfunction                           |
| <b>Saab P1416</b> | Secondary Air Injection System (Bank 2) Malfunction                           |
| <b>Saab P1418</b> | Secondary Air Injection System Control Circuit Shorted                        |
| <b>Saab P1420</b> | Fuel Tank Pressure Control Solenoid Valve Circuit High                        |
| <b>Saab P1441</b> | EVAP Purge Valve Malfunction and Malfunctional Fuel Level Sensor              |
| <b>Saab P1442</b> | EVAP System, Fuel Level Sensor Failure and Small Leak Detected                |
| <b>Saab P1443</b> | Vent Control Solenoid Valve Function Problem                                  |
| <b>Saab P1444</b> | Canister Close Valve Circuit Open / Short to Ground                           |
| <b>Saab P1445</b> | Canister Close Valve Circuit Open / Short to B+                               |
| <b>Saab P1446</b> | Fuel Tank Sensor Control Valve Circuit Low                                    |
| <b>Saab P1447</b> | Fuel Tank Sensor Control Valve Circuit High                                   |
| <b>Saab P1448</b> | Fuel Tank Sensor Control Valve Range/Performance                              |
| <b>Saab P1451</b> | EVAP System Fuel Level Sensor Failure and Pressure Sensor Performance Problem |

| CODES             | DEFINITION                                                         |
|-------------------|--------------------------------------------------------------------|
| <b>Saab P1452</b> | EVAP System Tank Pressure Sensor Value Low                         |
| <b>Saab P1453</b> | EVAP System Tank Pressure Sensor Value High                        |
| <b>Saab P1455</b> | EVAP System Fuel Level Sensor Failure and Gross Leak Detected      |
| <b>Saab P1456</b> | EVAP System Fuel Level Sensor Failure and Very Small Leak Detected |
| <b>Saab P1491</b> | Positive Crankcase Ventilation (Blow-By) Function Problem          |
| <b>Saab P1492</b> | EGR Solenoid Valve Signal 1 Circuit Low Input                      |
| <b>Saab P1493</b> | EGR Solenoid Valve Signal 1 Circuit High Input                     |
| <b>Saab P1494</b> | EGR Solenoid Valve Signal 2 Circuit Low Input                      |
| <b>Saab P1495</b> | EGR Solenoid Valve Signal 2 Circuit High Input                     |
| <b>Saab P1496</b> | EGR Solenoid Valve Signal 3 Circuit Low Input                      |
| <b>Saab P1497</b> | EGR Solenoid Valve Signal 3 Circuit High Input                     |
| <b>Saab P1498</b> | EGR Solenoid Valve Signal 4 Circuit Low Input                      |
| <b>Saab P1499</b> | EGR Solenoid Valve Signal 4 Circuit High Input                     |
| <b>Saab P150A</b> | Transmission Output Speed Signal Circuit                           |
| <b>Saab P150B</b> | Transmission Output Speed Sensor Circuit Intermittent              |
| <b>Saab P1510</b> | ISC Solenoid Valve Signal No. 1 Circuit Malfunction (low input)    |
| <b>Saab P1511</b> | ISC Solenoid Valve Signal No. 1 Circuit Malfunction (high input)   |
| <b>Saab P1512</b> | ISC Solenoid Valve Signal No. 2 Circuit Malfunction (low input)    |
| <b>Saab P1513</b> | ISC Solenoid Valve Signal No. 2 Circuit Malfunction (high input)   |

| CODES             | DEFINITION                                                                        |
|-------------------|-----------------------------------------------------------------------------------|
| <b>Saab P1514</b> | ISC Solenoid Valve Signal No. 3 Circuit Malfunction (low input)                   |
| <b>Saab P1515</b> | ISC Solenoid Valve Signal No. 3 Circuit Malfunction (high input)                  |
| <b>Saab P1516</b> | Throttle Actuator Control (TAC) Module Throttle Actuator Position Performance     |
| <b>Saab P1517</b> | ISC Solenoid Valve Signal No. 4 Circuit Malfunction (high input)                  |
| <b>Saab P1518</b> | Starter Switch Circuit Low Input                                                  |
| <b>Saab P1523</b> | A/C Pressure Sensor Circuit Open/Short to Ground                                  |
| <b>Saab P1530</b> | Pedal Position Sensor 1 and 2 Circuit Sum Out of Range                            |
| <b>Saab P1531</b> | Pedal Position Sensor 1 and 2 Circuit Adapted Sum Out of Range                    |
| <b>Saab P1532</b> | Pedal Position Sensor 1 and 2 Circuit Control Module Inputs Shorted to Each Other |
| <b>Saab P1544</b> | Exhaust Gas Temperature To High                                                   |
| <b>Saab P1549</b> | Charge Air Malfunction                                                            |
| <b>Saab P1551</b> | Throttle Valve Rest Position Not Reached During Learn                             |
| <b>Saab P1560</b> | Back-Up Voltage Circuit Malfunction                                               |
| <b>Saab P1570</b> | Antenna Incorrect Immobilizer Key                                                 |
| <b>Saab P1572</b> | IMM Circuit Failure (Except Antenna Circuit)                                      |
| <b>Saab P1574</b> | Key Communication Failure                                                         |
| <b>Saab P1576</b> | Brake Light Switch Circuit Open / Short to B+                                     |
| <b>Saab P1577</b> | Brake Light Switch Circuit Short to Ground                                        |
| <b>Saab P1585</b> | Cruise Control Inhibit Output Circuit Malfunction                                 |
| <b>Saab P1601</b> | Internal Control Module Malfunction                                               |

| CODES             | DEFINITION                                   |
|-------------------|----------------------------------------------|
| <b>Saab P1602</b> | Internal Control Module Malfunction          |
| <b>Saab P1603</b> | Internal Control Module Malfunction          |
| <b>Saab P1604</b> | Internal Control Module Malfunction          |
| <b>Saab P1605</b> | Internal Control Module Malfunction          |
| <b>Saab P1606</b> | Control Module Internal Fault                |
| <b>Saab P1608</b> | Internal Control Module Malfunction          |
| <b>Saab P1609</b> | Internal Control Module Malfunction          |
| <b>Saab P1610</b> | ECU Internal Fault Security Function Disable |
| <b>Saab P1611</b> | Control Module Not Added                     |
| <b>Saab P1613</b> | Control Module Not Added or Missing on Bus   |
| <b>Saab P1614</b> | Control Module Not Added                     |
| <b>Saab P1615</b> | Control Module Not Added                     |
| <b>Saab P1616</b> | Control Module or I Bus ECU Not Added        |
| <b>Saab P1619</b> | ECU Attributes Not Programmed/Internal Fault |
| <b>Saab P1621</b> | Internal Control Module Malfunction          |
| <b>Saab P1622</b> | Internal Control Module Malfunction          |
| <b>Saab P1623</b> | Transmission Control Module Missing on Bus   |
| <b>Saab P1624</b> | Control Module Missing on Bus                |
| <b>Saab P1625</b> | Traction Control Module Missing on Bus       |
| <b>Saab P1629</b> | Control Module Not Added or Missing on Bus   |
| <b>Saab P1631</b> | Internal Control Module Malfunction          |
| <b>Saab P1632</b> | Internal Control Module Malfunction          |

| CODES             | DEFINITION                                              |
|-------------------|---------------------------------------------------------|
| <b>Saab P1640</b> | Main Relay Circuit No Voltage to Control Module         |
| <b>Saab P1641</b> | Fuel Pump Relay No Voltage to Fuel Pump                 |
| <b>Saab P1648</b> | Control Module Missing on Bus                           |
| <b>Saab P1652</b> | Main Relay Coil Circuit Open / Short to Ground          |
| <b>Saab P1653</b> | Main Relay Coil Circuit Short to B+                     |
| <b>Saab P1654</b> | Fuel Pump Relay Coil Circuit Open / Short to Ground     |
| <b>Saab P1655</b> | Fuel Pump Relay Coil Circuit Short to B+                |
| <b>Saab P1656</b> | A/C Relay Coil Circuit Open / Short to Ground           |
| <b>Saab P1657</b> | A/C Relay Coil Circuit Short to B+                      |
| <b>Saab P1658</b> | Charge Air Bypass Valve Circuit Open / Short to Ground  |
| <b>Saab P1659</b> | Charge Air Bypass Valve Circuit Short to B+             |
| <b>Saab P1662</b> | Charge Air Control Valve Circuit Open / Short to Ground |
| <b>Saab P1663</b> | Charge Air Control Valve Circuit Short to B+            |
| <b>Saab P1670</b> | Limp-Home Relay Open Circuit or Short to Ground         |
| <b>Saab P1671</b> | Limp-Home Relay Short to B+                             |
| <b>Saab P1676</b> | Injector Circuit Open / Short to Ground or B+           |
| <b>Saab P1677</b> | Control Module Internal Fault                           |
| <b>Saab P1678</b> | Control Module Not Added                                |
| <b>Saab P1679</b> | Control Module Not Added                                |
| <b>Saab P1680</b> | Control Module Internal Fault                           |
| <b>Saab P1681</b> | Control Module Internal Fault                           |
| <b>Saab P1682</b> | Ignition 1 Switch Circuit                               |

| CODES             | DEFINITION                                                                                            |
|-------------------|-------------------------------------------------------------------------------------------------------|
| <b>Saab P1698</b> | Engine Torque Control Cut Signal Circuit Malfunction (Low Input)                                      |
| <b>Saab P1699</b> | Engine Torque Control Cut Signal Circuit Malfunction (High Input)                                     |
| <b>Saab P1700</b> | Throttle Position Sensor Circuit Malfunction                                                          |
| <b>Saab P1706</b> | Vehicle Speed Sensor Circuit (Rear Wheels)                                                            |
| <b>Saab P1707</b> | AWD Solenoid Valve Circuit                                                                            |
| <b>Saab P1708</b> | Throttle Position Circuit (Low Input)                                                                 |
| <b>Saab P1709</b> | Throttle Position Circuit (High Input)                                                                |
| <b>Saab P1710</b> | Torque Converter Turbine 2 Speed Signal Circuit                                                       |
| <b>Saab P1711</b> | Engine Torque Control Signal #1 Circuit Malfunction                                                   |
| <b>Saab P1712</b> | Engine Torque Control Signal #2 Circuit Malfunction                                                   |
| <b>Saab P1762</b> | Transmission Mode Switch Signal Circuit                                                               |
| <b>Saab P1810</b> | TFP Valve Position Switch Assembly                                                                    |
| <b>Saab P1815</b> | Transmission Fluid Pressure (TFP) Valve Position Switch - Start in Wrong Range                        |
| <b>Saab P1816</b> | Transmission Fluid Pressure (TFP) Valve Position Switch Indicates Park/Neutral (P/N) with Drive Ratio |
| <b>Saab P1817</b> | Sport Mode Manual Switch Circuit (Manual Switch)                                                      |
| <b>Saab P1818</b> | Transmission Fluid Pressure (TFP) Valve Position Switch Indicates Drive without Drive Ratio           |
| <b>Saab P182A</b> | Internal Mode Switch A Circuit Low Voltage                                                            |
| <b>Saab P182C</b> | Internal Mode Switch B Circuit High Voltage                                                           |
| <b>Saab P182D</b> | Internal Mode Switch P Circuit Low Voltage                                                            |
| <b>Saab P182E</b> | Internal Mode Switch - Invalid Range                                                                  |

| CODES             | DEFINITION                                                             |
|-------------------|------------------------------------------------------------------------|
| <b>Saab P182F</b> | Internal Mode Switch C Circuit High Voltage                            |
| <b>Saab P1840</b> | Transmission Fluid Pressure Sensor/Switch A Circuit                    |
| <b>Saab P1841</b> | Transmission Fluid Pressure Sensor/Switch B Circuit                    |
| <b>Saab P1842</b> | Transmission Fluid Pressure Sensor/Switch C Circuit                    |
| <b>Saab P1843</b> | Transmission Fluid Pressure Sensor/Switch D Circuit                    |
| <b>Saab P1844</b> | Transmission Fluid Pressure Sensor/Switch E Circuit                    |
| <b>Saab P1860</b> | TCM PWM Solenoid Circuit Malfunction                                   |
| <b>Saab P1870</b> | Transmission Component Slipping                                        |
| <b>Saab P1875</b> | 4WD Low Switch Circuit Fault                                           |
| <b>Saab P1915</b> | Internal Mode Switch Does Not Indicate Park/Neutral (P/N) During Start |
| <b>Saab P3400</b> | Cylinder Deactivation System Performance                               |
| <b>Saab P3401</b> | Cylinder 1 Deactivation Solenoid Control Circuit                       |
| <b>Saab P3425</b> | Cylinder 4 Deactivation Solenoid Control Circuit                       |
| <b>Saab P3441</b> | Cylinder 6 Deactivation Solenoid Control Circuit                       |
| <b>Saab U1000</b> | Class 2 Communication Malfunction                                      |
| <b>Saab U1016</b> | No Communication With Powertrain Control Module                        |
| <b>Saab U1026</b> | Loss of ATC Class 2 Communication                                      |
| <b>Saab U1041</b> | Loss of Electronic Brake Controller Communication                      |
| <b>Saab U1064</b> | No Communication With Body Control Module                              |
| <b>Saab U1088</b> | No Communication With SDM (Restraint Module)                           |
| <b>Saab U1092</b> | Loss of VTD (Pass Lock) Communication                                  |
| <b>Saab U1096</b> | No Communication With Instrument Panel Cluster                         |



| CODES               | DEFINITION                                        |
|---------------------|---------------------------------------------------|
| <b>Saab U1097</b>   | No Communication With Driver Information Center   |
| <b>Saab U1151</b>   | No Communication With Vehicle Interface Unit      |
| <b>Saab U1152</b>   | No Communication With HVAC Control Module         |
| <b>Saab U1193</b>   | Loss of Vehicle Immobilizer Module Communications |
| <b>Saab U1241</b>   | Lost Communication With Scan Tool                 |
| <b>Saab U1255</b>   | Class 2 Communications Malfunction                |
| <b>Saab U1300</b>   | Class 2 Circuit Short to Ground                   |
| <b>Saab U1301</b>   | Class 2 Circuit Short to Battery                  |
| <b>Saab U1305</b>   | Class 2 Data Link High or Low                     |
| <b>Saab U2100</b>   | Controller Area Network (CAN) Bus Communication   |
| <b>Saab U2105</b>   | Lost Communications With Engine Control System    |
| <b>Saab U2107</b>   | Lost Communications With Body Control System      |
| <b>Saab U2108</b>   | Lost Communications With ABS/TCS Control System   |
| <b>Subaru B1100</b> | Integ. Unit System Error                          |
| <b>Subaru B1101</b> | Batt P/Supply Malfunction                         |
| <b>Subaru B1102</b> | Batt P/Supply Malfunction Backup                  |
| <b>Subaru B1103</b> | Ignition Power Failure                            |
| <b>Subaru B1104</b> | ACC Power Failure                                 |
| <b>Subaru B1105</b> | Key Interlock Circuit Abnormal                    |
| <b>Subaru B1106</b> | Shift Lock Circuit Failure                        |
| <b>Subaru B1401</b> | M Collation NG                                    |
| <b>Subaru B1402</b> | Immobilizer Key Collation NG                      |

| CODES               | DEFINITION                                                        |
|---------------------|-------------------------------------------------------------------|
| <b>Subaru B1403</b> | E/G request NG                                                    |
| <b>Subaru B1500</b> | Keyless UART Communication Failure                                |
| <b>Subaru P1086</b> | Tumble Generated Valve Position Sensor 2 Circuit Low              |
| <b>Subaru P1087</b> | Tumble Generated Valve Position Sensor 2 Circuit High             |
| <b>Subaru P1088</b> | Tumble Generated Valve Position Sensor 1 Circuit Low              |
| <b>Subaru P1089</b> | Tumble Generated Valve Position Sensor 1 Circuit High             |
| <b>Subaru P1090</b> | Tumble Generated Valve System 1 (valve open)                      |
| <b>Subaru P1091</b> | Tumble Generated Valve System 1 (valve closed)                    |
| <b>Subaru P1092</b> | Tumble Generated Valve System 2 (valve open)                      |
| <b>Subaru P1093</b> | Tumble Generated Valve System 2 (valve closed)                    |
| <b>Subaru P1094</b> | Tumble Generated Valve Signal 1 Circuit Malfunction               |
| <b>Subaru P1095</b> | Tumble Generated Valve Signal 1 Circuit Malfunction (short)       |
| <b>Subaru P1096</b> | Tumble Generated Valve Signal 2 Circuit Malfunction (open)        |
| <b>Subaru P1097</b> | Tumble Generated Valve Signal 2 Circuit Malfunction (short)       |
| <b>Subaru P1100</b> | Starter Switch Circuit Malfunction                                |
| <b>Subaru P1101</b> | Neutral Position Switch Circuit Malfunction                       |
| <b>Subaru P1102</b> | Pressure Sources Switching Solenoid Valve Circuit Malfunction     |
| <b>Subaru P1103</b> | Engine Torque Control Signal Circuit Malfunction                  |
| <b>Subaru P1106</b> | Engine Torque Control Signal 2 Circuit                            |
| <b>Subaru P1107</b> | Air Injection System Diagnosis Solenoid Valve Circuit Malfunction |

| CODES               | DEFINITION                                                                               |
|---------------------|------------------------------------------------------------------------------------------|
| <b>Subaru P1108</b> | Induction Control Solenoid Valve Circuit Malfunction                                     |
| <b>Subaru P1110</b> | Atmospheric Pressure Sensor Circuit Low Input                                            |
| <b>Subaru P1111</b> | Atmospheric Pressure Sensor Circuit High Input                                           |
| <b>Subaru P1112</b> | Atmospheric Pressure Sensor Circuit Range/Performance Problem                            |
| <b>Subaru P1115</b> | Engine Torque Control Cut Signal Circuit High Input                                      |
| <b>Subaru P1116</b> | Engine Torque Control Cut Signal Circuit Low Input                                       |
| <b>Subaru P1120</b> | Starter Circuit Switch High Input                                                        |
| <b>Subaru P1121</b> | Starter Circuit Switch High Input                                                        |
| <b>Subaru P1122</b> | Pressure Sources Switching Solenoid Valve High Input                                     |
| <b>Subaru P1130</b> | Front Oxygen Sensor Circuit Malfunction                                                  |
| <b>Subaru P1131</b> | Front Oxygen Sensor Circuit Malfunction (short circuit)                                  |
| <b>Subaru P1132</b> | Front Oxygen Sensor Heater Circuit Low Input                                             |
| <b>Subaru P1133</b> | Front Oxygen Sensor Heater Circuit High Input                                            |
| <b>Subaru P1134</b> | Front Oxygen Sensor Micro Computer Problem                                               |
| <b>Subaru P1137</b> | O2 Sensor Circuit (bank 1 sensor 1)                                                      |
| <b>Subaru P1139</b> | Front Oxygen Sensor 1 Heater Circuit Range/Performance Problem                           |
| <b>Subaru P1140</b> | Bank 2 and Sensor 1 Oxygen Sensor (front left) Heater Circuit Range/ Performance Problem |
| <b>Subaru P1141</b> | Mass Air Flow Sensor Circuit Range/Performance Problem (high output)                     |
| <b>Subaru P1142</b> | Throttle Position Sensor Circuit Range/Performance Problem (low input)                   |
| <b>Subaru P1143</b> | Pressure Sensor Circuit range/Performance Problem (low input)                            |

| CODES               | DEFINITION                                                                                  |
|---------------------|---------------------------------------------------------------------------------------------|
| <b>Subaru P1144</b> | Pressure Sensor Circuit range/Performance Problem (high input)                              |
| <b>Subaru P1146</b> | Pressure Sensor Circuit range/Performance Problem (high input)                              |
| <b>Subaru P1151</b> | Rear Oxygen Sensor Heater Circuit High Input                                                |
| <b>Subaru P1152</b> | O2 Sensor Range/Performance (Low) (Bank 1 Sensor 1)                                         |
| <b>Subaru P1153</b> | O2 Sensor Circuit Range/Performance (High) (Bank 1 Sensor 1)                                |
| <b>Subaru P1154</b> | Bank 1 and Sensor 1 Oxygen Sensor (front left) Circuit Range/Performance Problem low Input  |
| <b>Subaru P1155</b> | Bank 2 and Sensor 1 Oxygen Sensor (front left) Circuit Range/Performance Problem High Input |
| <b>Subaru P1160</b> | Return Spring Failure                                                                       |
| <b>Subaru P1207</b> | Air Assist Injector Solenoid Valve Circuit Low Input                                        |
| <b>Subaru P1208</b> | Air Assist Injector Solenoid Valve Circuit high Input                                       |
| <b>Subaru P1301</b> | Misfire Detected (high temperature exhaust gas)                                             |
| <b>Subaru P1312</b> | Exhaust Gas Temperature Sensor malfunction                                                  |
| <b>Subaru P1325</b> | Knock Sensor Circuit Low Input                                                              |
| <b>Subaru P1400</b> | Fuel Tank Pressure Control Solenoid Valve Circuit Low                                       |
| <b>Subaru P1410</b> | Secondary Air Injection System Switching Valve Stuck Open                                   |
| <b>Subaru P1418</b> | Secondary Air Injection System Control "A" Circuit Shorted                                  |
| <b>Subaru P1420</b> | Fuel Tank Pressure Control Solenoid Valve Circuit High                                      |
| <b>Subaru P1421</b> | Exhaust Gas Recirculation Circuit High Input                                                |
| <b>Subaru P1422</b> | Evaporative Emission Control System Purge Control Valve Circuit High Input                  |

| CODES               | DEFINITION                                                      |
|---------------------|-----------------------------------------------------------------|
| <b>Subaru P1423</b> | Evaporative Emission Control System Vent Control High Input     |
| <b>Subaru P1440</b> | Fuel Tank Pressure Control System Function Problem (low input)  |
| <b>Subaru P1441</b> | Fuel Tank Pressure Control System Function Problem (high input) |
| <b>Subaru P1442</b> | Fuel level Sensor Circuit Range/Performance Problem 2           |
| <b>Subaru P1443</b> | Vent Control Solenoid Valve Function Problem                    |
| <b>Subaru P1445</b> | Air Assist Injector Solenoid Valve malfunction                  |
| <b>Subaru P1446</b> | Fuel Tank Sensor Control Valve Circuit Low                      |
| <b>Subaru P1447</b> | Fuel Tank Sensor Control Valve Circuit High                     |
| <b>Subaru P1448</b> | Fuel Tank Sensor Control Valve Range/Performance                |
| <b>Subaru P1449</b> | Evaporative Emission Cont. Sys. Air Filter Clog                 |
| <b>Subaru P1451</b> | Evaporative Emission Control System (Large Leak Detected)       |
| <b>Subaru P1480</b> | Cooling Fan Relay 1 Circuit High Input                          |
| <b>Subaru P1490</b> | Thermostat Malfunction                                          |
| <b>Subaru P1491</b> | Positive Crankcase Ventilation (Blow-by) Function Problem       |
| <b>Subaru P1492</b> | EGR Solenoid Valve Signal #1 Circuit Malfunction (low input)    |
| <b>Subaru P1493</b> | EGR Solenoid Valve Signal #1 Circuit Malfunction (High Input)   |
| <b>Subaru P1494</b> | EGR Solenoid Valve Signal #2 Circuit Malfunction (Low Input)    |
| <b>Subaru P1495</b> | EGR Solenoid Valve Signal #2 Circuit Malfunction (High Input)   |

| CODES               | DEFINITION                                                       |
|---------------------|------------------------------------------------------------------|
| <b>Subaru P1496</b> | EGR Solenoid Valve Signal #3 Circuit Malfunction (Low Input)     |
| <b>Subaru P1497</b> | EGR Solenoid Valve Signal #3 Circuit Malfunction (High Input)    |
| <b>Subaru P1498</b> | EGR Solenoid Valve Signal #4 Circuit Malfunction (Low Input)     |
| <b>Subaru P1499</b> | EGR Solenoid Valve Signal #4 Circuit Malfunction (High Input)    |
| <b>Subaru P1500</b> | Radiator Fan Relay 1 Circuit malfunction (fan 1)                 |
| <b>Subaru P1502</b> | Radiator Fan Function Problem                                    |
| <b>Subaru P1505</b> | Idle Control System Circuit High Input                           |
| <b>Subaru P1507</b> | Idle Control System Malfunction (fail safe)                      |
| <b>Subaru P1510</b> | ISC Solenoid Valve Signal No. 1 Circuit Malfunction (low input)  |
| <b>Subaru P1511</b> | ISC Solenoid Valve Signal No. 1 Circuit Malfunction (high input) |
| <b>Subaru P1512</b> | ISC Solenoid Valve Signal No. 2 Circuit Malfunction (low input)  |
| <b>Subaru P1513</b> | ISC Solenoid Valve Signal No. 2 Circuit Malfunction (high input) |
| <b>Subaru P1514</b> | ISC Solenoid Valve Signal No. 3 Circuit Malfunction (low input)  |
| <b>Subaru P1515</b> | ISC Solenoid Valve Signal No. 3 Circuit Malfunction (high input) |
| <b>Subaru P1516</b> | ISC Solenoid Valve Signal No. 4 Circuit Malfunction (low input)  |
| <b>Subaru P1517</b> | ISC Solenoid Valve Signal No. 4 Circuit Malfunction (high input) |
| <b>Subaru P1518</b> | Starter Switch Circuit Low Input                                 |

| CODES               | DEFINITION                                                     |
|---------------------|----------------------------------------------------------------|
| <b>Subaru P1520</b> | Cooling Fan Relay 1 Circuit High Input                         |
| <b>Subaru P1521</b> | Brake Switch Circuit Range                                     |
| <b>Subaru P1530</b> | Battery Current Sensor Circuit Low                             |
| <b>Subaru P1531</b> | Battery Current Sensor Circuit High                            |
| <b>Subaru P1532</b> | Battery Charging System                                        |
| <b>Subaru P1540</b> | Vehicle Speed Sensor Malfunction 2                             |
| <b>Subaru P1544</b> | Exhaust Gas Temperature Too High                               |
| <b>Subaru P1560</b> | Back-up Voltage Circuit Malfunction                            |
| <b>Subaru P1570</b> | Antenna                                                        |
| <b>Subaru P1571</b> | Reference Code Incompatibility                                 |
| <b>Subaru P1572</b> | IMM Circuit Failure (Except Antenna Circuit)                   |
| <b>Subaru P1574</b> | Key Communication Failure                                      |
| <b>Subaru P1576</b> | EGI Control Module EEPROM                                      |
| <b>Subaru P1577</b> | IMM Control Module EEPROM                                      |
| <b>Subaru P1578</b> | Meter Failure                                                  |
| <b>Subaru P1590</b> | Neutral Position Switch Circuit High Output                    |
| <b>Subaru P1591</b> | Neutral Position Switch Circuit Low Output                     |
| <b>Subaru P1594</b> | Automatic Transaxle Diagnosis Input Signal Circuit Malfunction |
| <b>Subaru P1595</b> | Automatic Transaxle Diagnosis Input Signal Circuit Low Input   |
| <b>Subaru P1596</b> | Automatic Transaxle Diagnosis Input Signal Circuit High Input  |
| <b>Subaru P1602</b> | Control Module Programming Error                               |

| CODES               | DEFINITION                                                                        |
|---------------------|-----------------------------------------------------------------------------------|
| <b>Subaru P1698</b> | Engine Torque Control Cut Signal Circuit Malfunction (low input)                  |
| <b>Subaru P1699</b> | Engine Torque Control Cut Signal Circuit Malfunction (high input)                 |
| <b>Subaru P1700</b> | Throttle Position Sensor Circuit Malfunction For Automatic Transmission           |
| <b>Subaru P1701</b> | Cruise Control Set Signal Circuit Malfunction For Automatic Transmission          |
| <b>Subaru P1702</b> | Automatic Transmission Diagnosis Input Signal Circuit Malfunction                 |
| <b>Subaru P1703</b> | Low Clutch Timing Control Solenoid Valve Circuit Malfunction                      |
| <b>Subaru P1704</b> | 2-4 Brake Timing Control Solenoid Valve Circuit Malfunction                       |
| <b>Subaru P1705</b> | 2-4 Brake Pressure Control Solenoid Valve (duty solenoid "D") Circuit Malfunction |
| <b>Subaru P1706</b> | AT Vehicle Speed Sensor Circuit Malfunction (Rear wheel)                          |
| <b>Subaru P1707</b> | AT AWD Solenoid Valve Circuit Malfunction                                         |
| <b>Subaru P1710</b> | Torque Converter Turbine 2 Speed Signal Circuit Malfunction                       |
| <b>Subaru P1711</b> | Engine Torque Control Signal No. 1 Circuit Malfunction                            |
| <b>Subaru P1712</b> | Engine Torque Control Signal No. 2 Circuit Malfunction                            |
| <b>Subaru P1718</b> | AT CAN Communication Circuit                                                      |
| <b>Subaru P1720</b> | DCCD CAN System Circuit                                                           |
| <b>Subaru P1722</b> | Automatic Transmission Diagnosis Input Signal Circuit High Input                  |
| <b>Subaru P1742</b> | Automatic Transmission Diagnosis Input Signal Circuit Malfunction                 |



| CODES               | DEFINITION                                          |
|---------------------|-----------------------------------------------------|
| <b>Subaru P1767</b> | DCCD Steering Angle Sensor                          |
| <b>Subaru P1769</b> | Yaw Rate & Lateral G Sensor Malfunction             |
| <b>Subaru P1817</b> | Sports Mode Switch Circuit (Manual Switch)          |
| <b>Subaru P1840</b> | Transmission Fluid Pressure Sensor Switch A Circuit |
| <b>Subaru P1841</b> | Transmission Fluid Pressure Sensor Switch B Circuit |
| <b>Subaru P1842</b> | Transmission Fluid Pressure Sensor Switch C Circuit |
| <b>Subaru P1843</b> | Transmission Fluid Pressure Sensor Switch D Circuit |
| <b>Subaru P1844</b> | Transmission Fluid Pressure Sensor Switch E Circuit |
| <b>Subaru P1875</b> | Circuit of Center Diff                              |
| <b>Subaru U1201</b> | CAN-HS Counter Abnormal                             |
| <b>Subaru U1202</b> | CAN-HS Bus Off                                      |
| <b>Subaru U1211</b> | CAN-HS ECM Data Abnormal                            |
| <b>Subaru U1212</b> | CAN-HS TCM Data Abnormal                            |
| <b>Subaru U1213</b> | CAN-HS VDC/ABS Data Abnormal                        |
| <b>Subaru U1221</b> | CAN-HS ECM No-Receive Data                          |
| <b>Subaru U1222</b> | CAN-HS TCM No-Receive Data                          |
| <b>Subaru U1223</b> | CAN-HS VDC/ABS No-Receive Data                      |
| <b>Subaru U1300</b> | CAN-LS Malfunction                                  |
| <b>Subaru U1301</b> | CAN-LS Counter Abnormal                             |
| <b>Subaru U1302</b> | CAN-LS Bus Off                                      |
| <b>Subaru U1311</b> | CAN-LS Meter Unit Data Abnormal                     |
| <b>Subaru U1321</b> | CAN-LS Meter No-Receive Data                        |

| CODES               | DEFINITION                                      |
|---------------------|-------------------------------------------------|
| <b>Toyota B1206</b> | P/W Master Switch Communication Stop            |
| <b>Toyota B1242</b> | Wireless Door Lock Tuner Circuit Malfunction    |
| <b>Toyota B1273</b> | Sliding Roof ECU Communication Stop             |
| <b>Toyota B1421</b> | Solar Sensor Circuit (Passenger Side)           |
| <b>Toyota B1443</b> | Air Outlet Damper Control Servo Motor Circuit   |
| <b>Toyota B1499</b> | Multiplex Communication Circuit                 |
| <b>Toyota B14A1</b> | Air Purifier Open Circuit                       |
| <b>Toyota B14A2</b> | Driver Side Solar Sensor Short Circuit          |
| <b>Toyota B1500</b> | Fuel Sender Open Detected                       |
| <b>Toyota B1503</b> | Exhaust Heat Management Warning Detected        |
| <b>Toyota B1504</b> | Lost Communication with Steering SW             |
| <b>Toyota B1561</b> | XM Tuner Disconnected (Command Line)            |
| <b>Toyota B1562</b> | XM Tuner Disconnected (Burst Mode)              |
| <b>Toyota B1570</b> | Manual (SOS) Switch Red Indicator Malfunction   |
| <b>Toyota B1571</b> | Manual (SOS) Switch Green Indicator Malfunction |
| <b>Toyota B1572</b> | Telephone Microphone Error                      |
| <b>Toyota B1573</b> | Short in Telephone Antenna Circuit              |
| <b>Toyota B1582</b> | Map Disk Reading Malfunction                    |
| <b>Toyota B1583</b> | GPS Signal Unreceived                           |
| <b>Toyota B1593</b> | No Response from Stereo Component Amplifier     |
| <b>Toyota B159F</b> | No Response from XM Tuner                       |
| <b>Toyota B15A0</b> | LAN Master Malfunction                          |

| CODES               | DEFINITION                                              |
|---------------------|---------------------------------------------------------|
| <b>Toyota B15A3</b> | Stereo Component Amplifier Malfunction                  |
| <b>Toyota B15A8</b> | Telematics Transceiver Malfunction                      |
| <b>Toyota B15AD</b> | Navigation Processor Malfunction                        |
| <b>Toyota B15B0</b> | Display Screen Malfunction                              |
| <b>Toyota B15B3</b> | Radio Tuner Malfunction                                 |
| <b>Toyota B15B7</b> | Bluetooth Module Malfunction                            |
| <b>Toyota B15BA</b> | XM Tuner Malfunction                                    |
| <b>Toyota B15C0</b> | Short in GPS Antenna                                    |
| <b>Toyota B15C1</b> | Open in GPS Antenna                                     |
| <b>Toyota B15C2</b> | Speed Signal Malfunction                                |
| <b>Toyota B15C4</b> | Airbag Signal Malfunction/Not Input                     |
| <b>Toyota B15C5</b> | Manual Button Malfunction                               |
| <b>Toyota B15CB</b> | Telematics Transceiver Antenna Disconnected             |
| <b>Toyota B15CC</b> | Backup Battery Failure                                  |
| <b>Toyota B15D3</b> | Stereo Component Amplifier Disconnected                 |
| <b>Toyota B15D8</b> | Monitor Disconnected                                    |
| <b>Toyota B15E1</b> | Media Malfunction                                       |
| <b>Toyota B15EC</b> | Backup Battery Degradation                              |
| <b>Toyota B15FE</b> | XM Tuner Antenna Disconnected                           |
| <b>Toyota B15FF</b> | XM Tuner Antenna Short                                  |
| <b>Toyota B1603</b> | Front Satellite Sensor BUS RH Initialization Incomplete |
| <b>Toyota B1650</b> | Occupant Classification System Malfunction              |

| CODES               | DEFINITION                                                      |
|---------------------|-----------------------------------------------------------------|
| <b>Toyota B1771</b> | Passenger Side Buckle Switch Circuit Malfunction                |
| <b>Toyota B1780</b> | Occupant Classification Sensor Front LH Circuit Malfunction     |
| <b>Toyota B1781</b> | Occupant Classification Sensor Front RH Circuit Malfunction     |
| <b>Toyota B1782</b> | Occupant Classification Sensor Rear LH Circuit Malfunction      |
| <b>Toyota B1783</b> | Occupant Classification Sensor Rear RH Circuit Malfunction      |
| <b>Toyota B1785</b> | Occupant Classification Sensor Front LH Collision Detection     |
| <b>Toyota B1786</b> | Occupant Classification Sensor Front RH Collision Detection     |
| <b>Toyota B1787</b> | Occupant Classification Sensor Rear LH Collision Detection      |
| <b>Toyota B1788</b> | Occupant Classification Sensor Rear RH Collision Detection      |
| <b>Toyota B1790</b> | Airbag Sensor Assy Center Communication Circuit Malfunction     |
| <b>Toyota B1793</b> | Occupant Classification Sensor Power Supply Circuit Malfunction |
| <b>Toyota B1794</b> | Occupant Classification ECU Battery Positive Line Open          |
| <b>Toyota B1795</b> | Occupant Classification ECU Malfunction                         |
| <b>Toyota B1796</b> | Sleep Operation Failure Of Occupant Classification ECU          |
| <b>Toyota B2271</b> | Ignition Hold Monitor Malfunction                               |
| <b>Toyota B2274</b> | ACC Monitor Malfunction                                         |
| <b>Toyota B2275</b> | STSW Monitor Malfunction                                        |
| <b>Toyota B2277</b> | Detecting Vehicle Submersion                                    |

| CODES               | DEFINITION                                              |
|---------------------|---------------------------------------------------------|
| <b>Toyota B2282</b> | Vehicle Speed Signal Malfunction                        |
| <b>Toyota B2284</b> | Brake Signal Malfunction                                |
| <b>Toyota B2286</b> | Runnable Signal Malfunction                             |
| <b>Toyota B2287</b> | LIN Communication Master Malfunction                    |
| <b>Toyota B2321</b> | Driver Side Door ECU Communication Stop                 |
| <b>Toyota B2322</b> | Front Passenger Side Door ECU Communication Stop        |
| <b>Toyota B2323</b> | Rear Door RH ECU Communication Stop                     |
| <b>Toyota B2324</b> | Rear Door LH ECU Communication Stop                     |
| <b>Toyota B2325</b> | LIN Communication Bus Malfunction                       |
| <b>Toyota B2779</b> | Engine Starter Communication Malfunction                |
| <b>Toyota B2780</b> | Push Switch/Key Unlock Warning Switch Malfunction       |
| <b>Toyota B2784</b> | Antenna Coil Open / Short                               |
| <b>Toyota B2785</b> | Communication Malfunction between ECUs Connected by LIN |
| <b>Toyota B2786</b> | No Response from Steering Lock ECU                      |
| <b>Toyota B2789</b> | No Response from ID BOX                                 |
| <b>Toyota B278A</b> | Short To GND In Immobilizer System Power Source Circuit |
| <b>Toyota B278C</b> | Lost Communication with Power Source Control            |
| <b>Toyota B2790</b> | ID BOX EEPROM Malfunction                               |
| <b>Toyota B2791</b> | Communication Condition Failure Between ECM             |
| <b>Toyota B2793</b> | Transponder Chip Malfunction                            |
| <b>Toyota B2794</b> | Unmatched Encryption Code                               |

| CODES               | DEFINITION                                                     |
|---------------------|----------------------------------------------------------------|
| <b>Toyota B2795</b> | Unmatched Key Code                                             |
| <b>Toyota B2796</b> | No Communication in Immobilizer System                         |
| <b>Toyota B2797</b> | Communication Malfunction No. 1                                |
| <b>Toyota B2798</b> | Communication Malfunction No. 2                                |
| <b>Toyota B2799</b> | Engine Immobiliser System Malfunction                          |
| <b>Toyota B279A</b> | Theft Deterrent System Communication Line High Fixation        |
| <b>Toyota C1201</b> | Engine Control System Malfunction                              |
| <b>Toyota C1203</b> | ECM Communication Circuit Malfunction                          |
| <b>Toyota C1210</b> | Zero Point Calibration of Yaw Rate Sensor Undone               |
| <b>Toyota C1223</b> | ABS Control System Malfunction                                 |
| <b>Toyota C1225</b> | SM Solenoid Circuit                                            |
| <b>Toyota C1232</b> | Acceleration Sensor Stuck Malfunction                          |
| <b>Toyota C1241</b> | Low Power Supply Voltage Malfunction                           |
| <b>Toyota C1243</b> | Acceleration Sensor Stuck Malfunction                          |
| <b>Toyota C1245</b> | Acceleration Sensor Output Malfunction                         |
| <b>Toyota C1271</b> | RF Speed Output                                                |
| <b>Toyota C1272</b> | LF Speed Output                                                |
| <b>Toyota C1279</b> | Acceleration Sensor Output Voltage Malfunction (Test Mode DTC) |
| <b>Toyota C1300</b> | Skid Control ECU Malfunction                                   |
| <b>Toyota C1336</b> | Zero Point Calibration of Acceleration Sensor Undone           |
| <b>Toyota C1361</b> | Short in ABS Motor Fail Safe Relay Circuit                     |

| CODES               | DEFINITION                                             |
|---------------------|--------------------------------------------------------|
| <b>Toyota C1381</b> | Acceleration Sensor Power Supply Voltage Malfunction   |
| <b>Toyota C1401</b> | Front Speed Sensor RH Malfunction                      |
| <b>Toyota C1402</b> | Front Speed Sensor LH Malfunction                      |
| <b>Toyota C1403</b> | Rear Speed Sensor RH Malfunction                       |
| <b>Toyota C1404</b> | Rear Speed Sensor LH Malfunction                       |
| <b>Toyota C1405</b> | Open or Short in Front Speed Sensor RH Circuit         |
| <b>Toyota C1406</b> | Open or Short in Front Speed Sensor LH Circuit         |
| <b>Toyota C1407</b> | Open or Short in Rear Speed Sensor RH Circuit          |
| <b>Toyota C1408</b> | Open or Short in Rear Speed Sensor LH Circuit          |
| <b>Toyota C1413</b> | Front Speed Sensor RH Output Malfunction               |
| <b>Toyota C1414</b> | Front Speed Sensor LH Output Malfunction               |
| <b>Toyota C1415</b> | Rear Speed Sensor RH Output Malfunction                |
| <b>Toyota C1416</b> | Rear Speed Sensor LH Output Malfunction                |
| <b>Toyota C1417</b> | High Power Supply Voltage Malfunction                  |
| <b>Toyota C1425</b> | Open In Stop Light Switch Circuit                      |
| <b>Toyota C1427</b> | Motor Malfunction                                      |
| <b>Toyota C1428</b> | Motor Circuit Malfunction                              |
| <b>Toyota C1432</b> | Steering Angle Sensor Power Source Voltage Malfunction |
| <b>Toyota C1433</b> | Steering Angle Sensor Internal Circuit                 |
| <b>Toyota C1434</b> | Steering Angle Sensor Output Malfunction               |
| <b>Toyota C1436</b> | Yaw Rate Sensor Malfunction                            |
| <b>Toyota C1437</b> | Lost Communication with ECM                            |

| CODES               | DEFINITION                                                |
|---------------------|-----------------------------------------------------------|
| <b>Toyota C1439</b> | Steering Angle Sensor Initialization Incomplete           |
| <b>Toyota C1440</b> | Unusual Bank Angle Detected                               |
| <b>Toyota C1442</b> | Invalid Data Received from Acceleration Sensor            |
| <b>Toyota C1443</b> | Invalid Data Received from Yaw Rate Sensor`               |
| <b>Toyota C1445</b> | Vehicle Driven with Steering Angle Sensor not Initialized |
| <b>Toyota C1511</b> | Torque Sensor Circuit Malfunction                         |
| <b>Toyota C1512</b> | Torque Sensor Circuit Malfunction                         |
| <b>Toyota C1513</b> | Torque Sensor Circuit Malfunction                         |
| <b>Toyota C1514</b> | Torque Sensor Power Supply Abnormal                       |
| <b>Toyota C1515</b> | Torque Sensor Zero Point Adjustment Undone                |
| <b>Toyota C1516</b> | Torque Sensor Zero Point Adjustment Incomplete            |
| <b>Toyota C1517</b> | Torque Hold Abnormal                                      |
| <b>Toyota C1524</b> | Motor Circuit Malfunction                                 |
| <b>Toyota C1531</b> | ECU Malfunction                                           |
| <b>Toyota C1532</b> | ECU Malfunction                                           |
| <b>Toyota C1533</b> | ECU Malfunction                                           |
| <b>Toyota C1534</b> | ECU Malfunction                                           |
| <b>Toyota C1535</b> | ECU Malfunction                                           |
| <b>Toyota C1551</b> | IG Power Supply Voltage Malfunction                       |
| <b>Toyota C1552</b> | PIG Power Supply Voltage Malfunction                      |
| <b>Toyota C1553</b> | PIG Power Supply Overvoltage                              |
| <b>Toyota C1554</b> | Power Supply Relay Failure                                |



| CODES               | DEFINITION                                   |
|---------------------|----------------------------------------------|
| <b>Toyota C1555</b> | Motor Relay Welding Failure                  |
| <b>Toyota C1581</b> | Assist Map Number Un-Writing                 |
| <b>Toyota C1582</b> | Assist Map Number Mismatch                   |
| <b>Toyota C1611</b> | ECU Malfunction                              |
| <b>Toyota C1612</b> | IG Voltage is Low or High                    |
| <b>Toyota C1613</b> | ACC Voltage is Low or High                   |
| <b>Toyota C1621</b> | Back Camera Power Supply Failure             |
| <b>Toyota C1622</b> | Open or Short Circuit in Back Camera Signal  |
| <b>Toyota C1625</b> | Open or Short in Steering Angle Sensor +B    |
| <b>Toyota C1626</b> | Steering Angle Sensor Failure                |
| <b>Toyota C1627</b> | Vehicle Height Sensor Voltage is Low or High |
| <b>Toyota C1628</b> | Vehicle Height Sensor Failure                |
| <b>Toyota C1645</b> | Power Steering Control System Failure        |
| <b>Toyota C164A</b> | EPS Communication Malfunction                |
| <b>Toyota C164E</b> | Stop Switch Circuit Malfunction              |
| <b>Toyota C1657</b> | Hybrid Powertrain Control Module             |
| <b>Toyota C1658</b> | Speed Sensor Malfunction                     |
| <b>Toyota C1659</b> | Brake System Malfunction                     |
| <b>Toyota C1662</b> | Ambient Temperature High                     |
| <b>Toyota C168B</b> | AVC-LAN Communication Malfunction            |
| <b>Toyota C168C</b> | AVC-LAN Command Time Out                     |
| <b>Toyota C1691</b> | Back Camera Initialization Incomplete        |

| CODES               | DEFINITION                                                 |
|---------------------|------------------------------------------------------------|
| <b>Toyota C1694</b> | Steering Angle Initialization Incomplete                   |
| <b>Toyota C1695</b> | Zero point Calibration of Vehicle Height Sensor Incomplete |
| <b>Toyota C1AE0</b> | Front Left Side Sensor                                     |
| <b>Toyota C1AE5</b> | Front Right Side Sensor                                    |
| <b>Toyota C1AEF</b> | APGS Sensor Communication Circuit                          |
| <b>Toyota C2121</b> | No Signal from Transmitter ID1 in Main Mode                |
| <b>Toyota C2126</b> | Transmitter ID not Received in Main Mode                   |
| <b>Toyota C2182</b> | Transmitter ID2 not Received (Test Mode DTC)               |
| <b>Toyota C2300</b> | Actuator System Malfunction                                |
| <b>Toyota C2301</b> | Shift Changing Time Malfunction                            |
| <b>Toyota C2303</b> | Short in Power Source Relay Circuit                        |
| <b>Toyota C2304</b> | Open or Short Circuit in U Phase                           |
| <b>Toyota C2305</b> | Open or Short Circuit in V Phase                           |
| <b>Toyota C2306</b> | Open or Short Circuit in W Phase                           |
| <b>Toyota C2307</b> | Power Supply (Transmission Control ECU)                    |
| <b>Toyota C2308</b> | EEPROM Malfunction                                         |
| <b>Toyota C2309</b> | Open in B+ Circuit                                         |
| <b>Toyota C2310</b> | Open or Short Circuit in Battery Circuit                   |
| <b>Toyota C2311</b> | Communication Error from HV ECU                            |
| <b>Toyota C2315</b> | HV System                                                  |
| <b>Toyota P1010</b> | OCV for VVTL Circuit (Bank 1)                              |
| <b>Toyota P1011</b> | OCV for VVTL Open Malfunction (Bank 1)                     |

| CODES               | DEFINITION                                                                                        |
|---------------------|---------------------------------------------------------------------------------------------------|
| <b>Toyota P1012</b> | OCV for VVTL Close Malfunction (Bank 1)                                                           |
| <b>Toyota P101D</b> | A/F Sensor Heater Circuit Performance Bank 1 Sensor 1 Stuck ON                                    |
| <b>Toyota P102D</b> | O2 Sensor Heater Circuit Performance Bank 1 Sensor 2 Stuck ON                                     |
| <b>Toyota P106A</b> | Evaporative Emission System Pressure Sensor - Manifold Absolute Pressure Correlation              |
| <b>Toyota P106B</b> | Evaporative Emission System Pressure Sensor - Secondary Air Injection Pressure Sensor Correlation |
| <b>Toyota P1100</b> | Barometric Pressure Sensor Circuit Malfunction                                                    |
| <b>Toyota P1115</b> | Coolant Temperature Sensor Circuit For Coolant Heat Storage System                                |
| <b>Toyota P1116</b> | Coolant Temperature Sensor Circuit Stack For Coolant Heat Storage System                          |
| <b>Toyota P1117</b> | Coolant Temperature Sensor Circuit Low For Coolant Heat Storage System                            |
| <b>Toyota P1118</b> | Coolant Temperature Sensor Circuit High For Coolant Heat Storage System                           |
| <b>Toyota P1120</b> | Accelerator Pedal Position Sensor Circuit Malfunction                                             |
| <b>Toyota P1121</b> | ETCS Accelerator Pedal Position Sensor Performance                                                |
| <b>Toyota P1122</b> | Coolant Flow Control Valve Position Sensor Circuit Low                                            |
| <b>Toyota P1123</b> | Coolant Flow Control Valve Position Sensor Circuit High                                           |
| <b>Toyota P1125</b> | Throttle Control Motor Circuit Malfunction                                                        |
| <b>Toyota P1126</b> | Magnetic Clutch Circuit Malfunction                                                               |
| <b>Toyota P1127</b> | ETCS Actuator Power Source Circuit Malfunction                                                    |
| <b>Toyota P1128</b> | Throttle Control Motor Lock Malfunction                                                           |
| <b>Toyota P1129</b> | Electric Throttle Control System (ETCS) Malfunction                                               |

| CODES               | DEFINITION                                                                   |
|---------------------|------------------------------------------------------------------------------|
| <b>Toyota P1130</b> | A/F Sensor Circuit Range/Performance Malfunction (Only for California Spec.) |
| <b>Toyota P1133</b> | A/F Sensor Circuit Response Malfunction (Only for California Spec.)          |
| <b>Toyota P1135</b> | A/F Sensor Heater Circuit Malfunction (Only for California Spec.)            |
| <b>Toyota P1150</b> | A/F Sensor-21 (Bank 2 Sensor 1) Circuit Malfunction                          |
| <b>Toyota P1151</b> | Coolant Heat Storage Tank                                                    |
| <b>Toyota P1153</b> | A/F Sensor-21 (Bank 2 Sensor 1) Slow Response                                |
| <b>Toyota P1155</b> | A/F Sensor-21 (Bank 2 Sensor 1) Heater Circuit Malfunction                   |
| <b>Toyota P1200</b> | Fuel Pump Relay Circuit Malfunction                                          |
| <b>Toyota P1300</b> | Igniter Circuit Malfunction                                                  |
| <b>Toyota P1305</b> | Igniter No. 2 Circuit Malfunction                                            |
| <b>Toyota P1310</b> | Igniter No. 3 Circuit Malfunction                                            |
| <b>Toyota P1315</b> | Igniter Circuit Malfunction (No.4)                                           |
| <b>Toyota P1320</b> | Igniter Circuit Malfunction (No.5)                                           |
| <b>Toyota P1325</b> | Igniter Circuit Malfunction (No.6)                                           |
| <b>Toyota P1330</b> | Igniter No. 7 Circuit Malfunction                                            |
| <b>Toyota P1335</b> | Crankshaft Position Sensor Circuit Malfunction                               |
| <b>Toyota P1340</b> | Camshaft Position Sensor "A" (Bank 1 Sensor 2)                               |
| <b>Toyota P1341</b> | Camshaft Position Sensor "A" (Bank 1 Sensor 2 )                              |
| <b>Toyota P1342</b> | Camshaft Position Sensor "A" Low Input (MRE)                                 |
| <b>Toyota P1343</b> | Camshaft Position Sensor "A" High Input (MRE)                                |

| CODES               | DEFINITION                                                                     |
|---------------------|--------------------------------------------------------------------------------|
| <b>Toyota P1345</b> | VVT Sensor/Camshaft Position Sensor Circuit Malfunction (Bank 1)               |
| <b>Toyota P1346</b> | VVT Sensor/Camshaft Position Sensor Circuit Range/Performance Problem (Bank 1) |
| <b>Toyota P1349</b> | VVT System Malfunction                                                         |
| <b>Toyota P1350</b> | VVT Sensor/Camshaft Position Sensor Circuit Malfunction (Bank 2)               |
| <b>Toyota P1351</b> | VVT Sensor/Camshaft Position Sensor Circuit Range/Performance Problem (Bank 2) |
| <b>Toyota P1354</b> | VVT System Malfunction (Bank 2)                                                |
| <b>Toyota P1400</b> | Sub-Throttle Position Sensor Circuit Malfunction                               |
| <b>Toyota P1401</b> | Sub-Throttle Position Sensor Range/Performance                                 |
| <b>Toyota P1405</b> | Turbo Pressure Sensor Circuit Malfunction                                      |
| <b>Toyota P1406</b> | Turbo Pressure Sensor Range/Performance Problem                                |
| <b>Toyota P1410</b> | EGR Valve Position Sensor Circuit Malfunction                                  |
| <b>Toyota P1411</b> | EGR Valve Position Sensor Circuit Range/Performance Problem                    |
| <b>Toyota P1420</b> | Evaporative Emission Canister Small Leak                                       |
| <b>Toyota P1421</b> | Evaporative Emission Canister Gross Leak                                       |
| <b>Toyota P1422</b> | Fuel Tank Small Leak                                                           |
| <b>Toyota P1423</b> | Fuel Tank Gross Leak                                                           |
| <b>Toyota P1430</b> | Vacuum Sensor for Absorber & Catalyst System Circuit Malfunction               |
| <b>Toyota P1431</b> | Vacuum Sensor for Absorber & Catalyst Performance                              |
| <b>Toyota P1436</b> | Variable Valve Malfunction                                                     |
| <b>Toyota P1437</b> | Vacuum Line Malfunction                                                        |

| CODES               | DEFINITION                                                             |
|---------------------|------------------------------------------------------------------------|
| <b>Toyota P1440</b> | Secondary Air Injection System Control Valve Circuit Bank 1            |
| <b>Toyota P1441</b> | Secondary Air Injection System Switching Valve No.2 Bank 1 Stuck Open  |
| <b>Toyota P1442</b> | Secondary Air Injection System Switching Valve No.2 Bank 1 Stuck Close |
| <b>Toyota P1443</b> | Secondary Air Injection System Control Valve Circuit Bank 2            |
| <b>Toyota P1444</b> | Secondary Air Injection System Switching Valve No.2 Bank 2 Stuck Open  |
| <b>Toyota P1445</b> | Secondary Air Injection System Switching Valve No.2 Bank 2 Stuck Close |
| <b>Toyota P1450</b> | Fuel Tank Pressure Sensor                                              |
| <b>Toyota P1451</b> | Fuel Tank Pressure Sensor Range/Performance                            |
| <b>Toyota P1452</b> | Fuel Tank Pressure Sensor Low Input                                    |
| <b>Toyota P1453</b> | Fuel Tank Pressure Sensor High Input                                   |
| <b>Toyota P1455</b> | Vapor Reducing Fuel Tank Small Leak Detected                           |
| <b>Toyota P1500</b> | Starter Signal Circuit Malfunction                                     |
| <b>Toyota P1510</b> | Boost Pressure Control Circuit Malfunction (SC Enabled)                |
| <b>Toyota P1511</b> | Turbo Boost Pressure Low Malfunction                                   |
| <b>Toyota P1512</b> | Turbo Boost Pressure High Malfunction                                  |
| <b>Toyota P1520</b> | Stop Light Switch Signal Malfunction (A/T Only)                        |
| <b>Toyota P1521</b> | Ignition Switch Malfunction                                            |
| <b>Toyota P1525</b> | Cruise Control Switch Circuit Malfunction                              |
| <b>Toyota P1550</b> | Battery Current Sensor Circuit                                         |
| <b>Toyota P1551</b> | Battery Current Sensor Circuit Low                                     |

| CODES               | DEFINITION                                           |
|---------------------|------------------------------------------------------|
| <b>Toyota P1552</b> | Battery Current Sensor Circuit High                  |
| <b>Toyota P1566</b> | Cruise Control Main Switch Circuit Malfunction       |
| <b>Toyota P1571</b> | Radar Sensor Malfunction                             |
| <b>Toyota P1572</b> | Improper Aiming of Radar Sensor Beam Axis            |
| <b>Toyota P1575</b> | Warning Buzzer Malfunction                           |
| <b>Toyota P1578</b> | Brake System Malfunction                             |
| <b>Toyota P1600</b> | PCM Battery Backup Circuit Malfunction               |
| <b>Toyota P1602</b> | Deterioration of Battery                             |
| <b>Toyota P1605</b> | Knock Control CPU Malfunction                        |
| <b>Toyota P1607</b> | Cruise Control Input Processor                       |
| <b>Toyota P1613</b> | Secondary Air Injection Driver Malfunction           |
| <b>Toyota P1614</b> | Secondary Air Injection System Driver Bank 2         |
| <b>Toyota P1615</b> | Communication Error from Distance Control ECU to ECM |
| <b>Toyota P1616</b> | Communication Error from ECM to Distance Control ECU |
| <b>Toyota P1617</b> | Distance Control ECU Malfunction                     |
| <b>Toyota P1630</b> | Communication Error from VSC to ECM                  |
| <b>Toyota P1631</b> | Communication Error from ECM to VSC                  |
| <b>Toyota P1633</b> | ECM Malfunction (ETCS Circuit)                       |
| <b>Toyota P1636</b> | HV ECU Malfunction                                   |
| <b>Toyota P1637</b> | EGSTP Signal Malfunction                             |
| <b>Toyota P1645</b> | Body ECU Malfunction                                 |
| <b>Toyota P1646</b> | Transmission Control ECU Malfunction                 |

| CODES               | DEFINITION                                                                              |
|---------------------|-----------------------------------------------------------------------------------------|
| <b>Toyota P1647</b> | CAN Communication Malfunction                                                           |
| <b>Toyota P1652</b> | IACV Control Circuit Malfunction                                                        |
| <b>Toyota P1656</b> | OCV Circuit Malfunction                                                                 |
| <b>Toyota P1658</b> | Waste Gate Valve Control Circuit Malfunction                                            |
| <b>Toyota P1661</b> | Exhaust Gas Control Valve Control Circuit Malfunction                                   |
| <b>Toyota P1662</b> | Exhaust Bypass Valve Control Circuit Malfunction                                        |
| <b>Toyota P1663</b> | OCV Circuit Malfunction (bank 2)                                                        |
| <b>Toyota P1690</b> | Oil Control Valve Circuit Malfunction                                                   |
| <b>Toyota P1692</b> | Oil Control Valve Circuit Malfunction (Open)                                            |
| <b>Toyota P1693</b> | Oil Control Valve Circuit Malfunction (Closed)                                          |
| <b>Toyota P1700</b> | Vehicle Speed Sensor '2' Circuit Malfunction                                            |
| <b>Toyota P1705</b> | A/T Direct Clutch Speed Sensor Circuit Malfunction                                      |
| <b>Toyota P1715</b> | Rear Wheel Sensor Circuit Malfunction (Rear Speed Sensor)                               |
| <b>Toyota P1725</b> | NT Revolution Sensor Circuit Malfunction (Input Turbine Speed Sensor)                   |
| <b>Toyota P1730</b> | NC Revolution Sensor Circuit Malfunction (Counter Gear Speed Sensor)                    |
| <b>Toyota P1735</b> | Front Right Speed Sensor Malfunction                                                    |
| <b>Toyota P1740</b> | Front Left Speed Sensor Malfunction                                                     |
| <b>Toyota P1755</b> | Liner Solenoid for Lock-up Control Circuit Malfunction                                  |
| <b>Toyota P1760</b> | Linear Solenoid for Line Pressure Control Circuit Malfunction (Shift Solenoid Valve ST) |
| <b>Toyota P1765</b> | A/T Linear Shift Solenoid Circuit Malfunction                                           |



| CODES               | DEFINITION                                                                      |
|---------------------|---------------------------------------------------------------------------------|
| <b>Toyota P1770</b> | Differential Lock Solenoid No. 1 Circuit Malfunction (Shift Solenoid Valve SLD) |
| <b>Toyota P1780</b> | Park/Neutral Position Switch Circuit Malfunction                                |
| <b>Toyota P1781</b> | Shift Lever Switch Malfunction                                                  |
| <b>Toyota P1782</b> | Transfer L4 Switch Malfunction                                                  |
| <b>Toyota P1783</b> | Transfer Neutral Switch Malfunction                                             |
| <b>Toyota P1790</b> | ST Solenoid Valve Circuit Malfunction                                           |
| <b>Toyota P1810</b> | CAN Communication Malfunction                                                   |
| <b>Toyota P1835</b> | Front Right Speed Sensor Malfunction                                            |
| <b>Toyota P1839</b> | Rear Right Speed Sensor Malfunction                                             |
| <b>Toyota P1840</b> | Front Left Speed Sensor Malfunction                                             |
| <b>Toyota P1844</b> | Rear Left Speed Sensor Malfunction                                              |
| <b>Toyota P1851</b> | Accumulator Pressure Sensor Malfunction                                         |
| <b>Toyota P1853</b> | Master Solenoid Malfunction                                                     |
| <b>Toyota P1854</b> | HPU Motor Relay Malfunction                                                     |
| <b>Toyota P1855</b> | Clutch Stroke Sensor Malfunction                                                |
| <b>Toyota P1857</b> | Clutch Control System Malfunction                                               |
| <b>Toyota P1860</b> | Master Pressure Sensor Malfunction                                              |
| <b>Toyota P1863</b> | Master Pressure Control System Malfunction                                      |
| <b>Toyota P1866</b> | Shift Solenoid Malfunction                                                      |
| <b>Toyota P1868</b> | Select Solenoid Malfunction                                                     |
| <b>Toyota P1870</b> | Shift Stroke Sensor Malfunction                                                 |
| <b>Toyota P1873</b> | Shift Stroke Control System Malfunction                                         |

| CODES               | DEFINITION                                           |
|---------------------|------------------------------------------------------|
| <b>Toyota P1874</b> | Select Stroke Sensor Malfunction                     |
| <b>Toyota P1878</b> | Clutch Solenoid Circuit Malfunction                  |
| <b>Toyota P1880</b> | HPU Pressure Control System Malfunction              |
| <b>Toyota P1881</b> | Reverse switch malfunction                           |
| <b>Toyota P1882</b> | Shift Stroke Sensor Malfunction (Output Error)       |
| <b>Toyota P1883</b> | Select Stroke Sensor Malfunction                     |
| <b>Toyota P3001</b> | Battery ECU Malfunction                              |
| <b>Toyota P3002</b> | HV ECU Communication Malfunction                     |
| <b>Toyota P3004</b> | Power Cable Malfunction                              |
| <b>Toyota P3005</b> | High Voltage Fuse Snapped                            |
| <b>Toyota P3006</b> | Battery SOC Are Uneven                               |
| <b>Toyota P3009</b> | Leak Detected                                        |
| <b>Toyota P3010</b> | Battery Total Resistance Malfunction                 |
| <b>Toyota P3015</b> | Battery Block 5 Becomes Weak                         |
| <b>Toyota P3030</b> | Battery Voltage Detective line Snapped               |
| <b>Toyota P3060</b> | Battery Temperature sensor Circuit Malfunction       |
| <b>Toyota P3076</b> | Abnormal Air Flow by Battery Cooling Fan             |
| <b>Toyota P3077</b> | Battery Cooling Fan Motor Circuit Malfunction        |
| <b>Toyota P3105</b> | Battery Smart Unit Communication Circuit Malfunction |
| <b>Toyota P3115</b> | HV Battery Current Sensor Malfunction                |
| <b>Toyota P3190</b> | Poor Engine Power                                    |
| <b>Toyota P3191</b> | Engine does not Start                                |

| CODES                   | DEFINITION                                                                        |
|-------------------------|-----------------------------------------------------------------------------------|
| <b>Toyota P3193</b>     | Fuel Run Out                                                                      |
| <b>Toyota U1000</b>     | Can Communication Failure (Message Registry)                                      |
| <b>Toyota U1002</b>     | (CAN No. 2 BUS)                                                                   |
| <b>Toyota U1100</b>     | Lost Communication with Seat Belt Control ECU                                     |
| <b>Toyota U1102</b>     | Lost Communication with Cruise Control Module                                     |
| <b>Toyota U1104</b>     | Lost Communication with Driving Support ECU                                       |
| <b>Toyota U1105</b>     | Lost Communication with Parking Assist ECU                                        |
| <b>Toyota U110B</b>     | Lost Communication with Parking Assist Control Module "B"                         |
| <b>Toyota U1110</b>     | Lost Communication with Clearance Sonar Module                                    |
| <b>Toyota U1111</b>     | Lost Communication with Body No. 5 Module                                         |
| <b>Toyota U1115</b>     | Lost Communication with Tilt and Telescopic Module                                |
| <b>Toyota U1119</b>     | Lost Communication with Object Recognition ECU (CAN)                              |
| <b>Toyota U1121</b>     | Lost Communication with Driver Monitor ECU                                        |
| <b>Volkswagen P1004</b> | Torque difference cylinder 1 Limiting value exceeded                              |
| <b>Volkswagen P1005</b> | Torque difference cylinder 2 Limiting value exceeded                              |
| <b>Volkswagen P1007</b> | Torque difference cylinder 4 Limiting value exceeded                              |
| <b>Volkswagen P1009</b> | Air mass meter 1/2 implausible signal from load detection                         |
| <b>Volkswagen P1025</b> | Fuel Pressure Regulator Valve Mechanical Malfunction                              |
| <b>Volkswagen P1026</b> | Activation Intake Manifold Flap for Air Stream Regulation Short Circuit to B+     |
| <b>Volkswagen P1027</b> | Activation Intake Manifold Flap for Air Stream Regulation Short Circuit to Ground |

| CODES                   | DEFINITION                                                             |
|-------------------------|------------------------------------------------------------------------|
| <b>Volkswagen P1028</b> | Activation Intake Manifold Flap for Air Stream Regulation Open Circuit |
| <b>Volkswagen P1093</b> | Fuel Trim 2, Bank 1 Malfunction                                        |
| <b>Volkswagen P1100</b> | O2 Sensor Circuit (Bank 1-Sensor 2) Heating Circuit Voltage Too Low    |
| <b>Volkswagen P1102</b> | O2 Sensor Circuit (Bank 1-Sensor 1) Short to B+                        |
| <b>Volkswagen P1103</b> | O2 Sensor Circuit (Bank 1-Sensor 1) Output Too Low                     |
| <b>Volkswagen P1105</b> | O2 Sensor Circuit (Bank 1-Sensor 2) Short to B+                        |
| <b>Volkswagen P1107</b> | O2 Sensor Circuit (Bank 2-Sensor 1) Voltage Too Low                    |
| <b>Volkswagen P1110</b> | O2 Sensor Circuit (Bank 2-Sensor 2) Short to B+                        |
| <b>Volkswagen P1111</b> | O2 Control (Bank 1) System Too Lean                                    |
| <b>Volkswagen P1112</b> | O2 Control (Bank 1) System Too Rich                                    |
| <b>Volkswagen P1113</b> | O2 Control (Bank 1 Sensor 1) Internal Resistance Too High              |
| <b>Volkswagen P1114</b> | O2 Control (Bank 1 Sensor 2) Internal Resistance Too High              |
| <b>Volkswagen P1115</b> | O2 Control (Bank 1 Sensor 1) Short to Ground                           |
| <b>Volkswagen P1116</b> | O2 Control (Bank 1 Sensor 1) Open                                      |
| <b>Volkswagen P1117</b> | O2 Control (Bank 1 Sensor 2) Open                                      |
| <b>Volkswagen P1118</b> | O2 Sensor Heater Circ. (Bank 1-Sensor2) Open                           |
| <b>Volkswagen P1127</b> | Long Term Fuel Trim Add. Air. Bank 1 System Too Rich                   |
| <b>Volkswagen P1128</b> | Long Term Fuel Trim Add. Air. Bank 1 System Too Lean                   |
| <b>Volkswagen P1129</b> | Long Term Fuel Trim at Rich Limit                                      |
| <b>Volkswagen P1130</b> | Long Term Fuel Trim at Lean Limit                                      |

| CODES                   | DEFINITION                                                         |
|-------------------------|--------------------------------------------------------------------|
| <b>Volkswagen P1136</b> | Long Term Fuel Trim Add. Fuel, Bank 1 System Too Lean              |
| <b>Volkswagen P1137</b> | Long Term Fuel Trim Add. Fuel, Bank 1 System Too Rich              |
| <b>Volkswagen P1138</b> | Long Term Fuel Trim Add. Fuel, Bank 2 System Too Lean              |
| <b>Volkswagen P1139</b> | Long Term Fuel Trim Add. Fuel, Bank 2 System Too Rich              |
| <b>Volkswagen P1141</b> | Load Calculation Cross Check Range/Performance                     |
| <b>Volkswagen P1142</b> | Load Calculation Cross Check Lower Limit                           |
| <b>Volkswagen P1143</b> | Load Calculation Cross Check Upper Limit                           |
| <b>Volkswagen P1149</b> | O2 Control (Bank 1) Out of Range                                   |
| <b>Volkswagen P1150</b> | Lack of HO2S-21 Switching, Fuel Trim At Rich/Lean Limit            |
| <b>Volkswagen P1151</b> | Long Term Fuel Trim (Bank1, Range 1) Leanness Lower Limit Exceeded |
| <b>Volkswagen P1152</b> | Long Term Fuel Trim (Bank1, Range 2) Leanness Lower Limit Exceeded |
| <b>Volkswagen P1165</b> | Bank 1, Long Term Fuel Trim, Range 1 Rich Limit Exceeded           |
| <b>Volkswagen P1166</b> | Bank 1, Long Term Fuel Trim, Range 2 Rich Limit Exceeded           |
| <b>Volkswagen P1171</b> | Throttle Actuation Potentiometer Sign.2 Range/Performance          |
| <b>Volkswagen P1172</b> | Throttle Actuation Potentiometer Sign.2 Signal Too Low             |
| <b>Volkswagen P1173</b> | Throttle Actuation Potentiometer Sign.2 Signal Too High            |
| <b>Volkswagen P1176</b> | O2 Correction Behind Catalyst B1 Limit Attained                    |
| <b>Volkswagen P1177</b> | O2 Correction Behind Catalyst B2 Limit Attained                    |
| <b>Volkswagen P1178</b> | Linear O2 Sensor/Pump Current Open Circuit                         |
| <b>Volkswagen P1179</b> | Linear O2 Sensor/Pump Current Short to Ground                      |

| CODES                   | DEFINITION                                                        |
|-------------------------|-------------------------------------------------------------------|
| <b>Volkswagen P117A</b> | Fuel System Out Of Range                                          |
| <b>Volkswagen P1180</b> | Linear O2 Sensor / Pump Current Short to B+                       |
| <b>Volkswagen P1181</b> | Linear O2 Sensor / Reference Voltage Open Circuit                 |
| <b>Volkswagen P1182</b> | Linear O2 Sensor/Reference Voltage Short to Ground                |
| <b>Volkswagen P1183</b> | Linear O2 Sensor / Reference Voltage Short to B+                  |
| <b>Volkswagen P1184</b> | Linear O2 Sensor / Common Ground Wire Open Circuit                |
| <b>Volkswagen P1185</b> | Linear O2 Sensor/Common Ground Wire Short to Ground               |
| <b>Volkswagen P1186</b> | Linear O2 Sensor/Common Ground Wire Short to B+                   |
| <b>Volkswagen P1196</b> | O2 Sensor Heater Circuit (Bank 1-Sensor 1) Electrical Malfunction |
| <b>Volkswagen P1197</b> | O2 Sensor Heater Circuit (Bank 2-Sensor 1) Electrical Malfunction |
| <b>Volkswagen P1198</b> | O2 Sensor Heater Circuit (Bank 1-Sensor 2) Electrical Malfunction |
| <b>Volkswagen P1199</b> | O2 Sensor Heater Circuit (Bank 2-Sensor 2) Electrical Malfunction |
| <b>Volkswagen P1200</b> | Turbocharger Bypass Valve Mechanical Malfunction                  |
| <b>Volkswagen P1201</b> | Cylinder 1 Fuel Injection Circuit Electrical Malfunction          |
| <b>Volkswagen P1202</b> | Cylinder 2 Fuel Injection Circuit Electrical Malfunction          |
| <b>Volkswagen P1203</b> | Cylinder 3 Fuel Injection Circuit Electrical Malfunction          |
| <b>Volkswagen P1204</b> | Cylinder 4 Fuel Injection Circuit Electrical Malfunction          |
| <b>Volkswagen P1213</b> | Cylinder 1 Fuel Injection Circuit Short to B+                     |
| <b>Volkswagen P1214</b> | Cylinder 2 Fuel Injection Circuit Short to B+                     |
| <b>Volkswagen P1215</b> | Cylinder 3 Fuel Injection Circuit Short to B+                     |

| CODES                   | DEFINITION                                                               |
|-------------------------|--------------------------------------------------------------------------|
| <b>Volkswagen P1216</b> | Cylinder 4 Fuel Injection Circuit Short to B+                            |
| <b>Volkswagen P1217</b> | Cylinder 5 Fuel Injection Circuit Short to B+                            |
| <b>Volkswagen P1218</b> | Cylinder 6 Fuel Injection Circuit Short to B+                            |
| <b>Volkswagen P121A</b> | Fuel System Sensor high pressure side                                    |
| <b>Volkswagen P1225</b> | Cylinder 1 Fuel Injection Circuit Short to Ground                        |
| <b>Volkswagen P1226</b> | Cylinder 2 Fuel Injection Circuit Short to Ground                        |
| <b>Volkswagen P1227</b> | Cylinder 3 Fuel Injection Circuit Short to Ground                        |
| <b>Volkswagen P1228</b> | Cylinder 4 Fuel Injection Circuit Short to Ground                        |
| <b>Volkswagen P1229</b> | Cylinder 5 Fuel Injection Circuit Short to Ground                        |
| <b>Volkswagen P1230</b> | Cylinder 6 Fuel Injection Circuit Short to Ground                        |
| <b>Volkswagen P1237</b> | Cylinder 1 Fuel Injection Circuit Open Circuit                           |
| <b>Volkswagen P1238</b> | Cylinder 2 Fuel Injection Circuit Open Circuit                           |
| <b>Volkswagen P1239</b> | Cylinder 3 Fuel Injection Circuit Open Circuit                           |
| <b>Volkswagen P1240</b> | Cylinder 4 Fuel Injection Circuit Open Circuit                           |
| <b>Volkswagen P1241</b> | Cylinder 5 Fuel Injection Circuit Open Circuit                           |
| <b>Volkswagen P1242</b> | Cylinder 6 Fuel Injection Circuit Open Circuit                           |
| <b>Volkswagen P1245</b> | Needle Lift Sensor -G80- Short to ground                                 |
| <b>Volkswagen P1246</b> | Needle lift sender -G80 implausible signal                               |
| <b>Volkswagen P1247</b> | Needle Lift Sensor -G80- Open circuit/ short circuit to B+               |
| <b>Volkswagen P1250</b> | Fuel Pressure Regulator Control Circuit Malfunction (Fuel Level too Low) |
| <b>Volkswagen P1255</b> | Engine Coolant Temperature Circuit Short to Ground                       |
| <b>Volkswagen P1256</b> | Engine Coolant Temperature Circuit Open/Short to B+                      |

| CODES                   | DEFINITION                                           |
|-------------------------|------------------------------------------------------|
| <b>Volkswagen P1287</b> | Turbocharger Bypass Valve Open                       |
| <b>Volkswagen P1288</b> | Turbocharger Bypass Valve Short to B+                |
| <b>Volkswagen P1289</b> | Turbocharger Bypass Valve Short to Ground            |
| <b>Volkswagen P1295</b> | Turbocharger Bypass Valve Throughput Faulty          |
| <b>Volkswagen P1296</b> | Cooling System Malfunction                           |
| <b>Volkswagen P1297</b> | Connection Turbocharger/Throttle Valve Pressure Hose |
| <b>Volkswagen P129B</b> | Fuel Pressure Regulator 2 Control Circuit            |
| <b>Volkswagen P129C</b> | Fuel Pressure Regulator 2 Control Circuit Low        |
| <b>Volkswagen P129D</b> | Fuel Pressure Regulator 2 Control Circuit High       |
| <b>Volkswagen P12A1</b> | Fuel Rail Pressure Sensor Inappropriately Low        |
| <b>Volkswagen P12A2</b> | Fuel Rail Pressure Sensor Inappropriately High       |
| <b>Volkswagen P12A4</b> | Fuel Rail Pump Control Valve Stuck Closed            |
| <b>Volkswagen P1300</b> | Misfire Detected Low Fuel                            |
| <b>Volkswagen P1321</b> | Knock Sensor 3 Circuit Low Input                     |
| <b>Volkswagen P1322</b> | Knock Sensor 3 Circuit High Input                    |
| <b>Volkswagen P1323</b> | Knock Sensor 4 Circuit Low Input                     |
| <b>Volkswagen P1324</b> | Knock Sensor 4 Circuit High Input                    |
| <b>Volkswagen P1325</b> | Cylinder 1-Knock Control Limit Attained              |
| <b>Volkswagen P1326</b> | Cylinder 2-Knock Control Limit Attained              |
| <b>Volkswagen P1327</b> | Cylinder 3-Knock Control Limit Attained              |
| <b>Volkswagen P1328</b> | Cylinder 4-Knock Control Limit Attained              |
| <b>Volkswagen P1329</b> | Cylinder 5-Knock Control Limit Attained              |



| CODES                   | DEFINITION                                                 |
|-------------------------|------------------------------------------------------------|
| <b>Volkswagen P1330</b> | Cylinder 6-Knock Control Limit Attained                    |
| <b>Volkswagen P1335</b> | Engine Torque Monitoring 2 Control Limit Exceeded          |
| <b>Volkswagen P1336</b> | Engine Torque Monitoring Control Limit Exceeded            |
| <b>Volkswagen P1337</b> | Camshaft Position Sensor (Bank 1) Short to Ground          |
| <b>Volkswagen P1338</b> | Camshaft Position Sensor (Bank 1) Open/Short to B+         |
| <b>Volkswagen P1340</b> | Crankshaft Position/Camshaft Sensor Signal Out of Sequence |
| <b>Volkswagen P1341</b> | Ignition Coil Power Output Stage 1 Short to Ground         |
| <b>Volkswagen P1343</b> | Ignition Coil Power Output Stage 2 Short to Ground         |
| <b>Volkswagen P1345</b> | Ignition Coil Power Output Stage 3 Short to Ground         |
| <b>Volkswagen P1355</b> | Cylinder 1 Ignition Circuit Open Circuit                   |
| <b>Volkswagen P1356</b> | Cylinder 1 Ignition Circuit Short to B+                    |
| <b>Volkswagen P1357</b> | Cylinder 1 Ignition Circuit Short to Ground                |
| <b>Volkswagen P1358</b> | Cylinder 2 Ignition Circuit Open Circuit                   |
| <b>Volkswagen P1359</b> | Cylinder 2 Ignition Circuit Short to B+                    |
| <b>Volkswagen P1360</b> | Cylinder 2 Ignition Circuit Short to Ground                |
| <b>Volkswagen P1361</b> | Cylinder 3 Ignition Circuit Open Circuit                   |
| <b>Volkswagen P1362</b> | Cylinder 3 Ignition Circuit Short to B+                    |
| <b>Volkswagen P1363</b> | Cylinder 3 Ignition Circuit Short to Ground                |
| <b>Volkswagen P1364</b> | Cylinder 4 Ignition Circuit Open Circuit                   |
| <b>Volkswagen P1365</b> | Cylinder 4 Ignition Circuit Short to B+                    |
| <b>Volkswagen P1366</b> | Cylinder 4 Ignition Circuit Short to Ground                |
| <b>Volkswagen P1386</b> | Internal Control Module, Knock Control Circuit Error       |

| CODES                   | DEFINITION                                                                    |
|-------------------------|-------------------------------------------------------------------------------|
| <b>Volkswagen P1387</b> | Internal Control Module Altitude Sensor Error                                 |
| <b>Volkswagen P1388</b> | Internal Control Module Drive By Wire Error                                   |
| <b>Volkswagen P1391</b> | Camshaft Position Sensor (Bank 2) Short to Ground                             |
| <b>Volkswagen P1392</b> | Camshaft Position Sensor (Bank 2) Open/Short to B+                            |
| <b>Volkswagen P1393</b> | Ignition Coil Power Output Stage 1 Electrical Malfunction                     |
| <b>Volkswagen P1394</b> | Ignition Coil Power Output Stage 2 Electrical Malfunction                     |
| <b>Volkswagen P1395</b> | Ignition Coil Power Output Stage 3 Electrical Malfunction                     |
| <b>Volkswagen P1398</b> | Engine RPM Signal, TD Short to Ground                                         |
| <b>Volkswagen P1399</b> | Engine RPM Signal, TD Short to B+                                             |
| <b>Volkswagen P13CE</b> | Sensor for internal pressure of cylinder 1 Electrical malfunction             |
| <b>Volkswagen P13CF</b> | Sensor for internal pressure of cylinder 1 Short circuit to ground            |
| <b>Volkswagen P13D1</b> | Sensor for internal pressure of cylinder 2 Electrical malfunction             |
| <b>Volkswagen P13D4</b> | Sensor for internal pressure of cylinder 3 Electrical malfunction             |
| <b>Volkswagen P1402</b> | EGR Vacuum Regulator Solenoid Valve -N18- Short circuit to B+                 |
| <b>Volkswagen P1409</b> | Tank Ventilation Valve Circuit Malfunction Conditions                         |
| <b>Volkswagen P140C</b> | Low Pressure EGR Sensor Position circuit high                                 |
| <b>Volkswagen P140E</b> | Low Pressure EGR Sensor Position circuit Low                                  |
| <b>Volkswagen P1410</b> | Tank Ventilation Valve Circuit Short to B+:                                   |
| <b>Volkswagen P1419</b> | Exhaust Gas Recirculation Cooler Switch-over Valve 2 Short circuit to Voltage |
| <b>Volkswagen P1420</b> | Secondary Air Injector Valve Circuit Electrical Malfunction                   |

| CODES                   | DEFINITION                                                        |
|-------------------------|-------------------------------------------------------------------|
| <b>Volkswagen P1421</b> | Secondary Air Injector Valve Circuit Short to Ground              |
| <b>Volkswagen P1422</b> | Secondary Air Injector Valve Circuit Short to B+                  |
| <b>Volkswagen P1424</b> | Secondary Air Injector System (Bank 1) Leak Detected              |
| <b>Volkswagen P1425</b> | Tank Ventilation Valve Short to Ground                            |
| <b>Volkswagen P1426</b> | Tank Ventilation Valve Open                                       |
| <b>Volkswagen P1432</b> | Secondary Air Injection Valve Open                                |
| <b>Volkswagen P1433</b> | Secondary Air Injection System Pump Relay Circuit Open            |
| <b>Volkswagen P1434</b> | Secondary Air Injection System Pump Relay Circuit Short to B+     |
| <b>Volkswagen P1435</b> | Secondary Air Injection System Pump Relay Circuit Short to Ground |
| <b>Volkswagen P1436</b> | A/C Evaporator Temperature (ACET) Circuit Low Input               |
| <b>Volkswagen P1441</b> | EGR Valve Open Circuit/Short Circuit To Ground (GND)              |
| <b>Volkswagen P1450</b> | Secondary Air Injector Valve Circuit Short to B+                  |
| <b>Volkswagen P1451</b> | Secondary Air Injector Valve Circuit Short to Ground              |
| <b>Volkswagen P1452</b> | Secondary Air Injector Valve Circuit Open                         |
| <b>Volkswagen P1470</b> | EVAP Emission Control LDP Circuit Electrical Malfunction          |
| <b>Volkswagen P1471</b> | EVAP Emission Control Leak Detection Pump Circuit Short to B+     |
| <b>Volkswagen P1472</b> | EVAP Emission Control Leak Detection Pump Circuit Short to Ground |
| <b>Volkswagen P1473</b> | EVAP Emission Control Leak Detection Pump Circuit Open            |
| <b>Volkswagen P1475</b> | EVAP Emission Control LDP Circuit Malfunction/Signal Circuit Open |

| CODES                   | DEFINITION                                                                                |
|-------------------------|-------------------------------------------------------------------------------------------|
| <b>Volkswagen P1476</b> | EVAP Emission Control LDP Circuit Malfunction/Insufficient Vacuum                         |
| <b>Volkswagen P1477</b> | EVAP Emission Control LDP Circuit Malfunction                                             |
| <b>Volkswagen P1478</b> | EVAP Emission Control LDP Circuit Clamped Tube Detected                                   |
| <b>Volkswagen P148F</b> | Exhaust Gas Recirculation (EGR) Cooler Switch-Over Valve 2 Electrical malfunction         |
| <b>Volkswagen P1499</b> | Exhaust Gas Recirculation Cooler Switch-over Valve 2 Open circuit/short circuit to ground |
| <b>Volkswagen P1500</b> | Fuel Pump Relay Circuit Electrical Malfunction                                            |
| <b>Volkswagen P1501</b> | Fuel Pump Relay Circuit Electrical Short to Ground                                        |
| <b>Volkswagen P1502</b> | Fuel Pump Relay Circuit Short to B+                                                       |
| <b>Volkswagen P150A</b> | Engine Off Timer Performance                                                              |
| <b>Volkswagen P1512</b> | Intake Manifold Changeover Valve Circuit Short to B+                                      |
| <b>Volkswagen P1515</b> | Intake Manifold Changeover Valve Circuit Short to Ground                                  |
| <b>Volkswagen P1516</b> | Intake Manifold Runner Control Input Error (Bank 1)                                       |
| <b>Volkswagen P1517</b> | Main Relay Circuit Electrical Malfunction                                                 |
| <b>Volkswagen P1519</b> | Intake Manifold Runner Control Stuck Closed                                               |
| <b>Volkswagen P1522</b> | Intake Camshaft Control (Bank 2) Malfunction                                              |
| <b>Volkswagen P1529</b> | Camshaft Control Circuit Short to B+                                                      |
| <b>Volkswagen P1530</b> | Camshaft Control Circuit Short to Ground                                                  |
| <b>Volkswagen P1531</b> | Camshaft Control Circuit Open                                                             |
| <b>Volkswagen P1539</b> | Clutch Vacuum Vent Valve Switch Incorrect Signal                                          |
| <b>Volkswagen P1541</b> | Fuel Pump Relay Circuit Open                                                              |

| CODES                   | DEFINITION                                                         |
|-------------------------|--------------------------------------------------------------------|
| <b>Volkswagen P1542</b> | Throttle Actuation Potentiometer Range/Performance                 |
| <b>Volkswagen P1543</b> | Throttle Actuation Potentiometer Signal Too Low                    |
| <b>Volkswagen P1544</b> | Throttle Actuation Potentiometer Signal Too High                   |
| <b>Volkswagen P1545</b> | Throttle Position Control Malfunction                              |
| <b>Volkswagen P1546</b> | Boost Pressure Control Valve Short to B+                           |
| <b>Volkswagen P1547</b> | Boost Pressure Control Valve Short to Ground                       |
| <b>Volkswagen P1548</b> | Boost Pressure Control Valve Open                                  |
| <b>Volkswagen P1550</b> | Charge Pressure Deviation                                          |
| <b>Volkswagen P1555</b> | Charge Pressure Upper Limit Exceeded                               |
| <b>Volkswagen P1556</b> | Charge Pressure Control Negative Deviation                         |
| <b>Volkswagen P1557</b> | Charge Pressure Control Positive Deviation                         |
| <b>Volkswagen P1558</b> | Throttle Actuator Electrical Malfunction                           |
| <b>Volkswagen P1559</b> | Idle Speed Control Throttle Position Adaptation Malfunction        |
| <b>Volkswagen P1560</b> | Maximum Engine Speed Exceeded                                      |
| <b>Volkswagen P1564</b> | Idle Speed Control Throttle Position Low Voltage During Adaptation |
| <b>Volkswagen P1565</b> | Idle Speed Control Throttle Position Lower Limit Not Attained      |
| <b>Volkswagen P1568</b> | Idle Speed Control Throttle Position Mechanical Malfunction        |
| <b>Volkswagen P1569</b> | Cruise Control Switch Incorrect Signal                             |
| <b>Volkswagen P1579</b> | Idle Speed Control Throttle Position Adaptation Not Started        |
| <b>Volkswagen P1580</b> | Throttle Actuator B1 Malfunction                                   |

| CODES                   | DEFINITION                                                       |
|-------------------------|------------------------------------------------------------------|
| <b>Volkswagen P1582</b> | Idle Adaptation at Limit                                         |
| <b>Volkswagen P1586</b> | Engine Mount Valves Short to B+                                  |
| <b>Volkswagen P1587</b> | Engine Mount Valves Short to Ground                              |
| <b>Volkswagen P1588</b> | Engine Mount Valves Open                                         |
| <b>Volkswagen P1592</b> | Barometric/Boost Pressure Signal Ratio out of Range              |
| <b>Volkswagen P1602</b> | Power Supply (B+) Terminal 15 Low Voltage                        |
| <b>Volkswagen P1603</b> | Internal Control Module Malfunction                              |
| <b>Volkswagen P1604</b> | Internal Control Module Driver Error                             |
| <b>Volkswagen P1606</b> | Rough Road Spec Engine Torque ABS-ECU Electrical Malfunction     |
| <b>Volkswagen P1609</b> | Crash Shut-Down Activated                                        |
| <b>Volkswagen P1610</b> | ECU Defective                                                    |
| <b>Volkswagen P1611</b> | MIL Call-Up Circuit, Transmission Control Module Short to Ground |
| <b>Volkswagen P1612</b> | Electronic Control Module Incorrect Coding                       |
| <b>Volkswagen P1613</b> | MIL Call-up Circuit Open/Short to B+                             |
| <b>Volkswagen P1624</b> | MIL Requested Signature Active                                   |
| <b>Volkswagen P1626</b> | ECM missing message from TCM                                     |
| <b>Volkswagen P1630</b> | Acceleration Pedal Position Sensor 1 Signal Too Low              |
| <b>Volkswagen P1631</b> | Acceleration Pedal Position Sensor 1 Signal Too High             |
| <b>Volkswagen P1633</b> | Acceleration Pedal Position Sensor 2 Signal Too Low              |
| <b>Volkswagen P1634</b> | Acceleration Pedal Position Sensor 2 Signal Too High             |
| <b>Volkswagen P1635</b> | Data BUS Powertrain Missing Message From Central A/C Control     |

| CODES                   | DEFINITION                                                          |
|-------------------------|---------------------------------------------------------------------|
| <b>Volkswagen P1637</b> | Data BUS Powertrain Missing Message From Central Electrical Control |
| <b>Volkswagen P1639</b> | Accelerator Pedal Position Sensor 1+2 Range/Performance             |
| <b>Volkswagen P1640</b> | Internal Control Module (EEPROM) Error                              |
| <b>Volkswagen P1647</b> | Please Check Coding of the ECUs in the Data Bus Powertrain          |
| <b>Volkswagen P1648</b> | Data Bus Powertrain Malfunction                                     |
| <b>Volkswagen P1649</b> | Data Bus Powertrain Missing Message from ABS Control Module         |
| <b>Volkswagen P1650</b> | Data-bus-drive train missing message from instrument cluster        |
| <b>Volkswagen P1653</b> | Please Check DTC Memory of the ABS Control Module                   |
| <b>Volkswagen P1654</b> | Please Check DTC Memory of the Control Panel ECU                    |
| <b>Volkswagen P1655</b> | Please Check DTC Memory of the ADR Control Module                   |
| <b>Volkswagen P1676</b> | Drive by Wire-MIL Circuit Electrical Malfunction                    |
| <b>Volkswagen P1677</b> | Drive by Wire-MIL Circuit Short to B+                               |
| <b>Volkswagen P1681</b> | Control Unit Programming, Programming Not Finished                  |
| <b>Volkswagen P1682</b> | Powertrain Data Bus Implausible Message from ABS Control Module     |
| <b>Volkswagen P1683</b> | Data Bus Powertrain Implausible Message from Airbag Control         |
| <b>Volkswagen P1690</b> | Malfunction Indication Light Malfunction                            |
| <b>Volkswagen P1691</b> | Malfunction Indication Light Open                                   |
| <b>Volkswagen P1692</b> | Malfunction Indication Light Short to Ground                        |
| <b>Volkswagen P1693</b> | Malfunction Indication Light Short to B+                            |

| CODES                   | DEFINITION                                                                                                                |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------|
| <b>Volkswagen P1698</b> | Check DTC Memory of Steering Column ECU                                                                                   |
| <b>Volkswagen P1702</b> | Malfunction Cannot Activate Control Module Replacement Function, Since Another Malfunction With Equal Priority Is Present |
| <b>Volkswagen P1778</b> | Solenoid EV7 Electrical Malfunction                                                                                       |
| <b>Volkswagen P1780</b> | Torque withdrawal faulty                                                                                                  |
| <b>Volkswagen P1781</b> | Engine Torque Reduction Open/Short to Ground                                                                              |
| <b>Volkswagen P1823</b> | Pressure Control Solenoid 3 Electrical                                                                                    |
| <b>Volkswagen P1828</b> | Pressure Control Solenoid 4 Electrical                                                                                    |
| <b>Volkswagen P1847</b> | Please Check DTC Memory of Brake System ECU                                                                               |
| <b>Volkswagen P1850</b> | Data bus drive train missing message from engine control module                                                           |
| <b>Volkswagen P1853</b> | Data BUS Powertrain Implausible Message from Brake Control                                                                |
| <b>Volkswagen P1854</b> | Data Bus Driving Gear Hardware Faulty                                                                                     |
| <b>Volkswagen P1855</b> | Data BUS Powertrain Software Version Control                                                                              |
| <b>Volkswagen P1857</b> | Load Signal Error Message From Engine Control                                                                             |
| <b>Volkswagen P1861</b> | Throttle Position Sensor Message from ECM                                                                                 |
| <b>Volkswagen P1866</b> | Data Bus Powertrain Missing Messages                                                                                      |
| <b>Volkswagen P1912</b> | Brake Booster Pressure Sensor Short Circuit to B+                                                                         |
| <b>Volkswagen P1913</b> | Brake Booster Pressure Sensor Short Circuit to Ground                                                                     |
| <b>Volkswagen P3028</b> | Throttle Actuation 2 Potentiometer Sign.2 Range/Performance                                                               |
| <b>Volkswagen P3031</b> | Throttle Actuator 2 Electrical Malfunction                                                                                |
| <b>Volkswagen P3032</b> | Idle Speed Control Throttle Position 2 Adaptation Malfunction                                                             |



| CODES                   | DEFINITION                                                                                |
|-------------------------|-------------------------------------------------------------------------------------------|
| <b>Volkswagen P3035</b> | Idle Speed Control Throttle Position 2 Mechanical Malfunction                             |
| <b>Volkswagen P3047</b> | Activation starter relay 2 Short circuit to B+                                            |
| <b>Volkswagen P3048</b> | Activation starter relay 2 Short circuit to Ground (GND)                                  |
| <b>Volkswagen P3049</b> | Activation starter relay 2 Open circuit                                                   |
| <b>Volkswagen P3050</b> | Starter Relay 2 Electrical Malfunction in Circuit (Relay Stuck)                           |
| <b>Volkswagen P3056</b> | O2 Sensor Before Catalytic Converter (Bank 1), Heating Circuit Regulation at Lower Impact |
| <b>Volkswagen P3081</b> | Engine Temperature Too Low                                                                |
| <b>Volkswagen P308D</b> | Fuel Pump Speed Low                                                                       |
| <b>Volkswagen P308E</b> | Fuel Pump Driver Over Temperature                                                         |
| <b>Volkswagen P3096</b> | Internal Control Module Memory, Check Sum Error                                           |
| <b>Volkswagen P3097</b> | Internal Control Module Memory, Check Sum Error                                           |
| <b>Volkswagen P310A</b> | Low Fuel Pressure Regulation Coolant Fuel Pressure Outside Specification                  |
| <b>Volkswagen P310B</b> | Low fuel Pressure Regulation Fuel Pressure Fluctuates                                     |
| <b>Volkswagen P310C</b> | Low fuel Pressure Regulation Fuel Pressure Breaks Down                                    |
| <b>Volkswagen P310E</b> | Exhaust Gas Recirculation Cooler Bypass Valve 2 Implausible Signal                        |
| <b>Volkswagen P3137</b> | Intake Manifold Runner Control (IMRC) Basic Setting Not Carried Out                       |
| <b>Volkswagen P3209</b> | Emissions bank 3 Sensor 1 Signal too slow                                                 |
| <b>Volkswagen P3211</b> | Exhaust (Bank 1 Sensor 1) Heater Return Connection                                        |
| <b>Volkswagen P3255</b> | O2 Sensor Before Catalytic Converter (Bank 1), Heating Circuit Regulation at Upper Impact |

| CODES                   | DEFINITION                                                                    |
|-------------------------|-------------------------------------------------------------------------------|
| <b>Volkswagen P3262</b> | Exhaust (Banks 1 and 2) Oxygen Sensors Behind Catalytic Converter Swpped      |
| <b>Volkswagen P3266</b> | Internal Resistance (Bank 1, Sensor 1) Too Large                              |
| <b>Volkswagen P3348</b> | Activation turbocharger control unit bank 1 Electrical malfunction in circuit |