
One report. One recipient. One permitted delivery.

Harbor Robotics sends HAR-SEC-042 / v1 to Anna at Northstar Logistics.

THE TASK

Maya authorizes a specific document handoff. Atlas coordinates; Courier delivers; Relay is the backup.



EXACT DOCUMENT

HAR-SEC-042 / v1

NAMED RECIPIENT


Anna, procurement lead

SHARED AUTHORITY

One dispatch across all children

Approve a bounded instruction

The owner approves scope before any agent can deliver the report.



Actual authorization created for this walkthrough. The screenshot shows Active and Available.

WE DO

Approve HAR-SEC-042 / v1 for Anna, with delegation enabled and a five-minute expiry.

WE LOOK FOR

The named document, recipient, active status and an available shared slot. A grant is permission, not proof of delivery.


WE CHECK

Exactly one new root authorization exists. No new Harbor report is in the inbox yet; the earlier legacy message is retained.

Root ID: 9f9a5b3a-6c11-4b02-a1e8-94d84e23b35b

A different recipient is blocked

Atlas proposes Mallory instead of the approved recipient Anna.



The real denial banner and unchanged root authorization; cropped only for readability.

WE DO

Use the case control to attempt a recipient change to Mallory.

WE LOOK FOR

SCOPE_ESCALATION in the response and a recorded delegation-denial event.


WE CHECK

No Mallory child capability is issued. The Harbor report has not been delivered and the root slot remains available.


Delegate delivery, not unlimited authority

Atlas gives Courier a child capability under the same root authorization.

ROOT AUTHORIZATION



CHILD CAPABILITY



WE DO

Atlas delegates the report-delivery action to Courier.

WE LOOK FOR

A separate Courier capability linked to the owner's root, with Anna as recipient and further delegation prohibited.


WE CHECK

Delegation does not widen scope or create a second budget. No report is sent merely by creating the child capability.

Permission is bound to exact document bytes

A changed report is not covered by the approval for version 1.

Blocked: the document differs from the authorized snapshot. DOCUMENT_CHANGED



Actual DOCUMENT_CHANGED attempt and the unchanged Courier capability.

WE DO

Ask Courier to submit the unapproved version 2 under the version 1 capability.

WE LOOK FOR


DOCUMENT_CHANGED, a durable blocked attempt and no new receiver record.

WE CHECK

The approved document hash is still the authority boundary. This rejected attempt does not consume the delivery slot.

Deliver once, then inspect the receiving side

Courier submits the authorized version 1 to Anna's synthetic inbox.



Document received

FICTIONAL DEMONSTRATION — HAR-SEC-042 / v1
Harbor Robotics: vendor security report for Northstar Logistics.
Prepared by: Maya, Security lead. Intended recipient: Anna, Procurement lead.
Illustrative observations: redact access tokens from support logs; record agent permission changes in the audit trail.
Delivery instruction: send this exact version to Anna's synthetic inbox once.
All organizations, people and findings are fictional. This is not an actual security assessment or approval.

Recipient	Anna
Received	22/10/2026, 20:05:15

SHA-256
51b1808d4cf64084d9fda9d670e1e554c72e4e6e437bf1426d5ebd26cfdbd258

▶ **Receiver receipt · Ed25519**

Actual newly received Harbor report, timestamp and matching SHA-256. Legacy history remains.

WE DO

Courier delivers the exact approved report to Anna.

WE LOOK FOR

Delivery confirmed, the actual report in the separate receiver inbox and a matching signed receipt.

WE CHECK


The inbox grows from one legacy message to two total records: exactly one new Harbor report. A status label alone would not be sufficient.

Received: 22 Oct 2026, 20:05:15 WEST

A backup agent does not get a second budget

Relay holds a valid child grant, but Courier already used the root-wide slot.

Blocked: the shared slot is already reserved or used. LIMIT_RESERVED_OR_USED



Actual Relay denial and its child capability. The same root-wide slot applies to both agents.

WE DO

Atlas delegates to Relay, then Relay attempts the same report delivery.

WE LOOK FOR

LIMIT_RESERVED_OR_USED on Relay's attempt.

WE CHECK

The inbox stays at two total records, including the old message. No second Harbor delivery is created despite a different executor.

Verify evidence outside the web application

The real archive passes; a modified copy is rejected by a separate CLI process.



Actual receiver-receipt disclosure. Original screenshots and verification outputs are bundled.

ACTUAL OFFLINE VERIFIER RESULTS

Original archive

valid: true | exit code: 0

19 events; 2 receipts, including the legacy delivery.

Modified archive

valid: false | exit code: 1

INVALID_MANIFEST_HASH

WE CHECK

Member hashes, signatures, event-chain continuity and receipt linkage, using fingerprints obtained from provisioned public keys separately from the archive.

The browser download capture stalled. The same authorized read-only export endpoint supplied the archive; no delivery was repeated.

Integrity is relative to trusted keys. This does not prove human readership, legal authority, complete history or owner UAT acceptance.