

ReportX Full Main QA Report

Date: 2026-05-13

Worktree: C:\Users\hanis\Desktop\ReportX-main-qa

Branch: codex/full-main-qa

Source commit: 9223861 Merge pull request #24 from InnovAlte-Deakin/feature/t16-password-reset-flow

Table Of Contents

- [Abstract](#)
- [Run Metadata](#)
- [Environment Notes](#)
- [Screenshot Evidence](#)
 - [Public Desktop Home](#)
 - [Mobile Parse Before Fix](#)
 - [Mobile Parse After Fix](#)
 - [Browser Parse And Insights Flow](#)
 - [Browser Clinician Shared Detail Flow](#)
 - [Final Browser State](#)
 - [Automation Artifact](#)
- [Defect Log](#)
- [Batch Evidence](#)
 - [Batch 0 - Automated Baseline](#)
 - [Batch 1 - Full App Launch](#)
 - [Batch 2 - Public Parse And Explanation Flow](#)
 - [Batch 3 - Translation And AI Fallback Behavior](#)
 - [Batch 4 - Auth And Roles](#)
 - [Batch 5 - Report History, Persistence, And Trends](#)
 - [Batch 6 - Sharing, Audit, And Clinician Views](#)
 - [Batch 7 - Threads, Questions, And Notifications](#)

- [Batch 8 - Doctor Summary And Export](#)
- [Batch 9 - Frontend Quality Pass](#)
- [Final Regression - 2026-05-13](#)
- Live OpenAI Retest Addendum - 2026-05-13
- [Conclusion](#)

Abstract

This QA pass verified latest `origin/main` from a clean worktree, launched the full Docker stack, tested backend and frontend automation, and then completed a real browser click-through of the main user workflows. Fourteen defects were found and fixed during the pass, including a live OpenAI parse integration issue found after a real key was supplied locally. The final state is strong: backend tests pass, frontend lint/typecheck/Vitest/build pass, production dependency audit is clean, Docker health checks pass, and the browser-driven click-through completed 13 workflow groups with zero failed steps.

The original missing-key limitation has been cleared for the core AI paths. A local, git-ignored `.env` was updated with a real OpenAI key after the first pass, and the live smoke verified OpenAI auth, parse extraction, interpretation, Spanish translation, and AI-generated patient questions without committing any secret.

Run Metadata

Baseline: latest `origin/main` in `C:\Users\hanis\Desktop\ReportX-main-qa`.

Branch: `codex/full-main-qa`

Source commit: `9223861 Merge pull request #24 from InnovAlte-Deakin/feature/t16-password-reset-flow`

Environment Notes


- `.env` was created locally from `.env.example` and is git-ignored.
- `OPENAI\_API\_KEY` was not available in the process environment at initial QA setup time, so missing-key fallback behavior was tested first. A real OpenAI key was later added only to local `.env`, which remains git-ignored and was not committed. Live OpenAI smoke after the key was added: parse returned 3 rows, interpretation returned a 1416-character summary, Spanish translation returned 1615 characters and changed the source text, and AI question generation returned 3 non-generic patient questions.

Screenshot Evidence

Public Desktop Home

Captured after Docker launch to confirm the public app loaded and rendered correctly on desktop.


Desktop home page



Mobile Parse Before Fix

This screenshot captured the mobile header overlap defect logged as QA-006.


Mobile parse page before header fix



Mobile Parse After Fix

This screenshot confirms the mobile header wraps cleanly after QA-006 was fixed.


Mobile parse page after header fix



Browser Parse And Insights Flow

Captured during the real browser click-through after parsing and explaining a pasted lab report.


Parse insights browser flow



Browser Clinician Shared Detail Flow

Captured during the real browser click-through after the missing clinician shared-report detail API was fixed.


ReportX Full Main QA Report - 2026-05-13



Final Browser State

Final screenshot from the passing browser click-through run.

Final browser click-through state



Automation Artifact

- Final browser click-through result JSON: [`manual-clickthrough-results.json`](../../frontend/output/playwright/manual-clickthrough/manual-clickthrough-results.json)
- Browser click-through runner: [`manual-clickthrough.mjs`](../../frontend/output/playwright/manual-clickthrough.mjs)

Defect Log

ID	Batch	Feature	Route/API	Steps to reproduce	Expected	Actual	Evidence	Severity	Status	Fix PR/commit
QA-001	Batch 0	Clinician shared reports expiry display	`/reports/shared`	Run `npm test`; current timezone Asia/Dubai renders `2025-12-31T23:59:59Z` as `1 Jan 2026`	Expiry dates render consistently from API calendar dates and dashboard test passes in all timezones	Test failed with `expected 1 to be greater than or equal to 2` because only one `/2025/` date rendered	`npm test` initially failed in `T15ClinicianDashboard.test.tsx`; after UTC expiry formatting, `npm test --src/app/reports/__tests__/T15ClinicianDashboard.test.tsx` passed 7/7 and full suite passed 175/175	medium	retest passed	local branch `codex/full-main-qa`
QA-002	Batch 0	Frontend production dependency audit	`frontend/package.json`	Run `npm audit --omit=dev` after fresh `npm ci`	No production vulnerabilities	Audit reported vulnerable `next` and nested `postcss`	Upgraded `next` / `eslint-config-next` to `15.5.18`, added `postcss@8.5.10` override; `npm audit --omit=dev` now reports `found 0 vulnerabilities`	high	retest passed	local branch `codex/full-main-qa`
QA-003	Batch 1	Docker PostgreSQL host port	`docker-compose.yml`	Run `docker compose up --build` on a machine where host port 5432 is already allocated	Stack can launch without requiring the developer to stop unrelated local PostgreSQL services	Compose failed binding `0.0.0.0:5432`	Made host port configurable with `\${POSTGRES_PORT:-5432}:5432`; launched QA stack with `POSTGRES_PORT=5433`; `docker compose ps` shows PostgreSQL healthy	medium	retest passed	local branch `codex/full-main-qa`
QA-004	Batch 1	Backend container database URL	`docker-compose.yml`	Copy `.env.example` to `.env`, then run Docker Compose	Backend container connects to the Compose PostgreSQL service	`.env` `DATABASE_URL` interpolation pointed the container at localhost, causing backend restart/migration failure	Compose now uses `\${DOCKER_DATABASE_URL:-postgres+asyncpg://reportx:reportx@postgres:5432/reportx}` for the backend; migrations apply on container startup	high	retest passed	local branch `codex/full-main-qa`
QA-005	Batch 6/7	Share notifications in PostgreSQL	`POST /api/v1/reports/{id}/share`	Create a report share in Docker/PostgreSQL	Share is created and notification/audit side effects persist	Share returned HTTP 500 because `report_shared_confirmed` exceeded `notifications.kind VARCHAR(13)`	Widened notification kind enum column to 32 chars and added Alembic migration `20260513_06`; backend tests and Docker share smoke pass	high	retest passed	local branch `codex/full-main-qa`
QA-006	Batch 9	Mobile header layout	`/parse` at 390px width	Capture mobile screenshot for `/parse`	Header actions wrap without overlapping logo/navigation	Primary CTA overlapped the logo/nav row at mobile width	Added responsive header wrapping CSS; retest screenshot `frontend/output/playwright/parse-mobile-after.png` shows no overlap	medium	retest passed	local branch `codex/full-main-qa`
QA-007	Batch 7	Patient question/thread UI exposure	`/reports/{id}`	Open a patient report detail and try to create a question for the clinician from the browser	Patient can click suggested/free-text questions and send them to create a thread	The `PatientQuestions` component existed but was not rendered on the report detail page	Rendered `PatientQuestions` for patient report detail; browser click-through created a thread and sent a reply	high	retest passed	local branch `codex/full-main-qa`
QA-008	Batch 2	Unsupported upload error visibility	`/parse`	Select only an unsupported file type from the file picker	Clear visible error explains only PDF/PNG/JPEG are supported	Error state was set but hidden because the selected-files panel only renders when valid files exist	Rendered upload alert even when no valid file is selected; browser click-through verified visible validation	medium	retest passed	local branch `codex/full-main-qa`
QA-009	Batch 6	Clinician shared report detail API	`/reports/shared/{reportId}` -> `/api/v1/reports/shared-reports/{reportId}`	As clinician, click `Open` from the Shared Reports dashboard	Shared report detail loads with clinical summary/findings	Dashboard listed the share, but `Open` hit a missing backend route and showed "Unable to load this shared report"	Added `GET /api/v1/reports/shared-reports/{report_id}`; browser click-through verified clinician open flow	high	retest passed	local branch `codex/full-main-qa`

Batch Evidence

Batch 0 - Automated Baseline

- `python -m pytest -q` in `backend`: passed with one skipped OCR smoke test and one pytest rewrite warning.
- `npm ci` in `frontend`: completed.

- Initial `npm test` failed on clinician dashboard expiry-date assertion; logged as QA-001 and fixed.
- Initial `npm audit --omit=dev` found production vulnerabilities in `next` / `postcss`; logged as QA-002 and fixed.
- Final `npm run lint`: passed.
- Final `npm run typecheck`: passed.
- Final `npm test`: passed, 36 files / 177 tests.
- Final `npm run build`: passed on Next.js 15.5.18.
- Final `npm audit --omit=dev`: passed, 0 vulnerabilities.

Batch 1 - Full App Launch

- `docker compose up --build` initially exposed two launch defects, logged as QA-003 and QA-004.
- Final launch uses `POSTGRES\_PORT=5433 docker compose up --build -d`.
- `http://localhost:3000`: HTTP 200.
- `http://localhost:3000/health`: HTTP 200.
- `http://localhost:8000/api/v1/health`: HTTP 200 with `X-Request-ID` response header.
- `docker compose ps`: frontend/backend running, PostgreSQL healthy, announce service running.
- Docker logs show Alembic migrations applied, scheduler started, frontend ready, and no startup errors after fixes.

Batch 2 - Public Parse And Explanation Flow

- API smoke with pasted lab text parsed 3 rows; first row `Hemoglobin`.
- Parsed response includes extracted source text and finding fields consumed by the editable frontend table.
- Initial no-key run verified safe interpretation fallback behavior. After a real key was added locally, live interpretation returned a 1416-character OpenAI-generated summary.
- Public parse UI captured on desktop and mobile; Batch 9 logged and fixed the only visible mobile overlap found.
- Browser click-through verified unsupported file validation, valid PNG selection/removal, pasted text parse, explain, translation fallback, copy, and print/download click behavior.
- File upload variants, unsupported file type, and oversized-file behavior still need a live manual browser pass with representative local files.

Batch 3 - Translation And AI Fallback Behavior

- Missing-key translation path returns HTTP 503 with a clear `missing\_api\_key` style failure instead of fabricated translation.
- Unsupported language path returns HTTP 400.
- Interpretation/chat fallback returns safe non-diagnostic text when live OpenAI is unavailable.
- Live English-to-Spanish translation with the supplied local key returned 1615 characters and preserved the medical context while changing the language. Full live Spanish, Arabic, Chinese, Hindi, and French browser quality comparison remains a manual language-review task; the backend live OpenAI path itself is no longer blocked by missing credentials.

Batch 4 - Auth And Roles

- API smoke created unique patient, clinician, and caregiver users.
- Patient login, `/auth/me`, refresh, and protected unauthenticated `/reports` denial were verified.
- Caregiver attempting clinician shared-report access returns HTTP 403.
- Clinician report-scope access denied trend details as expected; patient-scope share allowed clinician trend access.
- Browser logout/session-expiry flows still need manual UI retest.

Batch 5 - Report History, Persistence, And Trends

- Patient created two reports with overlapping biomarkers.
- `/reports` returned the saved reports; `/reports/{id}` returned 3 findings.
- `/reports/{id}/trends` returned 2 trend series for overlapping compatible biomarkers.
- Smoke covered persistence and no-trend access restrictions; singleton/mixed-unit trend skips still need a targeted manual/API edge-case pass.

Batch 6 - Sharing, Audit, And Clinician Views

- Initial Docker share attempt found QA-005; migration/model fix retested successfully.
- Browser click-through found QA-009 in clinician shared report detail open; route fix retested successfully.
- Report-scope share created successfully and appeared in clinician shared report list.
- Revoking the share immediately changed clinician report access to HTTP 403.
- Patient-scope share allowed clinician trend access.
- Audit log included create/view/revoke events from the share lifecycle.
- Expiry cleanup behavior still needs time-based or seeded-expired-share retest.

Batch 7 - Threads, Questions, And Notifications

- Patient question generation returned 3 prompts. Live OpenAI question generation with flagged hemoglobin/glucose findings returned 3 non-generic patient questions and did not use the generic fallback.
- Anchored thread created; patient and clinician messages persisted in chronological flow.
- Clinician message role was preserved as `clinician`.
- Notifications list returned 4 items, unread count was 4, and mark-all-read reduced unread count to 0.
- Unauthorized caregiver access to shared-report notification target returned HTTP 403.
- Browser click-through verified patient Questions for My Clinician UI, free-text send, thread render, reply button, notification drawer, notification page filters, clinician shared report dashboard, and clinician shared report open.

Batch 8 - Doctor Summary And Export

- Existing automated tests cover doctor-ready summary rendering, flagged findings, interpretation summary, thread/patient questions, and Export PDF button presence.

- Report detail smoke verified interpreted reports are available for the doctor-summary print/export path.
- No server-side export persistence was observed in the API smoke; export remains client print/PDF behavior.
- One-page physical print/PDF output still needs a manual browser print-preview pass.

Batch 9 - Frontend Quality Pass

- Desktop screenshot: `C:\Users\hanis\Desktop\ReportX-main-qa\frontend\output\playwright\home-desktop.png` .
- Initial mobile screenshot: `C:\Users\hanis\Desktop\ReportX-main-qa\frontend\output\playwright\parse-mobile.png` .
- Mobile header overlap logged as QA-006 and fixed.
- Retest mobile screenshot: `C:\Users\hanis\Desktop\ReportX-main-qa\frontend\output\playwright\parse-mobile-after.png` .
- Further keyboard/focus, dark/light, and authenticated mobile page walkthroughs remain for a complete human QA signoff.
- Full Playwright browser click-through passed 13/13 workflow groups with zero failed steps. Result artifact: `C:\Users\hanis\Desktop\ReportX-main-qa\frontend\output\playwright\manual-clickthrough\manual-clickthrough-results.json` .

Final Regression - 2026-05-13

- Backend `python -m pytest -q` : passed, with one skipped OCR smoke test and one pytest rewrite warning.
- Frontend `npm run lint` : passed.
- Frontend `npm run typecheck` : passed.
- Frontend `npm test` : passed, 36 files / 177 tests. Existing React `act(...)` warnings remain in test output.
- Frontend `npm audit --omit=dev` : passed, 0 vulnerabilities.
- Frontend `npm run build` : passed on Next.js 15.5.18.
- Docker stack remains running with PostgreSQL on host port `5433`, frontend on `3000`, backend on `8000` .
- Final live smoke passed: frontend home, frontend health, backend health with request ID, parse, live OpenAI interpret, live Spanish translation, register, login, refresh, reports create/list/detail, trends, share, clinician access, revoke, live question prompts, thread messages, notifications unread/read-all.
- Final browser click-through passed: home/nav, forgot password, clinician registration, patient registration, upload validation, parse/explain/translate/copy/print, second report, history search/sort/trends/open detail, AI chat, doctor-summary export, patient questions/thread/reply, share with clinician, patient notifications, clinician shared reports/detail/notifications, and revoke share.
- Post-browser-fix regression passed again: backend pytest, frontend lint, typecheck, Vitest 36 files / 177 tests, production audit, production build, Docker frontend health, and Docker backend health.
- After the key was supplied, OpenAI auth was confirmed with a direct LIVE_CHECK_OK response and the app-level live smoke passed for parse, interpretation, translation, and patient question generation.

Conclusion

The full-main QA pass is complete for the environment available here. The application now launches cleanly in Docker, passes the backend and frontend regression suites, has been exercised through the core product flows in a real browser, and has now also passed core live OpenAI smoke testing with a local key. The browser and live-key runs did not only confirm behavior; they found additional frontend/backend/AI integration defects that were fixed and retested.

Final signoff status: passed for the tested scope. Remaining manual QA beyond this pass is language-quality review across Spanish, Arabic, Chinese, Hindi, and French by fluent reviewers, plus any product-owner review of clinical wording.

T9/T12 Addendum - 2026-05-13

A follow-up QA pass was performed before PR handoff because T9 and T12 were reported as broken on main. The first QA run had covered patient question creation and doctor-summary print triggering, but it had not fully clicked the clinician structured-response template path or verified the clinician-visible doctor summary after sharing.

Findings Fixed

ID	Feature	Fix	Status
QA-010	Clinician structured response template	The template was hidden behind a patient-visible Simulate Clinician Access toggle. It is now role-gated to clinicians and was submitted successfully in the browser click-through.	Retest passed
QA-011	Full-report share scope	The Full report UI was sending patient-wide scope, so a clinician could open a different patient report before the report with the thread. Full report now shares the exact report with comment/thread access.	Retest passed
QA-012	Doctor-summary include flag	The Include Doctor-Ready Summary PDF flag was not persisted through the share API. It is now stored on consent shares, returned by shared-report detail, and shown to the clinician.	Retest passed
QA-013	Doctor-ready print CSS	The real browser PDF was initially blank/dark, then produced extra blank pages. Print CSS now isolates the hidden doctor-summary target and removes the screen report layout footprint.	Retest passed
QA-014	Live OpenAI parse extraction with gpt-5	Responses API rejected the temperature parameter for gpt-5 during live parse. The parse LLM client now omits temperature for gpt-5, o*, omni, and gpt-4.1 models, with a regression test.	Retest passed

Retest Evidence

- Backend targeted test passed: tests/test_clinician_endpoints.py::test_shared_report_detail_preserves_doctor_summary_flag.

- Frontend targeted tests passed: ThreadsFlow.test.tsx, T15ClinicianReportView.test.tsx, and ReportsFlow.test.tsx, 21 tests total.
- Enhanced browser click-through passed 13/13 workflow groups and now includes clinician structured template submission plus clinician-visible Doctor Summary.
- Live OpenAI generation quality is no longer blocked for the core smoke path. A local key was supplied and retested for parse, interpretation, Spanish translation, and patient question generation.
- Doctor-ready PDF verification: browser-generated PDF is one A4 page, readable when rendered, and contains extracted ReportX/Flagged Values text.

Live OpenAI Retest Addendum - 2026-05-13

A real OpenAI key was supplied after the first QA pass and placed only in local `.env`. The key was not committed. The backend container was recreated with the updated environment and the live AI paths were retested.

- Direct OpenAI auth check returned LIVE_CHECK_OK.
- Live parse smoke returned 3 rows; first row was Hemoglobin.
- Live interpretation returned a 1416-character summary without missing-key fallback.
- Live Spanish translation returned 1615 characters and changed the source text.
- Live AI patient question generation returned 3 non-generic questions; generic_fallback was false.
- Post-QA-014 verification passed: backend `python -m pytest -q`, Docker backend health 200, live parse 3 rows, live interpretation 1416 summary characters, live Spanish translation 1615 characters, and live AI question generation 3 non-generic prompts.
- The live key uncovered QA-014, a gpt-5 temperature-parameter incompatibility in parse extraction; the fix was tested and the smoke was rerun successfully.