

Reporte técnico

SICI (Sistema Inteligente de Colaboración Ciudadana)



Este documento contiene información confidencial y de propiedad exclusiva. Este documento no debe imprimirse ni compartirse.





Contents

1	Disclaimer	2
	1.1 Confidentiality Statement	2
	1.2 Contact info	2
	1.3 Assesment overview	2
2	Antecedents	3
	2.1 considerations	3
	2.2 examples	3
3	Objectives	4
	3.1 considerations	4
	Objectives 3.1 considerations	4
4	Vulnerability analysis	5
	4.1 Initial Recognition	5
	4.2 Improvement	5





1 Disclaimer

A penetration test is considered a snapshot in time. The findings and recommendations reflects the information gathered during the assessment and not any changes or modifications made outside of that period.

Time-limited engagements do not allow for a full evaluation of all security controls. **SICI** prioritized the assessment to identify the weakest security controls an attacker would exploit. **SICI** recommends conducting similar assessments on an annual basis by internal or third-party assessors to ensure the continued success of the controls.

1.1 Confidentiality Statement

This document is the exclusive property of **SICI**. This document contains proprietary and confidential information. Duplication, redistribution, or use, in whole or in part, in any form, requires consent of **SICI**.

1.2 Contact info

Contact info.					
Name	Title	Email	Contact		
Juan	Cybersecurity Lead	juan@test	(99) 9999 9999		
Manuel	Junior Pentester	manuel@test	(99) 9999 9999		
Young	Junior Pentester	young@test	(99) 9999 9999		

1.3 Assesment overview

From *Date 1* to *Date 2*, **SICI** engaged Penetration tests to evaluate the security posture of its infrastructure compared to current industry best practices. All testing performed is based on the NIST SP 800-115 Technical Guide to Information Security Testing and Assessment, OWASP Testing Guide (v4), and customized testing frameworks.

Phases conducted for penetration testing are the following:

- Planning and preparation.
- Reconnaissance / Discovery.
- Vulnerability Enumeration / Analysis.
- Initial Exploitation.
- Expanding Foothold / Deeper Penetration.
- Cleanup.
- Report Generation.





2 Antecedents

The following document takes all the processes and results given by the audit made to the machine SICI (Sistema Inteligente de Colaboración Ciudadana) from the platform HackTheBox.



Figure 1: Details of the machine

 \mathbf{URL}

https://app.hackthebox.com/machines/98

2.1 considerations

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur molestie nulla nec hendrerit blandit. Aenean euismod tincidunt sapien at lacinia. Praesent at tortor nec nunc sodales posuere in eu mi. Fusce ac fringilla velit. Nam libero leo, consequat sit amet est varius, imperdiet iaculis massa. Suspendisse scelerisque eu erat eu cursus. Vivamus ac euismod ex. Integer euismod sem et euismod mattis. Integer vel rutrum velit, eu dictum nisi. Pellentesque venenatis et nisi a sodales. Integer pretium ut nisi at fringilla. Quisque nunc dui, consequat id turpis non, dignissim consectetur nunc.

2.2 examples

Morbi id turpis bibendum, ultrices turpis eu, molestie nunc. Duis aliquet aliquam turpis, vitae ultricies turpis. Ut tristique elementum nunc ac euismod. Proin viverra ultrices enim, et bibendum sem dignissim venenatis. Pellentesque non lectus nec erat congue viverra feugiat a urna. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Nam vel ex sit amet nulla mollis lacinia. Nulla vehicula orci sit amet fermentum egestas. Mauris blandit ultricies sem, id convallis nunc malesuada non. Morbi venenatis ultricies leo, vel ullamcorper ligula mattis a.





3 Objectives

The idea is to check the machine state of the machine SICI (Sistema Inteligente de Colaboración Ciudadana).

3.1 considerations

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur molestie nulla nec hendrerit blandit. Aenean euismod tincidunt sapien at lacinia. Praesent at tortor nec nunc sodales posuere in eu mi. Fusce ac fringilla velit. Nam libero leo, consequat sit amet est varius, imperdiet iaculis massa. Suspendisse scelerisque eu erat eu cursus. Vivamus ac euismod ex. Integer euismod sem et euismod mattis. Integer vel rutrum velit, eu dictum nisi. Pellentesque venenatis et nisi a sodales. Integer pretium ut nisi at fringilla. Quisque nunc dui, consequat id turpis non, dignissim consectetur nunc.

3.2 results

Morbi id turpis bibendum, ultrices turpis eu, molestie nunc. Duis aliquet aliquam turpis, vitae ultricies turpis. Ut tristique elementum nunc ac euismod. Proin viverra ultrices enim, et bibendum sem dignissim venenatis. Pellentesque non lectus nec erat congue viverra feugiat a urna. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Nam vel ex sit amet nulla mollis lacinia. Nulla vehicula orci sit amet fermentum egestas. Mauris blandit ultricies sem, id convallis nunc malesuada non. Morbi venenatis ultricies leo, vel ullamcorper ligula mattis a.




Figure 2: Workflow





4 Vulnerability analysis

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Curabitur molestie nulla nec hendrerit blandit. Aenean euismod tincidunt sapien at lacinia. Praesent at tortor nec nunc sodales posuere in eu mi.

4.1 Initial Recognition

Fusce ac fringilla velit. Nam libero leo, consequat sit amet est varius, imperdiet iaculis massa. Suspendisse scelerisque eu erat eu cursus. Vivamus ac euismod ex. Integer euismod sem et euismod mattis. Integer vel rutrum velit, eu dictum nisi. Pellentesque venenatis et nisi a sodales. Integer pretium ut nisi at fringilla. Quisque nunc dui, consequat id turpis non, dignissim consectetur nunc.

```
) sudo nmap -sn 192.168.0.0/24
[sudo] password for youngermaster:
Starting Nmap 7.92 ( https://nmap.org ) at 2022-01-23 23:28 -05
Nmap scan report for 192.168.0.1
Host is up (0.0042s latency).
MAC Address: 00:00:CA:11:22:33 (Arris Group)
Nmap scan report for 192.168.0.6
Host is up.
Nmap done: 256 IP addresses (2 hosts up) scanned in 2.29 seconds

A > ~/GitHub/Youngermaster/Pentesting-Report-Template > on  P main !3
```

4.2 Improvement

Morbi id turpis bibendum, ultrices turpis eu, molestie nunc. Duis aliquet aliquam turpis, vitae ultricies turpis. Ut tristique elementum nunc ac euismod. Proin viverra ultrices enim, et bibendum sem dignissim venenatis. Pellentesque non lectus nec erat congue viverra feugiat a urna. Vestibulum ante ipsum primis in faucibus orci luctus et ultrices posuere cubilia curae; Nam vel ex sit amet nulla mollis lacinia. Nulla vehicula orci sit amet fermentum egestas. Mauris blandit ultricies sem, id convallis nunc malesuada non. Morbi venenatis ultricies leo, vel ullamcorper ligula mattis a.

```
# This function is taken from S4vitar's blog.
# https://s4vitar.github.io/bspwm-configuration-files/

ports="$(cat $1 | grep -oP '\d{1,5}/open' | awk '{print $1}' FS='/' | xargs | tr ' ' ',')"

ip_address="$(cat $1 | grep -oP '\d{1,3}\.\d{1,3}\.\d{1,3}\.\d{1,3}\.\d{1,3}\' | sort -u | head -n 1)"

echo -e "\n[*] Extracting information...\n" > extractPorts.tmp

echo -e "\t[*] IP Address: $ip_address" >> extractPorts.tmp

echo -e "\t[*] Open ports: $ports\n" >> extractPorts.tmp

echo *ports | tr -d '\n' | xclip -sel clip

echo -e "[*] Ports copied to clipboard\n" >> extractPorts.tmp

cat extractPorts.tmp; rm extractPorts.tmp
```

Code 1: This script allow us to extract nmap generated info





Donec ut tincidunt dolor. Curabitur sit amet porttitor magna, nec consectetur mi. Praesent quis congue tellus, a tincidunt mauris. Aenean sed luctus enim. Donec ut maximus nisi, sed malesuada erat. Aliquam sollicitudin ullamcorper sem vitae ultrices. Sed iaculis enim egestas, suscipit arcu ac, lacinia risus. Proin scelerisque mi eu feugiat euismod:

```
TCP Ports
593, 1337
```

Vivamus vitae elit porta, tempor justo tincidunt, accumsan ligula. Proin nec magna sit amet leo dignissim sollicitudin sit amet ut quam:

```
> cat ../Hacking-Challenges/HackTheBox/0.common_utilities/nmap_port_scanner.sh

File: ../Hacking-Challenges/HackTheBox/0.common_utilities/nmap_port_scanner.sh

# -sCV gets the version and the services that runs on the given ports.
# -p$(ports) The given ports.
# -oN exports all the info in a "targeted" mode.

nmap -sCV -p$(ports) $ip -oN targeted

# Note: If the target blocks the pings, use the -Pn flag

nmap -sCV -p$(ports) $ip -oN targeted -Pn

A > ~/GitHub/Youngermaster/Pentesting-Report-Template on  ~ P main !4
```

Figure 3: These are the results of lorem ipsum

Ut vulputate fermentum scelerisque 3 and 6. Interdum et malesuada fames ac ante ipsum primis in faucibus.