

DOCUMENTATION

Auth Deep Dive

Table of contents

1	Authentication	3
1.1	Level 1 — System Context	3
1.2	Level 2 — Building Blocks	3

1 Authentication

1.1 Level 1 — System Context

The system exposes a public documentation portal and an internal editing API. The main external actors are:

Actor	Responsibility
End user	Browses the published documentation
Identity provider	Authenticates internal editors
CI pipeline	Builds, tests and deploys the site

The context boundary is intentionally small: everything user-facing is static.

1.2 Level 2 — Building Blocks


- **Web frontend** — the Docusaurus static site served from GitHub Pages.
- **Content pipeline** — Markdown assembled at build time, including the `#include` mechanism that composes pages from reusable fragments.
- **PDF exporter** — WeasyPrint renders the architecture section to a branded PDF as part of the CI workflow.

This whole section is assembled from separate files — if you can read it in the exported PDF, composition works end to end.

you can use `_folder` you create reusable md


```
#include "_sections/level-1-context.md"
#include "_sections/level-2-components.md"
```


Le flow OIDC complet : [C4 Core Diagrams](#)




Détail du refresh token :

Refresh token race condition



**Legend**

person
system
container
external person
external system
external container



Legend	
	container
	component
	container boundary

Deployment Diagram for Internet Banking System - Live

