

DOCUMENTATION

Create A Page

Table of contents

1	Create a Page	3
1.1	Create your first React Page	3
1.2	Create your first Markdown Page	3


1 Create a Page

Add **Markdown or React** files to `src/pages` to create a **standalone page**:

- `src/pages/index.js` → `localhost:3000/`
- `src/pages/foo.md` → `localhost:3000/foo`
- `src/pages/foo/bar.js` → `localhost:3000/foo/bar`

1.1 Create your first React Page

Create a file at `src/pages/my-react-page.js`:

A code editor window with a dark theme. The title bar shows three colored window control buttons (red, yellow, green) on the left and 'JS' on the right. The file name 'src/pages/my-react-page.js' is displayed in the header. The code content is as follows:


```
import React from 'react';
import Layout from '@theme/Layout';

export default function MyReactPage() {
  return (
    <Layout>
      <h1>My React page</h1>
      <p>This is a React page</p>
    </Layout>
  );
}
```

A new page is now available at <http://localhost:3000/my-react-page>.

1.2 Create your first Markdown Page

Create a file at `src/pages/my-markdown-page.md`:

A code editor window with a dark theme. The title bar shows three colored window control buttons (red, yellow, green) on the left. The file name 'src/pages/my-markdown-page.md' is displayed in the header. The code content is as follows:

```
# My Markdown page

This is a Markdown page
```

A new page is now available at <http://localhost:3000/my-markdown-page>.