

DOCUMENTATION

Translate Your Site

Table of contents


1	Translate your site	3
1.1	Configure i18n	3
1.2	Translate a doc	3
1.3	Start your localized site	3
1.4	Add a Locale Dropdown	4
1.5	Build your localized site	5

1 Translate your site

Let's translate `docs/intro.md` to French.

1.1 Configure i18n


Modify `docusaurus.config.js` to add support for the `fr` locale:

A screenshot of a code editor window with a dark theme. The title bar shows three colored circles (red, yellow, green) and the text 'JS'. The file name 'docusaurus.config.js' is displayed in the top left. The code content is as follows:

```
export default {  
  i18n: {  
    defaultLocale: 'en',  
    locales: ['en', 'fr'],  
  },  
};
```

1.2 Translate a doc

Copy the `docs/intro.md` file to the `i18n/fr` folder:

A screenshot of a terminal window with a dark theme. The title bar shows three colored circles (red, yellow, green) and the text 'BASH'. The commands entered are:

```
mkdir -p i18n/fr/docusaurus-plugin-content-docs/current/  
cp docs/intro.md i18n/fr/docusaurus-plugin-content-docs/current/intro.md
```

Translate `i18n/fr/docusaurus-plugin-content-docs/current/intro.md` in French.

1.3 Start your localized site

Start your site on the French locale:

A screenshot of a terminal window with a dark theme. The title bar shows three colored circles (red, yellow, green) and the text 'BASH'. The command entered is:

```
npm run start -- --locale fr
```

Your localized site is accessible at <http://localhost:3000/fr/> and the `Getting Started` page is translated.

! CAUTION

In development, you can only use one locale at a time.


1.4 Add a Locale Dropdown

To navigate seamlessly across languages, add a locale dropdown.

Modify the `docusaurus.config.js` file:

```
export default {
  themeConfig: {
    navbar: {
      items: [
        {
          type: 'localeDropdown',
        },
      ],
    },
  },
};
```


The locale dropdown now appears in your navbar:



Locale Dropdown

1.5 Build your localized site


Build your site for a specific locale:



```
npm run build -- --locale fr
```

A terminal window with a dark background and three colored window control buttons (red, yellow, green) in the top-left corner. The text "BASH" is in the top-right corner. The command "npm run build -- --locale fr" is entered in the terminal.

Or build your site to include all the locales at once:



```
npm run build
```

A terminal window with a dark background and three colored window control buttons (red, yellow, green) in the top-left corner. The text "BASH" is in the top-right corner. The command "npm run build" is entered in the terminal.