

DOCUMENTATION

Tutorial Basics

Table of contents

1	Congratulations!	3
1.1	What's next?	3
2	Create a Blog Post	4
2.1	Create your first Post	4
3	Create a Document	5
3.1	Create your first Doc	5
3.2	Configure the Sidebar	5
4	Create a Page	7
4.1	Create your first React Page	7
4.2	Create your first Markdown Page	7
5	Deploy your site	8
5.1	Build your site	8
5.2	Deploy your site	8
6	Markdown Features	9
6.1	Front Matter	9
6.2	Links	9
6.3	Images	9
6.4	Code Blocks	10
6.5	Admonitions	10
6.6	MDX and React Components	11

1 Congratulations!

You have just learned the **basics of Docusaurus** and made some changes to the **initial template**.

Docusaurus has **much more to offer!**

Have **5 more minutes**? Take a look at [versioning](#) and [i18n](#).

Anything **unclear** or **buggy** in this tutorial? [Please report it!](#)

1.1 What's next?


- Read the [official documentation](#)
- Modify your site configuration with `docusaurus.config.js`
- Add navbar and footer items with `themeConfig`
- Add a custom [Design and Layout](#)
- Add a [search bar](#)
- Find inspirations in the [Docusaurus showcase](#)
- Get involved in the [Docusaurus Community](#)

2 Create a Blog Post

Docusaurus creates a **page for each blog post**, but also a **blog index page**, a **tag system**, an **RSS** feed...

2.1 Create your first Post

Create a file at `blog/2021-02-28-greetings.md`:



```
blog/2021-02-28-greetings.md

---
slug: greetings
title: Greetings!
authors:
  - name: Joel Marcey
    title: Co-creator of Docusaurus 1
    url: https://github.com/JoelMarcey
    image_url: https://github.com/JoelMarcey.png
  - name: Sébastien Lorber
    title: Docusaurus maintainer
    url: https://sebastienlorber.com
    image_url: https://github.com/slорber.png
tags: [greetings]
---

Congratulations, you have made your first post!

Feel free to play around and edit this post as much as you like.
```

A new blog post is now available at <http://localhost:3000/blog/greetings>.


3 Create a Document

Documents are **groups of pages** connected through:

- a **sidebar**
- **previous/next navigation**
- **versioning**

3.1 Create your first Doc

Create a Markdown file at `docs/hello.md`:

A screenshot of a code editor window with a dark theme. The title bar shows three colored window control buttons (red, yellow, green) and the file path 'docs/hello.md'. The editor contains the following text:

```
# Hello


This is my first Docusaurus document!
```

A new document is now available at <http://localhost:3000/docs/hello>.

3.2 Configure the Sidebar

Docusaurus automatically **creates a sidebar** from the `docs` folder.

Add metadata to customize the sidebar label and position:

A screenshot of a code editor window with a dark theme. The title bar shows three colored window control buttons (red, yellow, green) and the file path 'docs/hello.md'. The editor contains the following text:

```
---

sidebar_label: 'Hi!'


sidebar_position: 3

---

# Hello

This is my first Docusaurus document!
```

It is also possible to create your sidebar explicitly in `sidebars.js`:



```
export default {  
  tutorialSidebar: [  
    'intro',  
    'hello',  
    {  
      type: 'category',  
      label: 'Tutorial',  
      items: ['tutorial-basics/create-a-document'],  
    },  
  ],  
};
```


4 Create a Page

Add **Markdown or React** files to `src/pages` to create a **standalone page**:

- `src/pages/index.js` → `localhost:3000/`
- `src/pages/foo.md` → `localhost:3000/foo`
- `src/pages/foo/bar.js` → `localhost:3000/foo/bar`

4.1 Create your first React Page

Create a file at `src/pages/my-react-page.js`:

A screenshot of a code editor window with a dark theme. The title bar shows three colored window control buttons (red, yellow, green) on the left and the text 'JS' on the right. The file path 'src/pages/my-react-page.js' is displayed in the editor's header. The code content is as follows:


```
import React from 'react';
import Layout from '@theme/Layout';

export default function MyReactPage() {
  return (
    <Layout>
      <h1>My React page</h1>
      <p>This is a React page</p>
    </Layout>
  );
}
```

A new page is now available at <http://localhost:3000/my-react-page>.

4.2 Create your first Markdown Page

Create a file at `src/pages/my-markdown-page.md`:

A screenshot of a code editor window with a dark theme. The title bar shows three colored window control buttons (red, yellow, green) on the left. The file path 'src/pages/my-markdown-page.md' is displayed in the editor's header. The code content is as follows:

```
# My Markdown page

This is a Markdown page
```

A new page is now available at <http://localhost:3000/my-markdown-page>.

5 Deploy your site

Docusaurus is a **static-site-generator** (also called **Jamstack**).

It builds your site as simple **static HTML, JavaScript and CSS files**.

5.1 Build your site

Build your site **for production**:

A terminal window with a dark background and three colored window control buttons (red, yellow, green) in the top-left corner. The text "BASH" is in the top-right corner. The command "npm run build" is entered in the terminal.

```
npm run build
```

The static files are generated in the `build` folder.

5.2 Deploy your site

Test your production build locally:

A terminal window with a dark background and three colored window control buttons (red, yellow, green) in the top-left corner. The text "BASH" is in the top-right corner. The command "npm run serve" is entered in the terminal.

```
npm run serve
```

The `build` folder is now served at <http://localhost:3000/>.

You can now deploy the `build` folder **almost anywhere** easily, **for free** or very small cost (read the **Deployment Guide**).

6 Markdown Features

Docusaurus supports **Markdown** and a few **additional features**.

6.1 Front Matter

Markdown documents have metadata at the top called **Front Matter**:

my-doc.md

id: my-doc-id

title: My document title

description: My document description

slug: /my-custom-url

Markdown heading

Markdown text with [links](./hello.md)

6.2 Links

Regular Markdown links are supported, using url paths or relative file paths.



Let's see how to [\[Create a page\]\(/create-a-page\)](/create-a-page).



Let's see how to [\[Create a page\]\(./create-a-page.md\)](/create-a-page.md).

Result: Let's see how to [Create a page](#).

6.3 Images

Regular Markdown images are supported.

You can use absolute paths to reference images in the static directory (`static/img/docusaurus.png`):

You can reference images relative to the current file as well. This is particularly useful to colocate images close to the Markdown files using them:

6.4 Code Blocks

Markdown code blocks are supported with Syntax highlighting.

```
```jsx title="src/components/HelloDocusaurus.js"
function HelloDocusaurus() {
 return <h1>Hello, Docusaurus!</h1>;
}
```
```

```
src/components/HelloDocusaurus.js

function HelloDocusaurus() {
  return <h1>Hello, Docusaurus!</h1>;
}
```

6.5 Admonitions

Docusaurus has a special syntax to create admonitions and callouts:

```
:::tip My tip

Use this awesome feature option

:::

:::danger Take care

This action is dangerous

:::
```

:::tip My tip

Use this awesome feature option

⋮

⋮:danger Take care

This action is dangerous

⋮

6.6 MDX and React Components

MDX can make your documentation more **interactive** and allows using any **React components inside Markdown**:

```
export const Highlight = ({children, color}) => (
  <span
    style={{
      backgroundColor: color,
      borderRadius: '20px',
      color: '#fff',
      padding: '10px',
      cursor: 'pointer',
    }}
    onClick={() => {
      alert(`You clicked the color ${color} with label ${children}`)
    }}>
    {children}
  </span>
);

This is <Highlight color="#25c2a0">Docusaurus green</Highlight> !

This is <Highlight color="#1877F2">Facebook blue</Highlight> !
```

This is Docusaurus green !

This is Facebook blue !