THENI MELAPETTAI HINDU NADARGAL URAVINMURAI

NADAR SARASWATHI COLLEGE OF NIGHT-Saraswath College of Engineering & TECHNOLOGY

Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai Vadapudupatti, Annanji (po), Theni - 625 531, Tamilnadu, India.

3.1.1 Grants received from Government and non-governmental agencies for research projects / endowments in the institution during the last five years

Academic Year : 2022-2023

Name of the Project Application : Machine Learning techniques for liquid level

estimation using float sensor arrays

Mr. R.Rajaprasanna

Assistant Professor, Department of EEE

Name of the Principal Department of EEE
Investigator Nadar Saraswathi College of Engineering and

Technology, Vadapudupatti, Theni.

Name of the Funding Agency : Tamil Nadu State Council for Science and

Technology

Amount Sanctioned Rs. 7500/-

Duration of the project : Six Months

Flow Control and Measurement using Machine learning Techniques from Sensor arrays

Suthersen T, Sundaramahalingam S and Shanmugapandian M

Abstract:

This project mainly focuses on the liquid level measurement and control using machine learning algorithms. Level and flow of volatile liquids/fluids are subjected to change mass and during transportation and consume for public needs pose a series problem in quantity. This work comes with the new idea using machine learning concepts such as regression and least square analysis to find the liquid level accurately in the tank as well as the flow. This work takes raw data from the container attached with float as well as flow sensors which gives liquid level and flow measurement accurately. The data has been feed in to the raspberry Pi-3 and using Thony python, the necessary instructions has been done. The work is validated using the previous approaches of handling flow and liquid level measurement empirically.

Introduction:

Flow control and measurement are the crucial one in all industries and residential areas. If the liquid/fluid is high-volatile, its mass shall be reduced considerably. Therefore, its quantity has been reduced significantly which leads to uncertain in deliver the liquid/fluid to consumers/Consumers. In order to monitor and maintain the liquid level at desired rate, this work come with machine learning approach-Supervised machine learning algorithm, named regression analysis coupled with least square estimation to estimate the parameters associated with liquid and flow measurement. This typical work uses regression analysis using python modules to obtain the results. The data are rendered from the sensors housed at the tank for measuring flow/liquid.

Methodology:

Regression is the one of the types of supervised learning in which the outcome is a continuous one. i.e., Numeric. It normally works on the mathematical equation for which the weights (variance) are updated using the optimization concept and makes the observed data close to the desired data. If the data is linearly separable, linear regression is the best choice. But if the data is not linearly separable, then, logistic regression is the best choice. The collected data for this work from the Kaggle platform shows are not linearly separable. So, logistic regression method is used in this work. The weights are updated using gradient-decent algorithm. Any discrepancies in actual liquid level or flow with the obtain liquid level or flow are minimized using the cost/loss function with constraint on the maximum flow as the liquid level using numeric optimization. The data are feed in the minicomputer-Raspberry pi 3 with 1 GB internal RAM. Software used to perform machine learning algorithm is Python 3.8.10 using Sypder IDE. The modules used in python are pandas, scikit-learn etc. The results are validated with the previous work based on the maximum flow as the liquid level are validated with the previous work based on the python are pandas, scikit-learn etc.

THEN

Dr. C. MATHALAI SUNDARAM, M.E.,M.B.A.,Ph.D., Principal Nadar Saraswathi College of Engineering and Technology Vadapudupatti, Theni-625 531.

Results:

The optimal results are the minimization of generalized results which is the quantification of observed flow/liquid with the actual flow/liquid. The metrices involved in the minimization of errors are the Minimum Mean Square (MME), Root Mean Square Error (RMSE), Mean Square Error (MSE) etc. These metrices are compared with the previous studies and claim that this work yields better results. The data from the sensor readings are pre-processed using pandas and matplotlib libraries.

Conclusion:

Using machine learning algorithm, this work found an efficient and optimal way to measure the flow rate/liquid-level using Raspberry pi and Thonny Python. The results are quantified using various time domain metrices and validated with other works. The obtained results are used to control the flow as well as maintain the level at desired set points.

Project Guide: Rajaprasanna R/AP/EEE/NSCET/THENI

Dr. C. MATHALAI SUNDARAM, M.E., M.B.A., Ph.D.,
Principal

Nadar Saraswathi College of Engineering and Technology Vadapudupatti, Theni-625 531.



Flow Control and Measurement using Machine learning Techniques from Sensor arrays

Suthersen T, Sundaramahalingam S and Shanmugapandian M

Abstract:

This project mainly focuses on the liquid level measurement and control using machine learning algorithms. Level and flow of volatile liquids/fluids are subjected to change mass and during transportation and consume for public needs pose a series problem in quantity. This work comes with the new idea using machine learning concepts such as regression and least square analysis to find the liquid level accurately in the tank as well as the flow. This work takes raw data from the container attached with float as well as flow sensors which gives liquid level and flow measurement accurately. The data has been feed in to the raspberry Pi-3 and using Thony python, the necessary instructions has been done. The work is validated using the previous approaches of handling flow and liquid level measurement empirically.

Introduction:

Flow control and measurement are the crucial one in all industries and residential areas. If the liquid/fluid is high-volatile, its mass shall be reduced considerably. Therefore, its quantity has been reduced significantly which leads to uncertain in deliver the liquid/fluid to consumers/Consumers. In order to monitor and maintain the liquid level at desired rate, this work come with machine learning approach-Supervised machine learning algorithm, named regression analysis coupled with least square estimation to estimate the parameters associated with liquid and flow measurement. This typical work uses regression analysis using python modules to obtain the results. The data are rendered from the sensors housed at the tank for measuring flow/liquid.

Methodology:

Regression is the one of the types of supervised learning in which the outcome is a continuous one. i.e., Numeric. It normally works on the mathematical equation for which the weights (variance) are updated using the optimization concept and makes the observed data close to the desired data. If the data is linearly separable, linear regression is the best choice. But if the data is not linearly separable, then, logistic regression is the best choice. The collected data for this work from the Kaggle platform shows are not linearly separable. So, logistic regression method is used in this work. The weights are updated using gradient-decent algorithm. Any discrepancies in actual liquid level or flow with the obtain liquid level or flow are minimized using the cost/loss function with constraint on the maximum flow as the liquid level using numeric optimization. The data are feed in the minicomputer-Raspberry pi 3 with 1 GB internal RAM. Software used to perform machine learning algorithm is Python 3.8.10 using Sypder IDE. The modules used in python are pandas, scikit-learn etc. The results are

Im

Dr. C. MATHALAI SUNDARAM, M.E.,M.B.A.,Ph.D., Principal Nadar Saraswathi College of Engineering and Technology Vadapudupatti, Theni-625 531

Results:

The optimal results are the minimization of generalized results which is the quantification of observed flow/liquid with the actual flow/liquid. The metrices involved in the minimization of errors are the Minimum Mean Square (MME), Root Mean Square Error (RMSE), Mean Square Error (MSE) etc. These metrices are compared with the previous studies and claim that this work yields better results. The data from the sensor readings are pre-processed using pandas and matplotlib libraries.

Conclusion:

Using machine learning algorithm, this work found an efficient and optimal way to measure the flow rate/liquid-level using Raspberry pi and Thonny Python. The results are quantified using various time domain metrices and validated with other works. The obtained results are used to control the flow as well as maintain the level at desired set points.

Project Guide: Rajaprasanna R/AP/EEE/NSCET/THENI

Dr. C. MATHALAI SUNDARAM, M.E., M.B.A., Ph.D.,

Nadar Saraswathi College of Engineering and Technology Vadapudupatti, Theni-625 §31





தமிழ்நாடு அறிவியல் தொழில்நுட்ப மாநில மன்றம்

TAMILNADU STATE COUNCIL FOR SCIENCE AND TECHNOLOGY

(Established by Government of Tamilnadu)
Directorate of Technical Education Campus, Chennai – 600 025.
Ph : 044-22301428, <u>www.tanscst.nic.in</u>

Dr.R.SRINIVASAN, M.Sc., Ph.D.,F.I.C.S., M.A.C.S.(USA)., Member Secretary

Lr.No.TNSC:ST/SPS/BS/2022-2023

To The Principal

Nadar Saraswathi College of Engineering and Technology,

Theni -625 531

Sir/Madam,

TNSCST - Student Project Scheme - 2022-2023 - approval intimation-grant release- reg.

With respect to the above scheme, the list of projects approved by the State Council is enclosed along with terms and conditions. You are requested to adhere to terms and conditions such as submission of UC and Seminar Paper on Time.

| 1. | Mr.Rajaprasanna.R, Assitant Professor, Department of EEE, Nadar Saraswathi College of Engineering and Technology, Theni –625 531 | Machine learning techniques for liquid level estimation using float sensor arrays | T.Sutharsan, M.Shanmugapandian, S.Sundaramahalingam, | EEE-1228 | The Principal | Rs 7500/- |
|----|---|---|--|----------|---------------|------------|
| 2. | Mr.R.Santhaseelan, Assistant Professor, Department of Mechanical Engineering, Nadar Saraswathi College of Engineering and Technology, Theni-625 531 | Design and fabrication of affordable economical e-bike | V. Uthaya, M. Raja Ganesh, V. Venkateshwaran, C.S. DineshBabu | EME-0509 | The Principal | Rs 7500/- |
| | 6.0 | र्वा | | | Total | Rs 15000/- |

Herewith enclosed the cheque for the approved grant and disburse the grant to the concerned students through the guides at the earliest

Kindly send the utilisation certificate (format enclosed) and seminar paper (Ref.T&C) on completion of the project.

Thanking you,

Yours faithfully,

03.03.2023

Member Secretary.

Encl: a) Terms & Conditions (T&C)

b) Format of Utilisation Certificate (UC)

c) Cheque for Rs.15000/- Cheque No:574915 dt.03.03.2023

Copy to: Individual Guides

THENI 625 531

Dr. C. MATHALAI SUNDARAM, M.E., M.B.A., Ph.D.,

Principal
Nadar Saraswathi College of
Engineering and Technology
Vadapudupatti, Theni-625 531.



Branch : DOTE CAMPUS DOTE OFFICE BUILDINGS GUINDY, CHENNAI IFS Code : IDIB000D050

Ac. Payee Only

VALID FOR THREE MONTHS ONLY दिनांक 03032023 Date

rincipa , Leni OR BEARER या धारक को

खा. सं. A/c. No.

Ł

992000095

479135159

FOR MEMBER SECRETARY, TAMILNADU STATE COUNCIL SCIENCE & TECHNOLOGY

CBS Code: 01636

AUTHORISED SIGNATORY

PAYABLE AT PAR AT ALL OUR BRANCHES

Please sign above

11 5749151 6000191191 1351591

Dr. C. MATHALAI SUNDARAM, M.E., M.B.A., Ph.D.,

Principal

Nadar Saraswath! College of Engineering and Technology Vadapudupatti, Theni-625 531.

FLUID LEVEL CONTROLLER AND MEASURING TEMPERTURE, HUMDITIY

SHANMUGA PANDIAN¹, SUNDARAMAHALINGAM², SUTHARSAN³

Final Year Electrical and Electronics Engineering Students Nadar Saraswathi College of Engineering and Technology Theni.

ABSTRACT

Now a day's people need everything happen smarter other than olden days techniques used. Now everyone has overhead tank at their homes and Industries use big size of boilers to processing liquids and store the high temperature fluids. Keeps on pumping water to the tank and the water starts spilling out from the tank. Industry processing liquid high pressure and temperature the monitor the correct level and control on same time. There is wastage of time, electricity, and separate equipment to measure so maintenance is high. This project to solve the all above problems using IOT based method. In this paper Internet of Things (IOT) Based on the concept that to define energy conservation in tank (sense and monitor). The Main objective is to have a sensor which detects the level of water and it should notify the user about the level which is currently available in the tank. The Float Sensor is placed at the top of the tank in which we will measure the level of fluid and the if the distance of the fluid from the sensor gets increased, it means that the fluid in the tank gets low and finally after reaching to an extent the system should notify a warning message to the user. And the DHT11 sensors measure the temperature and humidity of a fluid. The Major requirement would be Float sensor which senses level of liquid (in distance) from the top of the tank to the bottom of the tank. The sensor is connected to the system using the Wi-Fi of NODEMCU (ESP8266) .The Blynk library and Thingspeak is installed and connected in the arduino. The Blynk or other online application application is used to get the values and the notification sends to the mobile for the user purpose.

MERITS

| | Save | energy, | Low | Cost |
|--|------|---------|-----|------|
|--|------|---------|-----|------|

☐ Reduces the chances of water spillage

☐ Increases the overall efficiency of the plant processing

☐ Fast response

Or. C. MATHALAI SUNDARAM, M.E., M.B.A., Ph.D.,

Nadar Saraswathi College of Engineering and Technology Vadapudupatti, Theni-625 531.



Required Materials (using TNSCST fund)

| S. No. | Elements | Quantity No. | Cost in Rs. |
|--------------------------|--|---------------------|-------------------|
| 1 | Raspberry pi 4 1GB Ram | en encil exercision | 4500/- |
| 2 | Float Sensor. | . * 4 | 400/- |
| 3 | DHT11 Sensor | 1 | 250/- |
| manufaya. 4 = 1 = 0.20/3 | LCD Module | 1 | 335/- |
| | Display | an a the inchese as | western which beg |
| 5 3 | NodeMCU | | 400/- |
| 6 | Jumper Wire | 30 | 105/- |
| 7 | Raspberry pi Official USB-C Power Supply | | 950/- |
| 8 | HDMI port | | 500 |
| | Total | 39 | 7440/- |

Protect Supervisor (P. Pataposes one AP/ETE)

trees the trees to the trees to

Or. C. MATHALAI SUNDARAM, M.E.,M.B.A.,Ph.D.,

Principal

Nadar Saraswathi College of
Engineering and Technology

Vadapudupatti, Theni-625 531

TAMILNADU STATE COUNCIL FOR SCIENCE AND TECHNOLOGY DOTE CAMPUS, CHENNAI - 600 025

STUDENT PROJECT SCHEME 2022-2023 UTILISATION CERTIFICATE

(TWO COPIES)

| 1. Name of the guide and address | * | Mr. R. Rajapockanna /AP ZEE Nadar Sereswathi College of Engg. and Tech Thei- 625531 |
|----------------------------------|----|---|
| 2. Name of the student(s) | | To Suthersen IV You III Mr. Stanmuga Pardiyaan IV Year BEE S. Surdozerrahaligam IV-Yen BEE |
| 3. Fitle of the project | | Nechine learning technises for Liquid level estimation using float sensor |
| 4. Project code | :/ | EEE-1228 |

It is certified that a sum of Rs. 7500 (Rupees Soven thousand five hadred sanctioned by the Council for carrying out above mentioned student project has been utilized for thepurpose for which it was sanctioned and sum of Rs..... remaining unutilized is refunded.

Signature of the Guide

Signature of the HOD

Signature of the REGISTRAR / PRINCIPAL / DEAN with seal

Cr. C. MATHALAI SUNDARAM, M.E.,M.B.A.,Ph.O. Principal

Nadar Saraswathi College of Engineering and Technology Vadapudupatti, Theni-625 531

Dr. C. MATHALAI SUNDARAM, M.E., M.B.A., Ph.D.,

Principal Nadar Saraswathi College of Engineering and Technology Vadapudupatti, Theni-625 531

