WINGSPAN

CORE GAME

| common name | ♦ | • |) | | 0 | (cm) | power |
|-------------------------|-----------|----------------------------------|---|----|-------|------|--|
| Acorn Woodpecker | \$ | | 5 | 0 | 0000 | 46 | Gain 1 🔖 from the birdfeeder (if available). You may cache it on this card. |
| American Avocet | • | - + - + | 6 | 8 | 00 | 79 | ■ When another player takes the "lay eggs" action, this bird lays 1 ○ on another bird with a 😂 nest. |
| American Bittern | | +-+ | 7 | | 00 | 107 | ■ Player(s) with the fewest 🧇 birds: draw 1 🔟. |
| American Coot | | + | 3 | | 00000 | 61 | Tuck a 🛮 from your hand behind this bird. If you do, draw 1 🗐. |
| American Crow | ♦ | | 4 | | 00 | 99 | ■ Discard 1 () from any of your other birds to gain 1 () from the supply. |
| American Goldfinch | • | | 3 | 0 | 000 | 23 | ☐ Gain 3 🍓 from the supply. |
| American Kestrel | • | +40 | 5 | • | 000 | 56 | Roll all dice not in birdfeeder. If any are 🗢, gain 1 🗢 and cache it on this card. |
| American Oystercatcher | • | لم.+لم. | 5 | 8 | 00 | 81 | ☐ Draw ☐ equal to the number of players +1. Starting with you and proceeding clockwise, each player selects 1 of those cards and places it in their hand. You keep the extra card. |
| American Redstart | \$ | +** | 4 | 0 | 0000 | 20 | Gain 1 🌑 from the birdfeeder. |
| American Robin | ♦ | \ / % | 1 | 0 | 0000 | 43 | Tuck a 🛮 from your hand behind this bird. If you do, draw 1 🗐. |
| American White Pelican | • | >+ +> | 5 | 89 | • | 274 | ■ ② Discard a → to tuck 2 🛭 from the deck behind this bird. |
| American Woodcock | ♦ | - + - + * | 9 | 89 | 00 | 46 | |
| Anhinga | • | * +* | 6 | | 00 | 114 | ■ 🔛 Roll all dice not in birdfeeder. If any are 🗢, gain 1 🇢 and cache it on this card. |
| Anna's Hummingbird | ♦ ♦ | | 4 | 0 | 00 | 13 | Each player gains 1 🌍 from the birdfeeder, starting with the player of your choice. |
| Ash-Throated Flycatcher | • | +++ | 4 | 0 | 0000 | 30 | ☐ Lay 1 ○ on each of your birds with a • nest. |
| Atlantic Puffin | • | >+ +>+ | 8 | | • | 53 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Baird's Sparrow | • | + | 3 | 89 | 00 | 23 | ■ Lay 1 () on any bird. |
| Bald Eagle | • | * + * + * > | 9 | | • | 203 | ☐ Gain all ➤ that are in the birdfeeder. |
| Baltimore Oriole | \$ | +%+% | 9 | | 00 | 30 | ■ All players gain 1 ॐ from the supply. |
| Barn Owl | ♦ ♦ | 4 >+ 4 > | 5 | 0 | 0000 | 107 | Roll all dice not in birdfeeder. If any are 🗢, gain 1 🗢 and cache it on this card. |
| Barn Swallow | ♦ | 4 | 1 | | 000 | 38 | Tuck a 🔝 from your hand behind this bird. If you do, draw 1 🔝. |

| Barred Owl | � | 400 | 3 | • | 00 | 107 | Look at a 🔝 from the deck. If < 75 cm, tuck it behind this bird. If not, discard it. |
|------------------------------|--------------|--|---|----------|-------|-----|--|
| Barrow's Goldeneye | | - + * + * | 5 | 0 | 0000 | 71 | ■ When another player takes the "lay eggs" action, this bird lays 1 () on another bird with a • nest |
| Bell's Vireo | ♦ | 4,+6 | 4 | | 00 | 18 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Belted Kingfisher | • | * + | 4 | | 0000 | 53 | ■ When another player plays a 🧇 bird, gain 1 🖜 from the supply. |
| Bewick's Wren | ♦ ♦ | - + - + | 4 | • | 000 | 18 | If this bird is to the right of all other birds in its habitat, move it to another habitat. |
| Black Skimmer | • | > +> | 6 | 8 | 00 | 112 | Roll all dice not in birdfeeder. If any are 🇢, gain 1 🗢 and cache it on this card. |
| Black Tern | • | \ -/- | 4 | | 00 | 61 | ■ Draw 1 🗐. If you do, discard 1 🗐 from your hand at the end of your turn. |
| Black Vulture | � | 0 | 2 | 0 | • | 150 | When another player's predator succeeds, gain 1 🌍 from the birdfeeder. |
| Black-Bellied Whistling Duck | • | # + # + # + # · · · · · · · · · · · · · | 2 | 0 | 00000 | 76 | ■ 🥙 Discard 1 🔌 to tuck 2 📓 from the deck behind this bird. |
| Black-Billed Magpie | • | + | 3 | | 000 | 64 | When another player's predator succeeds, gain 1 🌍 from the birdfeeder. |
| Black-Chinned Hummingbird | ♦ ♦ | | 4 | 0 | 00 | 8 | ■ All players gain a 🌠 from the supply. |
| Black-Crowned Night-Heron | • | +-+ | 9 | | 00 | 112 | ■ Discard 1 () from any of your other birds to gain 1 () from the supply. |
| Black-Necked Stilt | • | 4,+6 | 4 | 8 | 00 | 74 | ☐ Draw 2 🔟. |
| Blue Grosbeak | ♦ | + 1 + 1 | 4 | 0 | 000 | 28 | If this bird is to the right of all other birds in its habitat, move it to another habitat. |
| Blue Jay | \$ | + | 3 | 0 | 00 | 41 | 📕 Gain 1 🔌 from the birdfeeder (if available). You may cache it on this card. |
| Blue-Gray Gnatcatcher | \$ | 4 , | 1 | 0 | 000 | 15 | ■ Gain 1 🦴 from the supply. |
| Blue-Winged Warbler | ♦ | 4. | 8 | 0 | 00 | 20 | |
| Bobolink | • | + 1 + 1 | 4 | | 000 | 30 | ☐ Lay 1 () on each of your birds with a nest. |
| Brant | • | + | 3 | | 00 | 114 | ☐ Draw the 3 face-up 🔝 in the bird tray. |
| Brewer's Blackbird | • | + | 3 | 0 | 000 | 41 | ■ 🕙 Tuck a 🛮 from your hand behind this bird. If you do, also lay 1 🔾 on this bird. |
| Broad-Winged Hawk | \$ | 40 2 | 4 | | 00 | 85 | Roll all dice not in birdfeeder. If any are a 🦦, gain 1 🗢 and cache it on this card. |
| Bronzed Cowbird | • | - + | 5 | | | 36 | ■ When another player takes the "lay eggs" action, this bird lays 1 () on another bird with a 🕤 nest |
| Brown Pelican | • | >+ + | 4 | | 00 | 201 | ☐ Gain 3 → from the supply. |
| Brown-Headed Cowbird | • | THE STATE OF THE S | 3 | | | 30 | ■ When another player takes the "lay eggs" action, this bird lays 1 () on another bird with a 🕤 nest |
| Burrowing Owl | • | +40 | 5 | | 0000 | 53 | Roll all dice not in birdfeeder. If any are 🗢, gain 1 🗢 and cache it on this card. |
| Bushtit | ♦ | - + * | 2 | | 00000 | 15 | ■ 🥙 Tuck a 🛮 from your hand behind this bird. If you do, also lay 1 🔾 on this bird. |
| California Condor | A A A | 0 | | ⊗ | • | 277 | ☐ I Draw 2 new bonus cards and keep 1. |

| California Quail | ♦ | + 10 + 10 | 3 | *** | 000000 | 36 | ■ Lay 1 ○ on this bird. |
|----------------------------|------------|--|---|------------|--------|-----|---|
| Canada Goose | ••• | # + # H | 3 | 89 | 000 | 132 | 📕 🕙 Discard 1 🔌 to tuck 2 🔟 from the deck behind this bird. |
| Canvasback | • | + | 4 | | 0000 | 82 | All players draw 1 🛮 from the deck. |
| Carolina Chickadee | � | \ / * | 2 | 0 | 000 | 20 | Gain 1 🔖 from the supply and cache it on this card. |
| Carolina Wren | � | \ / % | 1 | 0 | 00000 | 20 | ☐ Draw 2 🔟. |
| Cassin's Finch | � | + | 4 | 0 | 000 | 30 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Cassin's Sparrow | • | + 1 | 3 | 8 | 00 | 20 | Lay 1 () on any bird. |
| Cedar Waxwing | ♦ | % + % | 3 | 0 | 000 | 25 | Tuck a 🛮 from your hand behind this bird. If you do, gain 1 🞸 from the supply. |
| Cerulean Warbler | \$ | + 1 | 4 | 0 | 00 | 20 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Chestnut-Collared Longspur | • | | 5 | 8 | 0000 | 25 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Chihuahuan Raven | • | ← >+ → + | 4 | | 000 | 112 | ■ Discard 1 ○ from any of your other birds to gain 2 ⑤ from the supply. |
| Chimney Swift | ♦ | لم.+لم. | 3 | | 00 | 36 | If this bird is to the right of all other birds in its habitat, move it to another habitat. |
| Chipping Sparrow | ♦ | \ | 1 | 0 | 000 | 23 | Lay 1 () on any bird. |
| Clark's Grebe | | > | 5 | | 00 | 61 | ■ Draw 1 🗐. If you do, discard 1 📓 from your hand at the end of your turn. |
| Clark's Nutcracker | � | ************************************** | 5 | | 00 | 61 | Gain 1 🔌 from the birdfeeder (if available). You may cache it on this card. |
| Common Grackle | ♦ ♦ | + | 3 | 0 | 000 | 43 | Tuck a 🛮 from your hand behind this bird. If you do, also lay 1 🔿 on this bird. |
| Common Loon | • | * + | 6 | 8 | • | 117 | ■ Player(s) with the fewest 🧇 birds: draw 1 🔟. |
| Common Merganser | • | + | 5 | 0 | 0000 | 86 | Roll all dice not in birdfeeder. If any are 🇢, gain 1 🖚 and cache it on this card. |
| Common Nighthawk | ♦ ♦ | 4,+64 | 3 | 8 | 00 | 56 | If this bird is to the right of all other birds in its habitat, move it to another habitat. |
| Common Raven | ♦ | ← >+ → + | 5 | | 00 | 135 | ■ Discard 1 () from any of your other birds to gain 2 👁 from the supply. |
| Common Yellowthroat | | \$ | 1 | 0 | 0000 | 18 | ■ Draw 2 🗐. If you do, discard 1 📓 from your hand at the end of your turn. |
| Cooper's Hawk | \$ | 4 | 3 | | 00 | 79 | Look at a 🛮 from the deck. If < 75 cm, tuck it behind this bird. If not, discard it. |
| Dark-Eyed Junco | ♦ | + | 3 | 8 | 000 | 23 | 📕 🕙 Tuck a 🛭 from your hand behind this bird. If you do, gain 1 🔌 from the supply. |
| Dickcissel | • | + 1 1 + 1 | 4 | 89 | 000 | 25 | Tuck a 🛮 from your hand behind this bird. If you do, also lay 1 🔾 on this bird. |
| Double-Crested Cormorant | | * + | 3 | | 000 | 132 | ■ 🕙 Discard 🕶 to tuck 2 🔯 from the deck behind this bird. |
| Downy Woodpecker | \$ | \ _/ \ | 3 | • | 00 | 30 | ☐ Play a second bird in your �. Pay its normal cost. |
| Eastern Bluebird | • | L .+ % | 4 | (1) | 00000 | 33 | ☐ Play a second bird in your ♦♦. Pay its normal cost. |

| Eastern Kingbird | ♦ ♦ | \ / % | 2 | 0 | 00 | 38 | ■ When another player plays a � bird, gain 1 🦴 from the supply. |
|--------------------------|-----------|---------------------------------------|---|----|--------|-----|---|
| Eastern Phoebe | ♦ ♦ | \ / % | 3 | | 0000 | 28 | All players gain 1 🦴 from the supply. |
| Eastern Screech Owl | \$ | _ / - | 4 | 0 | 00 | 51 | Roll all dice not in birdfeeder. If any are 🗢, gain 1 🗢 and cache it on this card. |
| Ferruginous Hawk | • | 4 >+ 4 > | 6 | | 00 | 142 | Roll all dice not in birdfeeder. If any are 🗢, gain 1 🗢 and cache it on this card. |
| Fish Crow | ♦ ♦ | * + | 6 | * | 00 | 91 | ■ Discard 1 () from any of your other birds to gain 1 😵 from the supply. |
| Forster's Tern | • | \ /~ | 4 | | 00 | 79 | ■ Draw 1 🗐. If you do, discard 1 📓 from your hand at the end of your turn. |
| Franklin's Gull | * | * + | 3 | | 00 | 91 | ■ Discard 1 () to draw 2 . |
| Golden Eagle | | 40 2+ 40 2+ 40 2 | 8 | | • | 201 | Look at a 🛮 from the deck. If < 100 cm, tuck it behind this bird. If not, discard it. |
| Grasshopper Sparrow | • | \ | 2 | 88 | 00 | 20 | Lay 1 \bigcirc on any bird. |
| Gray Catbird | ♦ ♦ | +*+ | 5 | 0 | 000 | 28 | Repeat a brown power on one other bird in this habitat. |
| Great Blue Heron | • | - + > | 5 | | 00 | 183 | ☐ Play a second bird in your �. Pay its normal cost. |
| Great Crested Flycatcher | \$ | +** | 5 | 0 | 000 | 33 | Gain 1 🦴 from the birdfeeder, if there is one. |
| Great Egret | • | * + * + * > | 7 | * | 000 | 130 | ☐ Play a second bird in your �. Pay its normal cost. |
| Great Horned Owl | \$ | 40 2+ 40 2+ 40 2 | 8 | * | 00 | 112 | Look at a 🛮 from the deck. If < 100 cm, tuck it behind this bird. If not, discard it. |
| Greater Prairie Chicken | • | + 1 1 + 1 | 5 | 8 | 0000 | 71 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Greater Roadrunner | • | +4>+ | 7 | | 00 | 56 | Look at a 🛮 from the deck. If < 50 cm, tuck it behind this bird. If not, discard it. |
| Green Heron | • | \ -/- | 4 | | 000 | 66 | ■ Trade 1 🌑 for any 🜑 from the supply. |
| Hermit Thrush | \$ | +*+ | 7 | | 00 | 30 | ■ Player(s) with fewest � birds gain 1 🌍 from birdfeeder. |
| Hooded Merganser | • | - ,+ > | 5 | 0 | 0000 | 61 | Repeat 1 욢 power in this habitat. |
| Hooded Warbler | \$ | L ,+ L , | 7 | 0 | 000 | 18 | |
| Horned Lark | • | - + * | 5 | 8 | 0000 | 30 | ■ 🕙 When another player plays a 🚸 bird, tuck 1 🛭 from your hand behind this bird. |
| House Finch | ♦ ♦ | + | 3 | 0 | 000000 | 25 | 📕 🕙 Tuck a 圆 from your hand behind this bird. If you do, draw 1 📓. |
| House Wren | ♦ | L , | 1 | 0 | 00000 | 15 | ☐ Play a second bird in your 🥎 or 💠. Pay its normal cost. |
| Inca Dove | • | | 2 | | 0000 | 28 | ☐ Lay 1 ○ on each of your birds with a [platform] nest. |
| Indigo Bunting | ♦ | + 🔪 + 🌠 | 5 | 0 | 000 | 20 | ■ Gain 1 🦴 or 拏 from the birdfeeder, if there is one. |
| Juniper Titmouse | \$ | + | 4 | 0 | 000 | 23 | Gain 1 🔖 from the supply and cache it on this card. |
| Killdeer | • | \ | 1 | 8 | 000 | 46 | Discard 1 () to draw 2 [a]. |
| | | | | | | | |

| King Rail | | +>++ | 4 | | 000000 | 51 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
|----------------------|------------|--|---|---|--------|-----|--|
| Lazuli Bunting | • | + 10+ | 4 | 0 | 0000 | 23 | ■ All players lay 1 ○ on any 1 ⑤ bird. You may lay 1 ○ on 1 additional ⑥ bird. |
| Lincoln's Sparrow | ♦ ♦ | + | 3 | | 00 | 20 | If this bird is to the right of all other birds in its habitat, move it to another habitat. |
| Loggerhead Shrike | (| +40 | 3 | 0 | 0000 | 30 | When another player takes the "gain food" action, if they gain any number of 🗢, also gain any from the supply and cache it on this card. |
| Mallard | • | \ | 0 | | 0000 | 89 | ■ Draw 1 🔟. |
| Mississippi Kite | ♦ | _ / - | 4 | | • | 79 | Roll all dice not in birdfeeder. If any are 🗢, gain 1 🗢 and cache it on this card. |
| Mountain Bluebird | • | +* | 4 | • | 00000 | 36 | ☐ Play a second bird in your ﴿>. Pay its normal cost. |
| Mountain Chickadee | \$ | \ | 2 | • | 000 | 23 | Gain 1 🔌 from the supply and cache it on this card. |
| Mourning Dove | ♦ | The state of the s | 0 | | 00000 | 46 | Lay 1 () on this bird. |
| Northern Bobwhite | • | | 5 | 8 | 000000 | 33 | Lay 1 () on this bird. |
| Northern Cardinal | \$ | + | 3 | 0 | 00000 | 30 | ■ Gain 1 ॐ from the supply. |
| Northern Flicker | ♦ | \$ / \$ / \$ | 2 | 0 | 0000 | 51 | ☐ Gain all 🦴 that are in the birdfeeder. |
| Northern Harrier | ♦ | 4 | 3 | | 00 | 109 | Look at a 🛮 from the deck. If < 75 cm, tuck it behind this bird. If not, discard it. |
| Northern Mockingbird | ♦ | +* | 2 | 0 | 0000 | 36 | Repeat a brown power on one other bird in this habitat. |
| Northern Shoveler | • | | 7 | 8 | 0000 | 76 | All players draw 1 🛮 from the deck. |
| Osprey | • | > | 5 | | 00 | 160 | ■ All players gain 1 → from the supply. |
| Painted Bunting | • | + 1 1 + 1 | 5 | 0 | 0000 | 23 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Painted Whitestart | \$ | L | 1 | 8 | 000 | 22 | ■ Gain 1 🦴 from the supply. |
| Peregrine Falcon | ♦ | 4 2+ 4 2 | 5 | | 00 | 104 | Look at a 🛮 from the deck. If < 100 cm, tuck it behind this bird. If not, discard it. |
| Pied-Billed Grebe | • | \ /~ | 0 | | 0000 | 41 | ■ Draw 2 🔟. If you do, discard 1 📓 from your hand at the end of your turn. |
| Pileated Woodpecker | \$ | +** | 4 | • | 00 | 74 | ■ All players lay 1 ○ on any 1 • bird. You may lay 1 ○ on 1 additional • bird. |
| Pine Siskin | \$ | | 3 | 0 | 00 | 23 | 📕 🕙 Tuck a 🛭 from your hand behind this bird. If you do, gain 1 🔌 from the supply. |
| Prothonotary Warbler | ♦ | - + - + | 8 | • | 0000 | 23 | |
| Purple Gallinule | • | +*+ | 7 | | 0000 | 56 | All players draw 1 🛮 from the deck. |
| Purple Martin | ••• | 4 | 2 | • | 000 | 46 | Tuck a 🛮 from your hand behind this bird. If you do, draw 1 🖺. |
| Pygmy Nuthatch | \$ | - + | 2 | • | 0000 | 20 | ■ 🕙 Tuck a 🛮 from your hand behind this bird. If you do, gain 1 ५ or 1 🔌 from the supply. |

| Red Crossbill | � | ************************************** | 6 | 0 | 00 | 28 | All players gain 1 🔖 from the supply. |
|---------------------------|-----------|--|---|----------|--------|-----|---|
| Red-Bellied Woodpecker | � | \ | 1 | 0 | 000 | 41 | 📕 Gain 1 🔖 from the birdfeeder (if available). You may cache it on this card. |
| Red-Breasted Merganser | • | - + - | 3 | 8 | 0000 | 78 | ■ Draw 2 🗐. If you do, discard 1 📓 from your hand at the end of your turn. |
| Red-Breasted Nuthatch | � | \ | 2 | 0 | 000 | 23 | Gain 1 🔌 from the supply and cache it on this card. |
| Red-Cockaded Woodpecker | � | +** | 4 | • | 00 | 36 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Red-Eyed Vireo | � | \ / % | 3 | | 00 | 25 | ☐ Play a second bird in your �. Pay its normal cost. |
| Red-Headed Woodpecker | ♦ | - + | 4 | 0 | 000 | 43 | Gain 1 🔌 from the birdfeeder (if available). You may cache it on this card. |
| Red-Shouldered Hawk | � | 400 | 3 | | 00 | 102 | Look at a 🛮 from the deck. If < 75 cm, tuck it behind this bird. If not, discard it. |
| Red-Tailed Hawk | ♦ | 4⊅ ;† 4⊅ ; | 5 | | 00 | 124 | Look at a 🛮 from the deck. If < 75 cm, tuck it behind this bird. If not, discard it. |
| Red-Winged Blackbird | ♦ | The same of the sa | 2 | 0 | 000 | 33 | Tuck a 🛮 from your hand behind this bird. If you do, also lay 1 🔾 on this bird. |
| Ring-Billed Gull | • | + | 4 | 8 | 00 | 122 | Tuck a 🔝 from your hand behind this bird. If you do, draw 1 🔟. |
| Rose-Breasted Grosbeak | \$ | + 10+ | 6 | 0 | 000 | 33 | ■ Gain 1 🔌 or 拏 from the birdfeeder, if there is one. |
| Roseate Spoonbill | | + 10+ | 6 | | 00 | 127 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Ruby-Crowned Kinglet | \$ | \ /\\\ | 2 | 0 | 000 | 20 | ☐ Play a second bird in your �. Pay its normal cost. |
| Ruby-Throated Hummingbird | ♦ | | 4 | 0 | 00 | 10 | Each player gains 1 🌍 from the birdfeeder, starting with the player of your choice. |
| Ruddy Duck | | \$ / * | 0 | | 00000 | 48 | ■ Draw 2 🗐. If you do, discard 1 🗿 from your hand at the end of your turn. |
| Sandhill Crane | ♦ | ************************************** | 5 | * | • | 196 | ■ 🕙 Discard 1 🔌 to tuck 2 🛭 from the deck behind this bird. |
| Savannah Sparrow | • | \$ / \$ | 2 | * | 000 | 18 | ☐ Play a second bird in your ♦♦. Pay its normal cost. |
| Say's Phoebe | • | L ,+ L ,+ L , | 5 | 0 | 000 | 33 | ☐ Lay 1 ○ on each of your birds with a ⑤ nest. |
| Scaled Quail | • | The state of the s | 0 | * | 000000 | 36 | Lay 1 () on this bird. |
| Scissor-Tailed Flycatcher | • | ++* | 8 | 0 | 00 | 38 | All players gain 1 🦴 from the supply. |
| Snowy Egret | | \ -/- | 4 | | 00 | 104 | Roll all dice not in birdfeeder. If any are 🗢, gain 1 🗢 and cache it on this card. |
| Song Sparrow | ♦ | \ / \ / \ | 0 | 0 | 00000 | 20 | If this bird is to the right of all other birds in its habitat, move it to another habitat. |
| Spotted Owl | \$ | 40 ≥+ 40 ≥ | 5 | 0 | • | 102 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Spotted Sandpiper | | 4 | 5 | | 00 | 38 | All players draw 1 🛭 from the deck. |
| Spotted Towhee | ♦ | \$ / \$ / \$ | 0 | | 0000 | 28 | Gain 1 🔌 from the supply. |
| Sprague's Pipit | • | + | 3 | ₩ | 000 | 25 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| | | | | | | | |

| | | 26. 26. A | | | | | |
|--------------------------|------------|-----------------------------------|---|----|-------|-----|---|
| Steller's Jay | • | + + + | 5 | 0 | •• | 48 | Gain 1 🔖 from the birdfeeder (if available). You may cache it on this card. |
| Swainson's Hawk | • | +40 | 5 | | 00 | 130 | Look at a 🛮 from the deck. If < 75 cm, tuck it behind this bird. If not, discard it. |
| Tree Swallow | • | +** | 3 | • | 0000 | 38 | Tuck a from your hand behind this bird. If you do, draw 1 |
| Trumpeter Swan | | + + + | 9 | | | 203 | |
| Tufted Titmouse | \$ | \ _/ \ | 2 | 0 | 000 | 25 | ☐ Play a second bird in your �. Pay its normal cost. |
| Turkey Vulture | ♦ ♦ | 0 | 1 | • | • | 170 | When another player's predator succeeds, gain 1 🌍 from the birdfeeder. |
| ▼Vaux's Swift | \$ | 4 | 2 | 0 | 000 | 31 | ■ 🕙 Tuck a 🛭 from your hand behind this bird. If you do, gain 1 🦴 from the supply. |
| Violet-Green Swallow | ♦ ♦ | L ,+ L , | 3 | 0 | 000 | 36 | Tuck a 🛮 from your hand behind this bird. If you do, draw 1 📳. |
| Western Meadowlark | • | + | 2 | | 0000 | 38 | ■ All players lay 1 () on any 1 ⊗ bird. You may lay 1 () on 1 additional ⊗ bird. |
| Western Tanager | \$ | ++,+ | 6 | 0 | 00 | 30 | Gain 1 🦴 or 🎸 from the birdfeeder, if there is one. |
| White-Breasted Nuthatch | \$ | \$ / * | 2 | 0 | 000 | 28 | Gain 1 🔌 from the supply and cache it on this card. |
| White-Crowned Sparrow | ♦ ♦ | + 1 | 2 | 8 | 00000 | 25 | If this bird is to the right of all other birds in its habitat, move it to another habitat. |
| White-Faced Ibis | | └ ,+ └ ,+ ∞ | 8 | | 00 | 91 | Roll all dice not in birdfeeder. If any are 🍑, gain 1 🇢 and cache it on this card. |
| White-Throated Swift | • | 4 | 2 | 0 | 00 | 38 | Tuck a 🛮 from your hand behind this bird. If you do, lay 1 🔾 on any bird. |
| Whooping Crane | | ++++ | 6 | 8 | • | 221 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Wild Turkey | ♦ | + + + | 8 | 89 | 00000 | 135 | |
| Willet | • | \ /~ | 4 | 89 | 00 | 66 | Roll all dice not in birdfeeder. If any are 🍑, gain 1 🇢 and cache it on this card. |
| Wilson's Snipe | • | 4 , | 5 | 8 | 00 | 41 | All players draw 1 🛮 from the deck. |
| Wood Duck | ♦ | + + + * | 4 | • | 0000 | 76 | ■ Draw 2 🗿. If you do, discard 1 🔯 from your hand at the end of your turn. |
| Wood Stork | • | > + 4 >+ | 6 | | 00 | 155 | ☐ 🦣 Draw 2 new bonus cards and keep 1. |
| Yellow-Bellied Sapsucker | \$ | +* | 3 | 0 | 000 | 41 | ■ Gain 1 🦴 from the supply. |
| Yellow-Billed Cuckoo | \$ | ++ | 5 | | 00 | 46 | ■ When another player takes the "lay eggs" action, this bird lays 1 () on another bird with a 🕥 nes |
| Yellow-Breasted Chat | ♦ ♦ | +*+ | 5 | 0 | 000 | 25 | If this bird is to the right of all other birds in its habitat, move it to another habitat. |
| Yellow-Headed Blackbird | • | + | 4 | 0 | 000 | 38 | Tuck a 🛮 from your hand behind this bird. If you do, also lay 1 🔾 on this bird. |
| Yellow-Rumped Warbler | • | _/\ / \ | 1 | 0 | 0000 | 23 | Tuck a 📓 from your hand behind this bird. If you do, draw 1 📓. |