

- [illegible]




File Edit Options View Tools Extensions Window Help



Logical Physical x: 581, y: 329

1. Настроить сеть согласно схеме.
2. Проверить работоспособность соседних сетей между собой командой ping
3. Обвести синим все broadcast домены
- 4*. Настроить loop back интерфейсы.



Time: 26:51:54



Automatically Choose Connection Type

Physical Config CLI Attributes

IOS Command Line Interface

```
!
!
!
!
!
!
!
interface Loopback0
 ip address 172.16.0.1 255.255.0.0
!
interface Loopback1
 ip address 192.168.236.1 255.255.255.0
!
interface FastEthernet0/0
 ip address 192.168.4.2 255.255.255.0
 duplex auto
 speed auto
!
interface FastEthernet0/1
 no ip address
 duplex auto
 speed auto
 shutdown
!
ip classless
!
ip flow-export version 9
!
!
```

Copy


Paste

☐ Top

File Edit Options View Tools Extensions Window Help



Logical Physical x: 2344, y: 589



Time: 00:12:22



819HGW

Physical Config CLI Attributes

IOS Command Line Interface

```
speed auto
!
interface FastEthernet1/1
  no ip address
  duplex auto
  speed auto
  shutdown
!
router rip
!
ip classless
ip route 1.1.1.0 255.255.255.255 1.1.1.2
ip route 1.1.1.0 255.255.255.0 1.1.1.2
ip route 1.1.1.0 255.255.255.255 192.168.0.1
ip route 1.1.1.0 255.255.255.0 192.168.0.1
ip route 1.1.1.0 255.255.255.255 10.0.0.1
ip route 1.1.1.0 255.255.255.0 10.0.0.1
ip route 1.1.1.0 255.255.255.255 10.0.0.5
ip route 1.1.1.0 255.255.255.0 10.0.0.5
ip route 192.168.0.0 255.255.255.255 1.1.1.2
ip route 192.168.0.0 255.255.255.0 1.1.1.2
ip route 192.168.0.0 255.255.0.0 1.1.1.2
ip route 192.168.0.0 255.255.255.255 192.168.0.1
ip route 192.168.0.0 255.255.255.0 192.168.0.1
ip route 192.168.0.0 255.255.0.0 192.168.0.1
ip route 192.168.0.0 255.255.255.255 10.0.0.1
ip route 192.168.0.0 255.255.255.0 10.0.0.1
ip route 192.168.0.0 255.255.255.255 10.0.0.5
ip route 192.168.0.0 255.255.255.0 10.0.0.5
ip route 192.168.0.0 255.255.0.0 10.0.0.5
!
ip flow-export version 9
!
!
```

Copy


Paste

☐ Top

File Edit Options View Tools Extensions Window Help



Logical Physical x: 2301, y: 714



Time: 00:12:46



819HGW

Physical Config CLI Attributes

IOS Command Line Interface

```
shutdown
!  
ip classless  
ip route 10.0.0.0 255.255.255.255 10.0.0.5  
ip route 10.0.0.0 255.255.255.0 10.0.0.5  
ip route 10.0.0.0 255.255.0.0 10.0.0.5  
ip route 10.0.0.0 255.0.0.0 10.0.0.5  
ip route 10.0.0.0 255.255.255.255 192.168.0.2  
ip route 10.0.0.0 255.255.255.0 192.168.0.2  
ip route 10.0.0.0 255.255.0.0 192.168.0.2  
ip route 10.0.0.0 255.0.0.0 192.168.0.2  
ip route 10.0.0.0 255.255.255.255 1.1.1.1  
ip route 10.0.0.0 255.255.255.0 1.1.1.1  
ip route 10.0.0.0 255.255.0.0 1.1.1.1  
ip route 10.0.0.0 255.0.0.0 1.1.1.1  
ip route 10.0.0.0 255.255.255.255 1.1.1.2  
ip route 10.0.0.0 255.255.255.0 1.1.1.2  
ip route 10.0.0.0 255.255.0.0 1.1.1.2  
ip route 10.0.0.0 255.0.0.0 1.1.1.2  
ip route 192.168.0.0 255.255.255.255 10.0.0.5  
ip route 192.168.0.0 255.255.255.0 10.0.0.5  
ip route 192.168.0.0 255.255.0.0 10.0.0.5  
ip route 192.168.0.0 255.255.255.255 192.168.0.2  
ip route 192.168.0.0 255.255.255.0 192.168.0.2  
ip route 192.168.0.0 255.255.0.0 192.168.0.2  
ip route 192.168.0.0 255.255.255.255 1.1.1.1  
ip route 192.168.0.0 255.255.255.0 1.1.1.1  
ip route 192.168.0.0 255.255.0.0 1.1.1.1  
ip route 192.168.0.0 255.255.255.255 1.1.1.2  
ip route 192.168.0.0 255.255.255.0 1.1.1.2  
ip route 192.168.0.0 255.255.0.0 1.1.1.2  
!  
ip flow-export version 9  
!  
!  
!  
!  
!
```

Copy

Paste

☐ Top