



Logical Physical x: 1391, y: 558



Time: 26:48:12



Automatically Choose Connection Type

192.168.0.2 - 1.1.1.1


Physical Config CLI Attributes

IOS Command Line Interface

```
!
!
!
interface FastEthernet0/0
ip address 192.168.0.2 255.255.255.0
duplex auto
speed auto
!
interface FastEthernet0/1
ip address 192.168.1.1 255.255.255.0
duplex auto
speed auto
!
interface FastEthernet1/0
ip address 1.1.1.1 255.0.0.0
duplex auto
speed auto
!
interface FastEthernet1/1
no ip address
duplex auto
speed auto
shutdown
!
router rip
!
ip classless
ip route 1.1.1.0 255.255.255.255 1.1.1.2
ip route 1.1.1.0 255.255.255.0 1.1.1.2
ip route 1.1.1.0 255.255.255.255 192.168.0.1
ip route 1.1.1.0 255.255.255.0 192.168.0.1
ip route 1.1.1.0 255.255.255.255 10.0.0.1
ip route 1.1.1.0 255.255.255.0 10.0.0.1
ip route 1.1.1.0 255.255.255.255 10.0.0.5
ip route 1.1.1.0 255.255.255.0 10.0.0.5
!
ip flow-export version 9
!
!
```

Чт, 14 декабря 02:32

en




Cisco Packet Tracer - /home/georgiy/Документы/Co

10.0.0.1 - 192.168.0.1

File Edit Options View Tools Extensions Window Help



Logical Physical x: 1451, y: 565



Physical Config CLI Attributes

IOS Command Line Interface

```
!
interface FastEthernet0/1
ip address 10.0.0.1 255.0.0.0
duplex auto
speed auto
!
interface FastEthernet1/0
no ip address
duplex auto
speed auto
shutdown
!
interface FastEthernet1/1
no ip address
duplex auto
speed auto
shutdown
!
ip classless
ip route 10.0.0.0 255.255.255.255 10.0.0.5
ip route 10.0.0.0 255.255.255.0 10.0.0.5
ip route 10.0.0.0 255.255.0.0 10.0.0.5
ip route 10.0.0.0 255.0.0.0 10.0.0.5
ip route 10.0.0.0 255.255.255.255 192.168.0.2
ip route 10.0.0.0 255.255.255.0 192.168.0.2
ip route 10.0.0.0 255.255.0.0 192.168.0.2
ip route 10.0.0.0 255.0.0.0 192.168.0.2
ip route 10.0.0.0 255.255.255.255 1.1.1.1
ip route 10.0.0.0 255.255.255.0 1.1.1.1
ip route 10.0.0.0 255.255.0.0 1.1.1.1
ip route 10.0.0.0 255.255.255.255 1.1.1.2
ip route 10.0.0.0 255.255.255.0 1.1.1.2
ip route 10.0.0.0 255.255.0.0 1.1.1.2
ip route 10.0.0.0 255.0.0.0 1.1.1.2
!
```

Copy


Paste

☐ Top

Automatically Choose Connection Type

- [illegible]





Time: 26:51:54  



Automatically Choose Connection Type

IOS Command Line Interface

```

!
!
!
!
!
!
!
!
interface Loopback0
 ip address 172.16.0.1 255.255.0.0
!
interface Loopback1
 ip address 192.168.236.1 255.255.255.0
!
interface FastEthernet0/0
 ip address 192.168.4.2 255.255.255.0
 duplex auto
 speed auto
!
interface FastEthernet0/1
 no ip address
 duplex auto
 speed auto
 shutdown
!
ip classless
!
ip flow-export version 9

```

Copy

Paste

[Top](#)