



!"!#\$!%



Tópicos

! " # ! \$



Intrusão

% &

'

(

(

\$ ()



Deteção e Prevenção de Intrusões

+ * *

* ' *

+ * ' *



Conceito e Objetivos


,
& ' -
(. & ' -
/ - 01 \$ -
2
\$ \$ 3
3 &
& \$

+ \$ 4 (#
5 \$ '



Classificação de Alarmes

6 _____ \$ & &
\$
2) # 5





Métodos de Detecção

7

6

&

8

&

*

1

(

&

1

(---

&

+

#

#

\$

7

"

6

9

&

9

2

&

:

.

&

+

&

+

#

\$

#




Atividade de Monitorização

/
' 1# \$ (
((;
<
' 8 =
2 !(9 > (;




NIDS: Tipos de Sensores






Colocação de NIDS (1)






Colocação de NIDS (2)





IDS versus IPS

Usar duas
portas
diferentes
(convém)






SIEM: Análise de alertas

EDRs

XDRs



Não se pode mudar a hora/clock nos PCs de empresas.




Snort

+
/
/ , 2 3
7
6 \$,)
+ \$ \$ \$
2 @
+ & 1# \$?



Snort: Regras



```
alert tcp $TELNET_SERVERS 23 -> $EXTERNAL_NET any (msg:"TELNET
  Attempted SU from wrong group" ; flow:
  from_server,established; content:"to su root"; nocase;
  classtype:attempted-admin; sid:715; rev:6;)
```




Snort: Regras

Action	Protocol	Source IP	Source Port	Direction	Destination IP	Destination Port	Options
Alert Drop Reject	TCP UDP ICMP	ANY	ANY	<>	ANY	ANY	Msg Reference Sid Rev
Rule Header							Rule Options

- The following rule will generate an alert for each ICMP packet processed by Snort;

Source **Destination**
`alert icmp any any <> any any ( msg: "ICMP Packet found"; reference:CVE-XXXX; sid:1000001; rev:1; )`

Rule Header

Rule Header	alert	Action type
	icmp	Protocol type
	any	Source IP
	any	Source port
	<>	Direction
	any	Destination IP
	any	Destination port

Rule Options

Message	msg	Rule Options
Reference	reference	
Rule id	sid	
Revision information	rev	

