

Loading & Unloading Guide

Recommended solution: DGWO — single-goal packer, repeat code 3

The method recommended for this load on the Results page; this is its best run.

Loading: go down the list — the left column, then the right. Start at the cab end and work toward the rear door; floor boxes first, then build up. Sizes, positions and rule checks for every box are in the appendix.

STEP	BOX	STOP	PLACEMENT	FRAGILE
1	Box 012	3	Place on the floor	no
2	Box 030	3	Place on the floor	no
3	Box 084	2	Place on the floor	no
4	Box 078	1	Place on the floor Keep reachable — unloaded at stop 1	no
5	Box 055	2	Place on the floor	no
6	Box 104	1	Place on the floor Keep reachable — unloaded at stop 1	yes
7	Box 000	1	Place on the floor Keep reachable — unloaded at stop 1	no
8	Box 018	1	Place on the floor Keep reachable — unloaded at stop 1	no
9	Box 009	3	Place on top of Box 012	no
10	Box 118	3	Place on top of Box 018	yes
11	Box 036	3	Place on top of Box 000	no
12	Box 044	3	Place on top of Box 030	no
13	Box 113	3	Place on top of Box 084	yes
14	Box 107	3	Place on top of Box 084	yes
15	Box 054	3	Place on top of Box 078 and Box 055	no
16	Box 067	3	Place on top of Box 054	no
17	Box 077	3	Place on top of Box 054	no
18	Box 011	3	Place on top of Box 009	no
19	Box 025	1	Place on top of Box 036 Keep reachable — unloaded at stop 1	no
20	Box 013	3	Place on top of Box 044	no
21	Box 010	2	Place on the floor	no
22	Box 087	1	Place on the floor Keep reachable — unloaded at stop 1	no
23	Box 052	2	Place on the floor	no
24	Box 016	3	Place on the floor	no
25	Box 035	3	Place on the floor	no
26	Box 026	2	Place on top of Box 035	no
27	Box 090	1	Place on top of Box 052 Keep reachable — unloaded at stop 1	no
28	Box 068	2	Place on top of Box 052	no

STEP	BOX	STOP	PLACEMENT	FRAGILE
43	Box 111	2	Place on top of Box 085	yes
44	Box 051	1	Place on the floor Keep reachable — unloaded at stop 1	no
45	Box 075	2	Place on the floor	no
46	Box 004	1	Place on the floor Keep reachable — unloaded at stop 1	no
47	Box 098	3	Place on top of Box 051	yes
48	Box 022	3	Place on top of Box 051 and Box 075	no
49	Box 097	3	Place on top of Box 075	yes
50	Box 029	2	Place on top of Box 004	no
51	Box 003	1	Place on top of Box 022 Keep reachable — unloaded at stop 1	no
52	Box 040	2	Place on top of Box 029	no
53	Box 002	1	Place on top of Box 003 Keep reachable — unloaded at stop 1	no
54	Box 073	2	Place on the floor	no
55	Box 050	2	Place on the floor	no
56	Box 049	3	Place on the floor	no
57	Box 127	3	Place on the floor	yes
58	Box 064	3	Place on the floor	no
59	Box 061	2	Place on top of Box 073	no
60	Box 043	2	Place on top of Box 050 and Box 049	no
61	Box 062	3	Place on top of Box 050 and Box 049	no
62	Box 066	3	Place on top of Box 064	no
63	Box 106	2	Place on top of Box 061	yes
64	Box 121	1	Place on top of Box 061 and Box 062 Keep reachable — unloaded at stop 1	yes
65	Box 091	1	Place on the floor Keep reachable — unloaded at stop 1	no
66	Box 083	2	Place on the floor	no
67	Box 114	2	Place on the floor	yes
68	Box 019	3	Place on the floor	no
69	Box 101	2	Place on top of Box 019	yes
70	Box 092	2	Place on top of Box 091	no

STEP	BOX	STOP	PLACEMENT	FRAGILE	STEP	BOX	STOP	PLACEMENT	FRAGILE
29	Box 014	3	Place on top of Box 016	no	71	Box 099	2	Place on top of Box 083	yes
30	Box 006	3	Place on top of Box 026	no	72	Box 057	2	Place on top of Box 092	no
31	Box 058	3	Place on top of Box 087	no	73	Box 034	3	Place on top of Box 057	no
32	Box 089	1	Place on top of Box 006 Keep reachable — unloaded at stop 1	no	74	Box 102	3	Place on top of Box 057	yes
33	Box 031	3	Place on top of Box 014	no	75	Box 023	2	Place on the floor	no
34	Box 008	1	Place on top of Box 090 and Box 058 Keep reachable — unloaded at stop 1	no	76	Box 001	2	Place on the floor	no
35	Box 042	2	Place on top of Box 090	no	77	Box 028	1	Place on the floor Keep reachable — unloaded at stop 1	no
36	Box 109	3	Place on top of Box 058	yes	78	Box 017	2	Place on top of Box 001	no
37	Box 122	2	Place on top of Box 090 and Box 068	yes	79	Box 033	1	Place on top of Box 023 Keep reachable — unloaded at stop 1	no
38	Box 093	2	Place on the floor	no	80	Box 005	2	Place on top of Box 028	no
39	Box 070	1	Place on the floor Keep reachable — unloaded at stop 1	no	81	Box 045	1	Place on top of Box 017 Keep reachable — unloaded at stop 1	no
40	Box 063	2	Place on top of Box 093	no	82	Box 020	1	Place on top of Box 005 Keep reachable — unloaded at stop 1	no
41	Box 085	2	Place on top of Box 070	no	83	Box 021	1	Place on top of Box 033 Keep reachable — unloaded at stop 1	no
42	Box 076	1	Place on top of Box 063 Keep reachable — unloaded at stop 1	no					

Checked: every box comes after all the boxes it rests on (83 boxes).

Unloading order

Stop 1 first. Within a stop, nearest the door and topmost first (the reverse of the loading order).

Stop 1 — 22 boxes

Before unloading stop 1, first move: Box 001, 005, 010, 017, 023, 026, 029, 040, 042, 043, 050, 052, 057, 061, 063, 068, 073, 075, 083, 085, 092, 093, 099, 101, 106, 111, 114, 122 (stop 2); Box 006, 014, 016, 019, 022, 034, 035, 036, 049, 054, 058, 062, 064, 066, 067, 097, 098, 102, 109, 118, 127 (stop 3).

Then unload, in this order: Box 021, 020, 045, 033, 028, 091, 121, 002, 003, 004, 051, 076, 070, 008, 089, 090, 087, 025, 018, 000, 104, 078.

Stop 2 — 30 boxes

Before unloading stop 2, first move: Box 006, 014, 016, 019, 022, 034, 035, 036, 049, 054, 062, 064, 066, 077, 097, 098, 102, 107, 113, 118, 127 (stop 3).

Then unload, in this order: Box 005, 017, 001, 023, 057, 099, 092, 101, 114, 083, 106, 043, 061, 050, 073, 040, 029, 075, 111, 085, 063, 093, 122, 042, 068, 026, 052, 010, 055, 084.

Stop 3 — 31 boxes

Unload, in this order: Box 102, 034, 019, 066, 062, 064, 127, 049, 097, 022, 098, 109, 031, 058, 006, 014, 035, 016, 013, 011, 077, 067, 054, 107, 113, 044, 036, 118, 009, 030, 012.

Boxes not loaded (46) — these did not fit; arrange separate transport: Box 007 (66 × 64 × 36 cm, 152.1 kg, stop 2); Box 015 (66 × 64 × 36 cm, 152.1 kg, stop 3); Box 024 (66 × 64 × 36 cm, 152.1 kg, stop 1); Box 027 (66 × 64 × 36 cm, 152.1 kg, stop 1); Box 032 (66 × 64 × 36 cm, 152.1 kg, stop 2); Box 037 (66 × 64 × 36 cm, 152.1 kg, stop 1); Box 038 (66 × 64 × 36 cm, 152.1 kg, stop 1); Box 039 (66 × 64 × 36 cm, 152.1 kg, stop 2); Box 041 (66 × 64 × 36 cm, 152.1 kg, stop 3); Box 046 (66 × 64 × 36 cm, 152.1 kg, stop 1); Box 047 (97 × 73 × 49 cm, 347 kg, stop 3); Box 048 (97 × 73 × 49 cm, 347 kg, stop 3); Box 053 (97 × 73 × 49 cm, 347 kg, stop 3); Box 056 (97 × 73 × 49 cm, 347 kg, stop 2); Box 059 (97 × 73 × 49 cm, 347 kg, stop 1); Box 060 (97 × 73 × 49 cm, 347 kg, stop 3); Box 065 (97 × 73 × 49 cm, 347 kg, stop 1); Box 069 (97 × 73 × 49 cm, 347 kg, stop 2); Box 071 (97 × 73 × 49 cm, 347 kg, stop 2); Box 072 (97 × 73 × 49 cm, 347 kg, stop 2); Box 074 (97 × 73 × 49 cm, 347 kg, stop 3); Box 079 (97 × 73 × 49 cm, 347 kg, stop 1); Box 080 (97 × 73 × 49 cm, 347 kg, stop 2); Box 081 (97 × 73 × 49 cm, 347 kg, stop 2); Box 082 (97 × 73 × 49 cm, 347 kg, stop 1); Box 086 (97 × 73 × 49 cm, 347 kg,

stop 1); Box 088 (97 × 73 × 49 cm, 347 kg, stop 1); Box 094 (97 × 73 × 49 cm, 347 kg, stop 2); Box 095 (97 × 73 × 49 cm, 347 kg, stop 3); Box 096 (69 × 60 × 43 cm, 178 kg, stop 1); Box 100 (69 × 60 × 43 cm, 178 kg, stop 1); Box 103 (69 × 60 × 43 cm, 178 kg, stop 2); Box 105 (69 × 60 × 43 cm, 178 kg, stop 1); Box 108 (69 × 60 × 43 cm, 178 kg, stop 1); Box 110 (69 × 60 × 43 cm, 178 kg, stop 3); Box 112 (69 × 60 × 43 cm, 178 kg, stop 3); Box 115 (69 × 60 × 43 cm, 178 kg, stop 1); Box 116 (69 × 60 × 43 cm, 178 kg, stop 3); Box 117 (69 × 60 × 43 cm, 178 kg, stop 1); Box 119 (69 × 60 × 43 cm, 178 kg, stop 2); Box 120 (69 × 60 × 43 cm, 178 kg, stop 3); Box 123 (69 × 60 × 43 cm, 178 kg, stop 1); Box 124 (69 × 60 × 43 cm, 178 kg, stop 2); Box 125 (69 × 60 × 43 cm, 178 kg, stop 1); Box 126 (69 × 60 × 43 cm, 178 kg, stop 1); Box 128 (69 × 60 × 43 cm, 178 kg, stop 1).


Container arrangement

Door and cab end marked; 587 × 233 × 220 cm (length × width × height).


Stop 1 (unloaded first) Stop 2 Stop 3

Numbers are loading steps (Page 1). A box too small for its number is listed in the key below.


Top view — Layer 1: boxes whose bottom is 0-55 cm above the floor (38 boxes)




Top view — Layer 2: boxes whose bottom is 55-110 cm above the floor (24 boxes)



Top view — Layer 3: boxes whose bottom is 110-165 cm above the floor (21 boxes)



View from the rear door



Floor · seen from the rear door (the door frame is the green outline)

▼ Key: loading step → box

1 = Box 012 · stop 3

2 = Box 030 · stop 3

3 = Box 084 · stop 2

4 = Box 078 · stop 1

5 = Box 055 · stop 2

6 = Box 104 · stop 1

7 = Box 000 · stop 1	8 = Box 018 · stop 1	9 = Box 009 · stop 3	10 = Box 118 · stop 3	11 = Box 036 · stop 3	12 = Box 044 · stop 3
13 = Box 113 · stop 3	14 = Box 107 · stop 3	15 = Box 054 · stop 3	16 = Box 067 · stop 3	17 = Box 077 · stop 3	18 = Box 011 · stop 3
19 = Box 025 · stop 1	20 = Box 013 · stop 3	21 = Box 010 · stop 2	22 = Box 087 · stop 1	23 = Box 052 · stop 2	24 = Box 016 · stop 3
25 = Box 035 · stop 3	26 = Box 026 · stop 2	27 = Box 090 · stop 1	28 = Box 068 · stop 2	29 = Box 014 · stop 3	30 = Box 006 · stop 3
31 = Box 058 · stop 3	32 = Box 089 · stop 1	33 = Box 031 · stop 3	34 = Box 008 · stop 1	35 = Box 042 · stop 2	36 = Box 109 · stop 3
37 = Box 122 · stop 2	38 = Box 093 · stop 2	39 = Box 070 · stop 1	40 = Box 063 · stop 2	41 = Box 085 · stop 2	42 = Box 076 · stop 1
43 = Box 111 · stop 2	44 = Box 051 · stop 1	45 = Box 075 · stop 2	46 = Box 004 · stop 1	47 = Box 098 · stop 3	48 = Box 022 · stop 3
49 = Box 097 · stop 3	50 = Box 029 · stop 2	51 = Box 003 · stop 1	52 = Box 040 · stop 2	53 = Box 002 · stop 1	54 = Box 073 · stop 2
55 = Box 050 · stop 2	56 = Box 049 · stop 3	57 = Box 127 · stop 3	58 = Box 064 · stop 3	59 = Box 061 · stop 2	60 = Box 043 · stop 2
61 = Box 062 · stop 3	62 = Box 066 · stop 3	63 = Box 106 · stop 2	64 = Box 121 · stop 1	65 = Box 091 · stop 1	66 = Box 083 · stop 2
67 = Box 114 · stop 2	68 = Box 019 · stop 3	69 = Box 101 · stop 2	70 = Box 092 · stop 2	71 = Box 099 · stop 2	72 = Box 057 · stop 2
73 = Box 034 · stop 3	74 = Box 102 · stop 3	75 = Box 023 · stop 2	76 = Box 001 · stop 2	77 = Box 028 · stop 1	78 = Box 017 · stop 2
79 = Box 033 · stop 1	80 = Box 005 · stop 2	81 = Box 045 · stop 1	82 = Box 020 · stop 1	83 = Box 021 · stop 1	

Solution summary

38 boxes need other boxes moved before they can be unloaded.

From the unload-order rule (C6): a box for a later stop sits above it or between it and the door. Page 1 lists what to move first.

Space utilization (container fill)

62.76%

Boxes loaded

83 of 129

Rule-following, all boxes (a box not loaded counts as not following)

39 of 129 (30.2%)

Rule score, loaded boxes

46.99%

RULE	WHAT IT CHECKS	BOXES BREAKING IT	STATUS
Load on top (C3)	a box never carries more than its strength allows	9	9 boxes
Fragile boxes (C4)	nothing rests on a fragile box	0	OK
Static stability / base support (C5)	each box rests on at least 80% support	0	OK
Unload order (C6)	no box for a later stop above it or between it and the door	38	38 boxes

Boxes not loaded: 46.

Balance / weight distribution across the truck is not checked by STACKR.

► Technical details (optional)

APPENDIX

Box details (for checking)

Every loaded box in loading order. Positions in cm: x across the truck, y from the rear door, z above the floor. Sizes as placed: across × deep × high.

STEP	BOX	STOP	SIZE AS PLACED (CM)	ORIENTATION	WEIGHT	POSITION (X, Y, Z)	LOAD ON TOP (C3)	BASE SUPPORT (C5)	UNLOAD ORDER (C6)
1	Box 012	3	66 × 36 × 64	on its side, length across	152.1 kg	(0, 551, 0)	over by 120 kg	floor · OK	OK
2	Box 030	3	36 × 64 × 66	on its end, width toward cab	152.1 kg	(195, 523, 0)	OK	floor · OK	OK
3	Box 084	2	97 × 49 × 73	on its side, length across	347 kg	(98, 523, 0)	OK	floor · OK	blocked by Box 113, Box 035 and 10 more
4	Box 078	1	49 × 97 × 73	on its side, length toward cab	347 kg	(0, 454, 0)	OK	floor · OK	blocked by Box 023, Box 073 and 11 more
5	Box 055	2	49 × 97 × 73	on its side, length toward cab	347 kg	(49, 454, 0)	OK	floor · OK	blocked by Box 054, Box 035 and 4 more
6	Box 104	1	43 × 69 × 60	on its side, length toward cab	178 kg	(98, 454, 0)	OK	floor · OK	blocked by Box 035, Box 075 and 8 more
7	Box 000	1	36 × 66 × 64	on its side, length toward cab	152.1 kg	(141, 454, 0)	over by 120 kg	floor · OK	blocked by Box 052, Box 036 and 8 more
8	Box 018	1	36 × 66 × 64	on its side, length toward cab	152.1 kg	(177, 454, 0)	OK	floor · OK	blocked by Box 052, Box 068 and 7 more
9	Box 009	3	66 × 36 × 64	on its side, length across	152.1 kg	(0, 551, 64)	OK	100% · OK	OK
10	Box 118	3	43 × 69 × 60	on its side, length toward cab	178 kg	(177, 454, 64)	OK	80% · OK	OK
11	Box 036	3	36 × 66 × 64	on its side, length toward cab	152.1 kg	(141, 454, 64)	OK	100% · OK	OK
12	Box 044	3	36 × 64 × 66	on its end, width toward cab	152.1 kg	(195, 523, 66)	OK	100% · OK	OK
13	Box 113	3	43 × 60 × 69	on its end, width toward cab	178 kg	(98, 523, 73)	OK	82% · OK	OK
14	Box 107	3	43 × 60 × 69	on its end, width toward cab	178 kg	(141, 523, 73)	OK	82% · OK	OK
15	Box 054	3	97 × 73 × 49	upright, length across	347 kg	(0, 454, 73)	OK	100% · OK	OK
16	Box 067	3	49 × 73 × 97	on its end, width toward cab	347 kg	(0, 454, 122)	OK	100% · OK	OK

Step	Box	Stop	Size as Placed (cm)	Orientation	Weight	Position (X, Y, Z)	Load on Top (C3)	Base Support (C5)	Unload Order (C6)
17	Box 077	3	49 × 73 × 97	on its end, width toward cab	347 kg	(49, 454, 122)	OK	98% · OK	OK
18	Box 011	3	66 × 36 × 64	on its side, length across	152.1 kg	(0, 551, 128)	OK	100% · OK	OK
19	Box 025	1	36 × 64 × 66	on its end, width toward cab	152.1 kg	(141, 454, 128)	OK	100% · OK	blocked by Box 068, Box 122 and 8 more
20	Box 013	3	36 × 64 × 66	on its end, width toward cab	152.1 kg	(195, 523, 132)	OK	100% · OK	OK
21	Box 010	2	64 × 36 × 66	on its end, width across	152.1 kg	(0, 418, 0)	OK	floor · OK	blocked by Box 016, Box 035 and 3 more
22	Box 087	1	49 × 97 × 73	on its side, length toward cab	347 kg	(102, 352, 0)	OK	floor · OK	blocked by Box 058, Box 075 and 12 more
23	Box 052	2	73 × 97 × 49	upright, length toward cab	347 kg	(151, 352, 0)	OK	floor · OK	blocked by Box 064, Box 127 and 1 more
24	Box 016	3	36 × 66 × 64	on its side, length toward cab	152.1 kg	(0, 352, 0)	over by 120 kg	floor · OK	OK
25	Box 035	3	66 × 64 × 36	upright, length across	152.1 kg	(36, 352, 0)	over by 374.5 kg	floor · OK	OK
26	Box 026	2	64 × 66 × 36	upright, length toward cab	152.1 kg	(36, 352, 36)	over by 222.4 kg	97% · OK	blocked by Box 006, Box 098 and 2 more
27	Box 090	1	73 × 49 × 97	on its end, width across	347 kg	(151, 401, 49)	OK	98% · OK	blocked by Box 068, Box 122 and 11 more
28	Box 068	2	73 × 49 × 97	on its end, width across	347 kg	(151, 352, 49)	OK	100% · OK	blocked by Box 097, Box 064 and 2 more
29	Box 014	3	36 × 66 × 64	on its side, length toward cab	152.1 kg	(0, 352, 64)	OK	100% · OK	OK
30	Box 006	3	66 × 64 × 36	upright, length across	152.1 kg	(36, 352, 72)	over by 70.4 kg	97% · OK	OK
31	Box 058	3	49 × 97 × 73	on its side, length toward cab	347 kg	(102, 352, 73)	OK	100% · OK	OK
32	Box 089	1	49 × 73 × 97	on its end, width toward cab	347 kg	(36, 352, 108)	OK	88% · OK	blocked by Box 063, Box 061 and 8 more
33	Box 031	3	36 × 66 × 64	on its side, length toward cab	152.1 kg	(0, 352, 128)	OK	100% · OK	OK
34	Box 008	1	66 × 36 × 64	on its side, length across	152.1 kg	(102, 412, 146)	OK	100% · OK	blocked by Box 122, Box 109 and 2 more
35	Box 042	2	64 × 36 × 66	on its end, width across	152.1 kg	(168, 412, 146)	OK	88% · OK	blocked by Box 066

Step	Box	Stop	Size as Placed (cm)	Orientation	Weight	Position (X, Y, Z)	Load on Top (C3)	Base Support (C5)	Unload Order (C6)
36	Box 109	3	43 × 60 × 69	on its end, width toward cab	178 kg	(102, 352, 146)	OK	100% · OK	OK
37	Box 122	2	69 × 60 × 43	upright, length across	178 kg	(151, 352, 146)	OK	100% · OK	blocked by Box 066
38	Box 093	2	97 × 49 × 73	on its side, length across	347 kg	(0, 303, 0)	OK	floor · OK	blocked by Box 098 and Box 022
39	Box 070	1	97 × 49 × 73	on its side, length across	347 kg	(97, 303, 0)	OK	floor · OK	blocked by Box 085, Box 075 and 14 more
40	Box 063	2	97 × 49 × 73	on its side, length across	347 kg	(0, 303, 73)	OK	100% · OK	blocked by Box 098, Box 022 and 1 more
41	Box 085	2	97 × 49 × 73	on its side, length across	347 kg	(97, 303, 73)	OK	100% · OK	blocked by Box 022, Box 097 and 3 more
42	Box 076	1	97 × 49 × 73	on its side, length across	347 kg	(0, 303, 146)	OK	100% · OK	blocked by Box 106, Box 057 and 2 more
43	Box 111	2	69 × 43 × 60	on its side, length across	178 kg	(97, 303, 146)	OK	100% · OK	blocked by Box 066
44	Box 051	1	97 × 73 × 49	upright, length across	347 kg	(0, 230, 0)	OK	floor · OK	blocked by Box 023, Box 073 and 5 more
45	Box 075	2	97 × 73 × 49	upright, length across	347 kg	(97, 230, 0)	OK	floor · OK	blocked by Box 022, Box 049 and 4 more
46	Box 004	1	36 × 66 × 64	on its side, length toward cab	152.1 kg	(194, 230, 0)	over by 120 kg	floor · OK	blocked by Box 064, Box 127 and 3 more
47	Box 098	3	60 × 69 × 43	upright, length toward cab	178 kg	(0, 230, 49)	OK	100% · OK	OK
48	Box 022	3	66 × 64 × 36	upright, length across	152.1 kg	(60, 230, 49)	over by 27.5 kg	100% · OK	OK
49	Box 097	3	60 × 43 × 69	on its end, width across	178 kg	(126, 230, 49)	OK	100% · OK	OK
50	Box 029	2	36 × 64 × 66	on its end, width toward cab	152.1 kg	(194, 230, 64)	OK	100% · OK	blocked by Box 064 and Box 066
51	Box 003	1	66 × 36 × 64	on its side, length across	152.1 kg	(60, 230, 85)	OK	100% · OK	blocked by Box 062, Box 092 and 6 more
52	Box 040	2	36 × 66 × 64	on its side, length toward cab	152.1 kg	(194, 230, 130)	OK	97% · OK	blocked by Box 066
53	Box 002	1	66 × 36 × 64	on its side, length across	152.1 kg	(60, 230, 149)	OK	100% · OK	blocked by Box 034
54	Box 073	2	49 × 97 × 73	on its side, length toward cab	347 kg	(0, 133, 0)	OK	floor · OK	OK

Step	Box	Stop	Size as Placed (cm)	Orientation	Weight	Position (X, Y, Z)	Load on Top (C3)	Base Support (C5)	Unload Order (C6)
55	Box 050	2	49 × 97 × 73	on its side, length toward cab	347 kg	(49, 133, 0)	OK	floor · OK	blocked by Box 062
56	Box 049	3	49 × 97 × 73	on its side, length toward cab	347 kg	(98, 133, 0)	OK	floor · OK	OK
57	Box 127	3	69 × 43 × 60	on its side, length across	178 kg	(147, 182, 0)	OK	floor · OK	OK
58	Box 064	3	73 × 49 × 97	on its end, width across	347 kg	(147, 133, 0)	OK	floor · OK	OK
59	Box 061	2	49 × 97 × 73	on its side, length toward cab	347 kg	(0, 133, 73)	OK	100% · OK	OK
60	Box 043	2	66 × 36 × 64	on its side, length across	152.1 kg	(49, 182, 73)	OK	100% · OK	blocked by Box 062
61	Box 062	3	97 × 49 × 73	on its side, length across	347 kg	(49, 133, 73)	OK	100% · OK	OK
62	Box 066	3	73 × 49 × 97	on its end, width across	347 kg	(147, 133, 97)	OK	100% · OK	OK
63	Box 106	2	43 × 60 × 69	on its end, width toward cab	178 kg	(0, 133, 146)	OK	100% · OK	blocked by Box 102 and Box 034
64	Box 121	1	69 × 60 × 43	upright, length across	178 kg	(43, 133, 146)	OK	83% · OK	blocked by Box 057 and Box 034
65	Box 091	1	73 × 97 × 49	upright, length toward cab	347 kg	(0, 36, 0)	OK	floor · OK	blocked by Box 023, Box 092 and 4 more
66	Box 083	2	49 × 97 × 73	on its side, length toward cab	347 kg	(73, 36, 0)	OK	floor · OK	OK
67	Box 114	2	43 × 69 × 60	on its side, length toward cab	178 kg	(188, 36, 0)	OK	floor · OK	OK
68	Box 019	3	66 × 64 × 36	upright, length across	152.1 kg	(122, 36, 0)	OK	floor · OK	OK
69	Box 101	2	43 × 69 × 60	on its side, length toward cab	178 kg	(122, 36, 36)	OK	93% · OK	OK
70	Box 092	2	73 × 97 × 49	upright, length toward cab	347 kg	(0, 36, 49)	OK	100% · OK	blocked by Box 102 and Box 034
71	Box 099	2	43 × 60 × 69	on its end, width toward cab	178 kg	(73, 36, 73)	OK	100% · OK	OK
72	Box 057	2	73 × 97 × 49	upright, length toward cab	347 kg	(0, 36, 98)	OK	100% · OK	blocked by Box 102 and Box 034
73	Box 034	3	66 × 36 × 64	on its side, length across	152.1 kg	(0, 96, 147)	OK	100% · OK	OK

STEP	BOX	STOP	SIZE AS PLACED (CM)	ORIENTATION	WEIGHT	POSITION (X, Y, Z)	LOAD ON TOP (C3)	BASE SUPPORT (C5)	UNLOAD ORDER (C6)
74	Box 102	3	43 × 60 × 69	on its end, width toward cab	178 kg	(0, 36, 147)	OK	100% · OK	OK
75	Box 023	2	64 × 36 × 66	on its end, width across	152.1 kg	(0, 0, 0)	OK	floor · OK	OK
76	Box 001	2	66 × 36 × 64	on its side, length across	152.1 kg	(64, 0, 0)	over by 120 kg	floor · OK	OK
77	Box 028	1	64 × 36 × 66	on its end, width across	152.1 kg	(130, 0, 0)	OK	floor · OK	blocked by Box 005
78	Box 017	2	64 × 36 × 66	on its end, width across	152.1 kg	(64, 0, 64)	OK	100% · OK	OK
79	Box 033	1	64 × 36 × 66	on its end, width across	152.1 kg	(0, 0, 66)	OK	100% · OK	OK
80	Box 005	2	66 × 36 × 64	on its side, length across	152.1 kg	(130, 0, 66)	OK	97% · OK	OK
81	Box 045	1	66 × 36 × 64	on its side, length across	152.1 kg	(64, 0, 130)	OK	97% · OK	OK
82	Box 020	1	64 × 36 × 66	on its end, width across	152.1 kg	(130, 0, 130)	OK	100% · OK	OK
83	Box 021	1	64 × 36 × 66	on its end, width across	152.1 kg	(0, 0, 132)	OK	100% · OK	OK