

Case ID	Age	Weight	Surgery Type	BSA	CPB Time	Cross Clamp Time	Flow Rate	MAP	Lowest Temp	Hematocrit Nadir	Lactate Peak	Urine Output	ICU Stay	Ventilation Hours	Complication	Outcome
5001	68	88	CABG	1.99	76	47	4.7	75	32.3	28	2.3	393	1	8	No	Stable
5002	60	101.7	Aortic Surgery	2.1	137	75	5.2	72	31.6	26	2.2	488	5	15	No	Stable
5003	70	55.4	Valve Replacement	1.61	105	53	3.9	77	28.9	29	1.4	488	3	15	No	Stable
5004	80	82.9	CABG	1.88	119	80	4.6	59	29.1	28	2.5	343	2	11	No	Stable
5005	59	65.9	CABG	1.75	158	86	4.4	81	32	31	2.8	455	5	17	No	Stable
5006	59	68.2	CABG	1.76	171	106	4.5	80	27.7	24	2.9	506	4	11	Yes	Complication
5007	81	66.7	Aortic Surgery	1.76	181	114	4.1	74	33.3	28	2.8	454	5	15	No	Stable
5008	71	62.9	Valve Replacement	1.71	148	90	4.1	82	31.2	30	2.3	504	3	6	No	Stable
5009	56	75.7	Aortic Surgery	1.86	120	67	4.7	55	36	34	4	527	3	16	No	Stable
5010	69	63.4	Valve Replacement	1.68	121	66	4.4	64	35.7	28	3	421	3	10	No	Stable
5011	56	78.8	CABG	1.9	95	58	4.9	62	31.2	31	2.3	459	3	12	No	Stable
5012	56	74.3	CABG	1.82	99	65	4.3	74	31.3	26	1.9	389	1	13	No	Stable
5013	65	71.7	CABG	1.85	111	74	4.2	60	33.3	24	2.7	663	2	16	No	Stable
5014	39	62.3	CABG	1.66	103	53	4	74	34.6	32	2.3	542	4	15	No	Stable
5015	41	66.9	CABG	1.79	66	35	4.5	79	28.6	31	1.4	533	1	6	No	Stable
5016	55	85.6	CABG	1.93	134	90	4.6	74	28.3	32	2	400	2	18	No	Stable
5017	50	82	Valve Replacement	1.87	108	68	4.5	70	30.4	26	1.8	810	2	12	No	Stable
5018	66	61.3	Aortic Surgery	1.66	171	113	4.2	60	32.5	30	0.8	345	2	7	No	Stable
5019	51	76.4	ASD Repair	1.83	137	73	4.3	61	32.4	34	2.4	457	1	4	No	Stable
5020	45	85.5	ASD Repair	1.94	62	38	4.9	78	33.4	32	1	591	1	7	No	Stable
5021	80	51.6	Valve Replacement	1.57	72	45	3.7	74	29.3	31	2.7	534	3	17	No	Stable
5022	59	82.6	CABG	1.88	108	67	4.4	68	27.3	30	1.9	594	3	10	No	Stable
5023	63	65.7	Valve Replacement	1.72	163	93	4.1	65	33	24	1.6	643	4	15	No	Stable
5024	45	83	Aortic Surgery	1.97	214	108	4.9	52	30	31	3.1	524	4	16	Yes	Complication
5025	55	64.3	CABG	1.76	84	51	4	59	27.9	29	0.8	412	3	10	No	Stable
5026	63	49.7	CABG	1.54	127	69	3.5	83	31.8	31	2.5	455	3	4	Yes	Complication
5027	48	52.2	Aortic Surgery	1.56	153	89	4	58	32.9	25	2.7	528	2	10	No	Stable
5028	67	75.7	CABG	1.83	112	75	4.2	70	31.3	27	2.7	687	3	18	No	Stable
5029	55	78.6	Valve Replacement	1.88	201	115	4.6	76	30.7	31	2.4	320	5	16	No	Stable
5030	58	62.3	Valve Replacement	1.65	97	63	4	58	31.2	29	1.8	626	4	15	No	Stable
5031	55	83.9	CABG	1.9	121	65	4.6	69	30.8	33	1	517	2	5	No	Stable
5032	84	51.7	CABG	1.51	127	79	3.7	76	29.1	29	2.7	522	4	18	No	Stable
5033	62	74.1	CABG	1.83	142	96	4.2	68	30.2	24	2.7	465	4	15	No	Stable
5034	49	58	CABG	1.65	117	61	4	91	32.4	32	2.4	429	1	4	No	Stable
5035	72	65.9	CABG	1.71	123	62	4	55	32.1	28	2.1	540	3	18	No	Stable
5036	47	75.7	Aortic Surgery	1.88	155	90	4.6	76	31.8	30	2.8	564	1	13	No	Stable
5037	65	63	CABG	1.66	122	63	3.7	67	29.7	30	3.3	576	1	7	No	Stable
5038	38	69.6	Valve Replacement	1.72	126	80	4.2	74	31.2	25	1.9	530	3	14	No	Stable
5039	46	89.1	CABG	1.97	131	87	4.5	72	27.6	30	2.3	453	2	13	No	Stable
5040	64	66.9	ASD Repair	1.77	76	44	4.1	62	31.8	36	0.8	348	2	10	No	Stable
5041	71	86.7	CABG	1.99	124	68	4.6	70	34.1	31	1.4	548	3	5	No	Stable
5042	64	59.2	CABG	1.64	114	66	3.7	53	28.8	30	2	527	2	14	No	Stable
5043	61	82.4	Aortic Surgery	1.93	193	122	4.9	73	30.4	30	3.8	355	4	16	No	Stable
5044	58	95.2	Aortic Surgery	2.02	164	82	4.7	70	32.1	29	2.4	418	2	9	No	Stable
5045	44	45	CABG	1.46	71	43	3.8	73	33.8	31	1.3	500	3	22	No	Stable
5046	53	63.8	Aortic Surgery	1.73	197	120	4.5	76	30.7	25	2.6	317	2	12	No	Stable
5047	56	83.1	CABG	1.92	92	57	4.7	71	30.3	31	1.3	430	2	7	No	Stable
5048	75	72.2	Valve Replacement	1.75	119	65	4	69	28	32	2.3	347	2	4	No	Stable
5049	66	80.2	CABG	1.92	100	63	4.5	61	31.7	28	0.8	447	3	16	No	Stable
5050	41	66.5	CABG	1.77	149	77	4.5	62	35.2	32	3.4	440	3	10	Yes	Complication
5051	66	76.2	Valve Replacement	1.82	82	44	4.3	77	32	30	1.1	334	2	4	No	Stable
5052	57	72.8	Valve Replacement	1.81	213	140	4	79	31.5	25	3.7	652	5	19	Yes	Complication
5053	54	91.3	CABG	2	141	89	4.8	66	32.1	31	1.3	617	3	17	No	Stable
5054	69	78.6	Valve Replacement	1.87	141	71	4.7	68	31.5	28	2.8	384	4	20	Yes	Complication
5055	74	79.7	Aortic Surgery	1.85	164	89	4.7	61	30	30	3.1	467	3	14	Yes	Complication
5056	73	69.2	CABG	1.74	122	66	3.9	77	33	29	2.4	505	2	12	No	Stable
5057	52	68.2	Valve Replacement	1.75	148	81	4.3	73	31.9	29	1.6	611	3	9	No	Stable
5058	58	68.9	CABG	1.79	131	71	4.1	84	31.5	30	2.4	407	3	14	No	Stable
5059	66	80.5	Aortic Surgery	1.9	179	92	4.3	61	29.7	29	1.8	558	5	17	No	Stable
5060	74	69.1	Valve Replacement	1.75	137	80	4.5	65	33.8	24	2	399	3	16	No	Stable
5061	56	79.1	ASD Repair	1.89	80	51	4.3	70	32.7	28	2.4	384	2	15	No	Stable
5062	60	104.1	CABG	2.01	111	68	4.6	73	30.5	32	2.6	567	1	11	No	Stable
5063	49	87.2	CABG	1.98	110	68	4.4	66	33.3	29	1.9	646	5	16	No	Stable
5064	48	70.4	CABG	1.72	143	74	4.4	61	30.6	28	1.5	761	3	15	No	Stable
5065	72	91.8	CABG	1.98	130	87	5	75	30.1	26	2.7	341	4	16	No	Stable
5066	78	69.3	CABG	1.73	45	29	4.2	74	30.1	29	1.2	561	1	4	Yes	Complication
5067	61	46.5	ASD Repair	1.45	101	65	3.6	61	28.3	25	0.8	457	3	9	No	Stable
5068	74	60.9	CABG	1.7	120	78	3.8	79	32.3	29	2.7	540	2	12	No	Stable
5069	66	48.8	CABG	1.51	115	77	3.6	77	28.2	28	2	333	3	16	No	Stable
5070	54	70.1	Aortic Surgery	1.78	155	93	4.2	69	29.3	26	3.4	358	3	14	No	Stable
5071	66	75.3	CABG	1.83	143	77	4.1	69	27.8	29	1.4	389	3	7	No	Stable
5072	80	98.5	Aortic Surgery	2.06	189	115	4.9	72	31.3	29	0.8	423	5	16	No	Stable
5073	62	79.6	CABG	1.87	96	61	4.8	61	31.2	35	2	434	1	8	No	Stable
5074	81	71.9	Valve Replacement	1.75	145	92	3.9	68	30.9	25	2.6	501	3	14	No	Stable
5075	31	86.6	CABG	1.97	91	54	4.6	51	29.6	33	0.8	665	2	12	No	Stable
5076	72	45	CABG	1.45	81	41	3.3	75	29.4	33	0.8	545	5	19	No	Stable
5077	63	78.3	ASD Repair	1.81	69	39	4.2	56	32.3	29	3.6	671	2	11	No	Stable
5078	58	85.8	CABG	1.92	137	91	4.9	80	30.5	30	2	527	4	13	No	Stable
5079	63	54.3	Valve Replacement	1.63	159	96	3.9	65	32.1	27	3.1	343	4	13	No	Stable
5080	38	91	CABG	2.01	128	76	4.8	66	29.9	30	1.6	666	5	20	No	Stable
5081	59	79.7	CABG	1.86	133	73	4.7	63	31.8	33	0.8	425	1	11	No	Stable
5082	66	69.2	Aortic Surgery	1.75	178	101	4	66	33.8	30	2.6	540	4	15	Yes	Complication
5083	80	83.9	CABG	1.9	99	65	4.6	79	32.6	31	1.6	618	1	6	No	Stable
5084	56	106.8	Valve Replacement	2.18	146	91	5.2	48	30.8	28	2	531	1	13	No	Stable
5085	52	77.5	ASD Repair	1.86	105	67	4.5	78	32	26	1.8	364	3	14	No	Stable
5086	56	78.5	Valve Replacement	1.87	154	90	4.9	71	31.1	28	2.7	389	4	18	No	Stable
5087	73	68.6	ASD Repair	1.79	115	71	4.5	58	31.5	33	1.9	599	3	8	No	Stable
5088	66	63.1	CABG	1.7	133	72	4	59	30.9	25	1.2	455	3	14	Yes	Complication
5089	56	86.6	CABG	1.93	124	78	4.9	81	31.2	27	2.5	504	7	20	No	Stable
5090	68	63	CABG	1.69	142	82	3.8	60	31.9	29	0.8	539	3	6	No	Stable
5091	63	76	Aortic Surgery	1.83	164	95	4	59	29.7	26	0.9	532	4	12	No	Stable
5092	74	68.3	ASD Repair	1.75	63	39	4	77	29.7	29	1.9	518	1	5	No	Stable
5093	54	81.7	CABG	1.91	111	74	4.5	71	29	29	2.3	486	3	12	Yes	Complication
5094	58	79.7	Valve Replacement	1.87	116	59	4.5	60	28.6	26	1.9	465	2	4	No	Stable
5095	57	89.5	CABG	1.99	98	64	4.9	70	29.3	28	0.8	593	2	12	No	Stable
5096	44	67.9	Valve Replacement	1.75	131	72	4.5	60	31.8	31	1.6	572	5	21	No	Stable
5097	66	71.2	CABG	1.79	95	55	4.3	77	29.9	27	1.5	465	4	6	No	Stable
5098	65	61.3	ASD Repair	1.61	77	39	3.9	76	32.4	27	0.8	610	2	12	No	Stable
5099	62	68.8	Valve Replacement	1.79	88	49	4	72	31.6	29	1.1	489	1	4	Yes	Complication
5100	59	80.3	CABG	1.89	120	71	4.2	71	28	31	2.6	407	2	15	No	Stable
5101	45	85.6	CABG	1.96	115	59	4.7	82	32.7	29	3.1	447	6	22	No	Stable
5102	57	62.1	CABG	1.6	95	56	3.8	68	33	29	1.4	411	2	9	No	Stable
5103	58	87.2	CABG	2.01	131	87	5.1	59	29.7	29	2.8	461	4	16	No	Stable
5104	52	94	CABG	2	138	72	4.5	72	32.3	25	0.8	620	5	20	No	Stable
5105	60	80.8	Aortic Surgery	1.92	125	80	4.2	85	30	31	2.6	407	3	9	No	Stable
5106	67	101.3	Valve Replacement	2.04	116	67	4.9	60	31.7	31	1.3	497	2	11	No	Stable
5107	85	64.2	Valve Replacement	1.73	116	72	4	65	29.2	29	2.2	376	1	12	Yes	Complication
5108	64	57.6	CABG	1.6	92	50	3.6	71	28.3	33	1.5	470	3	14	No	Stable
5109	65	50.1	Aortic Surgery	1.52	186	98	3.8	68	30.8	25	3.9	296	3	25	Yes	Complication
5110	61	95.9	Valve Replacement	2.08	130	69	4.7	60	31.3	32	1.5	461	3	9	No	Stable
5111	39	84.2	CABG	1.91	108	55	4.7	77	30.8	30	2.4	519	1	12	No	Stable
5112	62	74.2	Valve Replacement	1.82	85	45	4.2	87	29.4	30	1.4	558	2	8	No	Stable
5113	63	78.9	Valve Replacement	1.89	151	94	4.3	70	30.8	29	2.3	491	4	20	No	Stable
5114	88	59.2	CABG	1.66	84	55	3.9	61	32	30	1.5	332	3	12	No	Stable
5115	60	109.2	CABG	2.14	116	75	5.4	56	31.4	33	1.3	600	1	5	No	Stable
5116	66	76.8	Valve Replacement	1.85	142	89	4.4	70	31.8	26	2.3	488	5	23	No	Stable
5117	62	76.5	CABG	1.91	149	77	4.8	77	30.3	27	2.3	491	3	11	No	Stable
5118	48	85.2	ASD Repair	1.92	52	29	4.3	72	33.6	34	1.4	547	1	4	No	Stable


STATISTICS

ID	BASIC VALUES	VALUES
1	MEAN(AGE)	61.994
2	MEDIAN(CPB TIME)	125
3	MEDIAN(Ht)	29
4	MEDIAN(LACTATE)	2.1
5	MEDIAN(ICU STAY)	3
6	VARIANCE(CPB TIME)	1037.935
7	VARIANCE(Ht)	6.7269379
8	VARIANCE(LACTATE)	0.6648918
9	VARIANCE(ICU STAY)	1.8456874
10	ST.DEV(CPB TIME)	32.216998
11	ST.DEV(Ht)	2.5936341
12	ST.DEV(LACTATE)	0.815409
13	ST.DEV(ICU STAY)	1.3585608
14	CORREL(Ht-ICU STAY)	-0.117304
15	CORREL(LACTATE-ICU STAY)	0.1104798
16	CORREL(CPB TIME-ICU STAY)	0.4111861
17	SLOPE(Ht-ICU_STAY)	-0.061445
18	SLOPE(LACTATE-ICU STAY)	0.1840714
19	SLOPE(CPB TIME-ICU STAY)	0.0173393
20	INTERCEPT(Ht-ICU STAY)	4.7995032
21	INTERCEPT(LACTATE-ICU STAY)	2.6101856
22	INTERCEPT(CPB TIME-ICU STAY)	0.8268497
23	RSQ(Ht-ICU STAY)	0.0137603
24	RSQ(LACTATE-ICU STAY)	0.0122058
25	RSQ(CPB TIME-ICU STAY)	0.169074
26	p-Value(Ht-ICU_STAY)	0.0086519
27	p-Value(LACTATE-ICU STAY)	0.0134438
28	p-Value(CPB TIME-ICU STAY)	8.05E-22
29	Welch's t-test(Ht-Complication)	0.0779241
30	**Welch's t-test(CPB-ICU)**	**2.992E-15**

QUARTILES	VALUES
Q1	104
Q2	125
Q3	146
IQR(CPB TIME)	42
Q1	28
Q2	29
Q3	31
IQR(Ht)	3
Q1	1.5
Q2	2.1
Q3	2.7
IQR(LACTATE)	1.2
Q1	2
Q2	3
Q3	4
IQR(ICU STAY)	2







Does higher peak lactate correlate with longer ICU stay?
There is a very weak positive relationship between peak lactate and ICU stay (r=0.11). This means patients with higher lactat e levels tended to have slightly longer ICU stays. The relationship is statistically significant based on the calculated p -value, but it is very weak. **Does prolonged CPB increase complication probability?**
CPB time has a moderate positive correlation with ICU stay (r=0.411). This suggests that patients with longer bypass times te nded to stay longer in the ICU. However, we need to compare complication rates by CPB time to determine whether longer CPB is associated with more c omplications.
Does low hematocrit correlate with complications?
The analysis showed no statistically significant difference in hematocrit levels between patients with and without complicati ons (p = 0.0779). This suggests that, in our dataset, we do not have enough evidence to conclude that low hematocrit is associated with complication s.
Is there a statistically significant difference in ICU stay between low -CPB and high-CPB groups?
The analysis showed a statistically significant difference in ICU stay between the low -CPB and high-CPB groups ($p = 2.99 \times 10^{-15}$). Since the p-value is far below 0.05, the difference is highly statistically significant. This suggests that ICU stay differs between patients with shorter and longer CPB times.

5119	76	81.7	Aortic Surgery	1.9	90	50	4.8	68	29.4	29	1.7	421	3	10	No	Stable
5120	71	78.1	Valve Replacement	1.89	140	76	4.3	63	32.4	31	2.9	480	4	19	No	Stable
5121	71	63.9	CABG	1.74	160	95	4.3	59	33.6	33	3.3	496	4	23	No	Stable
5122	51	81.6	CABG	1.93	146	87	4.7	75	32.4	28	1.5	320	5	17	Yes	Complication
5123	79	101.3	Valve Replacement	2.09	140	79	5.4	75	31.1	31	3	388	3	20	No	Stable
5124	45	93.8	Valve Replacement	1.97	123	69	4.6	56	30.5	27	1.1	493	2	4	No	Stable
5125	69	97.3	CABG	2.09	135	88	4.7	81	33.4	31	2.7	490	2	9	No	Stable
5126	88	67.8	Valve Replacement	1.71	111	71	3.8	73	28.9	30	2.4	558	4	15	No	Stable
5127	50	61.1	Aortic Surgery	1.68	177	98	4.3	79	29.8	29	1.2	404	4	13	No	Stable
5128	55	73.2	CABG	1.78	128	85	4.3	57	30.8	28	2.2	446	2	11	No	Stable
5129	63	75.8	CABG	1.83	142	95	4.6	57	33.7	25	1.9	422	1	10	No	Stable
5130	56	90.3	Aortic Surgery	1.98	234	131	4.5	67	32.2	28	2.8	361	7	22	No	Stable
5131	43	51.3	CABG	1.56	125	70	3.6	72	29.8	24	3.2	487	1	10	No	Stable
5132	63	96.4	CABG	2.04	102	60	4.5	82	30.9	29	1.3	570	2	9	No	Stable
5133	49	72.8	CABG	1.85	114	76	4.8	74	30.4	32	1.3	410	3	8	No	Stable
5134	68	69	CABG	1.77	71	47	4.4	66	30.2	31	1.5	541	1	6	No	Stable
5135	51	60.8	Aortic Surgery	1.66	148	77	4.3	60	33.3	34	2.9	324	1	9	No	Stable
5136	81	51.8	Valve Replacement	1.59	125	71	3.7	78	29	32	2	389	1	7	No	Stable
5137	53	86.5	CABG	1.97	102	61	4.8	60	34.4	28	2.8	480	3	14	Yes	Complication
5138	58	76	Aortic Surgery	1.8	169	100	4.4	81	33	28	3.1	637	3	15	No	Stable
5139	72	56.9	Aortic Surgery	1.64	144	77	3.8	66	33.5	29	0.8	427	7	19	No	Stable
5140	47	56.9	Aortic Surgery	1.64	193	126	4.2	81	30.7	24	2.5	259	3	18	No	Stable
5141	65	70.3	CABG	1.77	115	72	4.6	73	31.2	27	1.5	283	2	4	No	Stable
5142	78	98.4	CABG	2.09	115	75	5.3	67	28.9	28	2.4	460	3	10	No	Stable
5143	43	71.4	ASD Repair	1.78	77	50	4.4	64	30.6	25	0.8	607	2	19	No	Stable
5144	64	54	Aortic Surgery	1.59	169	107	3.7	65	32.4	28	4.7	495	3	13	No	Stable
5145	65	71.6	CABG	1.78	136	79	4.1	71	33.8	28	2.7	489	4	11	No	Stable
5146	71	71.2	CABG	1.78	93	57	4.6	69	29.5	26	1.8	598	1	10	No	Stable
5147	47	45	CABG	1.43	99	52	3.2	63	30.8	31	2.7	473	1	4	No	Stable
5148	46	74.2	ASD Repair	1.77	77	48	4.4	67	31.2	32	3.4	629	1	9	No	Stable
5149	68	71.8	Valve Replacement	1.84	101	54	4.6	69	29	31	2.5	320	1	17	Yes	Complication
5150	66	84.7	Valve Replacement	1.89	115	72	4.6	51	32.6	29	2.7	390	2	5	No	Stable
5151	65	100.9	CABG	2.04	103	56	5.3	72	30.2	31	1.9	308	2	4	No	Stable
5152	66	90.8	Valve Replacement	1.91	157	82	4.4	60	31.1	30	2.4	432	3	7	No	Stable
5153	54	71.2	Aortic Surgery	1.76	172	91	4.1	59	30.7	29	2.3	471	5	22	No	Stable
5154	65	59.5	CABG	1.61	120	60	3.6	55	30.1	27	1.4	491	4	18	No	Stable
5155	66	111	Aortic Surgery	2.2	186	117	5.2	54	31.5	29	2.3	451	4	13	Yes	Complication
5156	53	75.8	ASD Repair	1.86	82	52	4.3	57	31.1	33	0.8	430	1	8	No	Stable
5157	84	75.2	CABG	1.81	125	74	4.2	62	30.8	28	2	420	3	18	Yes	Complication
5158	68	74.7	Valve Replacement	1.89	132	70	4.8	84	30.2	34	0.8	318	3	17	No	Stable
5159	48	77.8	CABG	1.88	122	63	4.8	64	32.1	28	2.2	649	2	9	No	Stable
5160	70	73	Aortic Surgery	1.79	150	76	4.1	69	34.5	29	2.4	425	3	4	No	Stable
5161	50	67	Valve Replacement	1.66	74	39	3.9	71	31.8	29	1.6	484	1	4	No	Stable
5162	71	67.3	Valve Replacement	1.81	132	87	4.7	69	33.3	30	1.8	621	3	10	Yes	Complication
5163	76	74.5	Aortic Surgery	1.78	201	109	4	67	29	23	5.5	293	4	20	Yes	Complication
5164	52	67.4	CABG	1.69	138	78	3.8	58	31.8	28	3.3	384	3	14	No	Stable
5165	74	65	ASD Repair	1.75	109	57	4	80	29.5	27	0.9	358	3	15	No	Stable
5166	67	76.5	Valve Replacement	1.91	166	90	4.7	82	28.8	29	2.8	446	3	19	No	Stable
5167	72	71.4	CABG	1.83	117	69	4.1	55	30.2	32	1.5	511	5	16	No	Stable
5168	85	96.1	Valve Replacement	2.04	140	85	5.3	60	33.6	31	1.5	504	3	16	Yes	Complication
5169	59	45	Aortic Surgery	1.49	150	82	3.5	66	33.2	23	1.3	734	1	8	No	Stable
5170	53	90.3	CABG	2	107	55	4.8	60	31.9	35	2.2	286	3	13	No	Stable
5171	51	92.4	Aortic Surgery	2.02	180	103	4.6	72	28.7	29	2.2	539	3	16	No	Stable
5172	52	46	ASD Repair	1.49	115	62	3.6	62	31.1	28	2.8	453	3	14	No	Stable
5173	61	70.2	CABG	1.78	112	60	4.4	85	32	30	2.7	433	1	17	No	Stable
5174	66	69.8	ASD Repair	1.77	74	50	4.4	78	31.8	31	2.6	439	4	10	No	Stable
5175	65	55.3	CABG	1.58	115	70	4	70	28.2	28	1.3	392	4	12	No	Stable
5176	72	64.1	CABG	1.7	130	78	4.1	76	29.9	30	2.5	629	2	10	No	Stable
5177	62	59.5	CABG	1.6	79	45	4.1	77	31.4	29	2.1	591	1	9	No	Stable
5178	79	99.5	Aortic Surgery	2.05	108	62	5.2	63	32.5	29	1.5	460	5	22	No	Stable
5179	59	88.1	Valve Replacement	1.92	121	72	4.8	61	27.5	28	1.4	627	2	9	No	Stable
5180	88	92.8	CABG	1.96	84	53	4.4	69	31.2	27	2.9	301	2	6	No	Stable
5181	70	85.1	CABG	1.93	102	64	4.3	75	31.8	30	2	346	1	11	No	Stable
5182	52	59.2	Valve Replacement	1.69	131	70	3.9	69	33	31	2.7	283	2	14	No	Stable
5183	49	67.7	CABG	1.77	104	61	4.4	55	32.7	31	1.2	450	2	4	No	Stable
5184	68	81.9	Aortic Surgery	1.85	201	115	4.4	62	32.5	30	2	450	5	17	No	Stable
5185	59	57.9	Aortic Surgery	1.6	173	114	3.8	67	30.1	29	2.2	476	2	4	No	Stable
5186	71	85	Valve Replacement	1.95	143	88	5	67	28.1	28	2.2	471	2	8	No	Stable
5187	68	71.6	ASD Repair	1.76	101	60	4.5	84	30.8	32	1	342	3	7	No	Stable
5188	61	69.8	CABG	1.76	87	45	4.5	57	33.3	27	1.6	585	3	15	No	Stable
5189	52	85	ASD Repair	1.94	111	68	4.5	72	34	27	0.8	534	1	6	No	Stable
5190	44	81.2	Valve Replacement	1.86	133	69	4.6	80	32.8	27	1.3	589	4	9	No	Stable
5191	57	69.9	Valve Replacement	1.77	152	85	4.1	86	32.3	31	3	291	3	18	No	Stable
5192	72	91.2	CABG	1.94	88	46	4.4	65	32.2	33	2.1	513	4	9	No	Stable
5193	65	59.9	Aortic Surgery	1.64	126	79	3.7	72	30.5	31	1.8	358	3	13	No	Stable
5194	47	83.6	CABG	1.92	135	73	4.5	73	31.3	32	1.4	469	1	4	No	Stable
5195	64	83.3	CABG	1.86	124	71	4.4	70	34.5	27	1.3	533	3	10	No	Stable
5196	67	70.7	CABG	1.79	92	61	4.5	67	29.8	31	1.4	499	4	16	No	Stable
5197	51	79.6	Valve Replacement	1.87	113	61	4.2	71	34.4	29	2.5	426	1	10	No	Stable
5198	64	57.5	Valve Replacement	1.65	163	96	4.1	48	30.9	31	3.3	461	3	20	No	Stable
5199	63	87.9	Valve Replacement	1.96	105	60	4.7	73	33.9	30	1.5	338	2	9	No	Stable
5200	48	72.4	Aortic Surgery	1.84	206	104	4.3	69	29	26	2.1	586	1	9	No	Stable
5201	66	67.7	CABG	1.75	92	59	4.2	66	32.6	32	1.9	471	5	16	No	Stable
5202	69	89.7	Aortic Surgery	1.95	181	93	4.5	84	30.2	30	2.1	553	3	13	Yes	Complication
5203	75	65.1	CABG	1.72	107	63	4.2	63	29	28	1.5	414	4	16	No	Stable
5204	75	55.3	Aortic Surgery	1.62	180	108	3.8	65	31.9	28	3.8	378	4	18	Yes	Complication
5205	45	53.2	Aortic Surgery	1.58	151	93	3.6	84	33.3	26	3.1	428	5	12	No	Stable
5206	51	83.5	Valve Replacement	1.91	131	82	4.3	61	30	23	2.3	590	3	14	No	Stable
5207	68	57.1	Valve Replacement	1.6	136	74	3.9	64	28.8	30	1.2	395	3	13	No	Stable
5208	68	99.6	CABG	2.04	90	45	5.2	67	31.3	32	1.8	553	1	4	No	Stable
5209	68	45.9	CABG	1.44	134	84	3.4	75	31.3	30	3.1	429	4	12	No	Stable
5210	88	98.8	Aortic Surgery	2.1	152	91	5.2	70	32.5	24	2.1	220	2	16	No	Stable
5211	69	78	CABG	1.82	109	71	4.5	58	33.2	29	3	420	4	19	No	Stable
5212	76	73.6	CABG	1.79	90	58	4.6	64	31.4	25	2.7	355	1	8	Yes	Complication
5213	73	67.4	Valve Replacement	1.72	71	46	4.3	63	34.8	34	2.8	492	4	12	Yes	Complication
5214	70	80.6	Aortic Surgery	1.91	160	94	4.6	67	31.9	26	2.8	331	4	13	No	Stable
5215	58	74.5	CABG	1.81	175	98	4.5	71	30.9	31	3.2	559	5	25	No	Stable
5216	71	90.4	CABG	2.01	135	87	5.1	71	28.6	31	3.4	451	4	18	No	Stable
5217	53	76.6	Valve Replacement	1.82	135	78	4.3	54	31	27	2.6	479	1	6	No	Stable
5218	59	77.1	Aortic Surgery	1.85	158	84	4.3	77	30.9	26	2.1	539	2	12	Yes	Complication
5219	56	69.9	CABG	1.74	116	76	3.8	70	33.2	30	1.6	596	3	9	No	Stable
5220	63	74.2	CABG	1.88	129	85	4.8	79	32.3	27	2.3	477	3	19	No	Stable
5221	88	79.3	CABG	1.83	85	50	4.6	72	29.4	31	0.8	374	4	18	No	Stable
5222	40	51.1	CABG	1.56	143	73	3.5	77	31.8	28	2.2	341	3	11	No	Stable
5223	70	56.1	CABG	1.63	133	76	4	72	32.7	25	3.1	395	2	9	Yes	Complication
5224	43	85.4	Aortic Surgery	1.94	183	118	4.6	79	34.3	22	1	431	3	4	Yes	Complication
5225	56	77.4	Valve Replacement	1.84	146	97	4.1	72	33.1	29	3.6	496	3	9	No	Stable
5226	75	72.4	Valve Replacement	1.79	135	72	4.6	67	32.9	28	3.1	418	1	4	No	Stable
5227	63	75.3	CABG	1.83	132	68	4.2	86	31.6	28	1.8	547	5	18	No	Stable
5228	49	79.9	Aortic Surgery	1.87	180	118	4.2	75	32.2	30	3.2	421	4	16	Yes	Complication
5229	53	67.4	CABG	1.77	106	60	4.3	73	33.7	33	1.9	505	4	9	No	Stable
5230	70	64.1	ASD Repair	1.77	71	42	4.4	58	29.1	30	2.4	613	1	7	No	Stable
5231	53	77.7	Valve Replacement	1.83	138	93	4	58	30.9	28	3	529	5	21	No	Stable
5232	65	61.3	CABG	1.63	154	79	4	70	30.1	30	1.3	457	6	21	No	Stable
5233	63	80.7	Valve Replacement	1.88	104	64	4.5	69	32.2	27	2.3	432	1	4	No	Stable
5234	54	51.2	CABG	1.63	78	40	3.7	63	33.7	31	1.4	460	3	11	No	Stable
5235	88	89.4	Valve Replacement	1.94	139	79	4.4	69	30.4	30	2.3	339	4	10	Yes	Complication
5236	70	81.6	CABG	1.94	116	75	4.7	81	27.2	31	1.4	418	1	10	No	Stable
5237	38	78.6	CABG	1.91	119	69	4.4	74	30.8	25	3.4	610	3	18	No	Stable

5238	64	88.8	Aortic Surgery	1.94	171	116	5	59	33.1	26	3.5	434	5	17	No	Stable
5239	54	98.3	CABG	2.06	109	65	5.2	67	32.5	28	1.3	373	2	6	No	Stable
5240	72	89.2	Aortic Surgery	2.01	202	113	5.2	62	32.3	28	2	602	6	18	No	Stable
5241	52	49.2	CABG	1.51	75	40	3.5	65	31	32	1.2	560	1	4	No	Stable
5242	61	57.1	Valve Replacement	1.62	114	64	4.2	65	29.2	33	2.3	350	1	9	No	Stable
5243	68	66.3	Valve Replacement	1.71	132	75	4.1	64	32.4	28	2.4	424	3	12	No	Stable
5244	72	75.4	Valve Replacement	1.8	94	48	4.2	58	30	29	2.7	490	3	18	No	Stable
5245	48	82.2	CABG	1.88	111	63	4.2	67	35.4	33	2.6	689	2	7	No	Stable
5246	58	64.8	CABG	1.68	157	92	3.7	64	32.5	29	3.3	365	4	15	No	Stable
5247	56	77.6	CABG	1.85	116	73	4.6	48	30.5	33	2.3	598	3	7	No	Stable
5248	54	64.4	CABG	1.69	121	75	4	84	30.4	30	0.9	641	4	9	No	Stable
5249	83	66.4	Valve Replacement	1.74	103	65	4	77	31.3	27	1.7	390	3	7	No	Stable
5250	67	55.3	ASD Repair	1.56	70	35	3.8	65	31.1	27	2.3	473	3	17	No	Stable
5251	47	62.1	Aortic Surgery	1.69	156	84	3.9	68	33.5	25	2.4	394	3	10	No	Stable
5252	73	56.1	Aortic Surgery	1.64	157	97	4	59	31.8	30	2.9	425	6	22	Yes	Complication
5253	87	61.3	Aortic Surgery	1.61	197	116	3.8	82	30.2	31	2.7	394	4	15	No	Stable
5254	74	89.8	Valve Replacement	1.98	149	75	5	83	34.9	33	1.6	513	6	14	No	Stable
5255	44	61.7	CABG	1.72	87	56	4.3	69	31.6	32	1.5	648	2	8	No	Stable
5256	56	111.9	ASD Repair	2.13	91	58	5.1	76	32.9	33	1.9	438	1	10	No	Stable
5257	77	81.9	Valve Replacement	1.94	147	88	4.5	69	30.4	27	1.8	246	5	12	No	Stable
5258	54	77.6	Valve Replacement	1.86	164	84	4.4	57	32.2	26	2.4	478	4	19	No	Stable
5259	67	63	CABG	1.67	155	99	4.2	65	32.1	31	1.7	488	5	14	No	Stable
5260	71	84.8	CABG	1.92	90	54	4.5	69	28.1	31	2.6	508	4	14	No	Stable
5261	51	66.9	CABG	1.75	95	61	4	64	35.1	30	1.5	488	3	14	No	Stable
5262	61	76.7	Aortic Surgery	1.84	134	85	4.1	66	33.8	30	3.4	493	2	10	No	Stable
5263	25	110.8	Valve Replacement	2.17	129	83	5.2	67	30.8	30	3.4	707	3	15	No	Stable
5264	50	73.7	CABG	1.78	127	75	4.3	67	29.5	33	2.1	545	3	11	No	Stable
5265	59	91.1	ASD Repair	1.99	110	58	5	68	32.1	33	1.1	460	3	11	No	Stable
5266	47	65.2	CABG	1.68	113	70	3.8	60	31.7	31	0.8	469	1	4	No	Stable
5267	82	74.5	CABG	1.82	107	65	4.3	62	32.1	32	0.8	436	4	6	No	Stable
5268	45	99.8	CABG	2.03	119	75	5.1	58	31.8	31	0.9	684	2	10	No	Stable
5269	57	68.2	Aortic Surgery	1.71	144	76	4.3	76	32.4	28	3.4	466	5	24	No	Stable
5270	64	100.4	ASD Repair	2.1	137	73	4.9	51	34.1	31	2.3	472	4	12	No	Stable
5271	79	84.9	CABG	1.96	75	50	4.7	77	32.5	27	1.8	426	3	11	No	Stable
5272	45	67.1	Aortic Surgery	1.76	170	108	4.1	79	29.6	31	0.9	605	4	14	No	Stable
5273	76	83.9	CABG	1.88	166	110	4.8	66	34	25	1.6	631	3	15	Yes	Complication
5274	62	88.6	ASD Repair	1.95	85	54	4.4	48	34.5	31	2.3	549	4	7	No	Stable
5275	50	83.7	Aortic Surgery	1.95	160	97	5	65	36	26	2.7	498	6	18	No	Stable
5276	68	53	Aortic Surgery	1.58	156	96	3.9	67	29.5	30	2.4	460	4	14	No	Stable
5277	64	64.8	CABG	1.78	110	73	4.3	60	31.9	30	2.4	249	5	21	No	Stable
5278	55	71.5	ASD Repair	1.8	119	72	4	64	27.8	26	3.3	575	2	22	No	Stable
5279	63	74	Valve Replacement	1.82	80	49	4.4	80	32.5	32	1.4	517	1	6	No	Stable
5280	57	83.7	CABG	1.9	153	81	4.5	73	30.5	27	2.5	522	3	8	No	Stable
5281	63	77.5	Aortic Surgery	1.85	129	76	4.2	61	35	31	2.3	408	4	17	No	Stable
5282	70	56.3	CABG	1.61	108	68	4	55	30.1	30	3.8	438	2	19	No	Stable
5283	81	80.3	Aortic Surgery	1.9	154	85	4.9	65	28.5	30	0.8	390	5	16	Yes	Complication
5284	47	83.5	CABG	1.94	130	70	4.7	66	30.7	27	2.7	613	3	10	No	Stable
5285	88	82.8	Valve Replacement	1.88	95	53	4.7	72	27.9	29	1.6	409	2	13	No	Stable
5286	39	90.1	Valve Replacement	1.93	147	80	4.3	64	32.9	28	2.8	727	3	17	No	Stable
5287	60	86.7	CABG	1.88	166	89	4.5	72	27.8	30	2.1	510	5	14	No	Stable
5288	69	81.4	CABG	1.9	81	47	4.3	83	31.6	35	1.5	364	3	13	No	Stable
5289	65	74	CABG	1.78	120	80	4.4	75	27.8	27	2.6	467	4	20	No	Stable
5290	55	51.7	CABG	1.49	98	58	3.8	68	30.9	33	4.3	446	1	16	No	Stable
5291	60	81	CABG	1.9	126	67	4.7	67	34.5	24	2.8	268	4	16	No	Stable
5292	56	77.9	Valve Replacement	1.93	135	69	4.3	65	32.1	26	1.5	650	2	8	No	Stable
5293	55	78.8	CABG	1.86	99	62	4.4	77	29.9	28	1.4	581	1	11	No	Stable
5294	72	57.1	CABG	1.65	127	72	4	63	31.4	26	1.8	516	3	7	No	Stable
5295	66	59.9	Aortic Surgery	1.66	210	136	3.9	68	31.5	23	1.7	450	3	14	Yes	Complication
5296	54	89.7	CABG	1.96	110	68	5	68	32.4	31	1.7	369	2	4	No	Stable
5297	73	74.4	ASD Repair	1.85	103	66	4.7	64	29	29	2.4	424	3	17	No	Stable
5298	66	84.5	Aortic Surgery	1.91	133	73	4.7	57	32.6	30	1.2	556	4	13	Yes	Complication
5299	72	75.4	Valve Replacement	1.84	111	69	4.3	71	26.6	31	2.8	365	3	19	No	Stable
5300	70	75.4	Valve Replacement	1.84	147	80	4.2	68	30.4	29	2.8	203	2	13	No	Stable
5301	52	88.1	Aortic Surgery	1.93	202	135	4.3	72	30.6	29	2.4	442	6	16	No	Stable
5302	55	67.8	CABG	1.78	124	76	4.2	64	32.6	29	2	484	2	16	No	Stable
5303	71	76.3	CABG	1.83	107	60	4.3	78	31.5	27	3.2	488	3	21	No	Stable
5304	69	68.5	CABG	1.73	115	63	4.3	61	29	32	2.6	547	4	20	No	Stable
5305	62	68.9	Aortic Surgery	1.78	134	72	4.4	82	29.7	28	2.2	543	3	10	No	Stable
5306	63	70.7	CABG	1.75	130	81	3.9	54	31.9	27	2	505	4	14	No	Stable
5307	77	78.1	Valve Replacement	1.86	157	85	4.4	71	31.4	28	2.5	557	5	19	No	Stable
5308	55	68.3	ASD Repair	1.75	74	45	4	72	30.5	28	1.1	371	1	4	No	Stable
5309	69	92.6	Aortic Surgery	2.03	153	84	4.6	62	30.6	28	0.8	506	6	25	No	Stable
5310	60	62.5	Valve Replacement	1.7	142	88	4.3	71	32.8	30	3.9	542	3	16	Yes	Complication
5311	59	72.4	CABG	1.8	104	67	4	78	30.6	31	2	376	2	4	No	Stable
5312	75	68.8	Aortic Surgery	1.78	163	104	4.2	50	31.3	26	2.9	288	5	20	No	Stable
5313	72	95.3	Valve Replacement	2.06	187	119	4.7	72	35.4	27	2.8	358	5	18	No	Stable
5314	72	77.8	CABG	1.87	109	58	4.8	48	28.9	32	1.3	405	3	11	Yes	Complication
5315	78	89.4	CABG	1.97	106	55	4.8	60	28.2	31	1.7	536	6	18	No	Stable
5316	62	54.2	ASD Repair	1.55	69	43	3.6	81	32.9	36	0.8	450	2	11	No	Stable
5317	70	78.7	Valve Replacement	1.83	154	87	4.4	63	30.3	32	4.3	367	3	21	Yes	Complication
5318	58	87.5	Aortic Surgery	1.94	160	92	4.8	59	30.9	31	1.5	413	4	15	No	Stable
5319	66	76.2	Aortic Surgery	1.82	149	75	4.7	66	30.1	25	1.6	575	5	15	Yes	Complication
5320	60	89.9	Valve Replacement	1.96	168	92	4.5	85	31	30	2.3	467	2	10	No	Stable
5321	63	67.8	Valve Replacement	1.75	170	86	4.5	53	34.4	28	3.7	441	1	11	No	Stable
5322	69	94.7	CABG	2.03	100	66	5.2	60	32.9	29	1.8	471	2	6	No	Stable
5323	52	107.2	CABG	2.12	68	37	5.4	80	33.1	31	0.8	661	1	8	No	Stable
5324	87	69.9	CABG	1.78	140	84	4.4	83	29	31	3.3	351	3	17	Yes	Complication
5325	50	68.8	Aortic Surgery	1.76	148	75	4.3	67	29.4	30	3	628	4	23	No	Stable
5326	47	95.3	Valve Replacement	1.96	155	96	4.6	58	26.4	26	2.9	520	2	17	No	Stable
5327	76	97.1	Aortic Surgery	2.01	116	65	5	85	30	31	2.6	444	1	6	Yes	Complication
5328	71	67.7	CABG	1.74	137	91	4.2	81	33.2	27	4.2	710	4	22	No	Stable
5329	69	69.1	Valve Replacement	1.72	105	69	4.3	73	32.4	30	3.6	374	4	14	No	Stable
5330	70	71.1	Valve Replacement	1.8	153	85	4.3	62	31.1	28	1.9	418	2	13	Yes	Complication
5331	62	56.2	Valve Replacement	1.66	135	89	4.1	68	31.5	29	3.5	355	4	16	No	Stable
5332	51	62.1	Valve Replacement	1.72	111	75	4.4	67	30.3	32	2.2	608	3	9	Yes	Complication
5333	63	60.9	CABG	1.66	105	68	3.7	71	31.9	27	2.3	660	4	17	No	Stable
5334	54	64.3	Valve Replacement	1.75	152	99	4.4	80	32.9	34	1.1	653	5	5	No	Stable
5335	74	74.5	CABG	1.82	118	64	4.4	75	28.6	25	1.9	585	6	13	No	Stable
5336	60	78.3	CABG	1.85	130	78	4.7	59	32	28	1.5	465	3	11	No	Stable
5337	52	96.7	Valve Replacement	2.01	184	94	4.8	79	33.2	29	3.5	437	4	18	No	Stable
5338	58	61	Valve Replacement	1.66	96	50	3.9	71	30.8	32	2.6	339	2	10	No	Stable
5339	67	88.8	ASD Repair	1.95	125	85	5	73	32.8	29	0.8	677	3	4	Yes	Complication
5340	55	72	Valve Replacement	1.8	138	77	4.1	80	36	29	2.2	538	5	15	No	Stable
5341	52	74.3	Aortic Surgery	1.82	143	91	4.6	59	31.3	30	3.2	445	1	11	No	Stable
5342	65	84.4	Valve Replacement	1.92	102	66	4.6	68	32.2	29	1.7	622	2	12	No	Stable
5343	65	59.3	Valve Replacement	1.66	130	85	4	64	30.2	33	2.7	378	5	19	No	Stable
5344	56	80.4	CABG	1.91	138	94	4.4	55	31.8	31	2.5	530	4	21	No	Stable
5345	56	77.3	CABG	1.88	112	61	4.6	71	32.3	32	2.2	485	2	12	No	Stable
5346	65	81.9	CABG	1.85	153	78	4.3	88	31.9	26	2.2	527	5	15	Yes	Complication
5347	45	79	CABG	1.79	79	45	4	53	29.7	30	0.8	534	2	7	No	Stable
5348	45	109.4	CABG	2.17	115	60	5	68	31.9	29	1.1	377	4	8	Yes	Complication
5349	53	66.1	CABG	1.69	84	42	3.7	73	34.1	28	2.2	530	2	10	No	Stable
5350	59	67.6	CABG	1.74	124	70	4.5	69	32.3	30	2.1	595	4	20	Yes	Complication
5351	66	66.3	ASD Repair	1.7	107	69	4.4	67	33.2	28	1.8	482	6	22	Yes	Complication
5352	80	67.2	CABG	1.69	104	63	4	58	31.1	32	1.5	536	4	20	No	Stable
5353	72	66.1	Valve Replacement	1.74	70	39	4.3	70	32.8	28	1.2	386	2	7	No	Stable
5354	60	91.6	CABG	2.01	120	74	4.7	62	32	34	2.9	487	4	22	No	Stable
5355	62	94.9	Valve Replacement	2	146	79	4.9	50	29.8	27	2.1	411	3	12	No	Stable
5356	50	67	CABG	1.66	125	63	4.2	78	32.1	30	1	582	6	24	No	Stable

5357	62	63.3	CABG	1.68	146	93	4.3	76	29.7	31	2.9	476	4	17	Yes	Complication
5358	59	81.6	Valve Replacement	1.9	108	66	4.5	68	30.4	28	1.7	567	2	12	No	Stable
5359	66	67.3	CABG	1.7	132	84	4.3	70	31.8	31	2.2	581	2	16	No	Stable
5360	52	83.9	CABG	1.92	145	74	4.4	77	32	26	3.6	563	4	17	No	Stable
5361	68	77.8	CABG	1.85	71	46	4.8	70	29.4	34	1.4	526	3	12	No	Stable
5362	80	53.8	CABG	1.6	123	75	3.5	75	33.4	29	2.3	349	3	18	No	Stable
5363	61	96.7	CABG	2.04	102	61	5	66	32.5	28	0.9	497	3	10	No	Stable
5364	67	100.1	CABG	2.03	113	69	5	78	30.2	29	1.8	426	1	4	No	Stable
5365	70	66.4	Aortic Surgery	1.77	174	114	4.4	71	28.7	30	3.2	409	4	26	Yes	Complication
5366	57	69.6	Valve Replacement	1.76	123	74	4	70	31.2	28	0.8	457	3	8	No	Stable
5367	65	79	Valve Replacement	1.86	118	71	4.8	58	30.7	28	2.2	383	5	18	No	Stable
5368	62	79.7	CABG	1.84	116	79	4.2	70	31.7	29	2.1	292	2	15	No	Stable
5369	63	84.2	ASD Repair	1.9	58	37	4.7	61	30.8	28	1.3	448	1	4	Yes	Complication
5370	53	103.1	CABG	2.06	88	51	4.7	63	27.9	35	2.5	539	1	4	No	Stable
5371	62	72.5	CABG	1.79	132	83	4.2	61	30.8	28	2.5	345	2	12	No	Stable
5372	68	63.8	Valve Replacement	1.75	106	60	4.2	59	30.9	32	3.1	483	4	10	No	Stable
5373	79	55.7	CABG	1.57	132	71	3.7	85	32.6	30	1.4	636	5	15	Yes	Complication
5374	74	64.8	CABG	1.67	127	77	3.8	79	30.2	27	2.2	561	4	16	No	Stable
5375	88	74.5	Valve Replacement	1.86	92	61	4.2	83	34.5	30	1.8	612	5	16	No	Stable
5376	53	100.1	Aortic Surgery	2.06	148	99	4.9	58	28.1	31	1.5	529	3	5	No	Stable
5377	72	67.8	Valve Replacement	1.73	165	93	4.3	69	33.9	28	3.3	560	4	24	No	Stable
5378	64	78.1	Valve Replacement	1.89	110	65	4.8	58	31.1	33	3.8	415	2	14	No	Stable
5379	88	74.8	ASD Repair	1.8	73	39	4	62	33	33	1.5	393	2	15	No	Stable
5380	52	91.6	CABG	2.04	127	86	4.8	61	31.6	32	2.5	229	1	7	No	Stable
5381	52	110.4	CABG	2.17	135	91	4.9	78	33.6	28	2.3	617	3	10	No	Stable
5382	55	67.6	CABG	1.73	109	67	3.8	65	30.8	27	1.3	660	2	10	No	Stable
5383	37	68.1	CABG	1.82	100	64	4.5	77	29.5	26	0.8	491	3	9	No	Stable
5384	56	89.6	CABG	1.95	151	95	4.8	73	34.1	29	1.8	457	3	7	No	Stable
5385	53	84.5	ASD Repair	1.94	128	78	4.4	86	31.3	31	1	425	3	17	No	Stable
5386	64	100.9	Valve Replacement	2.08	159	81	4.8	56	31.9	23	3.9	501	3	13	No	Stable
5387	66	83.2	Valve Replacement	1.94	137	80	4.3	78	33.7	29	2.2	582	3	5	No	Stable
5388	85	70	CABG	1.82	95	59	4.6	77	29.6	31	1.5	278	4	19	No	Stable
5389	73	83.3	Aortic Surgery	1.91	144	90	4.9	60	32.6	28	3	493	2	10	Yes	Complication
5390	55	90.5	ASD Repair	1.95	98	56	4.4	76	30.4	33	0.9	483	2	6	No	Stable
5391	51	86.5	Aortic Surgery	1.95	175	117	4.5	71	31.3	29	2.1	492	4	8	No	Stable
5392	68	82.1	CABG	1.87	150	80	4.8	66	31.6	32	2.5	505	3	20	No	Stable
5393	46	89.9	Valve Replacement	2.03	151	89	5.2	61	28.8	28	3.2	484	2	7	No	Stable
5394	84	91.4	CABG	1.99	77	48	4.7	62	30.1	33	1.9	453	3	13	No	Stable
5395	76	94.4	CABG	2	141	88	4.4	84	33.9	33	2.5	426	2	15	No	Stable
5396	56	84.1	CABG	1.92	90	56	4.3	68	33.1	34	1.7	610	3	14	Yes	Complication
5397	41	72.7	Valve Replacement	1.76	125	69	4.3	74	31.4	27	2.4	567	1	8	No	Stable
5398	78	77.1	Valve Replacement	1.82	141	74	4.3	62	31.9	28	2.5	466	5	12	No	Stable
5399	61	91.9	CABG	2.02	165	101	4.5	62	31	28	1.8	338	7	19	Yes	Complication
5400	77	63.6	CABG	1.68	193	117	4.1	77	33.9	29	3	382	4	18	No	Stable
5401	43	80.2	CABG	1.84	130	69	4.1	57	31.1	31	1.3	609	3	8	No	Stable
5402	55	69.5	CABG	1.78	110	69	4.5	65	31.9	28	2	509	2	11	No	Stable
5403	62	75.4	CABG	1.86	128	74	4.3	68	33.6	29	1.8	548	4	17	No	Stable
5404	63	92.9	CABG	2.02	137	85	4.5	69	30.1	24	4.3	652	2	18	No	Stable
5405	57	77.7	Aortic Surgery	1.88	157	102	4.6	67	34.3	32	2.5	581	4	11	No	Stable
5406	69	75.7	CABG	1.81	160	85	4.3	71	28.7	27	1.4	461	3	20	No	Stable
5407	49	56	CABG	1.57	121	61	4.1	74	34.4	30	1.9	460	2	13	No	Stable
5408	60	85.4	CABG	1.97	127	81	4.8	74	30.8	29	2.5	231	2	11	No	Stable
5409	63	84	ASD Repair	1.9	102	62	4.4	60	31.1	33	3.2	476	4	22	No	Stable
5410	68	105.3	Valve Replacement	2.1	146	91	5.2	66	28.1	22	1.9	428	3	22	No	Stable
5411	71	70.7	Valve Replacement	1.82	156	102	4.2	78	30.7	29	1.2	489	4	8	Yes	Complication
5412	49	78.1	CABG	1.87	100	64	4.8	75	29.6	30	2.5	507	2	10	No	Stable
5413	44	78.5	Valve Replacement	1.87	121	81	4.4	57	30.4	28	0.9	489	2	4	No	Stable
5414	77	97.1	CABG	2.1	87	52	5.1	71	31.3	35	1.3	295	3	12	No	Stable
5415	66	73.7	Valve Replacement	1.79	146	86	4	52	33.2	27	2.1	371	3	14	No	Stable
5416	53	78.9	ASD Repair	1.89	104	60	4.5	68	31.9	32	1.8	560	3	12	No	Stable
5417	81	83.5	Valve Replacement	1.91	146	77	4.8	83	32.1	30	2.9	607	6	19	No	Stable
5418	63	77.6	Aortic Surgery	1.86	207	125	4.7	60	29.5	30	2.5	431	4	8	No	Stable
5419	76	68.7	Valve Replacement	1.8	135	74	4.1	61	29.9	27	2	483	5	19	No	Stable
5420	63	77.7	CABG	1.87	132	88	4.3	74	34.7	27	2.2	573	5	24	No	Stable
5421	87	90	ASD Repair	1.99	58	35	5	56	30.2	34	1.4	386	1	4	No	Stable
5422	83	60.6	CABG	1.7	105	64	4.4	63	34.5	31	1.9	488	1	9	No	Stable
5423	59	76.9	Valve Replacement	1.83	152	86	4.1	73	31.1	25	2.8	402	4	10	No	Stable
5424	74	65.2	CABG	1.69	136	69	4	63	31.5	28	2.9	540	3	16	No	Stable
5425	70	91.7	CABG	1.95	108	55	4.6	66	33.4	31	2.2	491	5	16	No	Stable
5426	78	53.7	CABG	1.52	113	65	3.9	74	33.8	32	2.3	487	3	10	No	Stable
5427	50	67.2	CABG	1.8	77	40	4	71	31.3	29	0.8	453	1	4	Yes	Complication
5428	70	80.3	Valve Replacement	1.84	126	77	4.2	70	30.8	22	2.2	538	2	9	No	Stable
5429	75	96.9	Valve Replacement	2.03	157	103	5.1	65	31.4	30	2.9	650	5	21	No	Stable
5430	41	74.1	CABG	1.81	129	85	4	71	32.1	26	2.7	423	2	6	No	Stable
5431	48	67.2	CABG	1.75	128	79	4.2	67	33.1	24	1.6	476	3	10	No	Stable
5432	38	101.3	Valve Replacement	2.1	136	73	5	72	31.5	22	1.7	549	4	14	No	Stable
5433	59	54.7	CABG	1.62	115	75	3.8	64	32.6	32	1.5	573	2	5	No	Stable
5434	71	45	Valve Replacement	1.45	118	78	3.4	67	34.4	30	2.4	413	3	20	No	Stable
5435	80	81.2	Valve Replacement	1.88	152	81	4.5	60	32.2	28	3.3	151	4	14	Yes	Complication
5436	63	68	Aortic Surgery	1.76	176	111	4	68	32.1	32	2.4	592	5	16	No	Stable
5437	82	60.7	Valve Replacement	1.66	147	81	4	62	28.8	30	3.1	509	5	16	No	Stable
5438	45	84.9	CABG	1.97	102	66	5	59	26.8	34	1.9	355	2	17	Yes	Complication
5439	42	78.4	Valve Replacement	1.87	81	55	4.7	70	32.2	27	1.5	485	2	11	No	Stable
5440	61	67.1	CABG	1.76	142	72	4	70	31.3	29	2.1	634	3	9	No	Stable
5441	67	57.1	CABG	1.64	103	68	3.7	74	30.6	26	2.4	629	1	13	No	Stable
5442	62	87.2	Aortic Surgery	1.98	143	88	4.6	65	31.9	28	2.6	568	4	17	No	Stable
5443	37	84.1	CABG	1.92	132	89	4.5	71	31.4	29	4	512	5	22	No	Stable
5444	61	73.6	Aortic Surgery	1.77	155	90	4.2	72	33.5	30	1.8	479	2	8	Yes	Complication
5445	46	100.9	Aortic Surgery	2.08	191	125	5.1	72	31.7	28	3.3	469	3	12	Yes	Complication
5446	70	60	Aortic Surgery	1.64	180	92	3.6	61	30.2	30	2.3	553	3	14	No	Stable
5447	66	53.6	ASD Repair	1.57	102	57	3.5	69	33.3	32	1.1	399	4	11	No	Stable
5448	51	65.3	CABG	1.74	81	41	4.1	71	31.1	36	1.6	447	2	17	No	Stable
5449	56	74.4	CABG	1.85	145	98	4.6	68	32.4	28	2.4	587	3	8	No	Stable
5450	49	78.4	Valve Replacement	1.86	142	92	4.2	51	30.6	27	4.6	497	2	21	No	Stable
5451	61	71.6	CABG	1.8	106	69	4.4	69	30.3	30	1.7	633	3	12	No	Stable
5452	73	79.9	Valve Replacement	1.92	139	93	4.4	86	31.7	27	1.4	387	2	10	No	Stable
5453	50	57.5	Valve Replacement	1.64	91	47	4.2	65	31.5	34	1.9	519	2	13	No	Stable
5454	68	95.2	Valve Replacement	2.1	145	83	5.4	62	32.4	28	0.8	369	5	13	No	Stable
5455	56	73.8	CABG	1.83	89	46	4.2	71	31	29	1.6	514	1	10	No	Stable
5456	52	90.6	CABG	1.92	81	44	4.4	70	28.2	29	1.6	378	1	4	No	Stable
5457	61	79.8	CABG	1.89	77	42	4.5	78	30.7	32	2.2	461	4	12	No	Stable
5458	50	81.4	CABG	1.9	143	84	4.4	58	32.9	29	3.1	355	2	8	No	Stable
5459	55	83	Aortic Surgery	1.94	149	82	4.8	74	31	27	2	555	5	12	Yes	Complication
5460	48	81.3	CABG	1.91	153	79	4.8	73	31.1	33	2.3	569	3	12	No	Stable
5461	86	84	CABG	1.91	102	54	4.7	67	33.3	28	1.2	274	3	13	No	Stable
5462	62	93.6	CABG	1.97	72	38	5	71	30.2	31	0.8	643	3	13	No	Stable
5463	54	77.8	Valve Replacement	1.85	107	72	4.4	76	28.7	31	2.1	758	1	9	No	Stable
5464	65	84.9	Valve Replacement	1.9	166	106	4.3	75	31.2	24	1.6	462	4	12	No	Stable
5465	61	73.7	CABG	1.79	111	75	4.5	59	30.6	31	1.6	428	2	11	No	Stable
5466	59	95.2	CABG	2.04	101	58	4.8	75	29.8	27	1	784	1	6	No	Stable
5467	69	65.5	CABG	1.77	119	65	4.4	67	31.2	32	2.5	341	3	17	No	Stable
5468	71	100.2	CABG	2.07	128	82	4.8	69	32.4	27	3.6	466	3	18	No	Stable
5469	56	74.4	Valve Replacement	1.78	163	91	4	69	31.5	30	1.5	494	3	12	No	Stable
5470	55	55	Valve Replacement	1.61	171	95	4.2	67	32.1	31	1.2	609	2	5	No	Stable
5471	59	76.8	CABG	1.88	106	57	4.3	78	34.8	32	1.8	535	4	12	No	Stable
5472	34	65.5	CABG	1.7	82	43	4.4	67	30.9	31	1.6	511	3	10	No	Stable
5473	44	86.8	ASD Repair	1.94	75	41	5	59	32	30	1.7	449	3	11	No	Stable
5474	78	65.9	CABG	1.73	122	69	4.4	65	30.6	28	1.7	419	3	13	No	Stable
5475	82	68.8	Valve Replacement	1.73	111	69	4.3	69	30	33	1.8	350	1	10	No	Stable

5476	59	48.5	CABG	1.53	91	47	3.7	78	30.4	28	2	511	5	17	No	Stable
5477	69	68.7	Valve Replacement	1.75	144	77	4.5	73	30.6	26	3.2	404	3	15	No	Stable
5478	66	45	CABG	1.48	114	74	3.4	61	32.1	31	0.8	332	2	8	No	Stable
5479	88	52.8	Valve Replacement	1.54	136	72	3.7	88	35.7	27	1.9	552	4	13	No	Stable
5480	75	85.6	ASD Repair	1.92	66	37	4.7	70	30.2	28	1.6	437	4	11	No	Stable
5481	60	86	CABG	1.95	109	71	4.6	78	30.8	26	1.2	369	3	4	No	Stable
5482	51	81	CABG	1.87	92	49	4.4	67	31.4	29	3.1	505	4	14	No	Stable
5483	43	61.5	CABG	1.73	137	71	4	72	32.2	29	1.7	522	4	16	No	Stable
5484	64	74.3	CABG	1.8	141	83	4.4	75	32	30	2.3	297	2	8	No	Stable
5485	53	74.9	CABG	1.83	69	38	4.6	78	33.8	33	1.9	563	1	6	No	Stable
5486	45	58.8	CABG	1.67	92	55	3.8	76	27.1	32	1.2	429	3	13	No	Stable
5487	54	96	Aortic Surgery	1.98	128	83	5.1	75	27.2	29	0.8	669	1	7	No	Stable
5488	49	87.3	CABG	1.89	99	52	4.7	65	30.6	30	1.4	575	2	5	No	Stable
5489	82	71.9	CABG	1.75	113	68	4.4	63	33.5	31	2.8	410	2	15	No	Stable
5490	73	75.4	ASD Repair	1.87	49	29	4.5	71	28.7	34	0.9	425	1	10	No	Stable
5491	62	77.9	CABG	1.84	92	48	4.6	75	26.1	31	1	490	2	4	No	Stable
5492	80	46.4	ASD Repair	1.56	60	37	3.4	66	32.5	30	2.1	541	2	7	No	Stable
5493	63	71.5	CABG	1.77	120	66	4.5	77	31.9	27	1.8	481	2	14	Yes	Complication
5494	52	65.5	Aortic Surgery	1.73	167	98	3.8	80	29.5	25	2.2	461	2	10	No	Stable
5495	80	61	Valve Replacement	1.72	117	60	4.4	61	29.7	31	2.1	457	6	11	No	Stable
5496	68	71.1	Aortic Surgery	1.84	169	98	4.8	61	29.8	30	3.2	389	6	17	No	Stable
5497	50	100.2	ASD Repair	2.12	71	39	4.9	67	31.7	32	3.4	500	1	9	No	Stable
5498	60	84	CABG	1.95	108	70	4.5	70	30.4	29	2.6	287	5	14	No	Stable
5499	51	67	ASD Repair	1.77	127	65	4.4	64	32.4	33	3.1	602	2	10	No	Stable
5500	45	83	CABG	1.92	149	86	4.4	79	26.4	28	2	535	3	13	No	Stable