COMPANY

Mirth Community > Mirth Connect > Support Mirth CLI documentation

Welcome, <u>iritz</u>. You last visited: Today at 12:39 PM Private Messages: Unread 0, Total 0.

**User CP** 


**New Posts** 


Search 🛡

Quick Links 🛡

Log Out









Available Commands:

status

Returns status of deployed channels

deploy [timeout]

Deploys all Channels with optional timeout (in seconds)

import "path" [force]

Imports channel specified by <path>. Optional 'force' overwrites existi ng channels.

export id|"name"|\* "path"

Exports the specified channel to <path>

importcfg "path"

Imports configuration specified by <path>

exportcfg "path"

Exports the configuration to <path>

importalerts "path"

Imports alerts specified by <path>

exportalerts "path"

Exports alerts to <path>

importscripts "path"


Imports global script specified by <path>

exportscripts "path" Exports global script to <path> importcodetemplates "path" Imports code templates specified by <path> exportcodetemplates "path" Exports code templates to <path> importmessages "path" id Imports messages specified by <path> into the channel specified by <id> exportmessages "path" id [xml|raw|transformed|encoded] [pageSize] Exports all messages for channel specified by <id> to <path> channel undeploy|deploy|start|stop|pause|resume|stats id|"name"|\* Performs specified channel action channel remove|enable|disable id|"name"|\* Remove, enable or disable specified channel channel list Lists all Channels clearallmessages Removes all messages from all Channels resetstats Removes all stats from all Channels dump stats levents "path" Dumps stats or events to specified file user list Returns a list of the current users user add username "password" "firstName" "lastName" "organization" "email" Adds the specified user user remove id|username Removes the specified user user changepw id|username "newpassword" Changes the specified user's password Quits Mirth Connect Shell Quote Quote 08-02-2012, 08:04 AM #<u>4</u>





Join Date: Jun 2009 Location: Nashville, TN Posts: 94



When I even try to launch Mirth CLI, I get "error, could not login to server". I'm attempting to launch it from the same server where it is installed. Are there special parameters I need to use to launch it?







■ 08-02-2012, 08:12 AM





#<u>5</u>



check the file mirth-cli-config.properties in the conf directory. You should have the correct user and password








08-02-2012, 08:15 AM



Join Date: Jun 2009





« <u>Previous Thread</u> | <u>Next Thread</u> »





All times are GMT -6. The time now is  $01:41\ PM$ .