LOCATION

From ICISWiki

Back to TABLE CHANGES v5.6

Contents

- 1 LOCATION Table Design v5.6
- 2 UDFLDS Table Entries v5.6
 - 2.1 LOCATION
 - 2.2 LOCDES
 - 2.3 Legend:
 - 2.4 Notes:

LOCATION Table Design v5.6

Field Name	Description	Data Type	Field Size
LOCID	The unique identifier of the location.	Number	Long Integer
LTYPE	Specifies the type Location E.g., Country, Province or Nursery test site. Links to types defined in the UDFLDS table	Number	Integer
NLLP	Number of LAT-LONG points in the polygon describing the Location. Zero if no LAT-LONG	Number	Integer
LNAME	Preferred name of the location This may be a standardised name, such as from a digital gazetteer, or a coded name such as BUR010, or a text description, such as "2km E of Los Baños". Note that there is no requirement to assign a name to an unnamed location; an unnamed location may instead be identified by its latitude-longitude and/or altitude coordinates (in table GEOREF) and/or the country and subnat divisions in which it is located.	Text	60
LABBR	Preferred abbreviated name of the location	Text	8
SNL3ID	Name of third level of political subdivision within country (e.g. Vereda).	Number	Long Integer
SNL2ID	Name of second level of political subdivision within country (e.g. District)	Number	Long Integer

1 of 4 3/27/2014 12:42 PM

SNL1ID	Name of first level of political subdivision within country (e.g. State, Province Department)	Number	Long Integer
	LOCID of the country location entry in this table to which this current location entry belongs.	Number	Long Integer
HIRPLUE I	Own LOCID for deletion, replacement LOCID for replaced records, zero otherwise	Number	Long Integer
NNPID	LOCID of the nearest named place. Typically to be used for a location where LNAME is a text description of the locality, and NNPID points to the village closest to that locality. For the purposes of data curation, note the conceptual difference: SNL*ID describe the hierarchy of administrative units within which the location occurs: whereas NNPID refers to the nearest named place. NNPID is thus not necessarily within SNL*ID.	Number	Long Integer

UDFLDS Table Entries v5.6

LOCATION

FLDNO	FTABLE	FTYPE	FCODE	FNAME	FDESC
401	LOCATION	LTYPE	CONT	CONTINENT	-
402	LOCATION	LTYPE	GREGN	GEOGRAPHICAL REGION	-
403	LOCATION	LTYPE	PREGN	GEOPOLITICAL REGION	-
404	LOCATION	LTYPE	EREGN	ECOLOGICAL REGION	-
405	LOCATION	LTYPE	COUNTRY	COUNTRY	-
406	LOCATION	LTYPE	PROV	FIRST SUB-NATIONAL DIVISION	-
407	LOCATION	LTYPE	DIST	SECOND SUB-NATIONAL DIVISION	-
408	LOCATION	LTYPE	MUN	THIRD SUB-NATIONAL DIVISION	-
409	LOCATION	LTYPE	COLL	GERMPLASM COLLECTION SITE	-
410	LOCATION	LTYPE	BREED	BREEDING LOCATION	-
411	LOCATION	LTYPE	IARC	INTERNATIONAL AGRICULTURAL RESEARCH CENTER	-

2 of 4 3/27/2014 12:42 PM

412	LOCATION	LTYPE		NATIONAL AGRICULTURAL RESEARCH CENTER	-
413	LOCATION	LTYPE	POPPLACE	Ponillated place	Name of a populated place (city, town, village)
414	LOCATION	LTYPE	COLLMISS	Collecting mission	Region covered by a collecting mission (This location type is necessary so that we can tie the NLocN of names of type COLLNO to their collecting mission)
1401	LOCATION	LTYPE	INGER	INGER TEST SITE	-
1500	LOCATION	LTYPE	SSTORE	STORAGE OR SEED STOCK LOCATION	-

LOCDES

FLDNO	FTABLE	FTYPE	FCODE	FNAME	FDESC
301	LOCDES	DESCRIPTOR		ALTITUDE ABOVE SEA LEVEL	ALTITUDE IN M ABOVE SEA LEVEL RIGHT JUSTIFIED
302	LOCDES	DESCRIPTOR	CHNI OC	FULL LOCATION NAME IN CHINESE	INST:FULL INSTITUTION NAME IN CHINESE,SNL1: PRIMARY SUBNATIONAL DIVISION (PROVINCE), SNL2: SECONDARY SUB-NATIONAL DIVISION(CITY), SNL3: TERIARY SUB-NATIONAL DIVISION (COUNTY OR TOWN), CNTABB: COUNTRY ABBREVIATION
1324	LOCDES	DESCRIPTOR	INGERLOC		CNTY: INGER COUNTRY NUMBER; INST: OLD INSTITUTE CODE; INSTN: NEW INGER INSTITUTE NUMBER
1325	LOCDES	DESCRIPTOR	IC'NITRY	ISO COUNTRY DESCRIPTORS	CCODE: COUNTRY CODE NUMBER, FAOCODE: FAO COUNTRY CODE NUMBER,ISOCODE: ISO COUNTRY CODE NUMBER,CC2: 2 LETTER COUNTRY CODE,TELEX: INT\'L TELEX NUMBER,GEOR: GEOGRAPHIC REGION,ECOR: ECONOMIC REGION,WHR WHEAT REGION,MZR: MAIZE REGION,CNAME: LONG COUNTRY

3 of 4 3/27/2014 12:42 PM

					NAME
303	LOCDES	DTYPE	IORIGINAL	Original location	Data as originally provided, without validation, in format \"Field1=value; Field2=value\"
304	LOCDES	DTYPE	II I A NITN I		Annotation of lat-long coordinates including georeferencing
305	LOCDES	DTYPE	LOCANTN		Annotation on interpretation of original text location data

Legend:

(gray cell)	Already existing field/entry			
(yellow cell)	New field/entry to be added			
(gold cell)	Replace existing entry with this new code/size			
(light blue)	Modified/enhanced description			

Notes:

LOCATION: data about a location of any kind - named or unnamed place, a political entity, geographical entity or feature from continent down to a building or a locality with a text description (not address) of how to find it. It may even have no name or description at all, if referenced only by lat/long coordinates in GEOREF.

Retrieved from "http://www.icis.cgiar.org/icis/index.php/LOCATION"

- This page was last modified on 16 February 2010, at 10:03.
- Content is available under GNU Free Documentation License 1.2.

4 of 4