 You must log in to continue.

Log in to Facebook

You must log in to continue.

Log In

[Forgotten account?](#) · [Sign up for Facebook](#)

https://developers.facebook.com/apps


Developers

Docs

Tools

Support

My Apps



+ Add a New App

Create a New App ID

Get started integrating Facebook into your app or website

Display Name

Contact Email

By proceeding, you agree to the Facebook Platform Policies

Cancel

Create App ID

facebook for developers

DocsToolsSupport

ksingh_client

APP ID: 5

Dashboard

Settings

Roles

Alerts

App Review

PRODUCTS

Add a Product

Account Kit

Seamless account creation. No more passwords.

Facebook Login

The world's number one social log

Remote Site Edit

Enter the URL for the remote site. All s-controls, JavaScript OnClick commands in custom buttons, Apex, and AJAX proxy call

Remote Site Edit

SaveSave & NewCancel

Remote Site Name

Remote Site URL

Disable Protocol Security

Description

Active

Facebook_API_Settings

https://graph.facebook.com

☐

☒

SaveSave & NewCancel

New Custom Object

Permissions for this object are disabled for all profiles by default. You can enable object permissions in permis

Custom Object Definition Edit

[Save](#)[Save & New](#)[Cancel](#)

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

Example: Account

Plural Label

Example: Accounts

Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name

Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window☐ Open a window using a Visualforce page

Content Name

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name is always called "Name" when referenced via the API.

Record Name

Example: Account Name

Data Type Display Format Example: A-{0000} [What Is This?](#)

Starting Number

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Lightning Components to the app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs

[New](#) [What Is This?](#)

Action

Label

Tab Style

New Custom Object Tab

Step 1. Enter the Details

Choose the custom object for this new custom tab. Fill in other details.

Select an existing custom object or [create a new custom object now](#).

Object

Tab Style

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link

Enter a short description.

Description

Home FB_info LinkedIn_info YouTube_info Gmail_info FB_info_client +

Quick Find / Search...

Select Metadata:
Apex Classes (11)

Advanced Search

Expand All | Collapse All

Lightning Experience
Missing Assistant

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application f

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs to embed Visualforce pages. Lightning Component tabs allow you to add Lightning component Pages to Lightning Experience and the mobile app.

Custom Object Tabs

[What Is This?](#)

Action	Label	Tab Style
Edit Del	FB_info	Cell phone
Edit Del	FB_info_client	Bottle

Apex Class

fb_Controller

Apex Class Detail

Edit

Delete

Download

Security

Show

Name fb_Controller

Namespace Prefix

Created By kunwar singh , 9/26/2018 11:12 AM

Class Body

Class Summary

Version Settings

Trace Flags

```
1 public class fb_Controller {
2
3     public fb_Controller(){}
4     @RemoteAction
5     public static void insertRec(string firstName, string lastName){
6         FB_info_client__c fb = new FB_info_client__c ();
7         fb.First_Name__c= firstName;
8         fb.Last_Name__c= lastName;
9         insert fb;
10    }
```

Visualforce Page

FB_integration_client

Page Detail

Edit

Delete

Clone

Where is this used?

Show Dependencies

Label FB_integration_client

Namespace Prefix

Available for Lightning Experience, Lightning Communities, and the mobile app

Require CSRF protection on GET requests



Description

Created By

Last Modified By kunwar singh , 9/26/2018 11:14 AM

Visualforce Markup

Version Settings

```
<apex:page showHeader="false" controller="fb_Controller">
<div id="fb-root"></div>
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
```

ksingh_client

APP ID: 5

OFF Status:

Dashboard

Settings

Basic

Advanced

Roles

Alerts

App Review

PRODUCTS

App ID

5

App Secret

.....

Display Name

ksingh_client

Namespace

App Domains

https://c.ap4.visual.force.com x

Contact Email

kunwarprince333@gmail.com

Privacy Policy URL


Privacy policy for Login dialog and App Details


Terms of Service URL


Terms of Service for Login dialog


← → ↻ 🏠 🔒 https://c.ap4.visual.force.com/apex/FB_integration_client


Select Platform



Facebook Web Games



Website



iOS


Android


Windows App


Page Tab


Xbox


PlayStation



Cancel

Website

Site URL

https://c.ap4.visual.force.com/

+ Add Platform





FB_info_client

FBC-0005

« [Back to List: Custom Object Definitions](#)

FB_info_client Detail

Edit

Delete

Clone

FB_info_client Name FBC-0005

First Name Kunwar

Last Name Singh

Created By [kunwar.singh](#), 10/20/2018 12:22 AM

Last M

Edit

Delete

Clone