facebook for developers   Docs   **Tools**   Support

Graph API Explorer

HTTP method

Access token

Access Token: ⓘ EAAJ6yTJ5kGMBAHWJo8eg6xps2R2FkX2l1kY4ZAG967ZAVGrZBg1Ol

GET ▼ → / v3.1 ▼ / me

JSON Response

Node: me

+ Search for a field

```
{
  "name": "Kunwar Singh",
  "id": "10204990530559232"
}
```

facebook for developers   Docs   **Tools**   Support

Graph API Explorer

HTTP Method

Access Token

Access Token: ⓘ EAAJ6yTJ5kGMBAHWJo8eg6xps2R2FkX2l1kY4ZAG967ZAVGrZBg1OPXd

GET ▼ → / v3.1 ▼ / me?fields=hometown,birthday,email,first_name,last_name

JSON Response

Node: me

☑ hometown
☑ birthday
☑ email
☑ first_name
☑ last_name

```
{
  "hometown": {
    "id": "106517799384578",
    "name": "New Delhi, India"
  },
  "birthday": "03/03/1985",
  "email": "kunwarprince333@gmail.com",
  "first_name": "Kunwar",
  "last_name": "Singh",
  "id": "10204990530559232"
}
```

Request Line: GET /utilities/weatherforecast/place/Delhi HTTP/ 1.1

Request Method: GET

Request Time: 2018-09-12 14:20:20

Accept-Encoding: gzip, deflate

Host address: restapi.universe.com

Client IP: 80.255.10.101

Client Port: 52032

HTTP Protocol Version: HTTP/ 1.1

Connection: close

User-Agent: Mozilla/5.0 (Windows NT 10.0; Win64, x64) AppleWebKit/537.36

Accept-Language: en-US

Headers

Request body:

Status Line: HTTP/ 1.1 200 OK

Response Status Code : 200 OK

Server: openresty

Date: Sunday, 20 January 2017 15:10:10 GMT

Content-Type: application/json; charset=utf-8

Content-Length: 540

Connection: Close

X-Cache-Key: /data/9.8/weather/?APPID=noehfwiwbefiwyu6382ye2y

Access-Control-Allow-Origin: *

Access-Control-Allow-Credentials: true

Access-Control-Allow-Methods: GET, POST

Headers

Response Body:

{

"City" : "Delhi",

"Temperature" : "30 Degree Celsius",

}

← → C 🔒 https://th-apex-http-callout.herokuapp.com/animals

{"animals":["majestic badger","fluffy bunny","scary bear","chicken"]}

Remote Site Edit

Enter the URL for the remote site. All s-controls, JavaScript OnClick commands in custom buttons, A

Remote Site Edit

Save | Save & New | Cancel

|	
Remote Site Name	HTTP_TEST
Remote Site URL	https://th-apex-http-callout.herokuapp.com
Disable Protocol Security	☐ ⓘ
Description	
Active	✔

Save | Save & New | Cancel

Enter Apex Code

```
1      Http http = new Http();
2       HttpRequest httprequest = new HttpRequest();
3       httprequest.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals');
4       httprequest.setMethod('GET');
5       HttpResponse response = http.send(httprequest);
6
7    // Check the status code
8        if (response.getStatusCode() == 200){
9    // use JSON.desrialize and use the animalList wrapper as an Apex object type
10          animalList deserializedAnimalList = (animalList)JSON.deserialize(response.getbody(), ar
11           system.debug('deserializedAnimalList--- '+deserializedAnimalList.animals);
12           list<string> animals = deserializedAnimalList.animals;
13           for(string animal :animals){
14               system.debug(animal);
15           }
16       }
17   // created a wrapper to deserialize the animal List
18   public class animalList {
19       public List<string> animals;
20   }
```

☐ Open Log | Execute | Execute Highlighted

| Logs | Tests | Checkpoints | Query Editor | View State | Progress | Problems |

User	Application	Operation
Lalit kumar	Unknown	/services/data/v43.0/to...

Open Log

Open Raw Log

Download Log

Timestamp	Event	Details
18:46:55:735	USER_DEBUG	[11]|DEBUG|deserializedAnimalList--- (majestic badger, fluffy bunny, scary bear, chicken)
18:46:55:735	USER_DEBUG	[14]|DEBUG|majestic badger
18:46:55:735	USER_DEBUG	[14]|DEBUG|fluffy bunny
18:46:55:735	USER_DEBUG	[14]|DEBUG|scary bear
18:46:55:735	USER_DEBUG	[14]|DEBUG|chicken

Result after parsing the response from external server endpoint

☐ This Frame ☐ Executable ☑ Debug Only ☐ Filter Click here to filter the log

| Logs | Tests | Checkpoints | Query Editor | View State | Progress | Problems |

User	Application	Operation	Time ▾	Status
Lalit kumar	Unknown	/services/data/v45.0/tooling/exec...	4/5/2019, 6:46:55 PM	Success

Remote Site Edit

Enter the URL for the remote site. All s-controls, JavaScript OnClick commands in custom buttons, Apex, and AJAX proxy

Remote Site Edit

| Save | Save & New | Cancel |

Remote Site Name LinkedIn_API_Settings

Remote Site URL https://api.linkedin.com

Disable Protocol Security ☐ ⓘ

Description

Active ☑

| Save | Save & New | Cancel |

Apex Class
LinkedIn_Test

« Back to List

Apex Class Detail

| Edit | Delete | Generate WSDL | Download |

Name LinkedIn_Test

Namespace Prefix

Created By kunwar singh , 10/7/2018 1:39 AM

| Class Body | Class Summary | Version Settings | Trace Flags |

```
1  global class LinkedIn_Test{
2
3  webService static void details() {
4
5      Http http = new Http();
6      // Create HTTP reuest to be sent
```

Enter Apex Code

```
1   LinkedIn_Test.details();
```

☐ Open Log   Execute   Execute Highlighted

File ▾   Edit ▾   Debug ▾   Test ▾   Workspace ▾   Help ▾   <   >

Log executeAnonymous @10/9/2018, 6:50:19 PM ☒

Execution Log

Timestamp	Event	Details
18:50:19:715	USER_DEBUG	[28]|DEBUG|{
18:50:19:000	USER_DEBUG	"firstName": "kunwar",
18:50:19:000	USER_DEBUG	"headline": "Asstt. Professor at Netaji Subhas Institute of Technology",
18:50:19:000	USER_DEBUG	"id": "E8H1cU3jIE",
18:50:19:000	USER_DEBUG	"lastName": "singh",
18:50:19:000	USER_DEBUG	"siteStandardProfileRequest": {"url": "https://www.linkedin.com/profile/view?id:
18:50:19:000	USER_DEBUG	}

Execution Log

Timestamp	Event	Details
18:52:03:679	USER_DEBUG	[28]|DEBUG|<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
18:52:03:000	USER_DEBUG	<person>
18:52:03:000	USER_DEBUG	<id>E8H1cU3jIE</id>
18:52:03:000	USER_DEBUG	<first-name>kunwar</first-name>
18:52:03:000	USER_DEBUG	<last-name>singh</last-name>
18:52:03:000	USER_DEBUG	<headline>Asstt. Professor at Netaji Subhas Institute of Technology</headline>
18:52:03:000	USER_DEBUG	<site-standard-profile-request>
18:52:03:000	USER_DEBUG	<url>https://www.linkedin.com/profile/view?id=AAoAAAMw12YBMfwk3GIcPpftwzDkfB1YN
18:52:03:000	USER_DEBUG	</site-standard-profile-request>
18:52:03:000	USER_DEBUG	</person>
18:52:03:000	USER_DEBUG	

Event	Details
USER_DEBUG	[31]|DEBUG|{
USER_DEBUG	"firstName": "kunwar",
USER_DEBUG	"headline": "Asstt. Professor at Netaji Subhas Institute of Technology",
USER_DEBUG	"id": "E8H1cU3jIE",
USER_DEBUG	"lastName": "singh",
USER_DEBUG	"siteStandardProfileRequest": {"url": "https://www.linkedin.com/profile/view?id=AAoAAAMw12YBMf
USER_DEBUG	}
USER_DEBUG	[48]|DEBUG|firstname --------------------- kunwar
USER_DEBUG	[63]|DEBUG|Headline--------------------- Asstt. Professor at Netaji Subhas Institute of Technology
USER_DEBUG	[56]|DEBUG|lastname--------------------- singh
USER_DEBUG	[70]|DEBUG|proURL--------------------- https://www.linkedin.com/profile/view?id=AAoAAAMw12YBMf

Parent

Root element
<office>

Child

| Attribute "Size" | Element: <furniture> | Attribute "Type" |

Element: <material> | Element: <dimensions> | Element: <colour> | Element: <weight>

Siblings

Text: <wooden> | Text: <large> | Text: <Brown> | Element: <heavy>

Execution Log

Timestamp	Event	Details
19:22:05:762	USER_DEBUG	[29]|DEBUG|<?xml version="1.0" encoding="UTF-8" standalone="yes"?>
19:22:05:000	USER_DEBUG	<person>
19:22:05:000	USER_DEBUG	<id>E8H1cU3jIE</id>
19:22:05:000	USER_DEBUG	<first-name>kunwar</first-name>
19:22:05:000	USER_DEBUG	<last-name>singh</last-name>
19:22:05:000	USER_DEBUG	<headline>Asstt. Professor at Netaji Subhas Institute of Technology</headline>
19:22:05:000	USER_DEBUG	<site-standard-profile-request>
19:22:05:000	USER_DEBUG	<url>https://www.linkedin.com/profile/view?id=AAoAAAMw12YBMfwk3GIcPpftwzDkfB1
19:22:05:000	USER_DEBUG	</site-standard-profile-request>
19:22:05:000	USER_DEBUG	</person>
19:22:05:000	USER_DEBUG	
19:22:05:764	USER_DEBUG	[60]|DEBUG|firstName------kunwar
19:22:05:764	USER_DEBUG	[61]|DEBUG|lastName------singh
19:22:05:765	USER_DEBUG	[62]|DEBUG|hdLine------Asstt. Professor at Netaji Subhas Institute of Technology
19:22:05:765	USER_DEBUG	[63]|DEBUG|url1------https://www.linkedin.com/profile/view?id=AAoAAAMw12YBMfwk3