




Credentials whether they want to grant access to their private data, as well as give them a link to your terms of service and privacy policy. This page configures the consent screen for all applications in this project. Verification status Needs verification Application name 💮 The name of the app asking for consent YT-SFDC-Integration Application logo An image on the consent screen that will help users recognize your app download.jpg Browse Support email @ Shown on the consent screen for user support kunwar.research@gmail.com


f you add a sensitive scope, such as scopes that give you full access to Gmail or Drive, Google will verify your consent screen before it's published.		
е	mail	
р	rofile	
C	penid	





	•
Google APIs YT-SFDC ▼	۹
Create OAuth client ID	
Application type Web application	
O Android Learn more Othrome App Learn more	
iOS Learn more PlayStation 4	
Other	
Name 🔞	
Web client 1	
Restrictions Enter JavaScript origins, redirect URIs, or both	
Authorized JavaScript origins For use with requests from a browser. This is the origin URI of the client application. It can't contain a wil (https://*.example.com) or a path (https://example.com/subdir). If you're using a nonstandard port, you in the origin URI.	
https://www.example.com	
Authorized redirect URIs For use with requests from a web server. This is the path in your application that users are redirected to authenticated with Google. The path will be appended with the authorization code for access. Must have Cannot contain URL fragments or relative paths. Cannot be a public IP address.	
https://www.salesforce.com/in/?ir=1	
Create Cancel	











Obtaining OAuth 2.0 access tokens


The following steps show how your application interacts with Google's OAuth 2.0 server to obtain a user's consent to perform an API request on the user's behalf. Your application must have that consent before it can execute a Google API request that requires user authorization.

Step 1: Send a request to Google's OAuth 2.0 server


To obtain user authorization, send a request to Google's authorization server at

https://accounts.google.com/o/oauth2/v2/auth. This endpoint handles active session lookup, authenticates the user, and obtains user consent. The endpoint is only accessible over SSL, and it refuses HTTP (non-SSL) connections.

The authorization server supports the following query string parameters for installed applications:



Remote Site Edit Enter the URL for the remote site. All s-controls, JavaScript OnClick commands in custom buttons, Apex, and AJAX proxy calls Remote Site Edit Save Save & New Cancel Remote Site Name Remote Site URL Disable Protocol Security Description Active





Custom Tabs


You can create new custom tabs to extend Salesforce functionality or to build new application functional


Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow yo Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Light app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.











































Google	youtube	Loading	Q
Coogic	700.000		
APIs Explorer	\leftarrow		
■ Services	maxWidth		The maxWidt
All Versions			
3 Request History	myRating		Set this parar
	onBehalfOfContentOwner		Note: This pa request's auth This paramete authenticate of channel. The
	pageToken		The pageToke prevPageToke myRating and
	regionCode		The regionCo conjunction w
	videoCategoryId		The videoCat conjunction w
	fields		Selector spec Use fields edi
	bold red = required	Authorize and execute	


Select OAuth 2.0 scopes:

Scopes are used to grant an application different levels of access to data on behalf of the end user. Each API may declare one or more scopes. <u>Learn more about OAuth 2.0</u>


YouTube Data API declares the following scopes. Select which ones you want to grant to APIs Explorer.


- https://www.googleapis.com/auth/youtube Manage your YouTube account
- https://www.googleapis.com/auth/youtube.force-ssl Manage your YouTube account
- https://www.googleapis.com/auth/youtube.readonly View your YouTube account
- https://www.googleapis.com/auth/youtube.upload Manage your YouTube videos
- https://www.googleapis.com/auth/youtubepartner View and manage your assets and associated content on YouTube
- https://www.googleapis.com/auth/youtubepartner-channel-audit View private information of your YouTube channel relevant during the audit process with a YouTube partner


Add additional scopes (optional):




```
Response
  200
  - Show headers -
   "kind": "youtube#videoListResponse",
   "etag": "\"XI7nbFXu1YBIpL0ayR_gDh3eu1k/AnImrasbX7kWq5G0gswhH7uo_Fg\"",
  -"pageInfo": {
    "totalResults": 1,
    "resultsPerPage": 1
   },
  -"items": [
   -{
     "kind": "youtube#video",
     "etag": "\"XI7nbFXu1YBIpL0ayR_gDh3eu1k/ADg0CjU5ZHM1f-pNEgVUtDpgFiA\"",
     "id": "geRi9Y15Yrg",
    -"statistics": {
      "viewCount": "4717977",
      "likeCount": "12401",
      "dislikeCount": "2349",
      "favoriteCount": "0",
     "commentCount": "630"
     }
    }
   ]
  }
```







Log executeA	nonymous @9/22/2	2018, 3:47:32 PM 🗵 Log executeAnonymous @9/22/2018, 3:49:06 PM 🗵			
Execution Log					
Timestamp	Event	Details			
15:49:06:003	USER_DEBUG	[5] DEBUG b https://www.googleapis.com/youtube/v3/videos?part=statistics&id=geRi9Y15Yi			
15:49:06:552	USER_DEBUG	[16] DEBUG resp{			
15:49:06:000	USER_DEBUG	"kind": "youtube#videoListResponse",			
15:49:06:000	USER_DEBUG	"etag": "\"XI7nbFXulYBIpL0ayR_gDh3eu1k/AnImrasbX7kWq5G0gswhH7uo_Fg\"",			
15:49:06:000	USER_DEBUG	"pageInfo": {			
15:49:06:000	USER_DEBUG	"totalResults": 1,			
15:49:06:000	USER_DEBUG	"resultsPerPage": 1			
15:49:06:000	USER_DEBUG	},			
15:49:06:000	USER_DEBUG	"items": [
15:49:06:000	USER_DEBUG	{			
15:49:06:000	USER_DEBUG	"kind": "youtube#video",			
15:49:06:000	USER_DEBUG	"etag": "\"XI7nbFXulYBIpL0ayR_gDh3eu1k/ADg0CjU5ZHM1f-pNEgVUtDpgFiA\"",			
15:49:06:000	USER_DEBUG	"id": "geRi9Y15Yrg",			
15:49:06:000	USER_DEBUG	"statistics": {			
15:49:06:000	USER_DEBUG	"viewCount": "4717977",			
15:49:06:000	USER_DEBUG	"likeCount": "12401",			
15:49:06:000	USER_DEBUG	"dislikeCount": "2349",			
15:49:06:000	USER_DEBUG	"favoriteCount": "0",			
15:49:06:000	USER_DEBUG	"commentCount": "630"			
15,40,06,000	LICED DEBLIC				
This Frame	Executable	Debug Only Filter Click here to filter the log			



Page Layouts		New Page Layout Assignment	Page Lay
Action	Page Layout Name	Created By	Modified By
Edit Del	YouTube_info Layout	kunwar singh, 9/21/2018 9:56 AM	kunwar singh, 9/21/2018 10:01 AM

