 You must log in to continue.

Log in to Facebook

You must log in to continue.

Log In

[Forgotten account?](#) · [Sign up for Facebook](#)

https://developers.facebook.com/apps

opers

Docs

Tools

Support

My Apps

+ Add a New App

Create a New App ID

Get started integrating Facebook into your app or website

Display Name

Kunwar Singh




Contact Email

kunwarprince333@gmail.com

By proceeding, you agree to the Facebook Platform Policies

Cancel

Create App ID



[Docs](#) [Tools](#) [Support](#) [My Apps](#)

A beta version of the new Graph Explorer is available. Try it out now!

Graph API Explorer

Application: [?] Kunwar S ▾

Access Token: EAAJ6yT[REDACTED]vyl8eZl

Get Token ▾

Get User Access Token

Get App Token

Uninstall the app

Get Page Access Token

GET ▾ → /v3.1 ▾ /me?fields=id,name

Learn more about Graph API ▾

Select Permissions

v3.1 ▾

✕

User Data Permissions

☐ email

☐ user_age_range

☐ user_birthday

☐ user_friends

☐ user_gender

☐ user_hometown

☐ user_likes

☐ user_link

☐ user_location

☐ user_photos

☐ user_posts

☐ user_status

☐ user_tagged_places

☐ user_videos

Events, Groups & Pages

☐ ads_management

☐ ads_read

☐ business_management

☐ groups_access_member_info

☐ manage_pages

☐ pages_manage_cta

☐ pages_manage_instant_articles

☐ pages_messaging

☐ pages_messaging_phone_number

☐ pages_messaging_subscriptions

☐ pages_show_list

☐ publish_pages

☐ publish_to_groups

☐ read_page_mailboxes

☐ user_events

Other

☐ instagram_basic

☐ instagram_manage_comments

☐ read_audience_network_insights

☐ leads_retrieval

☐ publish_video

☐ read_insights

☐ instagram_manage_insights

Public profile included by default

Get Access Token

Clear

Cancel

Select Permissions

v3.1

User Data Permissions

☒ email

☐ user_age_range

☒ user_birthday

☐ user_friends

☐ user_gender

☒ user_hometown

☐ user_likes

☐ user_link

☐ user_location

☐ user_photos

☐ user_posts

☐ user_status

☐ user_tagged_places

☐ user_videos

Events, Groups & Pages

☐ ads_management

☐ ads_read

☐ business_management

☐ groups_access_member_info

☐ manage_pages

☐ pages_manage_cta

☐ pages_manage_instant_articles

☐ pages_messaging

☐ pages_messaging_phone_number

☐ pages_messaging_subscriptions

☐ pages_show_list

☐ publish_pages

☐ publish_to_groups

☐ read_page_mailboxes

☐ user_events

Other

☐ instagram_basic

☐ instagram_manage_comments

☐ read_audience_network_insights

☐ leads_retrieval

☐ publish_video

☐ read_insights

☐ instagram_manage_insights

Public profile included by default

Get Access Token

Clear

Cancel

Log in with Facebook

Submit for Login Review

Some of the permissions below have not been approved for use by Facebook.

[Submit for review now](#) or [learn more](#).

Kunwar S will receive:

your name and profile picture, date of birth, home town and email address.

[Edit this](#)

Continue as Kunwar

or developers

DocsToolsSupportMy Apps

Search developers.facebook.com

A beta version of the new Graph Explorer is available. Try it out now!

Graph API Explorer

Application: [?] Kunwar S

Access Token: EAAJ6yTJ5kGMBAHZBHV...UItZBiwF9S7

Get Token

GET → /v3.1 → /me?fields=id,name

Submit

Learn more about the Graph API syntax

or developers

DocsToolsSupportMy Apps

Search developers.facebook.com

A beta version of the new Graph Explorer is available. Try it out now!

Graph API Explorer

Application: [?] Kunwar S

Access Token: EAAJ6yTJ5kGMBAHZBHV...UItZBiwF9S7

Get Token

GET → /v3.1 → /me?fields=id,name, birthday, email, hometown

Submit

Learn more about the Graph API syntax

Node: me

- ☒ id
- ☒ name
- ☒ birthday
- ☒ email
- ☒ hometown

```
{  "id": "10204990530559232",  "name": "Kunwar Singh",  "birthday": "03/03/1985",  "email": "kunwarprince333@gmail.com",  "hometown": {    "id": "106517799384578",    "name": "New Delhi, India"  }}
```

JSON Response

Remote Site Edit

Enter the URL for the remote site. All s-controls, JavaScript OnClick commands in custom buttons, Apex, and AJAX proxy call

Remote Site Edit

SaveSave & NewCancel

Remote Site NameFacebook_API_Settings

Remote Site URLhttps://graph.facebook.com

Disable Protocol Security☐ i

Description

Active☒

SaveSave & NewCancel

Custom Object Definition Edit

Save

Save & New

Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label

FB_info

Example: Account

Plural Label

FB_info

Example: Accounts

Starts with vowel sound

☐

The Object Name is used when referencing the object via the API.

Object Name

FB_info

Example: Account

Description

Context-Sensitive Help Setting

☒ Open the standard Salesforce.com Help & Training window
 ☐ Open a window using a Visualforce page

Content Name

--None--

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name field is always called "Name" when referenced via the API.

Record Name

FB_info Name

Example: Account Name

Data Type

Auto Number

Display Format

FB-{0000}

Example: A-{0000} [What Is This?](#)

Starting Number

1

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications to embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience and the mobile app.

Custom Object Tabs

New

[What Is This?](#)



No Custom Object Tabs have been defined

New Custom Object Tab

Step 1. Enter the Details

Choose the custom object for this new custom tab. Fill in other details.

Select an existing custom object or [create a new custom object now](#).


Object
 Tab Style  **Cell phone** 

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link

Enter a short description.

Description

Accounts Ideas Reports Dashboards **FB_info** 


Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functionality.

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow you to embed external web applications. To embed Visualforce pages. Lightning Component tabs allow you to add Lightning components to the navigation menu in Lightning Experience Pages to Lightning Experience and the mobile app.

Custom Object Tabs

[New](#) [What Is This?](#)

Action	Label	Tab Style
Edit Del	FB_info	 Cell phone

New Custom Setting Definition

**Tip: Use Custom Metadata Types for App Configuration**

If you're thinking of using list custom settings, consider using custom metadata types instead. Unlike list custom settings using packages or Metadata API tools.

Custom Setting Definition

Save

Cancel

Label Object Name Setting Type Visibility Description

Save

Cancel



SETUP

Schema Settings**Manage List Custom Settings Type**

Enable List as a Setting Type option within the Custom Settings creation page

**Facebook_Custom_Setting**

Create the fields for your custom setting. The data in these fields are cached with the application.

Custom Setting Definition Detail

Edit

Delete

Manage

Label	Facebook_Custom_Setting	Object Name	Facebook_Custom_Setting
API Name	Facebook_Custom_Setting__c	Setting Type	List
Visibility	Public	Description	
Namespace Prefix		Created Date	9/20/2018 8:17 AM
Last Modified Date	9/20/2018 8:17 AM	Record Size	100

Custom Fields

New

No custom fields defined

Facebook_Custom_Setting
New Custom Field


Help for this Page ?


Step 2. Enter the details

Step 2 of 3

Previous Next Cancel

Field Label Value 

Field Name Value 

Description 

Help Text 

Required ☐ Always require a value in this field in order to save a record

Default Value [Show Formula Editor](#)
Use formula syntax: Enclose text and picklist value API names in double quotes : ("the_text"), include numbers without quotes : (25), show percentages as decimals: (0.10), and express date calculations in the standard format: (Today() + 7)

Custom Setting Definition

Facebook_Custom_Setting

Create the fields for your custom setting. The data in these fields are cached with the application.


Custom Setting Definition Detail

Edit Delete Manage

Label	Facebook_Custom_Setting	Object Name	Facebook_Custom_Setting
API Name	Facebook_Custom_Setting__c	Setting Type	List
Visibility	Public	Description	
Namespace Prefix		Created Date	12/31/2017 12:56 AM
Last Modified Date	12/31/2017 7:40 AM	Record Size	355

Custom Fields

New

Action	Field Label	API Name	Data Type	Indexed	Modified By
Edit Del	Value 	Value__c	Text Area(255)		Lalit kumar , 12/31/2017 7:49 AM

Facebook_Custom_Setting Edit

Provide values for the fields you created. This data is cached with the application.

Edit Facebook_Custom_Setting

[Save](#)[Save & New](#)[Cancel](#)

Facebook_Custom_Setting Information

Name [i](#)

Value

Apex Class

Apex Class Edit

[Save](#)[Quick Save](#)[Cancel](#)[Apex Class](#)[Version Settings](#)

```
1 global class FacebookAccDetails{
2     webservice static void details() {
3         String endpoint = Facebook_Custom_Setting__c.getInstance( 'Facebook Endpoint' ).Value__c;
4
5         HttpRequest httpReq = new HttpRequest();
6         Http http = new Http();
7         HttpResponse httpRes = new HttpResponse();
8         httpReq.setMethod( 'GET' );
```

File Edit Debug Test Workspace Help < >

Log executeAnonymous @12/31/2017, 11:07:48 PM Log executeAnonymous @1/1/2018, 4:40:33 PM Log executeAnonymous @1/1/2018, 4:42:18 PM Log executeAnonymous @1/2/2018, 12:04:18

Execution Log

Timestamp	Event	Details
12:08:03:000	USER_INFO	[EXTERNAL]0057F000002Q6z integration.org@book.com Pacific Standard Time GMT-08:00
12:08:03:000	EXECUTION_ST...	
12:08:03:000	CODE_UNIT_ST...	[EXTERNAL]execute_anonymous_apex
12:08:03:000	HEAP_ALLOCATE	[72] Bytes:3
12:08:03:001	HEAP_ALLOCATE	[77] Bytes:152
12:08:03:001	HEAP_ALLOCATE	[342] Bytes:408
12:08:03:001	HEAP_ALLOCATE	[355] Bytes:408
12:08:03:001	HEAP_ALLOCATE	[467] Bytes:48
12:08:03:001	HEAP_ALLOCATE	[139] Bytes:6
12:08:03:001	HEAP_ALLOCATE	[EXTERNAL] Bytes:1
12:08:03:001	STATEMENT_EX...	[1]
12:08:03:001	STATEMENT_EX...	[1]
12:08:03:001	HEAP_ALLOCATE	[50] Bytes:5
12:08:03:001	HEAP_ALLOCATE	[56] Bytes:5
12:08:03:001	HEAP_ALLOCATE	[64] Bytes:7
12:08:03:001	SYSTEM_MODE...	false
12:08:03:001	HEAP_ALLOCATE	[1] Bytes:5
12:08:03:008	HEAP_ALLOCATE	[1] Bytes:1
12:08:03:008	HEAP_ALLOCATE	[1] Bytes:5
12:08:03:008	METHOD_ENTRY	[1] 01p7F00000FZl23 FacebookAc
12:08:03:008	STATEMENT_EX...	[1]

Enter Apex Code

```
1 FacebookAccDetails.details();
```

☐ This Frame ☐ Executable ☐ Debug Only ☐ Filter [Click here](#)

Logs Tests Checkpoints Query Editor View State Progress Problems

☐ Open Log

User	Application	Operation	Time	Status	Read
------	-------------	-----------	------	--------	------

12:08:03:001	HEAP_ALLOCATE	[1] Bytes:5
12:08:03:008	HEAP_ALLOCATE	[1] Bytes:1
12:08:03:008	HEAP_ALLOCATE	[1] Bytes:5
12:08:03:008	METHOD_ENTRY	[1] 01p7F00000FZl23 FacebookAccDetails.FacebookAccDetails()
12:08:03:008	STATEMENT_EX...	[1]
12:08:03:008	STATEMENT_EX...	[1]
12:08:03:008	METHOD_EXIT	[1] FacebookAccDetails

☐ This Frame ☐ Executable ☐ Debug Only ☐ Filter [Click here to filter the log](#)

Logs Tests Checkpoints Query Editor View State Progress Problems

User	Application	Operation	Time	Status	Read	Size
Lalit kumar	Unknown	/services/data/v41.0/tooling/executeA...	1/2/2018, 12:33:36 PM	Success	Unread	12.39 KB

File Edit Debug Test Workspace Help < >

Log executeAnonymous @9/20/2018, 9:01:30 PM Log executeAnonymous @9/20/2018, 9:15:57 PM

Execution Log

Event	Details
USER_DEBUG	[14] DEBUG {"birthday":"03/03/1985","email":"kunwarprince333@u0040gmail.com","hometown":{"id":"106517799384578","name":"New Delhi, India"},"id"

Edit FB_info Custom Button or Link

Import_FB_profile_details

Custom Button or Link Edit

Save

Quick Save

Preview

Cancel

Label

Name [i](#)

Description

Display Type
☐ Detail Page Link [View example](#)
☒ Detail Page Button [View example](#)
☐ List Button [View example](#)

Behavior [View Behavior Options](#)

Content Source



JavaScript custom buttons may reduce application security and block compatibility with See [Lightning Alternatives to JavaScript Buttons](#).

Select Field Type

Insert Field

Custom button created to import Facebook profile details (Text) =

```
{!REQUIRESSCRIPT( "/soap/ajax/35.0/connection.js" )}  
{!REQUIRESSCRIPT( "/soap/ajax/35.0/apex.js" )}
```

```
var fbvar = {  
  "fbRecordId": "{!FB_info__c.Id}"  
}
```

```
sforce.apex.execute( "FB_Acc_Details_onRecord", "details", fbvar);
```

```
location.reload();
```

Page Layouts

New

Page Layout Assignment

Action	Page Layout Name	Created By	Modified By
Edit Del	FB_info Layout	Lalit kumar , 12/31/2017 12:00 AM	Lalit kumar , 1/4/2018 8:29 AM

Save Quick Save Preview As... Cancel Undo Redo Layout Properties

Fields
Buttons
Quick Actions
Mobile & Lightning Actions
Expanded Lookups
Related Lists
Report Charts

Quick Find Button Name

Change Owner	Edit
Change Record Type	Import_FB_profile...
Clone	Sharing
Delete	Submit for Approval

Actions in this section are currently inherited from the global publisher layout. You can [override the global publisher layout](#) to set a customized list of actions for the publisher on pages that use this layout.


Salesforce Mobile and Lightning Experience Actions

Actions in this section are predefined by Salesforce. You can [override the predefined actions](#) to set a customized list of actions on Lightning Experience and mobile app pages that use this layout. If you customize the actions in the Quick Actions in the Salesforce Classic Publisher section, and have saved the layout, then this section inherits that set of actions by default when you click to override.

FB_info Detail

Standard Buttons
Custom Buttons

Edit Delete Clone Change Owner Change Record Type Sharing
Custom Button: Import_FB_profile...



FB_info
FB-0005

FB_info Detail

Edit Delete Clone Import_FB_profile_details

FB_info Name	FB-0005	Owner
Name		
Email		
Birthdate		
Hometown		
Created By	kunwar singh , 9/22/2018 3:02 AM	Last Modified By

Edit Delete Clone Import_FB_profile_details



FB_info

FB-0005

FB_info Detail

[Edit](#)[Delete](#)[Clone](#)[Import_FB_profile_details](#)

FB_info Name FB-0005

Name Kunwar Singh

Email kunwarprince333@gmail.com

Birthdate 03/03/1985

Hometown New Delhi, India

Created By [kunwar singh](#), 9/22/2018 3:02 AM

Last Modified

[Edit](#)[Delete](#)[Clone](#)[Import_FB_profile_details](#)

/