
LinkedIn
Welcome Back
your next opportunity. Sign in to stay updated on your professio
Email or Phone
Password
Show
Sign in
Forgot password?
New to LinkedIn? Join now


Products
Documentation
Help
Go to my apps
Create app
Your recent apps

Create an app

App name

KS_client

1. App information

Company name

NSUT

App description

SFDC integration with LinkedIn using client libraries

App logo

This is the logo displayed to users when they authorize with your app

Upload a logo

Privacy policy URL

https://www.linkedin.com/developers

Business email

kunwar.research@gmail.com

2. Products

3. Legal terms

When you develop on our platform, you are agreeing to be bound by our API Terms of Use.

I have read and agree to these terms

Cancel

Create app

App settings

Application name: KS_client

Client ID: 8[redacted]

Created: 3/16/2019

Company: NSUT

Description:

SFDC integration with LinkedIn using client libraries

App logo:

This logo is displayed to users when they grant access to their data for your app

Privacy policy URL:

https://www.linkedin.com/developers

Business email:

kunwar.research@gmail.com


KS_client
Settings
Auth
Products
Usage & limits
Team members
App settings
Application name: KS_client
Client ID: 81i7a5nh0i1j76
Created: 3/16/2019
Company: NSUT
Description:
SFDC integration with LinkedIn using client libraries
App logo:
This logo is displayed to users when they grant access to their data for your app
Privacy policy URL:
https://www.linkedin.com/developers


Settings
Auth
Products
Usage & limits
Team members
Application credentials
Client ID:
Client Secret:


OAuth 2.0 settings
Redirect URLs:
No redirect URLs added
+ Add redirect URL
Cancel
Update


OAuth 2.0 settings
Redirect URLs:
https://sfdcintegration.wordpress.com/


Remote Site Edit
Enter the URL for the remote site. All s-controls, JavaScript OnClick commands in custom buttons, Apex, and AJAX proxy calls can access th
Remote Site Edit
Save
Save & New
Cancel
Remote Site Name
LinkedIn_API_Settings
Remote Site URL
https://api.linkedin.com
Disable Protocol Security
Description
Active
Save
Save & New
Cancel

New Custom Object

Custom Object Definition Edit Save | Save & New | Cancel

Custom Object Information

The singular and plural labels are used in tabs, page layouts, and reports.

Label: LN_info_client — Example: Account

Plural Label: LN_info_client — Example: Accounts

Starts with vowel sound: ☐

The Object Name is used when referencing the object via the API.

Object Name: LN_info_client — Example: Account

Description:

Context-Sensitive Help Setting:
- (•) Open the standard Salesforce.com Help & Training window
- ( ) Open a window using a Visualforce page

Content Name: --None--

Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name always called "Name" when referenced via the API.

Record Name: LN_info_client Name — Example: Account Name

Data Type: Auto Number

Display Format: LNC-{0000} — Example: A-{0000} What Is This?

Starting Number: 1

Custom Tabs

You can create new custom tabs to extend Salesforce functionality or to build new application functional

Custom Object tabs look and behave like the standard tabs provided with Salesforce. Web tabs allow yo Visualforce tabs allow you to embed Visualforce pages. Lightning Component tabs allow you to add Ligh app. Lightning Page tabs allow you to add Lightning Pages to Lightning Experience and the mobile app.

Custom Object Tabs New What Is This?

Action	Label	Tab Style

New Custom Object Tab

Step 1. Enter the Details

Choose the custom object for this new custom tab. Fill in other details.

Select an existing custom object or create a new custom object now.

Object: LN_info_client

Tab Style: Factory

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this

Splash Page Custom Link: --None--




Apex Class
LN_Controller
« Back to List: Apex Classes
Apex Class Detail
Edit
Delete
Download
Security
Show Dependencies
Name
LN_Controller
Namespace Prefix
Created By
kunwar singh , 9/27/2018 7:56 AM
Class Body
Class Summary
Version Settings
Trace Flags
1 public class LN_Controller {
2
3 public LN_Controller(){}
4 @RemoteAction


Visualforce Page
LN_integration_client
Page Detail
Edit
Delete
Clone
Where is this used?
Label
LN_integration_client
Namespace Prefix
Require CSRF protection on GET requests
Last Modified By
kunwar singh, 9/27/2018 7:59 AM
Visualforce Markup
Version Settings
<apex:page >
<!-- Begin Default Content REMOVE THIS -->


SDK settings
JavaScript
Valid SDK domains:
Begin with http:// or https://
+ Add domain
Cancel
Update


SDK settings
JavaScript
Valid SDK domains:
https://c.ap4.visual.force.com


Visualforce Pages
Visualforce Pages provide a robust and easy to use mechanism to create new and exciting user experiences for your appli
users' productivity.
View: All
Create New View
A | B | C | D | E | F | G | H | I | J
Developer Console
New
Action
Label
Name
Namespace Prefix
Api Version
Description
Created By
Edit | Del | Security |
LN_integration_client
LN_integration_client
43.0
Integration of SFDC with LinkedIn using client libraries
ksing

https://c.ap4.visual.force.com/apex/LN_integration_client

https://c.ap4.visual.force.com/apex/LN_integration_client
Authorize
Logout
First Name:
Last Name:
Headline:
LN_integration_client
LN_Controller
1 <apex:page showHeader="false" controller="LN_Controller">
2
3 <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.2.1/jquery.min.js"></script>
4 <script type="text/javascript" src="//platform.linkedin.com/in.js">
5 api_key: 819vgvufeaor
6 lang: en_US
7 authorize: true
8 </script>


A | B | C | D | E | F | G | H | I | J | K | L
New User
Reset Password(s)
Add Multiple Users
Action
Full Name
Alias
Username
Last Login
Edit
Chatter Expert
Chatter
chatty.00d6f000002vrbhuag.lllsvmxnaloh@chatter.salesforce.com
Edit
singh, kunwar
ksing
sfdc.integration@book.com
9/27/2018 9:47 AM
Edit
User, Integration
integ
integration@00d6f000002vrbhuag.com
Edit
User, Security
sec
insightssecurity@00d6f000002vrbhuag.com
New User
Reset Password(s)
Add Multiple Users

Debug Mode
Send Apex Warning Emails
Mobile User
Make Setup My Default Landing Page
Quick Access Menu
Development Mode
Show View State in Development Mode


Elements
2 1
class="null hidden" style="font-family:
... #result #container textarea#textarea.null.hidden
Styles Computed Event Listeners
Filter :hov .cls
Component Reference Where is this used?
element.style {
font-family: monospace;
font-size: 10pt;
line-height: 15px;
margin-left: 0px;
margin-top: 0px;


Console
2 1
frame_thePage:theF...
Filter
Defaul
Un LN_integration_clien…es.devmode.url=1:87
caught SyntaxError: Unexpected token {
Un www.linkedin.com/uas…ure=1&lang=en_US:22
caught Error: You must specify a valid JavaScript API Domain as part of this key's configuration.
at www.linkedin.com/uas…ure=1&lang=en_US:22
at www.linkedin.com/uas…ure=1&lang=en_US:31
edit_area_loader.js?…n=1366068272000:664
[Deprecation] Synchronous XMLHttpRequest on the main thread is deprecated because of its detrimental effects to the end user's experience. For more help, check https://xhr.spec.whatwg.org/.
Component Reference Where is this used?
"></script>


https://c.ap4.visual.force.com/apex/LN_integration_client
Authorize
Logout
First Name: kunwar
Last Name: singh
Headline: Asstt. Professor at Netaji Subhas Institute of Technology
c.ap4.visual.force.com says
one new record is created in LN_info_client object


LN_info_client
LNC-0006
LN_info_client Detail
Edit
Delete
Clone
LN_info_client Name
LNC-0006
First Name
kunwar
Last Name
singh
Heading
Asstt. Professor at Netaji Subhas Institute of Technology
Created By
kunwar singh, 10/6/2018 4:21 AM
Last
Edit
Delete
Clone