

Payment and Payment-Related API Document

Project: islamic_book

Generated on: 2026-04-29

Active base URL: <http://localhost:5610/api>

Other configured base URLs: <https://api.jtserp.cloud/api>, <https://api.islamicbookzone.com/api>

Direct Payment APIs

POST /payment/generate-hash

- Purpose: Starts the PayU payment flow by generating the hash and redirect form fields.
- Auth: Bearer token sent from frontend.
- Request fields: amount, firstname, email, phone, txnid, source
- Response fields used: action, PayU form fields returned by backend
- Used in: `src/components/Payments/payU.js`

GET /payment/payu-details/{txnid}

- Purpose: Fetches PayU transaction details after the user returns from the gateway.
- Auth: Not explicit in frontend call.
- Request fields: txnid path parameter
- Response fields used: mihpayid, mode, status, unmappedstatus, key, txnid, amount, cardCategory, discount, net_amount_debit, addedon, productinfo, firstname, email, phone, hash, field1-field9, payment_source, PG_TYPE, bank_ref_num, bankcode, error, error_Message, cardnum
- Used in: `src/components/Payments/PayUOrderHandler.jsx`; `src/Pages/PayUOrderHandlerPOS.jsx`

POST /razorpay/create-order

- Purpose: Creates a Razorpay order before opening the Razorpay checkout widget.
- Auth: Not explicit in frontend call.
- Request fields: amount
- Response fields used: order.id, order.amount, order.currency, order.receipt
- Used in: `src/components/Payments/RazorpayPayment.jsx`; `src/Pages/Cart.jsx`

POST /razorpay/verify-payment

- Purpose: Verifies the Razorpay payment signature after checkout succeeds.
- Auth: Not explicit in frontend call.
- Request fields: razorpay_payment_id, razorpay_order_id, razorpay_signature, receipt, verified_at
- Response fields used: success
- Used in: `src/components/Payments/RazorpayPayment.jsx`; `src/Pages/Cart.jsx`

Payment Flow Support APIs

POST /order/ecommerce/pending/create

- Purpose: Stores a pending order before redirecting to the PayU gateway.
- Auth: Uses API client with credentials in some flows.
- Request fields: payload
- Response fields used: txnid
- Used in: `src/Pages/Checkout.jsx`; `src/Pages/Cart.jsx`; `src/Pages/PaymentTest.jsx`

GET /order/ecommerce/pending/{txnid}

- Purpose: Loads the pending order payload after PayU redirects the user back.
- Auth: Uses API client.

- Request fields: txnid path parameter
- Response fields used: success, data.payload
- Used in: src/components/Payments/PayUOrderHandler.jsx; src/Pages/PayUOrderHandlerPOS.jsx

POST /order/ecommerce/order-add

- Purpose: Creates the final order for COD, PayU, and Razorpay flows.
- Auth: Uses API client or axios depending on page.
- Request fields: customer_id, payment_terms, payment_details, transaction_type, shipping_address, billing_address, items
- Response fields used: status, order_id and order data depending on flow
- Used in: src/Pages/Cart.jsx; src/Pages/Payment.jsx; src/Pages/PaymentTest.jsx; src/components/Payments/PayUOrderHandler.jsx; src/Pages/PayUOrderHandlerPOS.jsx

Order, Invoice, and Return APIs Related to Payments

POST /order/ecommerce_orders/by-customer

- Purpose: Fetches customer order history, including paid orders.
- Used in: src/Pages/Accounts.jsx; src/Pages/OrderSuccess.jsx; src/components/SendOrderStatusMail.jsx

POST /order/ecommerce_orders/details

- Purpose: Fetches detailed order information for review and tracking.
- Used in: src/Pages/DeliveryTracking.jsx; src/Pages/OrderReview.jsx

POST /order/ecommerce/order-cancel

- Purpose: Cancels an existing order.
- Used in: src/Pages/CancelOrder.jsx

POST /order/ecommerce/order-exchange

- Purpose: Submits an order exchange request.
- Used in: src/Pages/ExchangeOrder.jsx

GET /order-status/list

- Purpose: Fetches available order statuses used by order tracking and account views.
- Used in: src/Pages/Accounts.jsx; src/Pages/DeliveryTracking.jsx

GET /order-action-reason-mapping/findAll

- Purpose: Fetches allowed cancel and return reasons.
- Used in: src/Pages/CancelOrder.jsx; src/Pages/ReturnOrder.jsx

POST /invoice/details

- Purpose: Fetches invoice details connected to completed orders and payment state.
- Used in: src/utls/invoiceUtils.jsx; src/Pages/OrderReview.jsx

POST /invoice/ecommerce/ecom_return

- Purpose: Submits ecommerce return requests tied to invoices and completed orders.
- Used in: src/Pages/ReturnOrder.jsx

Source References

Primary references used for this document:

- src/components/Payments/payU.js
- src/components/Payments/PayUOrderHandler.jsx
- src/components/Payments/RazorpayPayment.jsx

- src/Pages/PayUOrderHandlerPOS.jsx
- src/Pages/Cart.jsx
- src/Pages/Checkout.jsx
- src/Pages/Payment.jsx
- src/constantApi.js
- reports/api-report.json