**ST. JOHN'S MEDICAL COLLEGE HOSPITAL**
Bengaluru 560034, Tel +91 80 22065000
**DEPARTMENT OF RADIOLOGY**

H-2020-0690

| | | | |
|---|---|---|---|
| **Patient ID** | 4871479 | **Patient Name** | SUBHASHINI |
| **Gender** | FEMALE | **Age** | 39 Y |
| **Study DateTime** | 26-09-2023 10:07:02 | **Study Type** | CT |
| **Referring Physician** | OPD | **Reported DateTime** | 26-09-2023 10:22:24 |

## CT Renal Angiogram

**Clinical History Provided:** *Donor assessment. Prospective kidney donor to her son. Outside CT angio - aberrant artery and accessory renal vein (Images not available)*

Comparison: None.

**Findings and Impression:**

- Right kidney: 9.7 cm (LS).
- Left kidney: 10.6 cm (LS).
- **MAIN RENAL ARTERY:** Right main renal artery - Retrocaval.

| | RIGHT KIDNEY | LEFT KIDNEY |
|---|---|---|
| NUMBER | 1 | 1 |
| LUMEN DIAMETER OF MAIN RENAL ARTERY | AT ORIGIN: 7.2 mm<br>AT MID-:5 mm | AT ORIGIN: 6.3mm<br>AT MID-: 4mm |
| LENGTH FROM ORIGIN TO BIFURCATION | 3 cm | 2 cm |
| ATHEROSCLEROTIC CHANGE | ABSENT | ABSENT |

- **ABERRANT RENAL ARTERY:**

| | | | |
|---|---|---|---|
| **Patient ID** | 4871479 | **Patient Name** | SUBHASHINI |
| **Gender** | FEMALE | **Age** | 39 Y |
| **Study DateTime** | 26-09-2023 10:07:02 | **Study Type** | CT |
| **Referring Physician** | OPD | **Reported DateTime** | 26-09-2023 10:22:24 |

| | RIGHT KIDNEY | LEFT KIDNEY |
|---|---|---|
| NUMBER | - | 1 - supplying the inferior pole |
| LUMEN DIAMETER | N/A | AT ORIGIN: 3mm<br>AT MID-: 3mm |
| LENGTH FROM ORIGIN TO BIFURCATION | N/A | 4cm |
| BIFURCATION | N/A | AT INFERIOR POLE |
| INTERARTERIAL DISTANCE (from MAIN RENAL ARTERY) | N/A | 4 cm |
| ATHEROSCLEROTIC CHANGE | N/A | ABSENT |

- **MAIN RENAL VEIN:** Left main renal vein: Pre-aortic.

| | RIGHT KIDNEY | LEFT KIDNEY |
|---|---|---|
| LUMEN DIAMETER OF MAIN RENAL VEIN | AT ORIGIN:8 mm<br>AT MID-: 9 mm | AT ORIGIN:9 mm<br>AT MID-: 8mm |
| MAIN RENAL VEIN LENGTH FROM ORIGIN TO DRAINAGE | 3cm | 7cm |
| TRIBUTARIES TO MAIN RENAL VEIN (No.) | - | 2 |
| GONADAL VEIN LUMEN DIAMETER | 5.5mm | 5.3mm |

- **ACCESSORY RENAL VEIN : An accessory renal vein is noted draining the inferior**

| | | | |
|---|---|---|---|
| **Patient ID** | 4871479 | **Patient Name** | SUBHASHINI |
| **Gender** | FEMALE | **Age** | 39 Y |
| **Study DateTime** | 26-09-2023 10:07:02 | **Study Type** | CT |
| **Referring Physician** | OPD | **Reported DateTime** | 26-09-2023 10:22:24 |

**pole of left kidney into the left common iliac vein ( approximately 1.3 cms from the level of drainage of left common iliac vein into the IVC). Lumen diameter of accessory renal vein measures 4.2 mm. No obvious tributaries to the accessory renal vein identified.**

- **IVC DIAMETER:**
  - SupraRenal: 14mm.
  - InfraRenal: 15mm.
- **AORTA:**
  - Pre-Renal: 14mm.
  - Post-Renal: 13mm.
  - Atherosclerotic change: None.
- Incidental findings:
  - There is a homogeneously enhancing polyp in the fundus of the gall bladder measuring 9.5x5.5 mm.
  - A calcific focus noted in the anterior peritoneal region of the pelvis - likely loose body.
  - CBD appears prominent ( measures 7 mm) with minimal central IHBRD. No obvious hyperdense calculi noted within the GB lumen.

Dr Siddhanth Suresh
PG Resident

Dr.Francis Joseph Scaria
Radiologist
KMC - 120780

*** This Report has been Electronically Signed ***
-- End of Report --