

CAWSR: Carla-Autoware Scenario Runner

David Gasinski¹, Olek Osikowicz¹, Gwilym Rutherford¹, and
Donghwan Shin¹

¹ The University of Sheffield

DOI: [10.xxxxxx/draft](https://doi.org/10.xxxxxx/draft)

Software

- [Review](#)
- [Repository](#)
- [Archive](#)

Editor: [Open Journals](#)

Reviewers:

- [@openjournals](#)

Submitted: 01 January 1970

Published: unpublished

License

Authors of papers retain copyright and release the work under a Creative Commons Attribution 4.0 International License ([CC BY 4.0](#)).

Summary

CAWSR facilitates the testing of the open-source autonomous driving system, Autoware, within CARLA, the state-of-the-art open-source driving simulator. Building on existing tools, this project introduces a research-oriented testing framework for the execution of complex driving scenarios, as well as supporting implementation of a wide range of verification strategies.

Statement of Need

The aim of this project is to address the technical challenges associated with the verification of state-of-the-art Autonomous Driving Systems (ADS) in virtual environments. Industry-grade systems, such as Autoware ([Kato et al., 2018](#)) or Apollo ([Baidu, 2017](#)), are inherently complex, requiring extensive configuration and are typically integrated into specialized simulators like AWSIM ([Tier4/AWSIM, 2025](#)) or the Apollo Game Engine Based Simulator ([Baidu, 2024](#)), respectively.

Conversely, CARLA ([Dosovitskiy et al., 2017](#)) has emerged as the de facto standard within the ADS research community. It holds a prominent position in the autonomous vehicle domain due to its rich ecosystem of open-source tooling. While alternatives such as BeamNG.tech ([Maul et al., 2021](#)) and AWSIM have recently gained traction, they are often designed for narrower applications. For instance, BeamNG.tech utilizes a soft-body physics engine to simulate high-fidelity vehicle dynamics, whereas AWSIM is tailored specifically for integrating a single AD system (Autoware). Despite these alternatives, CARLA remains the preferred choice for end-to-end testing in the research community, due to its support for a wide variety of driving systems, extensive testing benchmarks, and utility tools.

While a basic support for communication between Autoware and CARLA exists, it does not currently form a executable scenario-based testing framework, a leading approach for ADS verification.

This work bridges the gap by enabling the evaluation of Autoware in complex driving scenarios within CARLA. Adhering to the widely used CARLA platform rather than nascent alternatives, this work introduces a framework built directly upon the established CARLA ecosystem, facilitating direct comparison with the state-of-the-art driving agents evaluated on the CARLA Leaderboard.

The effective ADS verification requires the ability to systematically explore the operational design domain. To support this, the tool provides an extensible interface for algorithmic scenario generation and prioritization, facilitating a wide range of verification strategies based on common evaluation metrics such as the CARLA Leaderboard's driving score ([CARLA Team, 2024](#)).

Lastly, maintaining a consistent testing environment is essential, as simulators can introduce unintentional nondeterminism that leads to inconsistent evaluation results ([Osikowicz et al., 2025](#)).

Therefore, this framework seeks to minimize the introduction of additional nondeterminism into the evaluation pipeline.

State of the Field

As previously established, CARLA offers a rich ecosystem of tools and documentation. Multiple communication bridges already exist for supporting popular open-source AD systems, such as *apollo-carla-bridge* (Guardstrikelab, 2023) for Apollo and *autoware-carla-bridge* (Kaljavesi et al., 2024) for Autoware. These tools solve a key issue; transforming sensor and control data from CARLA to formats supported by the each system. However, native support for scenario execution engines does not exist, restraining their use for scenario-based testing, a dominant approach for end-to-end driving verification (Tang et al., 2023).

The current standard for ADS evaluation within CARLA is the CARLA Leaderboard and its scenario execution engine, Scenario Runner (SR) (CARLA, 2025). A common use cases of these frameworks include testing end-to-end black-box driving agents, such as those based on VLM (Vision Language Models) or Reinforcement Learning. PCLA (Tehrani et al., 2025), a framework for CARLA, addresses the topic of scenario-based testing by creating a clear deployment pipeline for autonomous agents / systems into CARLA, including Autoware. However, their approach focuses on the simplification of agent implementation and abstraction of setup across various CARLA versions. While this allows for quick use and evaluation without relying on external codebases (such as the CARLA Leaderboard), there is a clear gap on deep integration between the agent and simulator, limiting the execution of complex route-based scenarios.

Tool Summary

CAWSR (CARLA-Autoware-Scenario Runner) is a fully synchronous testing framework that directly integrates the CARLA simulator, Scenario Runner (as the scenario executor), and Autoware (as the System Under Test) to facilitate autonomous driving testing research. The tool is distributed as a Docker container designed and currently supports two modes of operation:

1. *Algorithm Mode*: Enables the execution of dynamically generated scenarios provided by a user-defined algorithm.
2. *Benchmark Mode*: Allows the execution of a predefined set of scenario definitions provided by the user.

The evaluation pipeline is engineered to be fully synchronous, minimizing unintentional non-determinism to facilitate reproducible results. However, it is noted that minor variations may still persist due to inherent non-determinism in upstream dependencies, such as the driving simulator or the driving agent itself.




Figure 1: Internal component diagram of CAWSR.

To facilitate development, we introduce a new domain model for the definition of route-based scenarios within CARLA, alongside a JSON implementation. This model is based on the format introduced by Scenario Runner, facilitating support between both frameworks.




Figure 2: Scenario definition domain model.

79 Acknowledgements

80 This work was supported by the Institute of Information & Communications Technology
81 Planning & Evaluation(IITP) grant funded by the Korea government(MSIT) (No. RS-2025-
82 02218761, 50%) and by the Engineering and Physical Sciences Research Council (EPSRC)
83 [EP/Y014219/1].

84 Conclusion

85 CAWSR offers the ADS community a standardized method to evaluate Autoware within the
86 rich ecosystem of CARLA. We hope that this tool enables the development of new verification
87 strategies, as well as leads to improvements in ADS architecture. Future work can focus
88 on integration other industry-grade systems, such as Apollo, to create a unified testing
89 environment.

90 References

- 91 Baidu. (2017). *Apollo: Open Source Autonomous Driving*. <https://github.com/ApolloAuto/apollo>.
- 92
- 93 Baidu. (2024). *Apollo game simulator*. <https://developer.apollo.auto/gamesim.html>
- 94 CARLA. (2025). *Scenario Runner: Traffic Scenario Definition and Execution Engine for*
95 *CARLA*. GitHub; https://github.com/carla-simulator/scenario_runner. https://github.com/carla-simulator/scenario_runner
- 96
- 97 CARLA Team. (2024). *Get started with leaderboard 2.0. CARLA autonomous driving*
98 *leaderboard*. https://leaderboard.carla.org/get_started_v2_0/
- 99 Dosovitskiy, A., Ros, G., Codevilla, F., Lopez, A., & Koltun, V. (2017). CARLA: An open
100 urban driving simulator. *Proceedings of the 1st Annual Conference on Robot Learning*,
101 1–16.
- 102 Guardstrikelab. (2023). *carla_apollo_bridge: Data and Control Bridge for Apollo and Carla*.
103 GitHub; https://github.com/guardstrikelab/carla_apollo_bridge.
- 104 Kaljavesi, G., Kerbl, T., Betz, T., Mitkovskii, K., & Diermeyer, F. (2024). *CARLA-autoware-*
105 *bridge: Facilitating autonomous driving research with a unified framework for simulation*
106 *and module development*. 224–229. <https://doi.org/10.1109/iv55156.2024.10588623>
- 107 Kato, S., Tokunaga, S., Maruyama, Y., Maeda, S., Hirabayashi, M., Kitsukawa, Y., Monrroy, A.,
108 Ando, T., Fujii, Y., & Azumi, T. (2018). Autoware on board: Enabling autonomous vehicles
109 with embedded systems. *2018 ACM/IEEE 9th International Conference on Cyber-Physical*
110 *Systems (ICCPS)*, 287–296.
- 111 Maul, P., Mueller, M., Enkler, F., Pigova, E., Fischer, T., & Stamatogiannakis, L. (2021).
112 *BeamNG.tech technical paper*.
- 113 Osikowicz, O., McMinn, P., & Shin, D. (2025). Empirically evaluating flaky tests for au-
114 tonomous driving systems in simulated environments. *2025 IEEE/ACM International Flaky*
115 *Tests Workshop (FTW)*, 13–20.
- 116 Tang, S., Zhang, Z., Zhang, Y., Zhou, J., Guo, Y., Liu, S., Guo, S., Li, Y.-F., Ma, L., Xue, Y.,
117 & others. (2023). A survey on automated driving system testing: Landscapes and trends.
118 *ACM Transactions on Software Engineering and Methodology*, 32(5), 1–62.
- 119 Tehrani, M. J., Kim, J., & Tonella, P. (2025). PCLA: A framework for testing autonomous
120 agents in the CARLA simulator. *Proceedings of the 33rd ACM International Conference*
121 *on the Foundations of Software Engineering*, 1040–1044.

DRAFT