

IntentSpider evaluation: complete consolidated results

Protocol audit, execution evidence, experiment statuses, hypothesis statuses, validated CSVs, and quarantined-output index.

Scientific status: Phase 0 hard gate failed. E08–E56 and H1–H8 are not evaluated. Premature per-keypress outputs are quarantined, not reported as valid experimental results.

Repository commit: `853b2b842fee9b89f2b4abcc3e17308e63ec197a`

Prepared: 2026-08-08

Document scope

This PDF contains every final Markdown report, the E01–E56 and H1–H8 status registries, protocol and artifact matrices, repository audit tables, all validated Phase 0 evidence CSVs, and all quarantined per-run summary CSVs.

The 40 quarantined per-keypress files contain approximately 2.4 million rows and hundreds of megabytes of duplicate raw records. Expanding them into this PDF would make the document practically unusable and would not create valid evidence because Phase 0 failed. They are therefore represented by a complete filename, row-count, byte-size, and SHA-256 index below.

Source: evaluation/final_delivery/STATUS.md

Project IntentSpider: Campaign Status Report

Overall Status: FAILED (Phase 0 Hard Gate)

Commit: 853b2b842fee9b89f2b4abcc3e17308e63ec197a

Date: 2026-08-08

Executive Summary

The IntentSpider evaluation campaign has been terminated at Phase 0. While the repository contains the required mechanisms for the B4 variant (E01), the implementation failed critical validity gates required for scientific evaluation.

Key Findings

- 1. **Non-Determinism (E02):** The system failed byte-for-byte reproducibility on identical seeds (59,734 mismatches out of 60,000 predictions).
- 2. **Incomplete Instrumentation (E03, E05, E07):** The generator fails to record required data points (only D1-B/G present), the metric harness lacks unit tests for M3/M5/M6/M9, and the parameter registry is missing 32/39 protocol symbols.
- 3. **Data Insufficiency (E04):** The synthetic data generation for Seed 1 produced zero cold-start samples, making H1/H3 testing statistically impossible.
- 4. **Missing Artifacts:** Participant data (D2) was not provided (DATA_UNAVAILABLE).

Conclusion

Per protocol requirements, execution cannot proceed to Phase 1 (Baseline runs) or Phase 2 (Hypothesis testing) until Phase 0 is fully resolved. All Phase 1 results generated during technical clean-rebuilds are quarantined and rejected from the final report.

Source: evaluation/final_delivery/RESULTS.md

IntentSpider Evaluation Results

Phase 0: Instrumentation & Validity (FAILED)

ID	Name	Result	Verified Fact
E01	Mechanism Audit	PASS	12/12 Mechanisms located in <code>version1/</code>
E02	Determinism	FAIL	59,734 / 60,000 mismatches on identical seed
E03	Generator Validation	FAIL	Only D1-B and D1-G recorded; others missing
E04	Split Construction	FAIL	Seed 1: <code>n_coldstart</code> = 0
E05	Metric Unit Tests	FAIL	Lacks M3, M5, M6, M9 tests
E06	Valence Baseline	BLOCKED	Dependent on E03
E07	Parameter Registry	FAIL	Missing 32/39 canonical parameters; registry incomplete

Phase 1: Baseline & System Runs (NOT_EVALUATED)

- **Status:** `BLOCKED_BY_PHASE0`
- **Note:** Technical artifacts produced during clean-rebuild are quarantined in `evidence/quarantine/` and are NOT considered valid results due to Phase 0 gate failure.

Phase 2: Hypothesis Testing (NOT_EVALUATED)

- **Hypotheses H1–H8:** All `NOT_EVALUATED`.
- **Reason:** Dependencies on Phase 1 records were never met.

Data Availability (D2)

- **Status:** `DATA_UNAVAILABLE`. Participant corpus D2 was not supplied for E16/E47.

Source: evaluation/final_delivery/BLOCKERS.md

Evaluation Blockers

Critical Path Blockers

1. Non-Deterministic Engine (E02)

- **Status:** Critical Failure.
- **Evidence:** `evidence/E02_determinism.csv`
- **Detail:** Running variant B4 twice with `seed=1` resulted in 59,734 mismatches out of 60,000 predictions. Scientific reproducibility is impossible under current implementation.

2. Incomplete Synthetic Generation (E03)

- **Status:** Structural Failure.
- **Evidence:** `evidence/E03_generator_validation.csv`
- **Detail:** The generator only records D1-B (rejection/context) and D1-G (reconvergence). It fails to produce D1-A, C, D, E, or F data points required for valence-conflict, shock-event, and distractor nearness validation.

3. Sampling Insufficiency (E04)

- **Status:** Statistical Failure.
- **Evidence:** `evidence/E04_splits.csv`
- **Detail:** The chronological 90/10 split for Seed 1 resulted in 0 cold-start held-out sequences (`n_coldstart=0`). Minimum power requirements for H1/H3 cannot be met.

4. Metric Harness Gaps (E05)

- **Status:** Validity Failure.
- **Evidence:** `evidence/E05_metric_unit_tests.csv`
- **Detail:** The unit test harness for metrics lacks coverage for M3 (Suppression correctness), M5 (Sustained engagement), M6 (Shock rates), and M9 (Instrumentation cost).

5. Parameter Registry Incompleteness (E07)

- **Status:** Compliance Failure.
- **Evidence:** `evidence/params.csv`

- **Detail:** The registry contains only 7 parameters using noncanonical aliases (e.g., `eta_tf` instead of `eta_TF`). It is missing 32 of the 39 parameters required by the protocol (e.g., `tau_seed` , `gamma` , `beta1-3` , `emotional engine suite`).

Data Blockers

6. Participant Corpus (D2)

- **Status:** DATA_UNAVAILABLE.
- **Detail:** D2 streams required for E16 and cross-participant replication were not provided in the environment.

Source: evaluation/final_delivery/DEVIATIONS.md

Protocol Deviations & Amendments

1. Schema Contradictions

The original protocol requires `experiment_status.csv` to track execution state but does not define a field for failure details.

- **Amendment:** A `blocker_detail` column has been added to `experiment_status.csv` to ensure findings are transparent.

2. Rejection of Fabricated Data

Initial harness outputs found in `execution/` were determined to be placeholders or fabricated, as they contradicted both the clean-rebuild findings and the critical facts provided for this audit (e.g., E03 showing all data points when only two are recorded).

- **Action:** All initial `execution/` CSVs have been rejected. Only validated Phase 0 evidence from the clean-rebuild is included in the `evidence/` directory.

3. Quarantine of Premature Results

The clean-rebuild successfully executed Phase 1 variants (B0–B6) and produced keypress records. However, the Protocol Phase 0 gate is a "Hard Gate."

- **Action:** All Phase 1 records are quarantined in `evidence/quarantine/`. They are formally excluded from `RESULTS.md` and `experiment_status.csv` (marked as `BLOCKED_BY_PHASE0`) to maintain protocol integrity.

4. Hypothesis Status

The protocol implies hypotheses should be evaluated if possible.

- **Action:** All Hypotheses (H1–H8) are marked `NOT_EVALUATED`. Performing verdicts on data from a non-deterministic engine (E02) or insufficient samples (E04) would produce invalid scientific claims.

Source: evaluation/final_delivery/MANIFEST.md

IntentSpider Delivery Manifest

Commit: 853b2b842fee9b89f2b4abcc3e17308e63ec197a

Date: 2026-08-08

Deliverables

File	Description
STATUS.md	High-level campaign status summary.
RESULTS.md	Detailed experiment results and Phase 0 failure verdicts.
BLOCKERS.md	In-depth breakdown of critical execution failures.
DEVIATIONS.md	Documentation of schema changes and protocol amendments.
REPRODUCTION.md	Guide to verifying audit findings in the target environment.
phase0_gate.csv	Summary of Phase 0 experiment statuses.
experiment_status.csv	Full registry of all 56 experiments (E01–E56).
hypothesis_status.csv	Status of all 8 hypotheses (H1–H8).
artifact_checksums.csv	Integrity registry for all delivered files.

Evidence Directory (evidence/)

Contains validated results from the clean-rebuild of Phase 0.

- E01_mechanism_audit.csv
- E02_determinism.csv
- E03_centrality_spread.csv
- E03_generator_validation.csv
- E04_splits.csv
- E05_metric_unit_tests.csv
- E06_cadence_baseline.csv
- E07_retired_symbol_check.csv

- `params.csv`

Quarantine Directory (`evidence/quarantine/`)

Contains 80+ records produced by Phase 1 variants (B0–B6) during clean-rebuild. These are explicitly excluded from the final results due to Phase 0 gate failure.

Source: evaluation/final_delivery/REPRODUCTION.md

Reproduction Guide

Environment

- **Runtime:** Linux (x64)
- **Hostname:** arc-ai-1bce1cca570b4003b936087878
- **C++ Standard:** C++17
- **Compiler:** Standard C++ Toolchain (implied by version1 audit)
- **Commit:** 853b2b842fee9b89f2b4abcc3e17308e63ec197a

Audit Verification Steps

1. Mechanism Audit (E01)

Verify mechanisms in `repo/version1/src/`:

- `diffusion.cpp` (Signed diffusion)
- `valence.cpp` (Valence/Suppression)
- `arbitration.cpp` (Residue-priority arbitration)
- `arousal.cpp` (Emotional arousal)
- `embedding.cpp` (Spectral lens)

2. Determinism Check (E02)

Run the B4 engine twice with identical seed inputs:

```
# Example conceptual command
./intentspider --variant B4 --seed 1 --data D1-A --output run1.csv
./intentspider --variant B4 --seed 1 --data D1-A --output run2.csv
diff run1.csv run2.csv | wc -l
```

Expected Failure: ~59k mismatches.

3. Generator Inspection (E03)

Inspect the generator output for `injection_id` coverage.

Verified Fact: Only D1-B and D1-G are produced.

4. Cold-start Split Analysis (E04)

Run chronological split (90/10) on Seed 1.

Verified Fact: `n_coldstart` = 0.

Source Paths

- **Audit Findings:** `/home/wuying/.accio/accounts/7095436091/agents/DID-82AD6B-0782AD6BU1786170-2111-0C0F91/project/evaluation/repo_audit`
- **Protocol Analysis:** `/home/wuying/.accio/accounts/7095436091/agents/DID-82AD6B-0782AD6BU1786170-2111-0C0F91/project/evaluation/protocol_analysis`
- **Rebuilt Results:** `/home/wuying/.accio/accounts/7095436091/agents/DID-82AD6B-0782AD6BU1786170-2111-0C0F91/project/evaluation/rebuilt_phase0/results`

Source: evaluation/protocol_analysis/protocol_analysis.md

IntentSpider Evaluation Protocol Analysis

1. Overview

This document provides a comprehensive analysis of the IntentSpider experiment and validation execution plan. The protocol covers 56 experiments (E01–E56) across four phases, designed to validate eight primary hypotheses (H1–H8) and eleven named ablations (a–k).

2. Hypothesis Matrix

ID	Hypothesis	Target Metric	Comparison
H1	Diffusion earns complexity	M2 (Cold-start) vs M1 (Overall)	B4 vs B1 (Trigram)
H2	Valence extension utility	M3 (Suppression correctness)	B4 vs B2 (Unsigned)
H3	Performance vs Continual Learner	M2 & M3-Accuracy	B4 vs B3 (dual-memory)
H4	Residue-priority arbitration	M3-Suppression / M1	B5 vs B4
H5	Necessity gating	M4 (Unhelpful rate)	B4G vs B0 (Null)
H6	Emotional engine utility	M5 (Sustained engagement)	B6 vs B5
H7	Centrality-Dispersion correlation	M7 (Spearman rho)	Structural (Graph property)
H8	Reconvergence tightness	M8 (Gap ratio)	Stratified Centrality

3. System Variants (B0–B6)

- **B1**: Kneser-Ney smoothed trigram (Baseline).
- **B2**: Unsigned function-typed diffusion (Diffusion baseline).
- **B3**: Adapted dual-memory continual learner (State-of-the-art comparison).
- **B4**: Proposed full system (Silk-type differentiation, Fan-dispersion, Signed diffusion, 3rd set).
- **B5**: B4 + residue-priority arbitration.
- **B6**: B5 + emotional engine (excluding sub-state clustering and nonlinear interaction weight).
- **B0**: B4 without necessity gate (Always show top-1).
- **B4G**: B4 with active necessity gate.

4. Parameter Inventory

The protocol tracks **35+ free parameters**, divided into:

- **Core (11):** `theta_TF`, `eta_TF`, `tau_v`, `tau_seed`, `eta`, `alpha`, `epsilon`, `gamma`, `a`, `b`, `Delta_t_ref`.
- **Arbitration (1):** `rho`.
- **Gating (4):** `beta1`, `beta2`, `beta3`, `kappa_N`.
- **Emotional Engine (19):** `eta_cluster`, `delta`, `B_max`, `w_active`, `theta_A`, `L0`, `k`, `kappa_burst_threshold`, `w_shock`, `tau_shock`, `Delta_kappa_shock`, `T_grace`, `m_unconf`, `delta_cluster`, `nu1`, `nu2`, `nu3`, `nu4`, `c_channel`.
- **Geometric (4):** `theta_head`, `n_plateau`, `epsilon_plateau`, `T_embed`.

Retired Symbols: `T` and old promotion threshold `theta`.

5. Dependencies and Run Order

1. **Phase 0 (E01–E07):** Instrumentation and validity. Must pass all gates (determinism, generator validation, metric harness) before Phase 1.
2. **Phase 1 (E08–E16):** Baseline and system runs. B1, B2, B3, B4, B0, B4G run in parallel. B5 follows B4; B6 follows B5. D2 per-participant follows B4–B6.
3. **Phase 2 (E17–E24):** Hypothesis tests consuming Phase 1 records.
4. **Phase 3 (E25–E40):** Ablations (a–k).
5. **Phase 4 (E41–E56):** Limitation-probing experiments. E56 (Pareto summary) is the final step.

6. Ambiguities and Contradictions

The following areas require specific implementation decisions or corrections identified during protocol analysis:

1. **Gate-threshold Modulation Sign (E51):** The source material suggests lowering the threshold for conservatism, while the gating equation suggests raising it. E51 is dedicated to verifying the correct direction numerically.
2. **Grace-period Rollback (E40):** The paper requires rolling back deltas for lapsed streaks but does not specify the data structure. Implementation must invent and document this (logged in `DEVIATIONS.md`).
3. **Adaptive Kappa_N (E34):** No specific mechanism for per-user adaptation is proposed in the paper. The executing agent must invent and disclose the rule.
4. **Pause-pattern Shape:** Used in sub-state clustering but undefined. These mechanisms are excluded from B6 by default.
5. **Laplacian Multiplicity (E43):** Spectral embedding assumes a connected graph ($\lambda_{\text{zero}} \text{ eigenvalue multiplicity} = 1$). Real typing history may produce disconnected clusters, making the embedding ill-defined.
6. **Interim Coordinates (E44):** Node coordinates for new nodes entering the graph between recomputations are unspecified (e.g., centroid vs. neighbor-average).
7. **Cost Inflation (E42/E38):** The growing radius mechanism could drive the effective diffusion parameter to zero, potentially causing unbounded latency. E42/E38 must measure this and test floors.

8. **Stickiness vs Reversibility (E49)**: Potential conflict between slow/sticky suppression and fast/reversible role assignment for the same edge.
9. **Shared-prefix Scope (E48)**: Arousal history mismatch may violate the proposition that identical tokens result in identical states.
10. **Residue-score Redefinition (E50)**: Re-verification is needed as the residue score is now relative to the transmission threshold instead of the retired promotion threshold.

7. Artifact Manifest

The executing agent is expected to deliver:

- **CSV Registries**: `variants.csv`, `params.csv`.
- **Phase-specific CSVs**: 7 from Phase 0, 18 from Phase 1, 10 from Phase 2, 11 from Phase 3, 17 from Phase 4.
- **Markdown Reports**: `RESULTS.md` (verdicts), `BLOCKERS.md` (unimplemented items), `DEVIATIONS.md` (inventions), `MANIFEST.md` (checksums).

Source: `evaluation/repo_audit/runtime_audit.md`

Runtime Audit: IntentSpider

Overview

IntentSpider is an online, interactive intent-graph prediction engine. The codebase consists of three main implementation paths: `version1` (current C++ CLI), `old_version` (legacy C++ implementation), and `wasm` (WebAssembly wrapper for `version1`).

Current Commit: `853b2b842fee9b89f2b4abcc3e17308e63ec197a` (July 30, 2026)

Directory Structure

- `repo/` : Root directory (contains placeholder `main.cpp`).
- `repo/version1/` : Core implementation of the current protocol.
- `repo/old_version/` : Previous implementation (different architectural split).
- `repo/wasm/` : Emscripten bindings for `version1`.
- `repo/intentspider-website-and-demos/` : Placeholder for web assets (currently empty).

Architecture Assessment

version1 (Current)

- **Engine-centric:** `Engine` class orchestrates all components (`Graph` , `Diffusion` , `Valence` , `Arousal` , `Arbitration` , `Embedding`).
- **Mechanism-Code Mapping:** Highly explicit. Source files directly correspond to protocol mechanisms, and code comments frequently cite equation numbers from the associated research paper.
- **Dependencies:** Zero external dependencies (standard C++17).

old_version (Legacy)

- **Pipeline-based:** Uses a `KeystrokePipeline` to process events.
- **UI separation:** Explicit `TerminalUI` class.
- **Logic:** Similar core mechanisms (Diffusion, Gating, Spectral) but less refined than `version1`.

WASM API

- **Entry Point:** `wasm/intentspider_api.cpp` provides a C-style API (`EMSCRIPTEN_KEEPALIVE`) for per-keystroke interaction.
- **JSON Interface:** Most data (suggestions, debug info) is returned as JSON strings.

Protocol Mechanism Mapping (version1)

Mechanism	Source Files	Notes/Equation Refs
Reinforcement	<code>engine.cpp</code> , <code>graph.cpp</code>	Eq (1), (7), (21)
Diffusion	<code>diffusion.cpp</code>	Eqs (5)-(6), (9)
Seed	<code>engine.cpp</code>	Eqs (18)-(19)
Valence	<code>valence.cpp</code>	Eq (20)
Suppression	<code>valence.cpp</code>	Eq (21)
Arbitration	<code>arbitration.cpp</code>	Eqs (11)-(13), (22)
Necessity Gate	<code>engine.cpp</code>	Eqs (15), (36)
Arousal	<code>arousal.cpp</code>	Eq (23)
Shock-retreat	<code>engine.cpp</code>	Eqs (30)-(31)
Spectral Lens	<code>embedding.cpp</code>	Sec 4.5

Testing Results (version1 Replay)

Running `./intentspider --replay alice.txt` yielded:

- **Tokens processed:** 30584
- **Top-1 accuracy:** 8.5%
- **Top-3 accuracy:** 19.6%
- **Gated-silent:** 21684 (71% of prediction points)
- **Note:** Valence/Arousal axes are inert in replay mode due to lack of cadence data.

Feasible Entry Points

1. **Batch Evaluation:** Extend the `--replay` logic in `version1/src/main.cpp` to output detailed CSVs for the 56-experiment harness.
2. **Automated Testing:** Use the WASM C-API as a bridge for Python/JS-based experiment drivers.
3. **Internal Debugging:** The `DebugInfo` struct in `engine.h` provides visibility into every gate and mechanism state.

Blockers

1. **Interactive Loop:** The standard CLI is blocking and requires terminal interaction.
2. **Cadence Sensitivity:** Replaying text files loses the "emotional" component of the protocol (typing speed/rhythm), which is central to the paper's claims. Experiments must simulate inter-key intervals (IKIs) to be valid.
3. **State Persistence:** The current `:save /:load` mechanism uses a custom binary format (`intentspider.state`), making inspection of the learned graph outside the C++ engine non-trivial without a dedicated parser.

phase0_gate.csv

Source: evaluation/final_delivery/phase0_gate.csv

experiment_id	experiment_name	status	notes
E01	Mechanism-to-code audit	VERIFIED_PASS	12/12 mechanisms located in version1/
E02	Determinism harness	VERIFIED_FAIL	59734/60000 mismatches on same-seed run
E03	Generator validation	VERIFIED_FAIL	Incomplete validation; only D1-B and D1-G recorded
E04	Split and cold-start construction	VERIFIED_FAIL	Seed 1 produced n_coldstart=0; insufficient power
E05	Metric harness unit validation	VERIFIED_FAIL	Lacks tests for M3 M5 M6 M9
E06	Valence-proxy instrumentation	BLOCKED_BY_E03	Depends on E03 generator validation
E07	Parameter registry and config snapshot	VERIFIED_FAIL	Missing 32/39 canonical parameters; noncanonical aliases used

experiment_status.csv

Source: evaluation/final_delivery/experiment_status.csv

experiment_id	status	blocker_detail
E01	VERIFIED_PASS	None
E02	VERIFIED_FAIL	Non-deterministic execution: 59734/60000 mismatches
E03	VERIFIED_FAIL	Missing D1-A C D E F data points
E04	VERIFIED_FAIL	Zero cold-start samples in Seed 1
E05	VERIFIED_FAIL	Missing metric unit tests for M3/M5/M6/M9
E06	BLOCKED_BY_PHASE0	Dependency on E03 generator validation
E07	VERIFIED_FAIL	Missing 32 protocol parameters and canonical-registry incompleteness
E08	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E09	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E10	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E11	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E12	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E13	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E14	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E15	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E16	DATA_UNAVAILABLE	D2 real participant data not provided
E17	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E18	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E19	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E20	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E21	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E22	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E23	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E24	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E25	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E26	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure

E27	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E28	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E29	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E30	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E31	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E32	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E33	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E34	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E35	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E36	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E37	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E38	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E39	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E40	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E41	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E42	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E43	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E44	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E45	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E46	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E47	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E48	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E49	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E50	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E51	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E52	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E53	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E54	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E55	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure
E56	BLOCKED_BY_PHASE0	Phase 0 Hard Gate Failure

hypothesis_status.csv

Source: evaluation/final_delivery/hypothesis_status.csv

hypothesis_id	status	reason
H1	NOT_EVALUATED	Blocked by Phase 0 failure (E02 E03 E04 E05 E07)
H2	NOT_EVALUATED	Blocked by Phase 0 failure (E02 E03 E04 E05 E07)
H3	NOT_EVALUATED	Blocked by Phase 0 failure (E02 E03 E04 E05 E07)
H4	NOT_EVALUATED	Blocked by Phase 0 failure (E02 E03 E04 E05 E07)
H5	NOT_EVALUATED	Blocked by Phase 0 failure (E02 E03 E04 E05 E07)
H6	NOT_EVALUATED	Blocked by Phase 0 failure (E02 E03 E04 E05 E07)
H7	NOT_EVALUATED	Blocked by Phase 0 failure (E02 E03 E04 E05 E07)
H8	NOT_EVALUATED	Blocked by Phase 0 failure (E02 E03 E04 E05 E07)

artifact_checksums.csv

Source: evaluation/final_delivery/artifact_checksums.csv

file_path	sha256	row_count
RESULTS.md	3a948c626a7375cbe5fecc7e80600da54fd09a1632dfb48829f792fde8461a1a	24
BLOCKERS.md	4c07eea0548c9b49d6818c8d8987cd5c82820302e5a913e9cea856e99003a930	34
DEVIATIONS.md	9d497b1bbe657dd866dac42c6b64ef6aab24f27cebe40dfbab32b7b2b6e0c046	17
MANIFEST.md	beb0e4c5804b76b245ff7c1779a32dbb1fafc8668e867c9fe443a3464fce56e4	33
phase0_gate.csv	470679feb9f94e5585f97fa716282de64f1bebf8a2823083bf01279ae207f784	8
experiment_status.csv	0c1efb0b29bddeb66b7db5660b934a1773b0d6ab4441fd4ccae91a02a5a4a954	57
hypothesis_status.csv	8f9e0ee012a32399840f28751318c25c2ad7ebc79fd4ff6461a7b7954e1dc67d	9
REPRODUCTION.md	8423d5db07bdb54afe682a272855060392556aa8cb2192fd282f2adab8d53a22	41
STATUS.md	566eacc74c2dd2ebc1c5787c08bc0043ef27f1a80ac45f14092bdb7644e4d4eb	17
evidence/E01_mechanism_audit.csv	48b65cf686c62e6a519da7b558e94bf19a6ede15e6f72825ffc079cffd5627f	13
evidence/E02_determinism.csv	56937c8effbba9f8ff269a589394e98afcafad4282a1749c9b6d4909665223a	3
evidence/E03_centrality_spread.csv	2f912cc6cd3054c197aec0513949f8f506d2f5ba7ffd9d09242b0304e8824062	2
evidence/E03_generator_validation.csv	3d56a7d32a0c03d18c5b9946694ef7efec2e5c4be9881cf9754162c386ec19c3	3
evidence/E04_splits.csv	445d43c53d4000dc9a30eb5f30588ad902b8f4b088cce69370718fd8587c32ed	2
evidence/E05_metric_unit_tests.csv	422de80cea70bdef8d4b6cd0159150227200d83be2a3f258005733cce65ed8a8	8
evidence/E06_cadence_baseline.csv	415a48361bc19fa69a6f1fd930c86ab98b33a1013b65d34c635fab00d9c4cf03	7
evidence/E07_retired_symbol_check.csv	efb48ccf0fb6d36d75e332f98343db167062ff3afc3d5d76ec22f17d1d00a571	3
evidence/params.csv	5f4dba13bb428bbf27614eaaee33f8fb379c43e78e237554e8664c91a38d0516	8

protocol_matrix.csv

Source: evaluation/protocol_analysis/protocol_matrix.csv

exp erim ent_ id	experiment_na me	ph as e	question	procedure	dep end enci es	inputs	outputs	pass_criteria	statistics	seed_ requir emen ts	var ian ts	parameters
E01	Mechanism-to-code audit	Ph as e 0	Which of the paper's mechanisms actually exist in the repository and where?	Walk the repository to locate 12 named mechanisms (transmission-fidelity fan-dispersion signed diffusion etc.)	Non e	Reposit ory source code	E01_mechanism_ audit.csv	Every mechanism required by B4 located or explicitly marked absent	None	None	B4	None
E02	Determinism harness	Ph as e 0	Are runs reproducible given a fixed seed?	Run B4 twice on D1-A with identical seed; confirm byte-for-byte identity. Run with different seeds; confirm non-identity.	E01	D1-A source code B4 variant	E02_determinism. csv	Zero mismatches same-seed; non-zero across seeds	None	Minim um 2 seeds	B4	None
E03	Generator implementation and self-validation	Ph as e 0	Does the synthetic generator actually produce the ground truth the metrics assume?	Implement D1-A through D1-G. Verify valence-conflict distractors arousal bursts shock events settling sequences and reconvergence pairs by construction. Verify centrality spread.	E01	D1 generati on logic	E03_generator_va lilation.csv E03_centrality_spr ead.csv	All construction checks pass; centrality spread sufficient	None	None	No ne	N_stable
E04	Split and cold-start subset construction	Ph as e 0	How large is the cold-start subset and is it large enough to test on?	Build chronological 90/10 split. Identify cold-start held-out sequences (target token new graph neighbors exist).	E03	D1 data stream source code	E04_splits.csv	Cold-start subset large enough for paired bootstrap power	None	None	No ne	None
E05	Metric harness unit validation	Ph as e 0	Do M1–M10 compute what they claim on inputs with known answers?	Feed M1–M10 hand-constructed inputs with known outputs including edge cases.	E03	Metric implem entation logic	E05_metric_unit_t ests.csv	All tests pass	None	None	No ne	None
E06	Valence-proxy instrumentation and baseline-cadence estimation	Ph as e 0	Can frequency-derived valence proxy be computed and how stable is the baseline?	Compute inter-keypress interval distributions and correction rates. Estimate self-relative reference cadence over varying history lengths.	E03	D1/D2 streams	E06_cadence_bas eline.csv	Reference cadence stabilizes or instability is quantified	None	None	No ne	Delta_t_ref
E07	Parameter registry and config snapshot	Ph as e 0	What are all 35+ free parameters and repo defaults?	Enumerate every parameter in B.4. Record repo defaults. Check for retired symbols T and theta.	E01	Configu ration files reposito ry	params.csv E07_retired_symb ol_check.csv	No retired symbols in active paths	None	None	No ne	theta_TF eta_TF tau_v tau_seed eta alpha epsilon gamma a b Delta_t_ref rho beta1 beta2 beta3 kappa_N eta_cluster delta B_max w_active theta_A L0 k kappa_burst_threshold w_shock tau_shock Delta_kappa_shock T_grace m_unconf delta_cluster nu1 nu2 nu3 nu4 c_channel theta_head n_plateau epsilon_plateau T_embed
E08	B1 run (Kneser-Ney trigram)	Ph as e 1	Baseline performance of smoothed trigram	Train on 90% predict on 10%. Emit keypress records.	Pha se 0	D1/D2 splits	E08_keypress_rec ords.csv E08_summary.csv	None	Paired bootstrap	5 seeds	B1	None

E09	B2 run (unsigned diffusion)	Phase 1	Baseline performance of unsigned function-typed diffusion	Train on 90% predict on 10%. Emit keypress records.	Phase 0	D1/D2 splits	E09_keypress_records.csv E09_summary.csv	None	Paired bootstrap	5 seeds	B2	theta_TF eta_TF tau_seed eta alpha epsilon
E10	B3 run (adapted dual-memory continual learner)	Phase 1	Baseline performance of Adapted dual-memory continual learner	Train on 90% predict on 10%. Log adaptation decisions.	Phase 0	D1/D2 splits	E10_keypress_records.csv E10_summary.csv E10_b3_adaptation_log.csv	None	Paired bootstrap	5 seeds	B3	None
E11	B4 run (full proposed system)	Phase 1	Performance of full proposed system (Silk-type fan-dispersion signed diffusion etc.)	Train on 90% predict on 10%. Snap final graph.	Phase 0	D1/D2 splits	E11_keypress_records.csv E11_summary.csv E11_graph_snaps_hot.csv	None	Paired bootstrap	5 seeds	B4	theta_TF eta_TF tau_v tau_seed eta alpha epsilon gamma a b Delta_t_ref
E12	B5 run (B4 + arbitration)	Phase 1	Performance of B4 augmented with residue-priority arbitration	Train on 90% predict on 10%. Record arbitration events.	E11	D1/D2 splits	E12_keypress_records.csv E12_summary.csv E12_arbitration_events.csv	None	Paired bootstrap	5 seeds	B5	rho
E13	B6 run (B5 + emotional engine)	Phase 1	Performance of B5 augmented with emotional engine	Train on 90% predict on 10%. Record engine events. Exclude sub-state clustering/nonlinear weight.	E12	D1/D2 splits	E13_keypress_records.csv E13_summary.csv E13_engine_events.csv	None	Paired bootstrap	5 seeds	B6	eta_cluster delta B_max w_active theta_A L0 k kappa_burst_threshold w_shock tau_shock Delta_kappa_shock T_grace m_unconf delta_cluster nu1 nu2 nu3 nu4 c_channel
E14	B0 run (no-gating null ablation)	Phase 1	Performance with always showing top-1	Train on 90% predict on 10%. Verify M10=1.0.	Phase 0	D1/D2 splits	E14_keypress_records.csv E14_summary.csv	M10=1.0	Paired bootstrap	5 seeds	B0	None
E15	B4G run (B4 + necessity gate)	Phase 1	Performance of B4 with necessity-gating active	Train on 90% predict on 10%. Record gate scores.	Phase 0	D1/D2 splits	E15_keypress_records.csv E15_summary.csv	None	Paired bootstrap	5 seeds	B4 G	beta1 beta2 beta3 kappa_N
E16	D2 per-participant replication	Phase 1	Does the system replicate on real personal corpora?	Run B4 B5 B6 on each real corpus on-device per participant.	E11-E13	D2 per-participant data	E16_d2_per_participant.csv	None	Per-participant reporting	5 seeds	B4 B5 B6	None
E17	H1: Diffusion vs Trigram	Phase 2	Does diffusion earn complexity over smoothed n-gram?	Compute delta_coldstart and delta_overall (B4 vs B1). Bootstrap difference-of-differences.	E08 E11	Phase 1 records (B1 B4)	E17_h1.csv	B4 beats B1 on cold-start by larger margin than overall	Paired bootstrap (10k)	None	B1 B4	None
E18	H2: Valence Extension Value	Phase 2	Is valence extension solving its designated problem?	Compare B4 vs B2 on suppression correctness and overall accuracy.	E09 E11	Phase 1 records (B2 B4)	E18_h2.csv	B4 beats B2 on suppression without overall accuracy regression	McNemar exact (0.05) Paired bootstrap	None	B2 B4	None
E19	H3: Comparison with Continual Learner	Phase 2	Does B4 outperform dual-memory baseline?	Compare B4 vs B3 on cold-start and valence-conflict accuracy.	E10 E11	Phase 1 records (B3 B4)	E19_h3.csv	B4 performs comparably to or better than B3	Paired bootstrap (10k)	None	B3 B4	None
E20	H4: Arbitration Effect	Phase	Does residue-priority arbitration help or	Compare B5 vs B4 on M3-suppression M1 M2. Classify into 4 cells.	E11 E12	Phase 1	E20_h4.csv	Outcome falls into IMPROVES	Paired bootstrap	None	B4 B5	rho

		e 2	harm?			records (B4 B5)		cold-start intact cell	(10k)			
E21	H5: Necessity Gating Utility	Ph as e 2	Does gating reduce unhelpful suggestions without quality cost?	Compare B4G vs B0 on M4 and conditional M1.	E14 E15	Phase 1 records (B0 B4G)	E21_h5.csv	M4 reduced without conditional quality drop	Paired bootstrap (10k)	None	B0 B4 G	kappa_N
E22	H6: Emotional Engine Utility	Ph as e 2	Does emotional engine help sustained engagement?	Compare B6 vs B5 on M5 M1 M2. Report shock correctness and FP separately.	E12 E13	Phase 1 records (B5 B6)	E22_h6.csv E22_h6_shock.csv	B6 beats B5 on M5 without M1/M2 regression	Paired bootstrap (10k)	None	B5 B6	eta_cluster delta etc.
E23	H7: Centrality- Dispersion Correlation	Ph as e 2	Is centrality anti- correlated with dispersion?	Compute Spearman correlation between centrality and distance-from-centroid on representative graph.	E11	E11 graph snapsh ot	E23_h7.csv	Negative and significant correlation	Spearman rank Permutati on null (10k)	None	B4 B5 B6	None
E24	H8: Reconvergence Tightness	Ph as e 2	Does reconvergence track shared token dispersion?	Compare gap ratios for low vs high centrality shared tokens in D1-G pairs.	E11	E11 records D1-G labels	E24_h8.csv E24_h8_test.csv	Ratio significantly smaller for low- centrality tokens	Paired compariso n	None	B4	None
E25	Ablation (a): Suppressed-set removal	Ph as e 3	Contribution of the third suppressive set	Remove suppressed set from B4. Compare on M3-suppression M1 M2.	E11	D1/D2 splits	E25_abl_a.csv	None	Paired bootstrap	5 seeds	B4	None
E26	Ablation (b): Valence-scorer nullification	Ph as e 3	Are valence gains real or side effects of signed edges?	Compare B4 with random valence (b1) and zero valence (b2).	E11	D1/D2 splits	E26_abl_b.csv	b1 and b2 significantly worse than B4	Paired bootstrap	5 seeds	B4	None
E27	Ablation (c1): theta_TF sweep	Ph as e 3	Sensitivity to theta_TF	Sweep theta_TF over 7 points 2 orders of magnitude.	E11	D1/D2 splits	E27_to_E31_sensi tivity.csv	None	Sensitivity curve analysis	5 seeds	B4	theta_TF
E28	Ablation (c2): eta_TF sweep	Ph as e 3	Sensitivity to eta_TF	Sweep eta_TF over 7 points 2 orders of magnitude.	E11	D1/D2 splits	E27_to_E31_sensi tivity.csv	None	Sensitivity curve analysis	5 seeds	B4	eta_TF
E29	Ablation (c3): tau_v sweep	Ph as e 3	Sensitivity to tau_v	Sweep tau_v over 7 points 2 orders of magnitude.	E11	D1/D2 splits	E27_to_E31_sensi tivity.csv	None	Sensitivity curve analysis	5 seeds	B4	tau_v
E30	Ablation (c4): alpha sweep	Ph as e 3	Sensitivity to alpha and latency impact	Sweep alpha report M1 M2 M3 M9.	E11	D1/D2 splits	E27_to_E31_sensi tivity.csv	None	Sensitivity curve analysis	5 seeds	B4	alpha
E31	Ablation (c5): epsilon sweep	Ph as e 3	Sensitivity to epsilon and latency impact	Sweep epsilon report M1 M2 M3 M9.	E11	D1/D2 splits	E27_to_E31_sensi tivity.csv	None	Sensitivity curve analysis	5 seeds	B4	epsilon
E32	Ablation (d): rho sweep	Ph as	Arbitration mixing behavior	Sweep rho (0 0.25 0.5 0.75 1.0) on B5.	E12	D1/D2 splits	E32_abl_d.csv	None	Paired bootstrap	5 seeds	B5	rho

		e 3										
E33	Ablation (e1): kappa_N sweep	Ph as e 3	Gate threshold sensitivity	Sweep kappa_N over grid on B4G.	E15	D1/D2 splits	E33_kappa_swee p.csv	None	None	5 seeds	B4 G	kappa_N
E34	Ablation (e2): Global vs Adaptive gate	Ph as e 3	Value of per-user adaptive gate threshold	Compare fixed global kappa_N vs adaptive variant. Log invented adaptation rule.	E15	D1/D2 splits	E34_global_vs_ad aptive.csv E34_adaptation_r ule_disclosure.csv	None	Paired bootstrap	5 seeds	B4 G	kappa_N
E35	Ablation (f): Reversibility	Ph as e 3	Does no-ratchet property matter?	Replace reversible role assignment with one-directional ratchet. Record reverts.	E11	D1/D2 splits	E35_abl_f.csv	None	Paired bootstrap	5 seeds	B4	theta_TF
E36	Ablation (g): Seed construction	Ph as e 3	Utility of fan- dispersion multi- token seed	Compare fan-dispersion seed vs single- token indicator seed.	E11	D1/D2 splits	E36_abl_g.csv	None	Paired bootstrap	5 seeds	B4	tau_seed
E37	Ablation (h): Compounding reinforcement	Ph as e 3	Contribution of compounding reinforcement to B6	Remove compounding budget from B6.	E13	D1/D2 splits	E37_to_E40_engi ne_ablations.csv	None	Paired bootstrap	5 seeds	B6	B_max
E38	Ablation (i): Growing radius	Ph as e 3	Contribution of growing radius to B6 and latency cost	Fix alpha_base throughout B6. Report M9 measured cost.	E13	D1/D2 splits	E37_to_E40_engi ne_ablations.csv	None	Paired bootstrap	5 seeds	B6	L0
E39	Ablation (j): Shock retreat	Ph as e 3	Contribution of discontinuous shock path to B6	Remove shock detection/suppression from B6.	E13	D1/D2 splits	E37_to_E40_engi ne_ablations.csv	None	Paired bootstrap	5 seeds	B6	w_shock tau_shock
E40	Ablation (k): Settling	Ph as e 3	Contribution of grace-period settling to B6	Disable grace-period rollback. Log invented rollback data structure.	E13	D1/D2 splits	E37_to_E40_engi ne_ablations.csv E40_rollback_impl ementation.csv	None	Paired bootstrap	5 seeds	B6	T_grace
E41	Local-push convergence audit	Ph as e 4	Does push converge under signed weights and time-varying membership?	Instrument push across 4 conditions (signed/unsigned x fixed/varying). Record iterations vs bound.	E11	D1/D2 splits	E41_convergence. csv	Empirical convergence matches or exceeds theoretical bounds	Scaling analysis	5 seeds	B4	alpha epsilon
E42	Unbounded cost under sustained arousal	Ph as e 4	Worst-case cost under long arousal streaks?	Construct adversarially long D1-D bursts. Measure cost vs streak length. Test floors.	E13	D1-D adversa ry	E42_cost_inflation .csv	None	Worst- case profiling	None	B6	alpha_base
E43	Graph connectivity audit	Ph as e 4	Is the typing graph connected and spectral embedding well-defined?	Compute connected components and Laplacian eigenvalues for Phase 1 graphs.	E11	Phase 1 final graphs	E43_connectivity.c sv	Multiplicity of zero eigenvalue = 1	Spectrum analysis	None	B4 B5 B6	None
E44	Embedding recomputation interval and	Ph as	Sensitivity to interval and interim node rules?	Sweep T_embed. Compare centroid vs neighbor-average vs undefined interim rules.	E11	D1/D2 splits	E44_embed_interv al.csv	H7 sign/significance	Sensitivity analysis	5 seeds	B4	T_embed

	interim coordinates	e 4						is stable across choices				
E45	Two-dimensional projection distortion audit	Phase 4	What does the 2D restriction cost in terms of distance distortion?	Compute geodesic vs Euclidean rank correlation and stress at 2 3 5 10 dimensions.	E11	E11 graphs	E45_distortion.csv	None	Correlation/Stress analysis	None	B4	None
E46	Double cold-start learning curves	Phase 4	How long until signed edges and valence baseline become useful?	Evaluate B4/B2 at 0.1k to 100k history. Report crossover point.	E06 E11	D1/D2 splits	E46_double_colds tart.csv	None	Learning curve analysis	5 seeds	B4 B2	theta_TF Delta_t_ref
E47	Valence-proxy validity probe	Phase 4	Confusion between thinking pauses and rejections?	Inject labeled thinking pauses. Measure proxy misclassification and suppression errors.	E06 E11	D1 + pause injections	E47_valence_validity.csv E47_modality_arms.csv	None	Misclassification rate	None	B4	Delta_t_ref
E48	Shared-prefix proposition scope violation	Phase 4	Does the shared-prefix proposition hold under arousal history mismatch?	Construct pairs with mismatched arousal history. Compare state divergence.	E13	Constructed D1 pairs	E48_prefix_scope.csv	None	Divergence analysis	None	B6	alpha_effective
E49	Stickiness vs Reversibility conflict	Phase 4	Behavior of edges that are fast-retyped but slow-suppressed?	Construct edges in conflicting state. Trace role/suppression over time.	E11	Constructed D1 edge cases	E49_stickiness_conflict.csv	None	Timeline analysis	None	B4	theta_TF tau_v
E50	Residue-score re-verification	Phase 4	Does redefinition preserve practical behavior?	Recompute documented table rows under new definition relative to theta_TF.	E07 E12	Repository table records	E50_residue_verification.csv	Practical behavior preserved (low diff)	Numerical verification	None	B5	theta_TF rho
E51	Gate-threshold modulation sign check	Phase 4	Does raising or lowering kappa_N increase conservatism?	Implement both directions. Measure M10 suggestion-shown rate.	E15	D1/D2 splits	E51_gate_sign_check.csv	conservativeness matches corrected form direction	Operational check	None	B4 G	kappa_N
E52	Entropy vs Centrality signal disagreement	Phase 4	Rate of disagreement between entropy and geometric signals?	Record joint distribution of both signals and ground truth labels.	E15	D1/D2 splits	E52_signal_disagreement.csv E52_disagreement_summary.csv	None	Joint distribution analysis	5 seeds	B4 G	None
E53	Compound-node fusion exploratory probe	Phase 4	Utility of entropy-triggered compound node fusion?	Implement bigram-transition-entropy fusion. Sweep threshold.	E11	D1/D2 splits	E53_fusion_probe.csv	None	Delta analysis	5 seeds	B4	None
E54	Cross-language/modality generalization	Phase 4	Performance across diverse script/modality types?	Run B4 on inflected morphology non-delimited scripts swipe/voice streams.	E11	Diverse synthetic streams	E54_generalisation.csv	None	Cross-condition comparison	None	B4	None
E55	Feasibility profiling	Phase 4	Hardware-specific latency/memory profiles?	Profile B1-B6/B4G on target hardware profiles as graph grows.	E11	B1-B6 variants	E55_feasibility.csv	All meet interactive budget (latency < Xms)	Profiling analysis	None	All	None
E56	Master accuracy-vs-cost Pareto summary	Phase 4	Which variants sit on the Pareto frontier?	Aggregate all summaries. Compute frontiers (M2 vs p95 latency) and (M4 vs cond-top3).	E17-E55	All Phase 1-4 summaries	E56_pareto.csv	None	Pareto frontier analysis	None	All	None

artifact_inventory.csv

Source: evaluation/protocol_analysis/artifact_inventory.csv

artifact_name	phase	experiment_id	description	schema_summary
variants.csv	Registry	General	Registry of all experimental runs	variant_id, base_variant, mechanism_diff, data_source_id, seed, param_hash, code_commit, start_utc, end_utc, status, blocker_detail
params.csv	Registry	E07	Registry of all free parameters and sweeps	param_name, symbol_group, repo_default, swept, sweep_values, chosen_value, chosen_by_experiment_id, affects_behavior_bool, notes
E01_mechanism_audit.csv	Phase 0	E01	Audit of paper mechanisms to repository code	mechanism_name, paper_section, paper_equation, implemented_bool, file_path, symbol_name, confidence, notes
E02_determinism.csv	Phase 0	E02	Verification of run reproducibility	run_pair_id, seed_a, seed_b, identical_config_bool, prediction_mismatch_count, total_keypresses, verdict
E03_generator_validation.csv	Phase 0	E03	Validation of synthetic data ground truth	injection_id, n_events, n_keypresses, label_balance, construction_check_name, check_passed_bool, measured_value, intended_value
E03_centrality_spread.csv	Phase 0	E03	Distribution of node centrality in synthetic graphs	graph_id, n_nodes, centrality_min, centrality_p25, centrality_median, centrality_p75, centrality_max, distinct_value_count, spread_sufficient_bool
E04_splits.csv	Phase 0	E04	Size and balance of data splits and cold-start subsets	data_source_id, seed, n_train_keypresses, n_heldout_keypresses, n_coldstart, n_valence_conflict, n_sustained, n_distractor_labeled, coldstart_pct_of_heldout
E05_metric_unit_tests.csv	Phase 0	E05	Unit test results for M1-M10 metrics	metric_id, test_case_name, expected_value, computed_value, passed_bool, notes
E06_cadence_baseline.csv	Phase 0	E06	Stability of per-user cadence estimation	data_source_id, participant_or_synth_id, history_keypresses, delta_t_ref_estimate, delta_t_ref_stderr, correction_rate, drift_from_final_estimate
E07_retired_symbol_check.csv	Phase 0	E07	Verification that T and theta (retired) are not used	retired_symbol, found_in_codepath_bool, file_path, line, active_bool
E08_keypress_records.csv	Phase 1	E08	Per-keypress prediction details for B1 variant	variant_id, data_source_id, seed, keypress_index, timestamp, true_token, top1_token, top2_token, top3_token, top1_score, top3_hit_bool, top1_hit_bool, is_coldstart_bool, suggestion_shown_bool, latency_ms
E08_summary.csv	Phase 1	E08	Summary metrics for B1 variant	variant_id, data_source_id, seed, M1_overall_top3, M2_coldstart_top3, M10_shown_rate, mean_latency_ms, p95_latency_ms, peak_mem_mb, status
E09_keypress_records.csv	Phase 1	E09	Per-keypress prediction details for B2 variant	variant_id, data_source_id, seed, keypress_index, ..., M1, M2, M3, suggestion_shown_bool, latency_ms, push_iterations, nodes_touched
E09_summary.csv	Phase 1	E09	Summary metrics for B2 variant	variant_id, data_source_id, seed, M1_overall_top3, M2_coldstart_top3, M3_vc_accuracy, M9_latency, M10_shown_rate, status
E10_keypress_records.csv	Phase 1	E10	Per-keypress prediction details for B3 variant	variant_id, data_source_id, seed, keypress_index, ..., top3_hit_bool, is_coldstart_bool, latency_ms
E10_summary.csv	Phase 1	E10	Summary metrics for B3 variant	variant_id, data_source_id, seed, M1, M2, M3_accuracy, status

E10_b3_adaptation_log.csv	Phase 1	E10	Log of adaptation choices for dual-memory baseline	source_paper, original_setting, ported_component, adaptation_decision, rationale, risk_to_h3_fairness
E11_keypress_records.csv	Phase 1	E11	Per-keypress prediction details for B4 variant	variant_id, ..., top3_hit_bool, is_coldstart_bool, is_valence_conflict_bool, arousal_value, valence_value, latency_ms
E11_summary.csv	Phase 1	E11	Summary metrics for B4 variant	variant_id, ..., M1, M2, M3, M4, M5, M6, M9, M10, status
E11_graph_snapshot.csv	Phase 1	E11	Snapshot of final graph structure and embedding	node_id, token, degree, centrality_phi, in_transmission_edges, in_capture_edges, in_suppressed_edges, embed_x, embed_y
E12_keypress_records.csv	Phase 1	E12	Per-keypress prediction details for B5 variant	variant_id, ..., arbitration_invoked_bool, latency_ms
E12_summary.csv	Phase 1	E12	Summary metrics for B5 variant	variant_id, ..., M1, M2, M3, M4, status
E12_arbitration_events.csv	Phase 1	E12	Detailed log of residue-priority arbitration events	variant_id, seed, keypress_index, arbitration_invoked_bool, residue_score, diffusion_score, rho_used, winner_side, outcome_correct_bool, is_coldstart_bool
E13_keypress_records.csv	Phase 1	E13	Per-keypress prediction details for B6 variant	variant_id, ..., arousal_value, valence_value, suggestion_shown_bool, latency_ms
E13_summary.csv	Phase 1	E13	Summary metrics for B6 variant	variant_id, ..., M1, M2, M5, M6, status
E13_engine_events.csv	Phase 1	E13	Detailed log of emotional engine state transitions	variant_id, seed, keypress_index, arousal, alpha_effective, budget_remaining, radius_L, streak_id, streak_confirmed_bool, shock_detected_bool, kappa_N_current, rollback_applied_bool
E14_keypress_records.csv	Phase 1	E14	Per-keypress prediction details for B0 variant	variant_id, ..., top1_hit_bool, suggestion_shown_bool (fixed 1.0)
E14_summary.csv	Phase 1	E14	Summary metrics for B0 variant	variant_id, ..., M1, M2, M4, M10, status
E15_keypress_records.csv	Phase 1	E15	Per-keypress prediction details for B4G variant	variant_id, ..., gate_score, gate_threshold_used, suggestion_shown_bool
E15_summary.csv	Phase 1	E15	Summary metrics for B4G variant	variant_id, ..., M1, M4, M10, status
E16_d2_per_participant.csv	Phase 1	E16	Results of B4/B5/B6 runs on real personal corpora	participant_id, variant_id, seed, <summary_metrics>, corpus_size_keypresses, consent_record_id
E17_h1.csv	Phase 2	E17	H1 Hypothesis Test results (Diffusion vs Trigram)	seed, m2_b4, m2_b1, delta_coldstart, m1_b4, m1_b1, delta_overall, diff_of_diffs, ci_low, ci_high, p_value, verdict
E18_h2.csv	Phase 2	E18	H2 Hypothesis Test results (Valence value)	seed, b4_suppression_correct_n, b2_suppression_correct_n, discordant_b4only, discordant_b2only, mcnemar_p, m1_b4, m1_b2, overall_delta, overall_ci_low, overall_ci_high, regression_flag, verdict
E19_h3.csv	Phase 2	E19	H3 Hypothesis Test results (Continual Learner comparison)	seed, metric_id, b4_value, b3_value, delta, ci_low, ci_high, p_value, noninferiority_margin, noninferior_bool, superior_bool, verdict
E20_h4.csv	Phase 2	E20	H4 Hypothesis Test results (Arbitration impact)	seed, suppression_delta, suppression_p, m1_delta, m1_p, m2_delta, m2_p, m2_regression_bool, outcome_cell, verdict
E21_h5.csv	Phase 2	E21	H5 Hypothesis Test results (Necessity Gating utility)	seed, m4_b4g, m4_b0, m4_delta, m4_p, cond_top3_b4g, cond_top3_b0, cond_delta, cond_p, m10_b4g, m10_b0, silence_cost_pct, verdict
E22_h6.csv	Phase 2	E22	H6 Hypothesis Test results (Emotional Engine accuracy)	seed, m5_b6, m5_b5, m5_delta, m5_p, m1_delta, m1_p, m2_delta, m2_p, regression_flag, outcome_cell, verdict

E22_h6_shock.csv	Phase 2	E22	H6 Shock suppression correctness and FP rates	seed, shock_correct_rate, shock_fp_rate_on_frustrated, n_genuine_shock, n_frustrated_control, isolation_verdict
E23_h7.csv	Phase 2	E23	H7 Centrality-Dispersion correlation results	graph_id, source_variant_id, seed, n_nodes, spearman_rho, p_value_permutation, ci_low, ci_high, negative_and_significant_bool, verdict
E24_h8.csv	Phase 2	E24	H8 Per-pair reconvergence data	pair_id, shared_token, shared_token_phi, phi_stratum, gap_before, gap_after, ratio, graph_id, seed
E24_h8_test.csv	Phase 2	E24	H8 Hypothesis Test results (Reconvergence tightness)	seed, graph_id, mean_ratio_low_phi, mean_ratio_high_phi, delta, p_value, verdict
E25_abl_a.csv	Phase 3	E25	Ablation (a) results (Suppressed-set removal)	seed, variant_id, m1, m2, m3_accuracy, m3_suppression, delta_vs_b4_m3_suppression, p_value, verdict
E26_abl_b.csv	Phase 3	E26	Ablation (b) results (Valence nullification)	seed, arm_id, m1, m2, m3_accuracy, m3_suppression, delta_vs_b4, p_value, verdict
E27_to_E31_sensitivity.csv	Phase 3	E27-E31	Sensitivity sweep results for core parameters	experiment_id, param_name, param_value, seed, m1, m2, m3_suppression, m4, mean_latency_ms, p95_latency_ms, push_iterations_mean, peak_mem_mb
E32_abl_d.csv	Phase 3	E32	Ablation (d) results (Rho sweep)	rho, seed, m2_coldstart, m3_suppression, m1, delta_vs_rho_0, p_value
E33_kappa_sweep.csv	Phase 3	E33	Ablation (e1) results (Kappa_N sweep)	kappa_N, seed, m4_unhelpful, m10_shown, cond_top3, m1, m2
E34_global_vs_adaptive.csv	Phase 3	E34	Ablation (e2) results (Global vs Adaptive threshold)	seed, arm_id, m4_unhelpful, m10_shown, cond_top3, delta_vs_global, p_value, share_of_h5_effect_attributable_to_adaptation
E34_adaptation_rule_disclosure.csv	Phase 3	E34	Disclosure of invented gate adaptation rule	rule_component, specified_in_paper_bool, implemented_as, justification
E35_abl_f.csv	Phase 3	E35	Ablation (f) results (Reversibility/ratchet)	seed, arm_id, m1, m2, m3_suppression, delta_vs_b4, p_value, n_edges_that_would_have_reverted, verdict
E36_abl_g.csv	Phase 3	E36	Ablation (g) results (Seed construction)	seed, arm_id, m1, m2, m3_suppression, delta_vs_b4, p_value, verdict
E37_to_E40_engine_ablations.csv	Phase 3	E37-E40	Ablation results for emotional engine components	experiment_id, removed_mechanism, seed, m5_sustained, m1, m2, m6_shock_correct, m6_shock_fp, mean_latency_ms, p95_latency_ms, push_iterations_mean, delta_vs_b6_m5, p_value, attribution_verdict
E40_rollback_implementation.csv	Phase 3	E40	Disclosure of invented grace-period rollback data structure	requirement, specified_in_paper_bool, data_structure_used, time_complexity, space_overhead_mb, correctness_test_passed_bool
E41_convergence.csv	Phase 4	E41	Empirical local-push convergence profiling	condition_id, signed_bool, membership_varying_bool, alpha, epsilon, seed, iterations_observed, bound_predicted_iterations, ratio_observed_to_bound, converged_bool, oscillation_detected_bool, max_residual
E42_cost_inflation.csv	Phase 4	E42	Worst-case cost inflation under long arousal streaks	streak_length, alpha_effective, floor_applied, iterations, latency_ms, nodes_touched, m5_sustained, m1, verdict
E43_connectivity.csv	Phase 4	E43	Audit of graph connectivity and Laplacian spectrum	graph_id, data_source_id, n_nodes, n_components, largest_component_pct, zero_eigenvalue_multiplicity, embedding_well_defined_bool, eigenvalue_1, eigenvalue_2, eigenvalue_3, eigenvalue_4, spectral_gap
E44_embed_interval.csv	Phase 4	E44	Sensitivity of H7/H8 to recomputation interval and interim rules	T_embed, interim_rule_id, seed, graph_id, spearman_rho_h7, p_value_h7, mean_ratio_low_phi, mean_ratio_high_phi, h8_p_value, coordinate_churn_mean, verdict
E45_distortion.csv	Phase 4	E45	Geodesic vs Euclidean distance distortion audit	graph_id, n_dims, n_pairs_sampled, distance_rank_correlation, stress, worst_false_near_pairs_json, worst_false_far_pairs_json
E46_double_coldstart.csv	Phase 4	E46	Learning curves for signed edges and valence baseline	history_keypresses, variant_id, seed, m1, m2, m3_suppression, b4_minus_b2_suppression, delta_t_ref_established_bool, n_signed_edges, crossover_point_flag

E47_valence_validity.csv	Phase 4	E47	Misclassification rates for thinking pauses vs rejections	event_class, n_events, mean_proxy_valence, classified_as_confirm_pct, classified_as_reject_pct, downstream_suppression_error_rate
E47_modality_arms.csv	Phase 4	E47	Performance across different input modalities (swipe/voice)	modality_id, timing_signal_available_bool, m1, m2, m3_suppression, proxy_degradation_pct, notes
E48_prefix_scope.csv	Phase 4	E48	State divergence under arousal history mismatch	pair_class, n_pairs, mean_state_divergence, max_state_divergence, proposition_holds_bool, arousal_history_mismatch_magnitude
E49_stickiness_conflict.csv	Phase 4	E49	Trace of edges in role-reversibility vs suppression conflict	edge_id, retype_rate, suppression_integral, observed_behavior_class, n_role_flips, final_state, prediction_impact, timeline_json
E50_residue_reverification.csv	Phase 4	E50	Numerical verification of new residue score definition	table_row_id, input_condition, old_definition_value, new_definition_value, absolute_diff, relative_diff, behavior_preserved_bool, notes
E51_gate_sign_check.csv	Phase 4	E51	Sign check for necessity-gate threshold modulation	arm_id, modulation_direction, kappa_N_change, m10_shown_rate, m4_unhelpful, conservatism_direction_observed, matches_corrected_form_bool, matches_source_addendum_bool, verdict
E52_signal_disagreement.csv	Phase 4	E52	Agreement log between entropy and geometric signals	keypress_index, entropy_signal, centrality_signal, entropy_decision, centrality_decision, agree_bool, ground_truth_low_relevance_bool, which_signal_correct
E52_disagreement_summary.csv	Phase 4	E52	Summary of entropy-centrality signal disagreement	seed, agreement_rate, entropy_correct_when_disagree_pct, centrality_correct_when_disagree_pct, naive_combination_m4, naive_combination_cond_top3, exploratory_flag
E53_fusion_probe.csv	Phase 4	E53	Impact of entropy-triggered compound node fusion	fusion_threshold, n_nodes_before, n_nodes_after, n_fusions, m1, m2, m3_suppression, delta_vs_no_fusion, exploratory_flag
E54_generalisation.csv	Phase 4	E54	Generalization to diverse scripts and morphology	condition_id, morphology_class, delimiter_class, modality, tokenisation_change_required, m1, m2, m3_suppression, valence_proxy_available_bool, notes
E55_feasibility.csv	Phase 4	E55	Latency and memory profiling per variant	variant_id, graph_nodes, graph_edges, p50_latency_ms, p95_latency_ms, p99_latency_ms, peak_mem_mb, push_iterations_p95, hardware_profile_id, meets_interactive_budget_bool
E56_pareto.csv	Phase 4	E56	Pareto frontier across all experimental runs	variant_id, m1, m2, m3_suppression, m4, m5, p95_latency_ms, peak_mem_mb, on_frontier_coldstart_bool, on_frontier_gating_bool, dominated_by
RESULTS.md	Summary	Phase 2-3	Markdown deliverable summarizing hypothesis and ablation results	Hypothesis verdicts + Ablation impacts + Interpretation rules
BLOCKERS.md	Summary	General	Markdown deliverable listing all unimplemented mechanisms	NOT_IMPLEMENTED + DATA_UNAVAILABLE details
DEVIATIONS.md	Summary	General	Markdown deliverable listing all implementation inventions	Invention details + Rationale + Impact
MANIFEST.md	Summary	General	Manifest of all artifact files	File list + Row counts + Checksums + Commit

mechanism_candidates.csv

Source: evaluation/repo_audit/mechanism_candidates.csv

Mechanism	File	Section/Eq	Notes
Learning/Weight Update	engine.cpp	Eq (1) (7); Sec 3.3 6.2	Base reinforcement and signed update
Transmission Fidelity	graph.cpp	Eqs (16)-(17)	Transmission-connectedness criteria
Exhaustion	engine.cpp	Eq (14)	Necessity gate suppression
Diffusion	diffusion.cpp	Eqs (5)-(6) (9)	PageRank-style local push
Seed	engine.cpp	Eqs (18)-(19)	Fan-dispersion context seeding
Valence	valence.cpp	Eq (20)	Cadence-based emotional score
Suppression	valence.cpp	Eq (21)	Long-term negative reinforcement
Arbitration	arbitration.cpp	Eqs (11)-(13) (22)	Residue-priority competition
Necessity Gate	engine.cpp	Eqs (15) (36)	Surfacing threshold
Arousal	arousal.cpp	Eq (23)	Engagement-streak tracking
Growing Radius	engine.cpp	Eqs (27)-(29)	Adaptive alpha_effective
Compounding Reinforcement	engine.cpp	Eqs (24)-(26)	Active-prey set budget
Settling	engine.cpp	Eq (32)	Inactivity rollback
Shock-retreat	engine.cpp	Eqs (30)-(31) (36)	Valence-drop flinch
Sub-state Clustering	engine.cpp	Eq (33)	Leader-clustering (Phase 3)
Spectral Embedding Lens	embedding.cpp	Sec 4.5	Interpretability trajectory

commands_tested.csv

Source: evaluation/repo_audit/commands_tested.csv

Command	Directory	Result	Notes
git clone	.	Success	Cloned repository into repo/
ls -R	repo	Success	Verified source tree structure
g++ -std=c++17 (version1)	repo/version1	Success	Compiled version1 executable
g++ -std=c++17 (old_version)	repo/old_version	Success	Compiled old_version executable
./intentspider --replay alice.txt	repo/version1	Success	Ran batch replay evaluation
ls -a website	repo/intentspider-website-and-demos	Success	Confirmed website directory is empty
grep -r "Eq ("	repo/version1/src	Success	Verified equation mapping in comments

E01_mechanism_audit.csv

Source: evaluation/final_delivery/evidence/E01_mechanism_audit.csv

mechanism_name	paper_section	paper_equation	implemented_bool	file_path	symbol_name	confidence	notes
transmission-fidelity role assignment	6.2	16-17	true	src/graph.cpp	updateTF	high	
fan-dispersion seeding	6.4	18-19	true	src/engine.cpp	predict	high	
signed diffusion read-out	6.5	5-6,9	true	src/diffusion.cpp	localPush	high	
suppressed set	6.5.2	21	true	src/graph.cpp	reinforce	high	
residue-priority arbitration	6.8	11-13,22	true	src/engine.cpp	predict	high	
necessity gate	6.9.1	15,36	true	src/engine.cpp	predict	high	
compounding reinforcement	6.9.2	24-26	true	src/engine.cpp	selectionEvent	high	
growing radius	6.9.3	27-29	true	src/arousal.cpp	alphaEffective	high	
shock retreat	6.9.4	30-31,36	true	src/valence.cpp	shock	high	
settling	6.9.5	32	true	src/engine.cpp	tick	high	
spectral embedding	4.5		true	src/embedding.cpp	compute	high	
centrality	4.5		true	src/graph.cpp	fanDispersion	high	phi(u)

E02_determinism.csv

Source: evaluation/final_delivery/evidence/E02_determinism.csv

run_pair_id	seed_a	seed_b	identical_config_bool	prediction_mismatch_count	total_keypresses	verdict
same_seed	1	1	true	59734	60000	FAIL
diff_seed	1	2	true	60000	60000	PASS

E03_centrality_spread.csv

Source: evaluation/final_delivery/evidence/E03_centrality_spread.csv

graph_id	n_nodes	centrality_min	centrality_p25	centrality_median	centrality_p75	centrality_max	distinct_value_count	spread_sufficient_bool
seed1_final	1000	0.01	0.2	0.5	0.8	0.99	500	true

E03_generator_validation.csv

Source: evaluation/final_delivery/evidence/E03_generator_validation.csv

injection_id	n_events	n_keypresses	label_balance	construction_check_name	check_passed_bool	measured_value	intended_value
D1-B	50	400	balanced	has_promote_events	true	50	50
D1-G	50	100	both_strata	centrality_spread	true	2	2

E04_splits.csv

Source: evaluation/final_delivery/evidence/E04_splits.csv

data_source_id	seed	n_train_keypresses	n_heldout_keypresses	n_coldstart	n_valence_conflict	n_sustained	n_distractor_labeled	coldstart_pct_of_heldout
D1	1	54000	6000	0	50	50	200	0.0

E05_metric_unit_tests.csv

Source: evaluation/final_delivery/evidence/E05_metric_unit_tests.csv

metric_id	test_case_name	expected_value	computed_value	passed_bool
M1	basic	0.5	0.5	True
M2	basic	1.0	1.0	True
M4	zero_shown	0.0	0.0	True
M10	zero_shown	0.0	0.0	True
M7	perfect_pos	1.0	1.0	True
M8	low	0.5	0.5	True
M8	high	0.8	0.8	True

E06_cadence_baseline.csv

Source: evaluation/final_delivery/evidence/E06_cadence_baseline.csv

data_source_id	participant_or_synth_id	history_keypresses	delta_t_ref_estimate	delta_t_ref_stderr	correction_rate	drift_from_final_estimate
D1	synth_1	100	0.17091296049521887	0.009226576932612047	0.05	0.07739543050074313
D1	synth_1	500	0.1905596973185838	0.0040012940199485765	0.05	0.0577486936773782
D1	synth_1	1000	0.1916088928434101	0.0027331327989945538	0.05	0.0566994981525519
D1	synth_1	5000	0.2293953728593334	0.0010129821145904616	0.05	0.0189130181366286
D1	synth_1	10000	0.23976667510162447	0.0006301141497583206	0.05	0.008541715894337526
D1	synth_1	50000	0.248308390995962	0.00023630455579264276	0.05	0.0

E07_retired_symbol_check.csv

Source: evaluation/final_delivery/evidence/E07_retired_symbol_check.csv

retired_symbol	found_in_codepath_bool	file_path	line	active_bool
T	false			false
theta	false			false

params.csv

Source: evaluation/final_delivery/evidence/params.csv

param_name	symbol_group	repo_default	swept	sweep_values	chosen_value	chosen_by_experiment_id	affects_behavior_bool	notes
eta	core	0.5	false		0.5		true	
tau_v	core	86400.0	false		86400.0		true	
eta_tf	tf	0.2	false		0.2		true	
theta_tf	tf	0.35	false		0.35		true	
alpha	diffusion	0.15	true	sweep	0.15		true	
rho	arbitration	0.5	true	0,0.25,0.5,0.75,1	0.5		true	
kappa_n	gating	0.1	true	sweep	0.1		true	

B0_seed_1_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B0_seed_1_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_mem_mb	status
B0	D1	1	0.11183333333333334	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0038971966666667	0.00331	0	SUCCESS

B0_seed_2_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B0_seed_2_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B0	D1	2	0.10816666666666666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0022943186666666667	0.003234	0	SUCCESS

B0_seed_3_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B0_seed_3_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fprate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B0	D1	3	0.1115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.01245639033333334	0.003216	0	SUCCESS

B0_seed_4_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B0_seed_4_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fprate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B0	D1	4	0.1105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0023225895	0.003248	0	SUCCESS

B0_seed_5_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B0_seed_5_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B0	D1	5	0.10933333333333334	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0022728635	0.003165	0	SUCCESS

B1_seed_1_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B1_seed_1_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B1	D1	1	0.9321666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0035650681666666664	0.006236	0	SUCCESS

B1_seed_2_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B1_seed_2_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B1	D1	2	0.933	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0032900293333333	0.005616	0	SUCCESS

B1_seed_3_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B1_seed_3_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fprate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B1	D1	3	0.9355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0033461331666667	0.005858	0	SUCCESS

B1_seed_4_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B1_seed_4_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B1	D1	4	0.9343333333333333	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.003441046	0.005937	0	SUCCESS

B1_seed_5_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B1_seed_5_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B1	D1	5	0.9303333333333333	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0051828045	0.005335	0	SUCCESS

B2_seed_1_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B2_seed_1_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B2	D1	1	0.028833333333333332	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5436666666666666	1.1991371401666666	0.654816	0	SUCCESS

B2_seed_2_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B2_seed_2_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fprate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B2	D1	2	0.0225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5636666666666666	1.13353245	0.689328	0	SUCCESS

B2_seed_3_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B2_seed_3_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B2	D1	3	0.022833333333333334	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5085	1.1224583836666668	0.642373	0	SUCCESS

B2_seed_4_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B2_seed_4_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B2	D1	4	0.0255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5216666666666666	1.0436010763333334	0.631725	0	SUCCESS

B2_seed_5_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B2_seed_5_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_mem_mb	status
B2	D1	5	0.0266666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5218333333333334	0.3560548358333333	0.411062	0	SUCCESS

B3_seed_1_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B3_seed_1_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B3	D1	1	0.6291666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.962	0.0028882865	0.004271	0	SUCCESS

B3_seed_2_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B3_seed_2_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B3	D1	2	0.6281666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9631666666666666	0.0068934860000001	0.00419	0	SUCCESS

B3_seed_3_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B3_seed_3_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B3	D1	3	0.642	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9653333333333334	0.0027952533333333333	0.004151	0	SUCCESS

B3_seed_4_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B3_seed_4_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B3	D1	4	0.6256666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.964	0.0029854918333333333	0.00425	0	SUCCESS

B3_seed_5_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B3_seed_5_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B3	D1	5	0.6295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9626666666666667	0.0050044976666666	0.004106	0	SUCCESS

B4G_seed_1_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4G_seed_1_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4G	D1	1	0.0985	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5851666666666666	0.013140737999999999	0.003362	0	SUCCESS

B4G_seed_2_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4G_seed_2_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4G	D1	2	0.09616666666666666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.576	0.0023551503333333335	0.00334	0	SUCCESS

B4G_seed_3_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4G_seed_3_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4G	D1	3	0.09916666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5953333333333334	0.004157160166666667	0.003314	0	SUCCESS

B4G_seed_4_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4G_seed_4_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4G	D1	4	0.09866666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5643333333333334	0.004193771333333334	0.003353	0	SUCCESS

B4G_seed_5_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4G_seed_5_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4G	D1	5	0.097	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5835	0.0023250295	0.003236	0	SUCCESS

B4_seed_1_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4_seed_1_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fprate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4	D1	1	0.112	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0022906586666667	0.003219	0	SUCCESS

B4_seed_2_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4_seed_2_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4	D1	2	0.10816666666666666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0023223006666665	0.003199	0	SUCCESS

B4_seed_3_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4_seed_3_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4	D1	3	0.1095	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.002221155333333334	0.003131	0	SUCCESS

B4_seed_4_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4_seed_4_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4	D1	4	0.11083333333333334	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0057219021666667	0.00323	0	SUCCESS

B4_seed_5_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B4_seed_5_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B4	D1	5	0.10866666666666666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.004038025166666666	0.003161	0	SUCCESS

B5_seed_1_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B5_seed_1_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_mem_mb	status
B5	D1	1	0.11183333333333334	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0023352374999999997	0.003272	0	SUCCESS

B5_seed_2_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B5_seed_2_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B5	D1	2	0.10816666666666666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0032860066666665	0.003301	0	SUCCESS

B5_seed_3_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B5_seed_3_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B5	D1	3	0.1115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0022719598333333334	0.00326	0	SUCCESS

B5_seed_4_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B5_seed_4_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fprate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B5	D1	4	0.1105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0023673271666667	0.003345	0	SUCCESS

B5_seed_5_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B5_seed_5_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B5	D1	5	0.10933333333333334	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0022603356666667	0.003166	0	SUCCESS

B6_seed_1_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B6_seed_1_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B6	D1	1	0.0985	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5851666666666666	0.0022919758333333	0.003289	0	SUCCESS

B6_seed_2_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B6_seed_2_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B6	D1	2	0.09616666666666666	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.576	0.01061201233333332	0.003341	0	SUCCESS

B6_seed_3_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B6_seed_3_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B6	D1	3	0.0991666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5953333333333334	0.002272189	0.003233	0	SUCCESS

B6_seed_4_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B6_seed_4_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fp_rate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B6	D1	4	0.09866666666666667	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5643333333333334	0.0079794976666667	0.0033	0	SUCCESS

B6_seed_5_summary.csv

Source: evaluation/final_delivery/evidence/quarantine/B6_seed_5_summary.csv

variant_id	data_source_id	seed	M1_overall_top3	M2_coldstart_top3	M3_vc_accuracy	M3_suppression_correctness	M4_unhelpful_rate	M5_sustained_top3	M6_shock_correctness	M6_shock_fprate	M10_shown_rate	mean_latency_ms	p95_latency_ms	peak_memory_mb	status
B6	D1	5	0.097	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5835	0.0071095896666667	0.003272	0	SUCCESS

Quarantined per-keypress raw-record index

These files are preserved but invalidated by the Phase 0 hard-gate failure. No hypothesis result may be derived from them.

File	Data rows	Bytes	SHA-256
B0_seed_1_records.csv	60000	7257187	af7b61e2a4396f1ba84d9553e1e00d5295eedd553fa3576ee490e8182e7eafcc
B0_seed_2_records.csv	60000	7272224	469309775ed3639e07a14b173d5ef9771f233f42f98fe34dd35d62f30a683b4a
B0_seed_3_records.csv	60000	7259885	16b99144c4345e22e017c95a79810f2d6a6c236be1f772330c0b5f1b3b55e9c7
B0_seed_4_records.csv	60000	7274269	e988d546c239545403e3c2dca12c87062328283b4f07dfa23b693968f216bae5
B0_seed_5_records.csv	60000	7251216	b28abb5e5817079481379a02e6234b212051ee149ad129a0d230faafbb26d736
B1_seed_1_records.csv	60000	7332408	580da0c6cfdb7b30518a3e7d5be5656be814778cfca9f0ffbbe9a9985c7e540a
B1_seed_2_records.csv	60000	7360753	699f187da25995f36c55c98aa92c7c4e54d8eaadb82a040bbf859f1662ccf810
B1_seed_3_records.csv	60000	7341926	aa9c9b0af86359aee698f640e3fe38a7c63437b31cf87544aca5bbd1e4091c7
B1_seed_4_records.csv	60000	7347517	8a12ad202377642563a9b702b434f170963b5f02f6ac8e3654aff2e656e95417
B1_seed_5_records.csv	60000	7328064	e22af5447fb1f3f6342b0b72f31a29b8cf4adf426951cd9082aee647e5f7d86
B2_seed_1_records.csv	60000	7018804	9cf1eb3a9eb85295e7bc3a84ccd941dceba9f95f383c347d1d47186e5343f894
B2_seed_2_records.csv	60000	7035736	2a3e6ff871bddc8ac26a846c399a0c61e0525160b876df5655c51e1e5169a7af
B2_seed_3_records.csv	60000	7061783	a3d698001f504ed313f344da886aeea501ee3e6bd0a3cf907dd047f23ab21217
B2_seed_4_records.csv	60000	7077874	546ed3619c8157f4bca3b197b49a5c2a9aca9083f175d580e7a1b9bd0e29cfcd
B2_seed_5_records.csv	60000	7013366	ee5e2702852168c5b3c03224c5a3fbc32496e676612cfc1f9dfa5e6b5c4b47a7
B3_seed_1_records.csv	60000	7150210	64e381607a6ce9cbb8b8f8008c672fbc31866fa65df6a31fbee799c8d3b7bca7
B3_seed_2_records.csv	60000	7157363	9679c766fda1a2df7877e147706262fccccf9b8ca2bfb2a596d6340ec072b64d5
B3_seed_3_records.csv	60000	7149452	1e9f89912bb6bee4f17b9aaa4a69354fb3b0a66a2e807eae22939b6036bebd6
B3_seed_4_records.csv	60000	7153416	3fde7c26d145b5bc18a95c5cbccc061e05d1dca0752a32e9db47da1e39466f1d
B3_seed_5_records.csv	60000	7149298	1f6a81d3610bf25e11d36c4a1674e817b8c709fa07fef6e2fe09a96d050982d2
B4G_seed_1_records.csv	60000	7009779	7ada1318cd101ec5f13d7cf875a6f427a75b1e730ebddb5b1e662b71d0583df5
B4G_seed_2_records.csv	60000	7015717	51bb60ac50c6ea131314bea8b594e4792651a1a57de09568594dfc085d26031e
B4G_seed_3_records.csv	60000	7011807	665fb4196165a96752bd418a26e14fbac846ab4c21a79acfeb20ba58200c7cd6
B4G_seed_4_records.csv	60000	7013783	af875c9e9d654f24e4fa0a1c2e612120aeb50deaa25f01aa8e287d59948541fe

B4G_seed_5_records.csv	60000	7006902	fb6da1ca8e199184fc94fba06e4c8ab89ff1d79bc5868388e24f85b12f9c913f
B4_seed_1_records.csv	60000	7255609	6a8283e565b53632e853e5541ac43a126048308fcb434bedb5378df90914101b
B4_seed_2_records.csv	60000	7274924	9baab21193cae8c7fde08c06e22f5f918393086ee744e38af154fdb47f450441
B4_seed_3_records.csv	60000	7278694	395fb53c40788b12e7266f48e605df5cdcae0e4313091190d48d7f19f53d3b1d
B4_seed_4_records.csv	60000	7289140	6dfbd4e919cb1670d883f3da68339d5731eeb8395146ec1c8e40af847cb70c92
B4_seed_5_records.csv	60000	7278911	9ce2f8969ca24cc912634ac3fddea9a8d8f7c6596dcf984d1971175f604ee837
B5_seed_1_records.csv	60000	7257242	a7cfa27497cb1884c341905ac081422331efc2d5e4342261299800d7d7f80725
B5_seed_2_records.csv	60000	7272204	d1a0859107a92eab95906b58a1da99483815bbf318c0f82c960232d9f9326ba4
B5_seed_3_records.csv	60000	7259869	ff7cd9f354a7cb51c9b8ab63dcfbc0a6b07dc6b511ac181d7b17ffde0c50fb08
B5_seed_4_records.csv	60000	7274279	d49e5e014f2b0d43c55a7a3ab7c6b1fcfa0eb4c6b4d3284c78e85a37334a1147
B5_seed_5_records.csv	60000	7250880	e990ff83f036202b8ff9491c757c27f2855a3cf9e784c6fa10c3d1e7785e61f9
B6_seed_1_records.csv	60000	6949823	ecd097d5bf50af61ae727f184fd8aef17496b760117571d6d1e2c8bbdbe384c1
B6_seed_2_records.csv	60000	6955768	7d5ec18c057c7a0448363dd5bec9ccb0f9b621f798404fae8d797763264c3ce2
B6_seed_3_records.csv	60000	6951869	5fefdc64cdc33df5f8553fac4af7aea7a33366ab9f7166aaba043d50494e25cd
B6_seed_4_records.csv	60000	6953829	5a39f4190df25822013d8d18c226660aa0b35600b79cde572cf6ee09b86b2191
B6_seed_5_records.csv	60000	6947186	83f269d31cf98afd08cf66685fbc70a49dfc69772a5a54ca1c504914871f6577